



A



ABUTMENT	ABUT
AGGREGATE	AGGR
AMERICAN ASSOCIATION OF STATE HIGHWAY & TRANSPORTATION OFFICIALS	AASHTO
AMERICAN SOCIETY FOR TESTING MATERIALS	ASTM
AMERICAN WELDING SOCIETY	AWS
AND	
APPROACH	APP
APPROACH WITH NO PIPE (PROFILE)	
APPROACH WITH PIPE (PROFILE)	
FARM APPROACH	F APP
ROAD APPROACH	RD APP
APPROXIMATE	APPROX
ASPHALT CONCRETE	AC
AVENUE	AVE
AVERAGE	AVG
AVERAGE ANNUAL DAILY TRAFFIC	AADT
AVERAGE DAILY TRAFFIC	ADT
AVERAGE DAILY TRUCK TRAFFIC	ADTT
AZIMUTH	AZ

B



BACK SIGHT	BS
BALANCE POINT	BP
CONTROL BALANCE POINT	CBP
DESIGN BALANCE POINT	BP
BEARING	BRG
BENCH MARK	BM
BITUMINOUS	BITUM
BLOCK	BLK
BOULEVARD	BLVD




Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:	<i>[Signature]</i>	DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:	<i>[Signature]</i>	A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92-07-21	SHEET	1 of 10

LAST REV DATE: 1992 05 12
ACAD DWG: 20100-1



BOUNDARY BDRY
 BRIDGE BR
 BUILDING BLDG

C




¢ or C/L

CANADIAN GOVERNMENT SPECIFICATION BOARD . . . CGSB
 CANADIAN NATIONAL RAILWAY CNR
 CANADIAN PACIFIC RAILWAY CPR
 CANADIAN STANDARDS ASSOCIATION CSA
 CATCH BASIN CB

CENTRE


CENTRELINE CL
 CENTRE TO CENTRE C TO C
 ON CENTRE OC
 CLEARING CLRG
 COINCIDING COINC
 CONCRETE CONC
 CONCRETE CURB CC
 CONCRETE CURB & GUTTER CC & G
 CONSTRUCTION CONSTR
 CONTROL SECTION CS
 COURSE CRS



CULVERT

CULVERT ON PLAN
 CULVERT ON PROFILE
 FRAMED TIMBER CULVERT FTC

CURB



BARRIER CURB
 DEPRESSED CURB
 MOUNTABLE CURB



Saskatchewan
 Highways and
 Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

LAST REV DATE: 1992 05 12

0100-2

ACAD C

RECOMMENDED BY:

[Signature]

DIRECTOR
 TECH. STDS. & POLICIES

DATE

92.07.15

STANDARD
 PLAN NO

20100

APPROVED BY:

[Signature]


A/ASST. DEPUTY MINISTER
 INFRASTRUCTURE DIVISION

DATE

92.07-21

SHEET

2 of 10



CURB AND GUTTER

BARRIER CURB AND GUTTER

DEPRESSED CURB AND GUTTER

MOUNTABLE CURB AND GUTTER

CURVE

CURVE - SPIRAL CS


CURVE - TANGENT CT

VERTICAL CURVE VC

VERTICAL CURVE CONSTANT (1% GRADE CHANGE)

K

D



DEAD HAUL DH

DEFLECTION DEFL

DEGREE

DELINEATOR

DEPARTMENT DEPT

DESIGN DSGN

DESIGN HOUR VOLUME DHV

DIAMETER DIA

INSIDE DIAMETER ID

OUTSIDE DIAMETER OD

DIRECTION

EAST E.

NORTH N.

SOUTH S.

WEST W.

Q



DISCHARGE DISCH

DISTRICT DIST



Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:		DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:		A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92-07-21	SHEET	3 OF 10

DITCH

DITCH BLOCK. DB
DITCH DEPTH. D
DITCH GRADE. DG
DITCH WIDTH W

DRAINAGE

DIRECTION OF DRAINAGE
DRAINAGE AREA DA
DRAINAGE DITCH DD
DRAWING DWG



E

EACH FACE. EF
EASTBOUND. EB
EASTBOUND LANE EBL
ELEVATION EL
EMBANKMENT. EMB
END SECTION. ES
ENTERING SIGHT DISTANCE ESD
EXCAVATION. EXC
EXISTING EXG
EXTERNAL
EXTERNAL DISTANCE OF A SPIRAL CURVE E_T
EXTERNAL TO CIRCULAR CURVE E_c
EXTERNAL TO SPIRAL CURVE. E_s

F

(NO OF WIRES)

— X — X —
— < > — < > —
= X = X =
— " — " —

FENCE

BARBED WIRE FENCE. BWF
CHAIN LINK FENCE. CLF
SNOW FENCE. SNF
WOVEN WIRE FENCE WWF



Saskatchewan
Highways and
Transportation


ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:	<i>[Signature]</i>	DIRECTOR TECH. STDS. & POLICIES	DATE	1995-12-15	STANDARD PLAN NO	20100
APPROVED BY:	<i>[Signature]</i>	ASSIST. DEPUTY MINISTER OPERATIONS DIVISION	DATE	1995-12-19	SHEET	4 of 10

FOOTING FTG
 FORE SIGHT FS
 FREE ON BOARD FOB


G

GEODETC GEOD
 GRADE GR
 GRANULAR GRAN
 GRANULAR BACKFILL GBF
 GRUBBING GBG
 GAUGE GA



GUARD RAIL
 GUIDE POST

H



HEDGE
 HEIGHT HGT
 HEIGHT OF INSTRUMENT HI
 HIGHWAY HWY
 HORIZONTAL HORIZ
 HYDRANT HYD

I



INCLUSIVE INCL
 INDIAN RESERVE IR
 INSIDE DIAMETER ID
 INTENSITY OF RAINFALL I
 INTERSECTION ANGLE BETWEEN TANGENTS
 INVERT INV



Saskatchewan
 Highways and
 Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:

[Signature]

DIRECTOR
 TECH. STDS. & POLICIES

DATE

92.07.15

STANDARD
 PLAN NO

20100

APPROVED BY:

[Signature]

A/ASST. DEPUTY MINISTER
 INFRASTRUCTURE DIVISION

DATE

92-07-21

SHEET

5 of 10


IRON PIN




FOUND IRON PIN OR POST FIP
IRON PIN OR POST IP

L

LATITUDE LAT
LEFT LT
LENGTH LG
LENGTH OF CIRCULAR CURVE Lc
LENGTH OF SPIRAL Ls
LENGTH OF VERTICAL CURVE VC
LIGHT
LIGHT CABLE LC
LIGHT STANDARD LS
LINEAR LIN
LONG DISTANCE LD
LONGITUDE LONG




M



MAINTENANCE MAINT
MANHOLE MH
MARK MK
MARSH, MUSKEG
MATERIAL MATL
MAXIMUM MAX
MINIMUM MIN

N



NATURAL GAS NG
NATURAL GAS MARKER
NATURAL GAS PIPE LINE
NORTHBOUND NB
NORTHBOUND LANE NBL



Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:	<i>Kirby</i>	DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:	<i>[Signature]</i>	A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92.07.2	SHEET	6 of 10

NOT TO SCALE : NTS

NUMBER NO

O O/S OFFSET OFS

---O---O--- OIL PIPELINE

OUTSIDE DIAMETER OD

OUT TO OUT O TO O

P (NEW) (EXG)
[Solid Black] [Hatched]
/
%

PAVEMENT PVT

PER

PERCENT

PIPE

CORRUGATED POLYETHYLENE PIPE CPP

CORRUGATED STEEL PIPE CSP

CORRUGATED STEEL PIPE ARCH CSPA

REINFORCED CONCRETE PIPE RCP

STRUCTURAL PLATE
CORRUGATED STEEL PIPE SPCSP

STRUCTURAL PLATE
CORRUGATED STEEL PIPE ARCH SPCSPA

STRUCTURAL PLATE PIPE SPP

STRUCTURAL PLATE PIPE ARCH SPPA

POINT PT

POINT OF INTERSECTION PI

POINT ON TANGENT POT

POWER


POWER GUY WIRE AND ANCHOR

POWER POLE LINE

UNDERGROUND POWER CABLE

UNDERGROUND POWER MARKER

UNDERGROUND POWER PEDESTAL



Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL



RECOMMENDED BY:	<i>[Signature]</i>	DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:	<i>[Signature]</i>	A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92-07-21	SHEET	7 of 10

LAST REV DATE: 1992 05 12
ACAD DWG: 20100 7

R or P/L



PROPERTY PROP
PROPERTY LINE PL
PROPOSED PRPSD

R



RADIUS R
RAILROAD RR
RAILWAY RLY
RANGE RGE
RECLAIMED ASPHALT PAVEMENT RAP
RESERVOIR WITH DAM
REVISION REV
RIGHT RT
RIGHT-OF-WAY ROW
RIVER RIV
ROAD RD
FRONTAGE ROAD FRT RD
ROAD ALLOWANCE RD ALLOW

S



SASKATCHEWAN TELECOMMUNICATIONS SASKTEL
SASKENERGY SEI
SASKPOWER SPC
SCARIFY (PROFILE)
SECTION SEC
SEWER
SANITARY SEWER SAN
STORM SEWER SS
SHOULDER SH
SHRINKAGE FACTOR SF
SIDEWALK SW



Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:		DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:		A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92-07-21	SHEET	8 of 10


SLOPE S
 BACKSLOPE. BS
 SIDESLOPE SS
 SOUTHBOUND. SB
 SOUTHBOUND LANE SBL
 SPECIFICATION SPEC
 SPIRAL
 SPIRAL - CURVE. SC
 SPIRAL - CURVE - SPIRAL SCS
 SPIRAL - TANGENT ST
 STANDARD STD
 STANDARD DEVIATION STD DEVN
 STATION STA
 STREET ST
 SUBCUT (PROFILE)
 SUPERELEVATION SE
 SUPERELEVATION RATE
 SURFACE SURF
 SURPLUS ROCK SR



T

TANGENT
 TANGENT - CURVE. TC
 TANGENT LENGTH OF CIRCULAR CURVE T
 TANGENT LENGTH OF SPIRAL CURVE Ts
 TANGENT - SPIRAL TS

TELEPHONE



TELEPHONE GUY WIRE AND ANCHOR
 TELEPHONE POLE LINE
 UNDERGROUND TELEPHONE CABLE
 UNDERGROUND TELEPHONE CABLE MARKER
 UNDERGROUND TELEPHONE CABLE PEDESTAL



Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:	<i>Rubrand</i>	DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:	<i>[Signature]</i>	A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92-07-21	SHEET	9 of 10



TIMBER TMBR
TOWNSHIP TWP
TRAFFIC SIGN
TREE
TURNING POINT. TP
TYPICAL TYP

V



VALVE



VENT

VERTICAL VERT



VERTICAL POINT OF INTERSECTION. VPI

W

WATER

ALLOWABLE HEADWATER AHW

DESIGN HIGH WATER LEVEL DHWL

EXISTING WATER LEVEL EWL

FULL SUPPLY LEVEL FSL

HEADWATER. HW

HIGH WATER LEVEL. HWL

TAILWATER TW

WATER CONTENT

WATER LEVEL WL

WATER LINE

WATER TABLE. WT

WELL

NATURAL GAS WELL

OIL WELL

WATER WELL

WESTBOUND WB

WESTBOUND LANE WBL

NOTE:

ABBREVIATIONS AND SYMBOLS IN ADDITION TO THOSE LISTED HEREIN SHOULD BE IN ACCORDANCE WITH CANADIAN STANDARDS ASSOCIATION "ABBREVIATIONS FOR SCIENTIFIC AND ENGINEERING TERMS". ANY ADDITIONS SHALL BE LISTED IN THE LEGEND OF THE PLAN(S) ON WHICH THEY APPEAR OR ON A SEPARATE DRAWING TITLED "SUPPLEMENTARY ABBREVIATIONS AND SYMBOLS".



Saskatchewan
Highways and
Transportation

ABBREVIATIONS AND SYMBOLS GENERAL

RECOMMENDED BY:	<i>R. R. R.</i>	DIRECTOR TECH. STDS. & POLICIES	DATE	92.07.15	STANDARD PLAN NO	20100
APPROVED BY:	<i>[Signature]</i>	A/ASST. DEPUTY MINISTER INFRASTRUCTURE DIVISION	DATE	92-07-21	SHEET	10 of 10

LAST REV DATE: 1992 05 12

ACAD DWG: J-J