

Crop Report

For the Period August 30 to September 5, 2022

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 19, September 8, 2022

Last week's harvest conditions allowed producers all over the province to make great progress with their harvest operations. Forty-two per cent of the crop has been harvested across the province, up from 23 per cent last week and slightly ahead of the five-year average (2017-2021) of 40 per cent. An additional 20 per cent of the crop is ready to swath or straight-cut. Crops that were not ready for harvest have quickly ripened after a stretch of warm and dry days.

The southwest region continues to lead harvest operations with 83 per cent of the crop now combined. The west-central has 61 per cent of their crop harvested, the southeast 33 per cent, the northwest 28 per cent, the east-central 27 per cent and the northeast 21 per cent.

Winter cereals are very close to being completed with 96 per cent of winter wheat and 84 per cent of fall rye harvested. Ninety-one per cent of lentils and field peas, 70 per cent of durum, 52 per cent of barley, 40 per cent of spring wheat and 22 per cent of the canola crop has now been combined.

The current estimated averages of crop yields are 43 bushels per acre for hard red spring wheat, 30 bushels per acre for durum, 34 bushels per acre for canola, 34 bushels per acre for field peas and 1,174 pounds per acre for lentils. Crop yields in the southwest and west-central regions have been greatly affected by the extremely hot and dry conditions experienced during critical growing stages this season; yields are significantly lower in these areas than the provincial averages.

There was very little rainfall across the province this past week which allowed crops to ripen to a point where they could be harvested without delay. The Prince Albert area received 13 mm and the Garrick area received five mm.

One year ago

Fifty-six per cent of the crop had been harvested with an additional 24 per cent swathed or ready to straight-cut. There were several areas impacted by rain delays and producers are hoping the rain does not have a large impact on grain quality. Crop yields were below average for the province 5 year average due to the extreme heat and season long drought.

Follow the 2022 Crop Report on
Twitter @SKAgriculture

Saskatchewan Harvest September 5, 2022

% combined

Winter wheat**	96
Fall rye*	94
Spring wheat	40
Durum	70
Oats**	30
Barley***	54
Canaryseed	27
Flax	12
Canola	22
Mustard	68
Soybeans	27
Lentils	91
Peas	91
Chickpeas	40

includes two per cent
'other'

**includes 5 per cent
'other'

***includes 10 per cent
'other'

For further information, contact Matthew Struthers, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 30 to September 5, 2022

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 19, September 8, 2022

Cropland topsoil moisture is rated as one per cent surplus, 42 per cent adequate, 34 per cent short and 23 per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 35 per cent adequate, 39 per cent short and 25 per cent very short.

The majority of crop damage this past week was attributed to wind and grasshoppers. Strong winds blew swaths around fields and will result in yield loss and a difficult harvest for affected producers. Strong winds are likely to shell out very ripe crops leading to crop yield reductions as well. Grasshoppers will continue to be a significant problem until conditions are less favourable for them. Producers have noticed a slight increase of ergot fungus in their cereal fields this year, likely due to the increase in precipitation received during the crop flowering stage.

Crop producers are busy combining, swathing, desiccating, baling straw and hauling bales. Livestock producers are busy moving cattle, hauling water and taking inventory of their winter feed supplies.

Harvest Progress in SK Per cent Combined	
All Crops	
5 year avg. (2017-2021)	40
Sept 6/21	56
Sept 7/20	43
Sept 9/19	18
Sept 3/18	39
Sept 4/17	45
10 year avg. (2017-2021)	36

With harvest underway in Saskatchewan, we want to remind producers to take breaks, exercise caution and remain safe. Remember to ensure lights and reflectors are in good working order when moving equipment. We ask motorists to remain vigilant and to exercise patience when traveling around or near farm equipment on the highway.

Saskatchewan harvest by Crop District September 5, 2022	
% combined	
1A	32
1B	17
2A	42
2B	35
3ASE	61
3ASW	84
3AN	80
3BS	78
3BN	86
4A	87
4B	82
5A	12
5B	16
6A	48
6B	63
7A	71
7B	48
8A	26
8B	19
9AE	15
9AW	36
9B	18

Follow the 2022 Crop Report on Twitter at @SKAgriculture.

For further information, contact Matthew Struthers, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Saskatchewan Harvest Progress - September 5, 2022

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	6	0	1	93	0
southwest	0	0	0	90	10
east central	0	0	4	96	0
west central	0	0	18	77	5
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	1	0	4	93	2
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	13	2	1	82	2
southwest	0	0	0	55	45
east central	0	0	5	95	0
west central	0	0	0	90	10
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	4	1	1	84	10
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	47	6	18	29	
southwest	5	1	16	78	
east central	41	10	22	27	
west central	8	2	31	59	
northeast	42	8	29	21	
northwest	19	9	32	40	
provincial	29	6	25	40	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	42	3	14	41	
southwest	3	0	10	87	
east central	45	16	13	26	
west central	14	1	33	52	
northeast	0	6	10	84	
northwest	n/a	n/a	n/a	n/a	
provincial	9	5	16	70	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	33	2	7	49	9
southwest	3	0	1	82	14
east central	39	7	13	38	3
west central	10	0	23	57	10
northeast	29	2	21	43	5
northwest	20	13	17	48	2
provincial	22	4	14	52	8
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	54	9	7	23	7
southwest	7	1	3	64	25
east central	59	13	11	15	2
west central	12	9	10	49	20
northeast	35	5	36	24	0
northwest	24	14	26	24	12
provincial	39	9	16	25	11

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	85	1	8	6	
southwest	14	6	4	76	
east central	97	0	0	3	
west central	36	1	20	43	
northeast	79	0	21	0	
northwest	n/a	n/a	n/a	n/a	
provincial	61	2	11	26	
Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	94	4	0	2	
southwest	52	13	0	35	
east central	76	21	0	3	
west central	72	11	0	17	
northeast	98	2	0	0	
northwest	100	0	0	0	
provincial					
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	62	15	7	16	
southwest	11	0	30	59	
east central	41	33	14	12	
west central	16	20	20	44	
northeast	59	29	2	10	
northwest	35	51	8	6	
provincial	39	25	14	22	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	80	0	4	16	
southwest	12	0	14	74	
east central	9	0	3	88	
west central	7	0	13	80	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
provincial	26	0	9	65	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	72	0	0	28	
southwest	n/a	n/a	n/a	n/a	
east central	100	0	0	0	
west central	20	0	15	65	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
provincial	73	0	0	27	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	10	1	6	83	
southwest	0	0	0	100	
east central	1	1	12	86	
west central	1	0	4	95	
northeast	12	1	13	74	
northwest	0	1	7	92	
provincial	1	1	7	91	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	20	0	4	76	
southwest	0	0	1	99	
east central	12	3	6	79	

west central	1	0	8	91	
northeast	3	9	8	80	
northwest	14	0	0	86	
provincial	6	1	2	91	
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	43	0	39	18	
southwest	20	0	34	46	
east central	20	0	60	20	
west central	15	0	5	80	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
provincial	25	0	35	40	

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Harvest has gained momentum this past week with 33 per cent of the crop now in the bin, up from 16 per cent last week but still well behind the five-year average of 53 per cent. Crops that were delayed due to later seeding dates and cool rainy weather are now quickly ripening as the weather continues to be hot and dry across the region.

Crop yield estimates for the region appear to be very good with most producers expecting average or better yields this year. Producers in this region received adequate rainfall all season long that ensured their crops did not suffer through the heat. Crops are coming off dry and are relatively good quality, there has been some downgrading at elevators due to fungal pathogens being present on seed such as ergot and fusarium.

There was very little precipitation this week, which allowed for uninterrupted harvest activities. Once harvest has concluded, all producers would like to see a good soaking rain pass through the region to ensure good soil moisture levels for next spring. Cropland topsoil moisture is rated as four per cent surplus, 76 per cent adequate, 17 per cent short and three per cent very short. Hay and pasture land topsoil moisture is rated as two per cent surplus, 68 per cent adequate, 28 per cent short and two per cent very short.

Crop damage was minimal this past week besides some strong winds blowing swaths around. Grasshoppers have continued to eat any crop they can find and contaminate grain samples.

Producers are busy combining, baling straw, moving cattle and hauling bales.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Producers were able to make significant progress in their harvest activities due to hot dry weather that helped dry down crops further and allow for nonstop harvesting. Eighty-three per cent of the crop has now been combined, up from 67 per cent last week and well ahead of the five-year average of 63 percent. Unfortunately, one of the main reasons why harvest is going so quickly is due to poorer crop quality, many producers are combining short, thin crops with very low yields Crop yield estimates for the region are half of the provincial estimated averages. Due to the crop suffering through another very dry season, there are reports that grain is being downgrading due to low kernel weights.

The southwest did not receive any rain this past week. Livestock producers are growing very more nervous about their water supply on-farm and on their pastures. After harvest is completed, this region needs large, widespread rain to replenish both the topsoil and subsoil moisture in fields and pastures.

Cropland topsoil moisture is rated as four per cent adequate, 41 per cent short and 55 per cent very short. Hay and pasture land topsoil moisture is rated as 38 per cent short and 62 per cent very short.

Strong winds have blown swaths around and have shelled out some standing crops. There are indications that there will be fewer winter cereal acres seeded this fall than normal due to the extremely dry field conditions. Grasshoppers have eaten all they can and can be seen across fields, roads, ditches and farmyards looking for anything to eat.

Producers are busy combining, swathing and moving bales and cattle.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Crops are quickly ripening after a week of hot, dry weather; producers are actively harvesting or swathing crops as they become ready and harvest is becoming more general in the region. Harvest progress is now at 27 per cent, up from nine per cent last week and very close to the five-year average of 29 per cent. Many producers in crop district 6A have nearly completed their harvest operations due to experiencing drier conditions than producers further east. Crop yields in the region are very good with most crops yielding average or better.

There was no precipitation reported in the region this past week. Producers are saying their soils are drying out fast and they hope a good rain will arrive after harvest. Cropland topsoil moisture is rated as one per cent surplus, 52 per cent adequate, 34 per cent short and 13 per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 46 per cent adequate, 39 per cent short and 14 per cent very short.

Wind has been an issue as it has blown around swathed crops such as spring wheat and canola, producers hope they can pick up the swaths before more wind lowers their yield potential. Grasshoppers have become a larger issue for producers in the region as they move out of areas that have been harvested to fields with standing crops. There have been multiple combine or stubble fires in the drier parts of the region, but damage was minimal since producers are taking every precaution they can.

Producers are busy combining, swathing, moving cattle and hauling bales.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

After another incredibly dry week for the west-central region, producers have continued their harvest operations. Harvest progress has reached 61 per cent, up from 36 per cent last week and is well ahead of the five-year average of 38 per cent. Yield estimates for the region are well below average. Producers in crop district 7B have discovered some of their fields are yielding closer to average than expected.

Topsoil moisture conditions have deteriorated all season long with very little precipitation being received in July and August. The region will need significant moisture this fall to replenish both the topsoil and subsoil moisture in field and pastures. Cropland topsoil moisture is rated as 25 per cent adequate, 39 per cent short and 37 per cent very short. Hay and pasture land topsoil moisture is rated as 16 per cent adequate, 43 per cent short and 42 per cent very short.

Livestock water supplies continue to decline and producers are hauling water great distances to ensure their cattle have an adequate supply. Water on pastures has become toxic in some areas and there are localized reports of cattle deaths from high concentrations of sulphate and sodium in the water.

Crop damage was attributed to the dry conditions, grasshoppers and wind. Many swathed crops were blown around and added to further yield loss. Grasshoppers still continue to eat anything green. Hot grain has become an issue for many producers and they will have to find ways to cool it off before they are able to store it for long periods of time.

Producers are busy combining, swathing, moving cattle and hauling grain.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

It was a generally hot, dry week for the northeast which helped crops dry down and mature quickly, in some areas producers claim their crops dried down too fast and this will reduce yield and quality. Harvest progress is now at 21 per cent, up from four per cent last week and only slightly ahead the five-year average of 20 per cent. Crop yields are very good in the region with many yields being higher than the provincial average.

There was very little rainfall in the region this past week with only the Prince Albert area reporting 13 mm and the Garrick area reporting five mm. Although this region received some large amounts of rain over the summer, it has become dry in some areas and fall precipitation will be needed.

Cropland topsoil moisture is rated as 74 per cent adequate and 26 per cent short. Hay and pasture land topsoil moisture is rated as 60 per cent adequate and 40 per cent short.

Crops are coming off tough or damp and many are being placed into aeration bins and dryers. Most crop damage this week was caused by wind shelling out standing crops or pushing around swathes.

Producers are busy combining, swathing, desiccating and hauling bales.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas


Combines and swathers are rolling across many fields in the region after a hot, dry week has enabled crops to finally dry down enough to warrant harvest. Producers have made great progress as they now have 28 per cent of the crop in the bin, up from six per cent last week and well ahead of the five-year average of 15 per cent. The majority of progress is in the southern half of the region due to drier conditions. Overall, the yield estimates for the region are average or better, timely rains earlier in the season and throughout July and August allowed for good seed filling.

No rain was reported for the region this past week. Cropland topsoil moisture conditions are rated as 44 per cent adequate, 50 per cent short and six per cent very short. Hay and pasture land topsoil moisture is rated as 41 per cent adequate, 54 per cent short and five per cent very short.

Crops are coming off tough or damp and many are being placed into aeration bins and dryers. Most crop damage this past week was due to strong winds that have blown swathes around and shelled out some standing crops.


Producers are busy combining, swathing and moving cattle and bales.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from August 30 to September 5, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period from August 30 to September 5, 2022


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	NIL	404	4B	139	Gull Lake	NIL	175	7A	259	Snipe Lake	NIL	182
	3	Enniskillen	trace	432		229	Miry Creek	NIL	186.9		287	St. Andrews	NIL	138
	4	Coal Fields	NIL	650		231	Happyland	NIL	126		288	Pleasant Valley	NIL	145
	6	Cambria	NIL	297	5A	181	Langenburg	NIL	441		290	Kindersley	NIL	174.3
	32	Reciprocity	NIL	261		183 A	Fertile Belt	NIL	615		292	Milton	NIL	192.5
	34	Browning	NIL	0		211	Churchbridge	NIL	298		317 A	Marriott	NIL	155
	61	Antler	NIL	402		213	Saltcoats	NIL	360		317 B	Marriott	NIL	214.3
	64	Brock	NIL	372		215	Stanley	NIL	408		319	Winslow	NIL	75.1
	65	Tecumseh	NIL	342		216	Tullymet	NIL	156.7		320 A	Oakdale	NIL	253.2
1B	95	Golden West	NIL	0		217	Lipton	NIL	462		320 B	Oakdale	NIL	235
	122	Martin	NIL	578		241	Calder	NIL	350		321	Prairiedale	NIL	303.5
	123	Silverwood	NIL	506		243	Wallace	NIL	278	7B	347	Biggar	NIL	190
	124	Kingsley	NIL	435		245 A	Garry	NIL	229		350	Mariposa	NIL	152
	125 A	Chester	NIL	380		245 B	Garry	NIL	356		351	Progress	NIL	145
	125 B	Chester	NIL	348		246 A	Ituna Bon Accord	NIL	231		377	Glenside	NIL	155
	151	Rocanville	NIL	482		246 B	Ituna Bon Accord	NIL	318.9		378	Rosemount	NIL	179
	154 A	Elcapo	NIL	351		247	Kellross	NIL	245.5		382	Eye Hill	NIL	209.5
	155	Wolseley	NIL	392		248	Touchwood	NIL	211		409 A	Buffalo	NIL	0
2A	67	Weyburn	NIL	369	5B	273	Sliding Hills	NIL	302		409 B	Buffalo	NIL	124.3
	68	Brokenshell	NIL	436		275	Insinger	NIL	433.6		410	Round Valley	NIL	135.5
	96	Fillmore	NIL	0		276	Foam Lake	NIL	323	8A	394	Hudson Bay	NIL	256
	97	Wellington	NIL	297		277 A	Emerald	NIL	381		395	Porcupine	NIL	332
	100	Elmsthorpe	NIL	247		277 B	Emerald	NIL	289		397 A	Barrier Valley	NIL	359.8
2B	127 A	Francis	NIL	411.5		301	St.Philips	trace	309.1		397 B	Barrier Valley	NIL	208
	127 B	Francis	NIL	171.6		305	Invermay	NIL	347		427	Tisdale	NIL	0
	129	Bratt's Lake	NIL	394		307	Elfros	NIL	274		428	Star City	1	203
	131	Baildon	NIL	262		308 A	Big Quill	NIL	244		456	Arborfield	2	262
	156 A	Indian Head	NIL	300		308 B	Big Quill	NIL	0		457 A	Connaught	NIL	0
	156 B	Indian Head	NIL	432		331	Livingston	NIL	331		457 B	Moose Range	NIL	142.8
	159 A	Sherwood	NIL	282.5		334	Preeceville	NIL	18		486	Moose Range	NIL	288.2
	159 B	Sherwood	NIL	267		336	Sasman	NIL	117		487	Nipawin	12	262
	160	Pense	NIL	146		337	Lakeview	NIL	329	8B	369	St. Peter	NIL	258
	161 A	Moose Jaw	NIL	240		366	Kelvington	NIL	305.5		370 A	Humboldt	NIL	385
	162 A	Caron	NIL	230.6		367	Ponass Lake	NIL	142.5		370 B	Humboldt	NIL	0
	162 B	Caron	NIL	287.5	6A	189	Lumsden	NIL	70		371	Bayne	NIL	317
	191	Marquis	NIL	0		190 A	Dufferin	NIL	220		372	Grant	NIL	233.6
3ASE	38 A	Laurier	NIL	330		190 B	Dufferin	NIL	213		400	Three Lakes	NIL	374.5
	38 B	Laurier	NIL	374		190 C	Dufferin	NIL	187		429	Flett's Springs	NIL	262
3ASW	10	Happy Valley	NIL	296		190 D	Dufferin	NIL	103		430	Invergordon	NIL	271
	40	Bengough	NIL	0		219 A	Longlaketon	NIL	225		459	Kinistino	NIL	344
	43	Old Post	NIL	240.5		219 B	Longlaketon	NIL	251	9AE	460	Birch Hills	NIL	265.5
	73 A	Stonehenge	NIL	208.4		220	McKillip	NIL	263		461	Prince Albert	NIL	223.5
	73 B	Stonehenge	NIL	150.8		221	Sarnia	NIL	248.7		488	Torch River	5	277
	74	Wood River	NIL	184.4		222	Craik	NIL	409		491	Buckland	NIL	368
3AN	102	Lake Johnston	NIL	264		251	Big Arm	NIL	200.5		520	Paddockwood	13	221
	103	Sutton	NIL	86		252	Arm River	NIL	123		521	Lakeland	13	221
	132 A	Hillsborough	NIL	0		279	Mount Hope	NIL	100	9AW	405	Great Bend	NIL	29
	132 B	Hillsborough	NIL	283		282	McCraney	NIL	187		406	Mayfield	NIL	63.8
	193	Eyebrook	NIL	199		310	Usborne	NIL	256.1		435	Redberry	NIL	210
3BS	75	Pinto Creek	NIL	185		312	Morris	NIL	232.1		436	Douglas	NIL	142
	77	Wise Creek	NIL	166		339	Leroy	NIL	295.4		437	North Battleford	NIL	173.5
	78	Grassy Creek	NIL	165		340	Wolverine	NIL	0		463	Duck Lake	NIL	382
	106 A	Whiska Creek	NIL	194		341	Viscount	NIL	0		466	Meeting Lake	NIL	290
	106 B	Whiska Creek	NIL	243.5		343	Blucher	NIL	315		467 A	Round Hill	NIL	252
	107	Lac Pelletier	NIL	0	6B	223 A	Huron	NIL	192		467 B	Round Hill	NIL	239
	108	Bone Creek	NIL	191		223 B	Huron	NIL	212		493	Shellbrook	NIL	146.5
3BN	138	Webb	NIL	239.8		223 C	Huron	NIL	0		496	Spiritwood	NIL	310
	165	Morse	NIL	224		284 A	Rudy	NIL	126		497	Medstead	NIL	294.5
	168 A	Riverside	NIL	146		285	Fertile Valley	NIL	121	9B	440	Hillsdale	NIL	279
	168 B	Riverside	NIL	136.6		286	Milden	NIL	235		442	Manitou Lake	NIL	228.7
	226	Victory	NIL	0		314	Dundurn	NIL	186		498	Parkdale	NIL	368
	228	Lacadena	NIL	150		344	Corman Park	NIL	247		499 A	Mervin	NIL	404.4
	257	Monet	NIL	69.5		376	Eagle Creek	NIL	127		499 B	Mervin	NIL	287.5
4A	51	Reno	NIL	193		403 A	Rosthern	NIL	248		501 A	Frenchman Butte	NIL	282
	79 A	Arlington	NIL	158		403 B	Rosthern	NIL	131		501 B	Frenchman Butte	NIL	60
	79 B	Arlington	NIL	246							501 C	Frenchman Butte	NIL	284
	109	Carmichael	NIL	0							502	Britannia	NIL	118.5
	110	Piapot	NIL	181.9							561	Loon Lake	NIL	235
	111	Maple Creek	NIL	173							588	Meadow Lake	NIL	227
											622	Beaver River	NIL	251.4

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to September 5, 2022



Cropland Topsoil Moisture Conditions


September 5, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions


September 5, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from August 30 to September 5, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from August 30 to September 5, 2022

