Crop Report

For the Period September 27 to October 3, 2022

Published by the Ministry of Agriculture ISSN 0701 7085 Report number 23, October 6, 2022

The weather over the past week was excellent for harvest. The province now has 90 per cent of the crop in the bin, up from 81 per cent last week and well ahead of the five-year average of 82 per cent. Some producers have been struggling with heavy fog and dew in the mornings that has delayed their harvest activities until the afternoon, making for short days and less progress. High humidity in many parts of the southeast, east-central and northeast is making it difficult to combine and has also led to grain coming off at higher amounts of moisture than normal. Producers must dry down the grain in order to store it properly.

Harvest in the southwest and west-central regions is virtually complete with mostly flax waiting to be harvested, which will likely occur after the next heavy killing frost. The northwest has 94 per cent of their crop off, the northeast 87 per cent, the southeast 86 per cent and the east central 81 per cent.

Harvest of lentils and field peas has finished. Ninety-eight per cent of the durum, 97 per cent of the chickpeas, 93 per cent of the spring wheat, 90 per cent of the barley, 82 per cent of canola and 66 per cent of the flax has been combined across the province.

Once again, there was very little rain this past week, with only trace amounts being recorded for most regions. Some parts of the southwest received two to three mm but it did very little to improve

soil moisture conditions. All areas of the province are reporting that they are either extremely dry or becoming drier each week. This includes the southeast and east-central regions, which started the season with an abundance of moisture.

Cropland topsoil moisture is rated as 28 per cent adequate, 41 per cent short and 31 per cent very short. Hay and pasture land topsoil moisture is rated as 22 per cent adequate, 41 per cent short and 37 per cent very short.

For further information, contact Matthew Struthers, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.

One year ago

Harvest was wrapped up across all regions of the province due to extremely dry conditions rapidly pushing crop development. Very little precipitation during August and September also allowed for non-stop harvesting. Crop yields took a big hit from the dry conditions and the extreme heat during the flowering and podding stages. The majority of livestock producers reported they would be entering the winter with inadequate amounts of feed.

Follow the 2022 Crop Report on Twitter @SKAgriculture

Harvest Progress in SK Per cent Combined								
All Crops								
5 year avg.	82							
(2017-2021)								
Oct 4/21	99							
Oct 5/20	96							
Oct 7/19	55							
Oct 1/18	73							
Oct 2/17	89							
10 year avg. (2012-2021)	85							







Crop Report

For the Period September 27 to October 3, 2022

Published by the Ministry of Agriculture ISSN 0701 7085 Report number 23, October 6, 2022

Limited moisture throughout much of the harvest season has allowed crop quality to remain high, especially Hard Red Spring Wheat which is being reported as 75 percent 1CW, 23 per cent 2CW and two per cent 3CW. The ten-year average for Hard Red Spring Wheat is 39 per cent 1CW, 35 per cent 2CW, 17 per cent 3CW and nine per cent 4CW/feed.

The majority of crop damage this week was due to wind, waterfowl and wildlife. Wind continues to impact unharvested crops by blowing swaths around, as well as shelling out crops and causing lodging.

Producers are busy combining, hauling grain and bales and moving cattle. Some producers are also starting other fall field work, such as post-harvest weed control and harrowing. Winter cereals are not able to be planted in many areas due to the lack of soil moisture. Fall fertilizer applications are also not possible in many regions due to these dry conditions.

This will be the last Crop Report until the final report is issued October 20, 2022. This will allow time for appropriate information gathering and preparation until harvest is completed.

For further information, contact Matthew Struthers, AAg, Crops Extension Specialist, Regional Services Branch, Toll Free: 1-866-457-2377 or 306-694-3714, Email: cropreport@gov.sk.ca. Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.







Saskatchewan Harvest Progress - October 3, 2022

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

				0/ 545 5 11			
Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)		
southeast	0	0	0	100	0		
southwest	0	0	0	90	10		
east central	0	0	0	100	0		
west central	0	0	0	95	5		
northeast	0	0	0	100	0		
northwest	0	0	0	100	0		
provincial	0	0	0	98	2		
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)		
southeast	0	0	0	98	2		
southwest	0	0	0	55	45		
east central	0	0	0	100	0		
west central	0	0	0	90	10		
northeast	0	0	0	100	0		
northwest	0	0	0	100	0		
provincial	0	0	0	90	10		
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined			
southeast	2	2	5	91			
southwest	0	0	0	100			
east central	5	0	9	86			
west central	0	0	0	100			
northeast	2	2	3	93			
northwest	0	1	1	98			
provincial	3	1	3	93			
, <u>-</u>							
Durum	% Standing	% in swath	% ready to straight combine	% combined			
Durum southeast	% Standing	% in swath	% ready to straight combine 7	% combined			
			· · · · · · · · · · · · · · · · · · ·				
southeast	0	0	straight combine	93			
southeast southwest	0	0	straight combine 7 0	93 100			
southeast southwest east central	0 0 0	0 0 0	straight combine 7 0 4	93 100 96			
southeast southwest east central west central	0 0 0 0	0 0 0 0	straight combine 7 0 4 0	93 100 96 100			
southeast southwest east central west central northeast	0 0 0 0	0 0 0 0	straight combine 7 0 4 0	93 100 96 100 100			
southeast southwest east central west central northeast northwest	0 0 0 0 0 0 n/a	0 0 0 0 0 0 n/a	straight combine 7 0 4 0 0 n/a	93 100 96 100 100 n/a	% other (greenfeed/silage)		
southeast southwest east central west central northeast northwest provincial	0 0 0 0 0 0 n/a 0	0 0 0 0 0 0 n/a 0	straight combine 7 0 4 0 0 n/a 2 % ready to	93 100 96 100 100 n/a 98			
southeast southwest east central west central northeast northwest provincial Barley	0 0 0 0 0 n/a 0 % Standing	0 0 0 0 0 n/a 0 % in swath	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine	93 100 96 100 100 n/a 98	(greenfeed/silage)		
southeast southwest east central west central northeast northwest provincial Barley southeast	0 0 0 0 0 n/a 0 % Standing	0 0 0 0 0 n/a 0 % in swath	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0	93 100 96 100 100 n/a 98 % combined	(greenfeed/silage)		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest	0 0 0 0 0 n/a 0 % Standing	0 0 0 0 0 n/a 0 % in swath	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0	93 100 96 100 100 n/a 98 % combined 95 95	(greenfeed/silage) 5 5		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central	0 0 0 0 0 n/a 0 % Standing 0	0 0 0 0 0 n/a 0 % in swath 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0	93 100 96 100 100 n/a 98 % combined 95 95 85	(greenfeed/silage) 5 5 15		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central	0 0 0 0 0 0 n/a 0 % Standing	0 0 0 0 0 n/a 0 % in swath 0 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0 0	93 100 96 100 100 n/a 98 % combined 95 95 85 89	(greenfeed/silage) 5 5 15		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northwest	0 0 0 0 0 0 n/a 0 % Standing 0 0	0 0 0 0 0 n/a 0 % in swath 0 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0 0 0	93 100 96 100 100 n/a 98 % combined 95 95 85 89	(greenfeed/silage) 5 5 15 11 8		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast	0 0 0 0 0 n/a 0 % Standing 0 0 0	0 0 0 0 0 n/a 0 % in swath 0 0 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 % ready to	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92	(greenfeed/silage) 5 5 15 11 8 10 10 % other		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northeast	0 0 0 0 0 0 n/a 0 % Standing 0 0 0 0	0 0 0 0 0 n/a 0 % in swath 0 0 0 0	straight combine 7 0 4 0 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 straight combine 0 straight combine	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92 90	(greenfeed/silage) 5 5 15 11 8 10 10		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northwest provincial Oats southeast	0 0 0 0 0 0 n/a 0 % Standing 0 0 0 0 0 0	0 0 0 0 0 0 n/a 0 % in swath 0 0 0 0 0 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 % ready to	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92 90 90 % combined	(greenfeed/silage) 5 5 15 11 8 10 10 0 other (greenfeed/silage)		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northwest provincial Oats southeast southeast	0 0 0 0 0 0 0 m/a 0 % Standing 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 n/a 0 % in swath 0 0 0 0 0 0 0 0 0 0 0	straight combine 7 0 4 0 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 straight combine 0 straight combine 3 6	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92 90 90 % combined	(greenfeed/silage) 5 5 15 11 8 10 10 0 vother (greenfeed/silage) 7		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northwest provincial Oats southeast southwest	0 0 0 0 0 0 0 //a 0 % Standing 0 0 0 0 0 0 % Standing	0 0 0 0 0 0 n/a 0 % in swath 0 0 0 0 0 0 0 0 0 0 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 straight combine 3 6 5	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92 90 90 % combined 87 81 85	(greenfeed/silage)		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northeast southwest provincial Oats southeast southwest east central west central	0 0 0 0 0 0 0 % Standing 0 0 0 0 0 % Standing	0 0 0 0 0 0 n/a 0 % in swath 0 0 0 0 0 0 0 0 0 0 0	straight combine 7 0 4 0 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 straight combine 3 6 5	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92 90 90 % combined 87 81 85 90	(greenfeed/silage) 5 5 15 11 8 10 10 10 (greenfeed/silage) 7 10 5 6		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northwest provincial Oats southeast southeast southeast northwest provincial Oats southeast southeast southeast northeast	0 0 0 0 0 0 0 % Standing 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 % in swath 0 0 0 0 0 0 0 0 0 0 0 0 0	straight combine 7 0 4 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 0 straight combine 3 6 5 0 0	93 100 96 100 100 100 n/a 98 % combined 95 95 85 89 92 90 90 % combined 87 81 85 90 95	(greenfeed/silage)		
southeast southwest east central west central northeast northwest provincial Barley southeast southwest east central west central northeast northwest provincial Oats southwest east central west central vest central	0 0 0 0 0 0 0 % Standing 0 0 0 0 0 % Standing	0 0 0 0 0 0 0 % in swath 0 0 0 0 0 0 0 0 0 0 0 0 0	straight combine 7 0 4 0 0 0 n/a 2 % ready to straight combine 0 0 0 0 0 0 straight combine 3 6 5	93 100 96 100 100 n/a 98 % combined 95 95 85 89 92 90 90 % combined 87 81 85 90	(greenfeed/silage) 5 5 15 11 8 10 10 10 (greenfeed/silage) 7 10 5 6		

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	19	0	16	65	
southwest	0	0	0	100	
east central	20	0	0	80	
west central	0	0	0	100	
northeast	9	0	16	75	
northwest	n/a	n/a	n/a	n/a	
provincial	13	0	11	76	
Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	19	5	18	58	
southwest	2	4	8	86	
east central	39	8	7	46	
west central	0	0	8	92	
northeast	30	10	24	36	
northwest	0	3	8	89	
provincial	18	4	12	66	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	7	6	11	76	
southwest	0	0	0	100	
east central	8	13	10	69	
west central	0	0	10	99	
northeast	4	3	14	79	
northwest		0	11	89	
	0 4	6	8	82	
provincial	4	O	% ready to	02	
Mustard	% Standing	% in swath	straight combine	% combined	
southeast	0	0	4	96	
southwest	0	0	0	100	
east central	0	0	2	98	
west central	0	0	0	100	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
provincial	0	0	1	99	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	28	0	5	67	
southwest	n/a	n/a	n/a	n/a	
east central	10	0	10	80	
west central	0	0	0	100	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
provincial	34	0	5	61	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	0	0	0	100	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	

west central	0	0	0	100
northeast	0	0	0	100
northwest	0	0	0	100
provincial	0	0	0	100
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
southeast	0	0	2	98
southwest	0	0	0	100
east central	0	0	3	97
west central	0	0	0	100
northeast	n/a	n/a	n/a	n/a
northwest	n/a	n/a	n/a	n/a
provincial	0	0	3	97

Southeastern Saskatchewan:

- Crop District 1 Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE Radville, Minton and Lake Alma areas

There was very good harvesting weather over the past week which allowed many producers to wrap up their operations or get very close to finishing. Some producers still have canola and flax to straight-cut. Regionally, 86 per cent of the crop Is now in the bin which is just behind the five-year average of 90 per cent. Late seeding dates resulted in a later start to harvest for many producers in the region. If the weather remains calm and dry then producers predict they will be wrapped up harvest in little over a week but any rain will delay progress.

There was very little precipitation in the region this week which allowed for harvest to continue and ensured that grain quality was not negatively impacted. Hard Red Spring Wheat was graded as 70 per cent 1CW, 27 per cent 2CW and three per cent 3CW. These grade ratings are very impressive, most of the downgrading was due to bleaching or disease related issues.

Cropland topsoil moisture is rated as one per cent surplus, 56 per cent adequate, 34 per cent short and nine per cent very short. Hay and pasture land topsoil moisture is rated as two per cent surplus, 54 per cent adequate, 37 per cent short and seven per cent very short. While many areas of the region received more rain than last year, there are many producers who are seeing their soils, pastures and dugouts dry up very quickly and will need a very good rain before winter settles in.

Estimated yields for the region are stronger than last year but still disappointing for some producers who missed out on the rain over the growing season. The yields for spring wheat and canola are very strong with 45 bu/ac and 38 bu/ac respectively. Durum is estimated to yield 47 bu/ac, barley 71 bu/ac and oats 84 bu/ac.

The majority of crop damage this week was due to strong winds and wildlife. Wind has continued to blow around swaths and damage seed heads, resulting in lost yield. The recent rain has also led to grain sprouting in both swathed and standing cereal crops.

Farmers are busy harvesting, starting fall field work such as weed control and harrowing, hauling bales, cleaning corrals and moving cattle to stubble fields.

Southwestern Saskatchewan:

- Crop District 3ASW Coronach, Assiniboia and Ogema areas
- Crop District 3AN Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 Consul, Maple Creek and Leader areas

Producers are taking their time combining the last few canola fields before moving on to their flax fields, many of which are still not ready for harvest. Producers would like to see a hard frost that would allow them to combine the remaining flax and close the book on harvest for the 2022 season. Harvest has reached 99 per cent, ahead of the five-year average of 94 per cent. Producers would also like to see a large general rain sweep

across the region over the course of a couple days to allow the soil moisture to be recharged.

Yields in the region were a disappointment for most while a few noticed as light increases from last year. Spring wheat was estimated to be yielding 25 bu/ac, durum 24 bu/ac, oats 48 bu/ac, barley 39 bu/ac, flax 16 bu/ac, canola 18 bu/ac and lentils 1,000 lb/ac.

One positive of the dry growing and harvest conditions is that grain quality remained high for hard red spring wheat, it was rated as 65 per cent 1CW, 31 per cent 2CW and four per cent 3CW.

Very little rainfall was received over the past week in the region which has led to a further decline in topsoil moisture and water availability for livestock. Some areas received 2-3 mm but this was not enough to make any difference to the extremely dry conditions of both cropland and pasture land. Cropland topsoil moisture is now rated as nine per cent adequate, 31 per cent short and 60 per cent very short. Hay and pasture land topsoil moisture is rated as one per cent adequate, 26 per cent short and 73 per cent very short. Conditions for many producers and their livestock are becoming grim and without rainfall soon many producers will be forced to reduce their cattle herds even further than they already have.

Farmers are busy wrapping up harvest, harrowing, hauling bales, cleaning corrals and moving cattle to where they can be fed and watered.

East-Central Saskatchewan:

- Crop District 5 Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A Lumsden, Craik, Watrous and Clavet areas

There was good harvest progress over the past week, even with shortened days due to heavy fog and dewy mornings delaying producer starts until the early afternoon. Harvest progress has reached 81 per cent just ahead of the five-year average of 76 per cent. Producers are predicting that harvest will be wrapped up in about a week to ten days as long as the weather holds out and no rainfall is received. The majority of crop left to combine is canola and producers are reporting that yields have improved greatly in some areas when compared to last year.

There were only trace amounts of rainfall reported this past week, most moisture came from the early morning fog and dew. While most of the region received greater amounts of precipitation over the growing season than last year, after several weeks without a significant rain, producers have found their fields to be drying up very quickly. Cropland topsoil moisture is rated as one per cent surplus, 29 per cent adequate, 50 per cent short and 20 per cent very short. Hay and pasture land topsoil moisture is rated as 25 per cent adequate, 52 per cent short and 23 per cent very short.

Yield estimates for the region show a large improvement over last year and many producers are extremely happy with the amount of grain they have in the bin. Hard red spring wheat is estimated to yield 46 bu/ac, durum 40 bu/ac, flax 27 bu/ac, canola 39 bu/ac and lentils 1,361 lb/ac. Hard red spring wheat was also reported to be graded as 72 per cent 1CW, 26 per cent 2CW, one per cent 3CW and one per cent 4CW/feed.

The majority of crop damage this week was due to wind, waterfowl and rain. Some of the crop is coming off tough and being placed into aeration bins or grain dryers.

Farmers are busy combining, harrowing, hauling grain, hauling bales and applying postharvest herbicides.

West-Central Saskatchewan:

- Crop District 6B Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A Rosetown, Kindersley, Eston and Major areas
- Crop District 7B Kerrobert, Macklin, Wilkie and Biggar areas

More producers completed their harvest operations this past week after another week of dry weather allowed for the last of their crop to be harvested without interruption. Harvest progress is currently at 99 per cent and well ahead of the five-year average of 88 per cent. Another fast harvest can be attributed to the extremely dry conditions in much of the region and how poor some of the crop was.

There was little rain over the past week and many producers are hoping for rain before winter comes. More importantly, they are hoping for very large rain next spring. Without significant rainfall, producers will not be able to begin the 2023 season with enough moisture. Moisture conditions in the region continue to become more desperate week to week. Cropland topsoil moisture is rated as eight per cent adequate, 45 per cent short and 47 per cent very short. Hay and pasture land topsoil moisture is rated as eleven per cent adequate, 41 per cent short and 48 per cent very short.

Crop yield estimates for parts of the region are higher than anticipated due to some producers getting the rains they needed at the right time, for others their yields clearly indicate they had very little rain. For the region, hard red spring wheat is yielding 33 bu/ac, durum 29 bu/ac, barley 39 bu/ac, flax 19 bu/ac, canola 26 bu/ac and lentils 900 lb/ac. While yields were disappointing for many, quality for hard red spring wheat was rated as 86 per cent 1CW, 13 per cent 2CW, and two per cent 3CW.

There was not much crop damage this week due to most of the crop being harvested already, pastures continue to suffer through extremely dry conditions and many may need to be rested in 2023 if adequate moisture is not received. Farmers are busy finishing up combining, harrowing, and hauling grain or bales and many more postharvest activities.

Northeastern Saskatchewan:

- Crop District 8 Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE Prince Albert, Choiceland and Paddockwood areas

Another week of good weather has allowed for great progress to be made across the region; many more producers have finished their harvest operations while others are very close to being done. Producers in the region have 87 per cent of the crop in the bin, well ahead of the five-year average of 75 per cent for this time of year. Producers were very

nervous about a potentially long harvest, but thankfully, the weather has cooperated and they were able to get large amounts of their crop off without experiencing large losses due to frost or an early snowfall.

Like the rest of the province, very little precipitation was received and while that helped harvest progress it has also caused topsoil moisture to decline. Cropland topsoil moisture is rated as 63 per cent adequate, 36 per cent short and one per cent very short. Hay and pasture land topsoil moisture is rated as 55 per cent adequate, 44 per cent short and one per cent very short.

Yield estimates across the region appear to be very good and many producers are extremely happy with what they are seeing go into their bins. Hard red spring wheat is yielding 55 bu/ac, oats 113 bu/ac, barley 81 bu/ac, flax 30 bu/ac and canola 42 bu/ac. Some producers of course saw lower yields either due to drier conditions or complications earlier in the growing season.

Due to some rainfall in the end of August and early September, the region is seeing a lower amount of spring wheat being graded as 1CW. Quality ratings for hard red spring wheat has been reported as 67 per cent 1CW, 30 per cent 2CW and three per cent 3CW.

The majority of crop damage this week was due to wind blowing around swaths, waterfowl and wildlife. Farmers are busy combining, harrowing, spraying weeds, baling, and hauling bales.

Northwestern Saskatchewan:

- Crop District 9AW Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Producers in this region took advantage of great weather over the past week and have got 94 per cent of the crop in the bin, this is well ahead of the five-year average of 60 per cent. This region has experienced some difficult harvest conditions in the past few years with too much rain or even snow causing multiple issues. It is encouraging to see that producers have been able to wrap up harvest without too many major weather-related issues. Conditions are extremely dry and producers would like to receive rain soon and have it keep raining for a multiple days.


It was another very dry week across the region with only trace amounts of precipitation being reported. While the region saw more rainfall this year, it did not take long before the moisture dried up; cropland topsoil moisture is rated as 15 per cent adequate, 62 per cent short and 23 per cent very short. Hay and pasture land topsoil moisture is rated as 13 per cent adequate, 59 per cent short and 19 per cent very short.

Even though much of the region experienced multiple weeks between rains, crop yield estimates are much higher than expected by many producers. Hard red spring wheat is yielding 53 bu/ac, oats 100 bu/ac, barley 74 bu/ac, flax 30 bu/ac and canola 40 bu/ac. Hard red spring wheat is also rated as 79 per cent 1CW, 20 per cent 2CW and one per cent 3CW.


The majority of crop damage this week was due to wind, wildlife and waterfowl. Wind has been blowing swaths around but has also helped to dry some of the crop in the field.

Farmers are busy combining, drying grain and moving bales.

Crop Districts and Rural Municipalities in Saskatchewan








Crop Districts - Saskatchewan Ministry of Agriculture

Ν

Geomatics Services, Ministry of Agriculture October 30, 2020

Weekly Rainfall

from September 27 to October 3, 2022



Weekly Rainfall Summary

1 inch = 25 mm for the period from September 27 to October 3, 2022


op ist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apı
IA	2	Mount Pleasant	NIL	424	4B	139	Gull Lake	NIL	175	7A	259	Snipe Lake	NIL	187
	3	Enniskillen	1	449		229	Miry Creek	NIL	188.7		287	St. Andrews	NIL	142
	4	Coal Fields	NIL	688		231	Happyland	NIL	127		288	Pleasant Valley	NIL	154
	6	Cambria	NIL	297	5A	181	Langenburg	NIL	455		290	Kindersley	NIL	186.8
	32	Reciprocity	NIL	261		183 A	Fertile Belt	NIL	629		292	Milton	NIL	296.5
	34	Browning	NIL	0		211	Churchbridge	NIL	322		317 A	Marriott	NIL	167
	61	Antler	NIL	506		213	Saltcoats	NIL	361		317 B	Marriott	NIL	214.3
	64	Brock	NIL	384		215	Stanley	NIL	410		319	Winslow	NIL	75.1
	65	Tecumseh	NIL	342		216	Tullymet	NIL	164.7		320 A	Oakdale	NIL	254.2
3	95	Golden West	NIL	0		217	Lipton	1	481		320 B	Oakdale	NIL	235
	122	Martin	2	625		241	Calder	NIL	366		321	Prairiedale	NIL	315.
	123	Silverwood	NIL	507		243	Wallace	NIL	292	7B	347	Biggar	NIL	201
	124	Kingsley	NIL	449		245 A	Garry	NIL	229		350	Mariposa	NIL	158
	125 A	Chester	NIL	409		245 B	Garry	NIL	369		351	Progress	NIL	147
	125 B	Chester	NIL	359		246 A	Ituna Bon Accord	NIL	253		377	Glenside	NIL	163
	151	Rocanville	NIL	494		246 B	Ituna Bon Accord	0.3	370.2		378	Rosemount	NIL	189
		Elcapo	NIL	361		247	Kellross	NIL	245.5		382	Eye Hill	NIL	212
	155	Wolseley	NIL	402		248	Touchwood	NIL	250		409 A	Buffalo	NIL	0
١.	67	Weyburn	NIL	369	5B	273	Sliding Hills	NIL	302		409 B	Buffalo	NIL	136.
•	68	Brokenshell	NIL	441		275	Insinger	NIL	433.6		410	Round Valley	NIL	147.
	96	Fillmore	NIL	0		276	Foam Lake	NIL	359	8A	394	Hudson Bay	NIL	281
	97	Wellington	NIL	301		277 A	Emerald	NIL	401		395	Porcupine	NIL	332
	100	Elmsthorpe	NIL	247		277 B	Emerald	NIL	297		397 A	Barrier Valley	NIL	382.
3		Francis	NIL	422		301	St.Philips	NIL	361.1		397 B	Barrier Valley	NIL	208
		Francis	NIL	184.1		305	Invermay	NIL	372		427	Tisdale	NIL	0
	127 6	Bratt's Lake	NIL	402		303	Elfros	NIL	346		428	Star City	NIL	242
	131	Baildon	NIL	267		308 A	Big Quill	NIL	255		456	Arborfield	NIL	319
		Indian Head	NIL	314.5		308 B	Big Quill	NIL	0		457 A	Connaught	NIL	0
	156 B	Indian Head	NIL	432		331	Livingston	NIL	336		457 B	Moose Range	NIL	167.
		Sherwood				334	Preeceville					_		
		Sherwood	NIL	282.5		336	Sasman	NIL NIL	18 117		486 487	Moose Range	NIL NIL	357.
		Pense	NIL	267			Lakeview		329	8B		Nipawin St. Date:	-	262 305
	160		NIL	151		337 366		NIL		OD	369	St. Peter	NIL	403
		Moose Jaw	NIL	247			Kelvington	NIL	326		370 A	Humboldt	NIL	
	162 A 162 B		NIL	236.9	6A	367 189	Ponass Lake Lumsden	NIL	142.5		370 B	Humboldt	NIL	0
			NIL	299.5	UA.			NIL	70		371	Bayne	NIL	343
	191	Marquis	NIL	0		190 A	Dufferin	NIL	220		372 400	Grant	NIL	260.
βE		Laurier	NIL	335.4		190 B	Dufferin	NIL	222			Three Lakes	NIL	407.
١٨/	30 D	Laurier	NIL	379 331		190 C	Dufferin Dufferin	NIL NIL	189		429 430	Flett's Springs Invergordon	NIL	294
W	40	Happy Valley	trace N/A	0		190 D		NIL	113 260		459	Kinistino	NIL NIL	311 371
	43	Bengough Old Post	8 8	246.5		219 A 219 B	Longlaketon	NIL	261		460	Birch Hills	NIL	
						219 B 220	Longlaketon			9AE	460		-	302.
	73 A	•	NIL	208.4			McKillop	NIL	263	9AE		Prince Albert	NIL	233.
		Stonehenge	NIL	150.8		221	Sarnia	NIL	251.3		488	Torch River	NIL	307
	74	Wood River	NIL	185.9		222	Craik	NIL	421		491	Buckland	NIL	409
N	102	Lake Johnston	NIL	271		251	Big Arm	NIL	200.5		520	Paddockwood	NIL	226
	103	Sutton	NIL	86		252	Arm River	NIL	129	0.414/	521	Lakeland	NIL	249
		Hillsborough	NIL	0		279	Mount Hope	NIL	117.5	9AW	405	Great Bend	NIL	29
		Hillsborough	NIL	284		282	McCraney	NIL	190		406	Mayfield	NIL	63.8
2	193	Eyebrow	NIL	201		310	Usborne	NIL	256.1		435	Redberry	NIL	217
3	75 77	Pinto Creek	1	193		312	Morris	NIL	232.1		436	Douglas	NIL	149
	77 70	Wise Creek	NIL	166		339	Leroy	NIL	307		437	North Battleford	NIL	173.
	78	Grassy Creek	NIL	174		340	Wolverine	NIL	0		463	Duck Lake	NIL	400
		Whiska Creek	NIL	205		341	Viscount	NIL	0		466	Meeting Lake	NIL	303
		Whiska Creek	NIL	257.5	65	343	Blucher	NIL	323.5		467 A	Round Hill	NIL	262
	107	Lac Pelletier	NIL	0	6B		Huron	NIL	192		467 B	Round Hill	NIL	251
	108	Bone Creek	NIL	221			Huron	NIL	212		493	Shellbrook	NIL	160.
٧	138	Webb	NIL	239.8			Huron	NIL	0		496	Spiritwood	NIL	310
	165	Morse	NIL	227		284 A		NIL	126		497	Medstead	NIL	304.
		Riverside	NIL	150		285	Fertile Valley	NIL	130	9B	440	Hillsdale	NIL	280
		Riverside	NIL	136.6		286	Milden	6	247		442	Manitou Lake	NIL	230
	226	Victory	NIL	0		314	Dundurn	NIL	191		498	Parkdale	NIL	372
	228	Lacadena	NIL	154		344	Corman Park	NIL	258		499 A	Mervin	NIL	408.
	257	Monet	NIL	69.5		376	Eagle Creek	NIL	137		499 B	Mervin	NIL	287.
	51	Reno	2.3	199.3			Rosthern	NIL	272		501 A	Frenchman Butte	NIL	289
		Arlington	NIL	164		403 B	Rosthern	NIL	134		501 B	Frenchman Butte	NIL	60
		Arlington	NIL	252	L						501 C	Frenchman Butte	NIL	298
	109	Carmichael	NIL	0							502	Britannia	NIL	118.
	110	Piapot	NIL	181.9							561	Loon Lake	NIL	239
	111	Maple Creek	NIL	173							588	Meadow Lake	NIL	298
											622	Beaver River	NIL	292.

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to October 3, 2022




Cropland Topsoil Moisture Conditions

October 3, 2022




Hay and Pasture Topsoil Moisture Conditions

October 3, 2022



Minimum Temperature

from September 27 to October 3, 2022



Maximum Temperature

from September 27 to October 3, 2022

