

# Adult Diagnosis Codes

For Surgical Prioritization  
2026-27

## Contents

|                                         |    |
|-----------------------------------------|----|
| Contents .....                          | 2  |
| Cardiac Surgery.....                    | 3  |
| Dental Surgery .....                    | 4  |
| Gender Dysphoria Surgery .....          | 5  |
| General Surgery .....                   | 6  |
| Neurosurgery.....                       | 9  |
| Obstetrics and Gynecology.....          | 11 |
| Ophthalmology Surgery.....              | 13 |
| Oral Maxillofacial Surgery .....        | 15 |
| Orthopedic Surgery .....                | 17 |
| Orthopedic Oncology Surgery .....       | 18 |
| Otolaryngology .....                    | 19 |
| Plastics & Reconstructive Surgery ..... | 21 |
| Spinal Surgery .....                    | 23 |
| Thoracic Surgery.....                   | 24 |
| Urology .....                           | 25 |
| Vascular Surgery .....                  | 27 |

**Red print** indicates that a code is new or revised in the 2026-27 Diagnosis Code List.

## Cardiac Surgery

|                             | Dx Code | Diagnosis Description                                                                                                               | Priority | Target |
|-----------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Urgent Priority</b>      | 31HDAA  | Endocarditis (embolus, vegetation, heart block)                                                                                     | 1        | 2 wks  |
|                             | 31HDBA  | Laser lead extraction for infection                                                                                                 | 1        | 2 wks  |
|                             | 31HDBB  | Laser lead extraction (lead fracture or impending failure)                                                                          | 1        | 2 wks  |
|                             | 31HHAA  | Other symptomatic arrhythmias                                                                                                       | 1        | 2 wks  |
|                             | 31HZAA  | Valve (tissue or native) dysfunction with deteriorating hemodynamics and perfusion                                                  | 1        | 2 wks  |
|                             | 31IJAA  | Left main stenosis > 70%                                                                                                            | 1        | 2 wks  |
|                             | 31IJAB  | Hemodynamic instability plus post MI complication                                                                                   | 1        | 2 wks  |
|                             | 31IJAC  | Unstable angina on IV nitroglycerine drip/heparin drip                                                                              | 1        | 2 wks  |
|                             | 31IJAD  | Syncope due to coronary ischemia                                                                                                    | 1        | 2 wks  |
|                             | 31YYAA  | Generator replacement (urgent - end of life - default mode)                                                                         | 1        | 2 wks  |
|                             | 31RNAC  | Chronic Pericardial Effusion                                                                                                        | 1        | 2 wks  |
|                             | 31ZZZA  | Cardiac surgery other P1*                                                                                                           | 1        | 2 wks  |
| <b>High Priority</b>        | 31HDAB  | Endocarditis without hemodynamic deterioration                                                                                      | 3        | 6 wks  |
|                             | 31HDBC  | Laser lead extraction (too many leads)                                                                                              | 3        | 6 wks  |
|                             | 31HPAA  | LV aneurysm with failure, embolization, dysrhythmias                                                                                | 3        | 6 wks  |
|                             | 31HZAB  | Congenital or valvular heart disease with embolization or other symptoms                                                            | 3        | 6 wks  |
|                             | 31HZAC  | Congenital or valvular lesion with pulmonary hypertension                                                                           | 3        | 6 wks  |
|                             | 31HZBA  | Unable to work including as homemaker due to cardiac disease                                                                        | 3        | 6 wks  |
|                             | 31HZBB  | Unable to care for dependents due to cardiac disease                                                                                | 3        | 6 wks  |
|                             | 31HZCA  | Cardiac tumours                                                                                                                     | 3        | 6 wks  |
|                             | 31HZFA  | Cardiovascular foreign bodies                                                                                                       | 3        | 6 wks  |
|                             | 31IDAA  | Asymptomatic aortic aneurysm                                                                                                        | 3        | 6 wks  |
|                             | 31IDBA  | Aortic stenosis with syncope, angina or heart failure                                                                               | 3        | 6 wks  |
|                             | 31IJAE  | Persistent unstable angina                                                                                                          | 3        | 6 wks  |
|                             | 31IJAF  | Recurrent angina within 6 months of MI                                                                                              | 3        | 6 wks  |
|                             | 31IJAG  | Symptomatic/asymptomatic CAD with ominous anatomy and left main stenosis >50%                                                       | 3        | 6 wks  |
|                             | 31IJAH  | Symptomatic/asymptomatic CAD with ominous anatomy and 3-vessel disease with reduced LV Fn or proximal LAD                           | 3        | 6 wks  |
|                             | 31IJAI  | Symptomatic/asymptomatic CAD with ominous anatomy and left main equivalent                                                          | 3        | 6 wks  |
|                             | 31IJAJ  | Symptomatic/asymptomatic CAD with Non-invasive confirmation of ischemia including in-patients with double and single vessel disease | 3        | 6 wks  |
|                             | 31IJAK  | Symptomatic or asymptomatic CAD with prior ischemia induced VT/VF                                                                   | 3        | 6 wks  |
|                             | 31YYAB  | Generator replacement (routine)                                                                                                     | 3        | 6 wks  |
|                             | 31RNAA  | Pericarditis constrictive NYHA class 3 to 4                                                                                         | 2        | 4 wks  |
|                             | 31ZZZC  | Cardiac surgery other P3*                                                                                                           | 3        | 6 wks  |
| <b>Less urgent Priority</b> | 31HPAB  | Subaortic stenosis with evidence of secondary aortic valve deterioration                                                            | 4        | 12 wks |
|                             | 31HZAD  | Critical valvular disease with stable symptoms                                                                                      | 4        | 12 wks |
|                             | 31HZAE  | Valvular disease with deteriorating or reduced ventricular function                                                                 | 4        | 12 wks |
|                             | 31HZDA  | Congenital lesions with stable symptoms                                                                                             | 4        | 12 wks |
|                             | 31IJAL  | Intractable chronic angina                                                                                                          | 4        | 12 wks |
|                             | 31RNAB  | Pericarditis constrictive NYHA Class 1 to 2                                                                                         | 4        | 12 wks |
|                             | 31ISAA  | Sternal wound complication chronic                                                                                                  | 4        | 12 wks |
|                             | 31ISAB  | Sternal wire removal due to pain                                                                                                    | 5        | 26 wks |
| <b>Other*</b>               | 31ZZZD  | Cardiac surgery other P4*                                                                                                           | 4        | 12 wks |
|                             | 31ZZZB  | Cardiac surgery other P2*                                                                                                           | 2        | 4 wks  |
|                             | 31ZZZE  | Cardiac surgery other P5*                                                                                                           | 5        | 26 wks |

\* provide unique diagnosis in free text description

## Dental Surgery

|                                                     | Diagnosis Code | Diagnosis Description                                                                                                 | Priority | Wait Time |
|-----------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Dental Disease                                      | 91FEAC         | Exposure of teeth                                                                                                     | 5        | 26 wks    |
|                                                     | 91FEAD         | Dental implant                                                                                                        | 5        | 26 wks    |
|                                                     | 91FEBB         | Erupted teeth - associated with severe dental disease requiring extraction                                            | 2        | 4 wks     |
|                                                     | 91FEBD         | Erupted teeth - associated with moderate dental disease requiring extraction                                          | 4        | 12 wks    |
|                                                     | 91FEBE         | Erupted teeth - associated with mild dental disease requiring extraction                                              | 5        | 26 wks    |
|                                                     | 91FEDB         | Impacted teeth - associated with severe dental disease                                                                | 2        | 4 wks     |
|                                                     | 91FEDD         | Impacted teeth - associated with moderate dental disease                                                              | 4        | 12 wks    |
|                                                     | 91FEDE         | Impacted teeth - associated with mild dental disease                                                                  | 5        | 26 wks    |
|                                                     | 91FGAA         | Foreign body                                                                                                          | 4        | 12 wks    |
|                                                     | 91FKAC         | Dental disease-mild pain/infection with low medical risk                                                              | 5        | 26 wks    |
|                                                     | 91FKAD         | Dental disease-moderate pain/infection with moderate medical risk                                                     | 4        | 12 wks    |
|                                                     | 91FKAF         | Dental disease-severe pain/infection with severe medical risk                                                         | 2        | 4 wks     |
| Dental Exam                                         | 91FKCA         | Dental Examination and Treatment                                                                                      | 5        | 26 wks    |
|                                                     | 91FKCB         | Clinical Evaluation and Care (unable to examine due to comorbidity and/or discomfort)<br>High Risk Medical Status     | 2        | 4 wks     |
|                                                     | 91FKCC         | Clinical Evaluation and Care (unable to examine due to comorbidity and/or discomfort)<br>Moderate Risk Medical Status | 4        | 12 wks    |
| Other *                                             | 91ZZZA         | Dental surgery other P1                                                                                               | 1        | 2 wks     |
|                                                     | 91ZZZB         | Dental Surgery other P2                                                                                               | 2        | 4 wks     |
|                                                     | 91ZZZC         | Dental surgery other P3                                                                                               | 3        | 6 wks     |
|                                                     | 91ZZZD         | Dental surgery other P4                                                                                               | 4        | 12 wks    |
|                                                     | 91ZZZE         | Dental surgery other P5                                                                                               | 5        | 12 wks    |
| * provide unique diagnosis in free text description |                |                                                                                                                       |          |           |

## Gender Dysphoria Surgery

|                  | Diagnosis Code | Diagnosis Description                                        | Priority | Wait Time |
|------------------|----------------|--------------------------------------------------------------|----------|-----------|
| Gender Dysphoria | 39PZGD         | Gender Dysphoria; urgent revisions for urinary complications | 2        | 4 wks     |
|                  | 35ZZGD         | Gender Dysphoria; minor revisions and/or staging procedures  | 4        | 12 wks    |
|                  | 35ZZGE         | Gender Dysphoria; primary and/or non-urgent revisions        | 5        | 26 wks    |

## General Surgery

For endoscopy procedures, please refer to the endoscopy diagnosis code set.

|                                 | Diagnosis Code | Diagnosis Description                                                                              | Priority | Wait Time |
|---------------------------------|----------------|----------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Adrenalectomy</b>            | 30PBAE         | Primary aldosteronism or Cushing's syndrome                                                        | 3        | 6 wks     |
|                                 | 30PBAF         | Pheochromocytoma                                                                                   | 2        | 4 wks     |
|                                 | 30PBAG         | Non-functioning adenoma                                                                            | 4        | 12 wks    |
|                                 | 30PBCE         | Adrenal cancer (known or suspected)                                                                | 2        | 4 wks     |
| <b>Benign Anorectal Disease</b> | 30NTAA         | Haemorrhoids                                                                                       | 5        | 26 wks    |
|                                 | 30NTAC         | Anal fissure                                                                                       | 5        | 26 wks    |
|                                 | 30NTAD         | Anal fistula with sepsis                                                                           | 3        | 6 wks     |
|                                 | 30NTAE         | Anal fistula                                                                                       | 5        | 26 wks    |
|                                 | 30NTAF         | Benign lesions                                                                                     | 4        | 12 wks    |
|                                 | 30NTAH         | Anal fissure severe pain                                                                           | 2        | 4 wks     |
|                                 | 30NTAI         | AIN/Anal lesion NYD (rule out malignancy)                                                          | 2        | 4 wks     |
| <b>Breast</b>                   | 30YMBA         | Breast cancer risk requiring prophylactic mastectomy                                               | 4        | 12 wks    |
|                                 | 30YMCC         | Breast cancer (including high risk phyllodes)                                                      | 2        | 4 wks     |
|                                 | 30YMCE         | Benign breast disease                                                                              | 4        | 12 wks    |
|                                 | 30YMcF         | Breast cancer for immediate breast reconstruction                                                  | 2        | 4 wks     |
|                                 | 30YMCL         | Breast cancer post neoadjuvant therapy                                                             | 2        | 4 wks     |
|                                 | 30YMcG         | Premalignant lesion (including DCIS, low risk phyllodes)                                           | 3        | 6 wks     |
|                                 | 30YMCH         | Atypical breast lesion (including ADH, radial scar, papillary lesion, etc.)                        | 3        | 6 wks     |
|                                 | 30YMcI         | Post mastectomy defect - second stage reconstruction                                               | 4        | 12 wks    |
|                                 | 30YMcJ         | Acute wound requiring surgery, high risk                                                           | 1        | 2 wks     |
|                                 | 30YMcK         | Acute wound requiring surgery, low risk                                                            | 2        | 4 wks     |
|                                 |                |                                                                                                    |          |           |
| <b>Colorectal Surgery</b>       | 30NMAB         | Diverticular stricture of the colon (impending obstruction)                                        | 1        | 2 wks     |
|                                 | 30NMAC         | Obstructing Crohn's disease                                                                        | 1        | 2 wks     |
|                                 | 30NMAD         | Inflammatory bowel disease without complication of haemorrhage, perforation/sepsis, or obstruction | 3        | 6 wks     |
|                                 | 30NMCA         | Colonic carcinoma                                                                                  | 2        | 4 wks     |
|                                 | 30NMCB         | Colonic carcinoma - partially obstructing                                                          | 1        | 2 wks     |
|                                 | 30NMEA         | Prophylactic colectomy                                                                             | 4        | 12 wks    |
|                                 | 30NMEB         | Diverticular disease (recurrent diverticulitis)                                                    | 5        | 26 wks    |
|                                 | 30NMEC         | Diverticular disease (fistula, stricture without impending obstruction)                            | 4        | 12 wks    |
|                                 | 30NMED         | Endoscopically unresectable polyp                                                                  | 3        | 6 wks     |
|                                 | 30NPAA         | Temporary stoma - reversal of colostomy/ileostomy                                                  | 4        | 12 wks    |
|                                 | 30NQAC         | Proctidentia                                                                                       | 4        | 12 wks    |
|                                 | 30NQCA         | Rectal carcinoma                                                                                   | 2        | 4 wks     |
|                                 | 30NQCB         | Rectal carcinoma with short course preop radiation                                                 | 1        | 2 wks     |
|                                 | 30NQCC         | Rectal cancer preop chemo-radiotherapy down staging                                                | 3        | 6 wks     |
|                                 | 30NQEF         | Endoscopically unresectable rectal polyp                                                           | 3        | 6 wks     |
|                                 | 30NVAB         | Chronic appendicitis/resolved acute appendicitis                                                   | 4        | 12 wks    |
|                                 | 30NVAC         | Suspected neoplasm appendix (mucocoele, carcinoid, etc)                                            | 2        | 4 wks     |
|                                 |                |                                                                                                    |          |           |
| <b>Hepatobiliary Pancreatic</b> | 30OAAA         | Liver Transplant - Living Donor                                                                    | 1        | 2 wks     |
|                                 | 30OACA         | Hepatocellular carcinoma                                                                           | 2        | 4 wks     |
|                                 | 30OACB         | Metastatic liver disease                                                                           | 2        | 4 wks     |
|                                 | 30OACC         | Liver benign tumour                                                                                | 3        | 6 wks     |

## General Surgery cont'd

For endoscopy procedures, please refer to the endoscopy diagnosis code set.

|                                                   | Diagnosis Code | Diagnosis Description                                                                        | Priority | Wait Time |
|---------------------------------------------------|----------------|----------------------------------------------------------------------------------------------|----------|-----------|
| <b>Hepatobiliary<br/>Pancreatic<br/>continued</b> | 30ODAB         | Biliary colic - severe (daily pain) previous CBD stone/pancreatitis                          | 1        | 2 wks     |
|                                                   | 30ODAC         | Biliary colic - intermediate (frequent pain)                                                 | 3        | 6 wks     |
|                                                   | 30ODAD         | Biliary colic - chronic (infrequent symptoms)                                                | 4        | 12 wks    |
|                                                   | 30ODCA         | Gall bladder carcinoma                                                                       | 2        | 4 wks     |
|                                                   | 30ODCC         | Gall bladder polyps                                                                          | 4        | 12 wks    |
|                                                   | 30OEAD         | Benign bile duct stricture                                                                   | 4        | 12 wks    |
|                                                   | 30OECA         | Bile duct tumour                                                                             | 2        | 4 wks     |
|                                                   | 30OJAB         | Chronic pancreatitis                                                                         | 4        | 12 wks    |
|                                                   | 30OJCB         | Malignant pancreatic tumour or non-functioning endocrine tumour                              | 2        | 4 wks     |
|                                                   | 30OJCH         | Endocrine tumour of pancreas - functioning                                                   | 1        | 2 wks     |
| <b>Hernias</b>                                    | 30SYAA         | Inguinal or femoral hernia - symptomatic                                                     | 4        | 12 wks    |
|                                                   | 30SYAE         | Inguinal or femoral hernia - asymptomatic                                                    | 5        | 26 wks    |
|                                                   | 30SYAB         | Umbilical/epigastric hernia - symptomatic                                                    | 4        | 12 wks    |
|                                                   | 30SYAF         | Umbilical/epigastric hernia - asymptomatic                                                   | 5        | 26 wks    |
|                                                   | 30SYAC         | Incarcerated hernia (inguinal, umbilical, incisional) w/o bowel obstruction                  | 2        | 4 wks     |
|                                                   | 30SYAD         | Incisional/ventral hernia                                                                    | 4        | 12 wks    |
| <b>Kidney</b>                                     | 30PCAJ         | Chronic renal failure requiring dialysis access                                              | 3        | 6 wks     |
| <b>Laparoscopy</b>                                | 30OZAA         | Diagnosis laparoscopy - benign                                                               | 3        | 6 wks     |
|                                                   | 30OZCA         | Staging laparoscopy – suspect malignant                                                      | 1        | 2 wks     |
| <b>Morbid Obesity</b>                             | 30OZBC         | Morbid obesity once cleared for surgery through pre-conditioning program                     | 4        | 12 wks    |
| <b>Retroperitoneal<br/>Tumour</b>                 | 30OTCA         | Retroperitoneal malignancy                                                                   | 2        | 4 wks     |
| <b>Salivary Gland</b>                             | 30FPCC         | Salivary gland benign disease                                                                | 4        | 12 wks    |
|                                                   | 30FPCD         | Salivary gland malignancy                                                                    | 2        | 4 wks     |
| <b>Skin</b>                                       | 30MZCC         | Lymphadenopathy suspected malignancy                                                         | 1        | 2 wks     |
|                                                   | 30YSAA         | Pilonidal disease                                                                            | 4        | 12 wks    |
|                                                   | 30YZCH         | Malignant melanoma, squamous cell carcinoma and head and neck cancers T1N1 or T2N0 or higher | 1        | 2 wks     |
|                                                   | 30YZCI         | Cutaneous malignant Melanoma or squamous cell carcinoma, T1N0                                | 2        | 4 wks     |
|                                                   | 30YZCJ         | Cutaneous or subcutaneous tumours -- confirmed or suspected malignancy                       | 2        | 4 wks     |
| <b>Small Bowel</b>                                | 30NKCA         | Small bowel tumour                                                                           | 2        | 4 wks     |
|                                                   | 30NPAB         | Medically refractory Crohn's disease                                                         | 3        | 6 wks     |
|                                                   | 30NPHA         | Small bowel stricture with partial obstruction (Crohn's, radiation, anastamotic, etc)        | 2        | 4 wks     |
| <b>Spleen</b>                                     | 30OBCA         | Splenic tumour                                                                               | 2        | 4 wks     |
|                                                   | 30OBAD         | Splenectomy for hematologic disease                                                          | 3        | 6 wks     |
|                                                   | 30OBAE         | Splenectomy for symptomatic splenomegaly                                                     | 4        | 12 wks    |
| <b>Stomach and<br/>Esophagus</b>                  | 30NAAA         | Esophageal stricture-with obstruction                                                        | 1        | 2 wks     |
|                                                   | 30NAAB         | Esophageal stricture-without obstruction                                                     | 4        | 12 wks    |
|                                                   | 30NACA         | Esophageal cancer                                                                            | 1        | 2 wks     |
|                                                   | 30NAAC         | Achalasia                                                                                    | 4        | 12 wks    |
|                                                   | 30NFFA         | Nutritional support - feeding gastrostomy                                                    | 2        | 4 wks     |
|                                                   | 30NFFB         | Gastric outlet obstruction                                                                   | 2        | 4 wks     |
|                                                   | 30GXAH         | Paraesophageal hernia - no complication                                                      | 4        | 12 wks    |

## General Surgery cont'd

For endoscopy procedures, please refer to the endoscopy diagnosis code set.

|                                                            | Diagnosis Code | Diagnosis Description                                                       | Priority | Wait Time |
|------------------------------------------------------------|----------------|-----------------------------------------------------------------------------|----------|-----------|
| <b>Stomach and Esophagus continued</b>                     | 30NFFC         | Medically refractory GERD                                                   | 4        | 12 wks    |
|                                                            | 30NFCD         | GIST tumour of the stomach                                                  | 3        | 6 wks     |
|                                                            | 30NFCE         | Gastric Malignancy                                                          | 1        | 2 wks     |
| <b>Thyroid and Parathyroid</b>                             | 30FUAB         | Asymptomatic benign mass-goiter or cyst                                     | 5        | 26 wks    |
|                                                            | 30FUAC         | Benign mass – goiter with compressive symptoms                              | 3        | 6 wks     |
|                                                            | 30FUCA         | Medullary thyroid cancer                                                    | 2        | 4 wks     |
|                                                            | 30FUCD         | Benign neoplasm/thyroid mass: rule out malignancy                           | 4        | 12 wks    |
|                                                            | 30FUCF         | Malignant thyroid disease except non-metastatic stage 1 papillary carcinoma | 2        | 4 wks     |
|                                                            | 30FUCH         | Early-stage papillary thyroid cancer                                        | 3        | 6 wks     |
|                                                            | 30FVAB         | Hyperparathyroidism - significant symptoms or Calcium > 3.0 mmol/L          | 2        | 4 wks     |
|                                                            | 30FVAC         | Hyperparathyroidism                                                         | 4        | 12 wks    |
| <b>Unscheduled Case</b>                                    | 30ZZAB         | Predominantly unscheduled cases - complex benign                            | 4        | 12 wks    |
|                                                            | 30ZZCB         | Predominantly unscheduled cases - complex malignant                         | 2        | 4 wks     |
| <b>Other*</b>                                              | 30ZZZA         | General surgery other P1                                                    | 1        | 2 wks     |
|                                                            | 30ZZZB         | General surgery other P2                                                    | 2        | 4 wks     |
|                                                            | 30ZZZC         | General surgery other P3                                                    | 3        | 6 wks     |
|                                                            | 30ZZZD         | General surgery other P4                                                    | 4        | 12 wks    |
|                                                            | 30ZZZE         | General surgery other P5                                                    | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                                                                             |          |           |

## Neurosurgery

|                                | Diagnosis Code | Diagnosis Description                                                                     | Priority | Wait Time |
|--------------------------------|----------------|-------------------------------------------------------------------------------------------|----------|-----------|
| <b>Cerebrospinal fluid</b>     | 32ACAA         | Impaired CSF dynamics; severe symptoms                                                    | 1        | 2 wks     |
|                                | 32ACAB         | Impaired CSF dynamics; moderate symptoms                                                  | 2        | 4 wks     |
|                                | 32ACAC         | Impaired CSF dynamics; mild symptoms                                                      | 4        | 12 wks    |
| <b>Cranium</b>                 | 32EADA         | Cranioplasty – skull defect requiring repair                                              | 3        | 6 wks     |
| <b>Functional Stereotactic</b> | 32BAAA         | Trigeminal neuralgia                                                                      | 2        | 4 wks     |
|                                | 32BZAB         | Refractory depression                                                                     | 4        | 12 wks    |
|                                | 32BZAC         | Hemifacial spasm                                                                          | 4        | 12 wks    |
|                                | 32BZAD         | Essential tremor/dystonia                                                                 | 4        | 12 wks    |
|                                | 32BZAE         | Parkinson's disease                                                                       | 4        | 12 wks    |
|                                | 32BZAF         | Refractory epilepsy                                                                       | 4        | 12 wks    |
|                                | 32BZAH         | Refractory Epilepsy, second stage following intracranial monitoring                       | 1        | 2 wks     |
|                                | 32BZAI         | Spasticity (cerebral palsy, multiple sclerosis)                                           | 4        | 12 wks    |
|                                | 32BZAJ         | Spasticity (cerebral palsy, multiple sclerosis)                                           | 4        | 12 wks    |
| <b>Oncology</b>                | 32AFCA         | Pituitary adenoma (progressive visual compromise)                                         | 1        | 2 wks     |
|                                | 32AFCC         | Pituitary adenoma (mild to moderate symptoms)                                             | 4        | 12 wks    |
|                                | 32AFCD         | Pituitary Adenoma (moderate to severe symptoms)                                           | 2        | 4 wks     |
|                                | 32ANCA         | Brain tumour (mass effect, seizures, progressive deficit)                                 | 1        | 2 wks     |
|                                | 32ANCB         | Brain tumour (malignant)                                                                  | 1        | 2 wks     |
|                                | 32ANCC         | Brain tumour (low grade, stable symptoms)                                                 | 3        | 6 wks     |
|                                | 32EACT         | Benign skull base tumour (mild/stable symptoms)                                           | 4        | 12 wks    |
|                                | 32EACX         | Benign skull base tumour (severe / progressive symptoms)                                  | 1        | 2 wks     |
|                                | 32EACY         | Benign skull base tumour (moderate symptoms)                                              | 2        | 4 wks     |
| <b>Peripheral Nerves</b>       | 32BGAA         | Brachial plexus (injury - from booking)                                                   | 3        | 6 wks     |
|                                | 32BGCA         | Brachial plexus (tumour)                                                                  | 2        | 4 wks     |
|                                | 32BXAA         | Severe peripheral nerve condition with potential for permanent functional loss/impairment | 1        | 2 wks     |
|                                | 32BXAB         | Nerve condition - intermittent with functional compromise                                 | 3        | 6 wks     |
|                                | 32BXAC         | Mild peripheral nerve condition - minimal functional compromise                           | 5        | 26 wks    |
|                                | 32BXBA         | Neuropathic pain requiring neuromodulation                                                | 4        | 12 wks    |
|                                | 32BXBB         | Neuromodulation due to hardware failure                                                   | 2        | 4 wks     |
|                                | 32BXCA         | Neuropathic pain requiring neuromodulation procedures (severe/oncology)                   | 1        | 2 wks     |
| <b>Radiculopathy</b>           | 32SCBA         | Acute persistent lumbar or cervical radiculopathy severe symptoms                         | 1        | 2 wks     |
|                                | 32SCBB         | Acute persistent lumbar or cervical radiculopathy moderate symptoms                       | 2        | 4 wks     |
|                                | 32SCBC         | Acute persistent lumbar or cervical radiculopathy mild symptoms                           | 4        | 12 wks    |
| <b>Spine</b>                   | 32SCAA         | Tumour (cord compression and/or radiculopathy; severe symptoms)                           | 1        | 2 wks     |
|                                | 32SCAB         | Tumour (cord compression and/or radiculopathy; moderate symptoms)                         | 2        | 4 wks     |
|                                | 32SCHA         | Axial back pain with neurological symptoms/structural pathology (severe)                  | 2        | 4 wks     |
|                                | 32SCHB         | Axial back pain with neurological symptoms/structural pathology (moderate)                | 3        | 6 wks     |
|                                | 32SCHC         | Spinal compression fracture (severe symptoms)                                             | 1        | 2 wks     |
|                                | 32SCHD         | Spinal compression fracture (moderate symptoms)                                           | 2        | 4 wks     |
| <b>Vascular</b>                | 32JEAA         | Symptomatic carotid stenosis-Strokes, TIA's                                               | 1        | 2 wks     |
|                                | 32JWAA         | Symptomatic arterial stenosis (symptomatic TIA / stroke)                                  | 1        | 2 wks     |
|                                | 32JWAB         | Aneurysm / AVM (Neurological deficit)                                                     | 1        | 2 wks     |
|                                | 32JWAC         | Aneurysm / AVM (Headache)                                                                 | 2        | 4 wks     |

## Neurosurgery cont'd

|                                                            | Diagnosis Code | Diagnosis Description                     | Priority | Wait Time |
|------------------------------------------------------------|----------------|-------------------------------------------|----------|-----------|
| <b>Vascular continued</b>                                  | 32JWAD         | Aneurysm / AVM (asymptomatic or seizures) | 3        | 6 wks     |
|                                                            | 32JWAE         | Asymptomatic Aneurysm/AVM                 | 4        | 12 wks    |
|                                                            | 32JWAF         | Intracranial/subdural hemorrhage          | 1        | 2 wks     |
| <b>Other *</b>                                             | 32ZZZA         | Neurosurgery Other P1                     | 1        | 2 wks     |
|                                                            | 32ZZZB         | Neurosurgery Other P2                     | 2        | 4 wks     |
|                                                            | 32ZZZC         | Neurosurgery Other P3                     | 3        | 6 wks     |
|                                                            | 32ZZZD         | Neurosurgery Other P4                     | 4        | 12 wks    |
|                                                            | 32ZZZE         | Neurosurgery Other P5                     | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                                           |          |           |

## Obstetrics and Gynecology

|                                  | Diagnosis Code | Diagnosis Description                                                                                                             | Priority | Wait Time |
|----------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Abnormal Uterine Bleeding</b> | 50RMHD         | Abnormal uterine bleeding, low risk of malignancy, with Hb < 100, anticoagulated, medical disease, failed medical management, etc | 2        | 4 wks     |
|                                  | 50RMHE         | Abnormal uterine bleeding low risk of malignancy, severe impact on lifestyle                                                      | 3        | 6 wks     |
|                                  | 50RMMC         | Abnormal uterine bleeding high risk of malignancy (egs Postmenopausal)                                                            | 2        | 4 wks     |
|                                  | 50RMHF         | Postmenopausal bleeding low risk of malignancy                                                                                    | 3        | 6 wks     |
|                                  | 50RMMB         | Abnormal uterine bleeding low risk of malignancy (egs premenopausal)                                                              | 4        | 12 wks    |
| <b>Adnexal Mass</b>              | 50RDCB         | Adnexal Mass - Clinically Malignant                                                                                               | 1        | 2 wks     |
|                                  | 50RDCC         | Adnexal Mass - Suspected Malignancy                                                                                               | 2        | 4 wks     |
|                                  | 50RDCE         | Adnexal Mass - Malignancy Unlikely, symptomatic or risk of torsion                                                                | 3        | 6 wks     |
|                                  | 50RDAA         | Adnexal Mass - Nonmalignant and asymptomatic                                                                                      | 4        | 12 wks    |
|                                  | 50RDAB         | Adnexal Mass in pregnancy                                                                                                         | 2        | 6 wks     |
|                                  | 50RDAC         | Persistent ectopic adnexal mass after medical management                                                                          | 1        | 2 wks     |
| <b>Birth Control</b>             | 50RFBF         | Requested birth control (e.g. tubal ligation)                                                                                     | 4        | 12 wks    |
|                                  | 50RFBF         | Contraception unable to use alternate methods                                                                                     | 3        | 6 wks     |
|                                  | 50RMIE         | Retained IUD - pregnant                                                                                                           | 1        | 2 wks     |
|                                  | 50RMIF         | Perforated IUD                                                                                                                    | 2        | 4 wks     |
|                                  | 50RMDA         | Insertion/Removal IUD (under sedation)                                                                                            | 4        | 12 wks    |
| <b>Cancer Oophorectomy</b>       | 50RBAC         | Cancer breast oophorectomy adjuvant therapy                                                                                       | 3        | 6 wks     |
|                                  | 50RBCD         | Cancer breast therapeutic oophorectomy                                                                                            | 3        | 6 wks     |
| <b>Cancer Ovary</b>              | 50RBCC         | Cancer ovary borderline                                                                                                           | 3        | 6 wks     |
|                                  | 50RDCA         | Cancer ovary, fallopian tube or peritoneum                                                                                        | 1        | 2 wks     |
| <b>Cervical Disease</b>          | 50RNAC         | Cervical lesion requiring diagnostic excision/biopsy                                                                              | 3        | 6 wks     |
|                                  | 50RNCG         | Premalignant lesions requiring LEEP (under sedation)                                                                              | 3        | 6 wks     |
|                                  | 50RNCA         | Invasive cancer of the cervix                                                                                                     | 1        | 2 wks     |
|                                  | 50RNCB         | Cancer of the cervix after XRT                                                                                                    | 4        | 12 wks    |
|                                  | 50RNCD         | Cancer cervix CIS (not completely excised) or microinvasive                                                                       | 3        | 6 wks     |
|                                  | 50RNCF         | Cancer cervix in situ (completely excised on cone/LEEP)                                                                           | 4        | 12 wks    |
| <b>Cervical Insufficiency</b>    | 50RNAA         | Cervical insufficiency                                                                                                            | 1        | 2 wks     |
| <b>Endometrial Disease</b>       | 50RMCA         | Cancer endometrium G3                                                                                                             | 1        | 2 wks     |
|                                  | 50RMCB         | Cancer endometrium G2                                                                                                             | 2        | 4 wks     |
|                                  | 50RMCC         | Cancer endometrium G1                                                                                                             | 3        | 6 wks     |
|                                  | 50RMDG         | Endometrial hyperplasia (with atypia)                                                                                             | 3        | 6 wks     |
|                                  | 50RMDH         | Endometrial hyperplasia (failed medical management)                                                                               | 3        | 6 wks     |
|                                  | 50RMFH         | Incidental/asymptomatic endometrial abnormalities - postmenopausal                                                                | 3        | 6 wks     |
|                                  | 50RMFF         | Incidental/asymptomatic endometrial abnormalities - premenopausal                                                                 | 4        | 12 wks    |
| <b>Endometriosis</b>             | 50RMEC         | Endometriosis, severe, laparoscopically verified, debilitating, requiring opioids                                                 | 3        | 6 wks     |
|                                  | 50RMED         | Endometriosis/Endometrioma                                                                                                        | 4        | 12 wks    |
| <b>Fibroid</b>                   | 50RMFB         | Fibroids rapidly enlarging post-menopausal                                                                                        | 2        | 4 wks     |
|                                  | 50RMFG         | Fibroids significantly symptomatic (bleeding, pressure, VTE, hydronephrosis)                                                      | 3        | 6 wks     |
|                                  | 50RMFD         | Fibroid stable symptoms                                                                                                           | 4        | 12 wks    |
| <b>Gender Dysphoria</b>          | 39PZGD         | Gender Dysphoria; urgent revisions for urinary complications                                                                      | 2        | 4 wks     |
|                                  | 35ZZGD         | Gender Dysphoria; minor revisions and/or staging procedures                                                                       | 4        | 12 wks    |
|                                  | 35ZZGE         | Gender Dysphoria; primary and/or non-urgent revisions                                                                             | 5        | 26 wks    |

## Obstetrics and Gynecology cont'd

|                                                            | Diagnosis Code | Diagnosis Description                                                                                                  | Priority | Wait Time |
|------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Infertility</b>                                         | 50RZAC         | Infertility                                                                                                            | 4        | 12 wks    |
|                                                            | 50RZAF         | Infertility/management of known pathology (tubal or intrauterine)                                                      | 3        | 6 wks     |
|                                                            | 50RZAD         | Diagnostic laparoscopy for patients 35 years and older                                                                 | 3        | 6 wks     |
|                                                            | 50RZAE         | Diagnostic laparoscopy for patients under 35 years                                                                     | 4        | 12 wks    |
| <b>Menorrhagia</b>                                         | 50RMHC         | Menorrhagia with severe anemia Hb < 99                                                                                 | 3        | 6 wks     |
|                                                            | 50RMDf         | Menorrhagia – moderate / severe impact on lifestyle                                                                    | 4        | 12 wks    |
| <b>Other diagnosis</b>                                     | 50NPAA         | Temporary stoma - reversal of colostomy/ileostomy                                                                      | 4        | 12 wks    |
|                                                            | 50RBAA         | BRCA 1&2 carrier                                                                                                       | 4        | 12 wks    |
|                                                            | 50RBCB         | Cancer recurrence exenteration                                                                                         | 2        | 4 wks     |
|                                                            | 50RZBG         | Mesh erosion                                                                                                           | 3        | 6 wks     |
| <b>Pelvic Floor Disorders</b>                              | 50NTAA         | Fecal incontinence, less than 6 months postpartum                                                                      | 3        | 6 wks     |
|                                                            | 50NTAB         | Fecal incontinence, more than 6 months postpartum                                                                      | 4        | 12 wks    |
| <b>Pelvic Organ Prolapse</b>                               | 50RZBA         | Prolapse Stage 3,4 - complicated - urinary retention, irreducible                                                      | 1        | 2 wks     |
|                                                            | 50RZBE         | Prolapse Stage 3,4 - failed conservative management                                                                    | 2        | 4 wks     |
|                                                            | 50RZBF         | Prolapse Stage 3,4 - responding to interim conservative measures                                                       | 3        | 6 wks     |
|                                                            | 50RZBB         | Prolapse Stage 1,2 - moderate interference with lifestyle                                                              | 4        | 12 wks    |
|                                                            | 50RZBC         | Prolapse Stage 1,2 - minimal interference with lifestyle                                                               | 5        | 26 wks    |
| <b>Pelvic Pain</b>                                         | 50RZDF         | Pelvic pain (requiring regular use of <b>opioids</b> and/or frequent visits to ER and/or frequent hospital admissions) | 3        | 6 wks     |
|                                                            | 50RZDG         | Chronic pelvic/vulvar/vaginal pain                                                                                     | 4        | 12 wks    |
| <b>Pregnancy Related</b>                                   | 50RMJA         | Undesired/abnormal pregnancy, termination- not reportable to SPR                                                       | 1        | 2 wks     |
|                                                            | 50RMLA         | Retained products of conception/missed/incomplete miscarriage requiring evacuation - stable                            | 1        | 2 wks     |
|                                                            | 50RMLB         | Booked caesarean section                                                                                               | NA       | 52 wks    |
| <b>Urinary incontinence</b>                                | 50PMBG         | Urinary incontinence – moderate/severe                                                                                 | 4        | 12 wks    |
|                                                            | 50PMBH         | Urinary incontinence - mild                                                                                            | 5        | 26 wks    |
| <b>Vulvar Disease</b>                                      | 50RWBJ         | Extensive chondyloma vulva, vagina (marked interference with lifestyle)                                                | 3        | 6 wks     |
|                                                            | 50RWBG         | Condyloma vulva, vagina not responding to medical management                                                           | 4        | 12 wks    |
|                                                            | 50RWBH         | Condyloma vulva, vagina (minimal interference with lifestyle)                                                          | 5        | 26 wks    |
|                                                            | 50RWBE         | Vulva lesion - benign                                                                                                  | 5        | 26 wks    |
|                                                            | 50RWCG         | Vulva lesion - suspicious for malignancy or premalignant condition                                                     | 3        | 6 wks     |
|                                                            | 50RWBF         | Vulvar hypertrophy                                                                                                     | 5        | 26 wks    |
|                                                            | 50RWCA         | Cancer vulva                                                                                                           | 1        | 2 wks     |
|                                                            | 50RWCB         | Cancer vulva, wide local excision only                                                                                 | 2        | 4 wks     |
|                                                            | 50RWCH         | Bartholin cyst - recurrent or symptomatic                                                                              | 3        | 6 wks     |
|                                                            | 50RWBI         | Bartholin cyst - asymptomatic                                                                                          | 5        | 26 wks    |
|                                                            | 50RWCF         | Carcinoma in situ vulva/vagina                                                                                         | 3        | 6 wks     |
|                                                            |                |                                                                                                                        |          |           |
| <b>Other *</b>                                             | 50ZZZA         | Obst/Gynecology other P1                                                                                               | 1        | 2 wks     |
|                                                            | 50ZZZB         | Obst/Gynecology other P2                                                                                               | 2        | 4 wks     |
|                                                            | 50ZZZC         | Obst/Gynecology other P3                                                                                               | 3        | 6 wks     |
|                                                            | 50ZZZD         | Obst/Gynecology other P4                                                                                               | 4        | 12 wks    |
|                                                            | 50ZZZE         | Obst/Gynecology other P5                                                                                               | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                                                                                                                        |          |           |

## Ophthalmology Surgery

|                                                 | Diagnosis Code | Diagnosis Description                                                                                                                      | Priority | Wait Time |
|-------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Conjunctiva, Cornea and Anterior Chamber</b> | 62CCAA         | Cornea opacity or disease for transplantation                                                                                              | 4        | 12 wks    |
|                                                 | 62CCAB         | Cornea opacity for transplantation with pain, thinning, endothelial dysfunction with impending anterior haze or other semi-urgent problems | 2        | 4 wks     |
|                                                 | 62CJAA         | Glaucoma                                                                                                                                   | 3        | 6 wks     |
|                                                 | 62CJAB         | Glaucoma - eye pressure commensurate with accelerated vision loss                                                                          | 1        | 2 wks     |
|                                                 | 62CSAD         | Pterygium approaching visual axis                                                                                                          | 4        | 12 wks    |
|                                                 | 62CSAE         | Pterygium                                                                                                                                  | 5        | 26 wks    |
| <b>Eyelid</b>                                   | 62CVAA         | Ptosis visual axis obscured                                                                                                                | 4        | 12 wks    |
|                                                 | 62CVAB         | Ptosis visual axis not obscured                                                                                                            | 5        | 26 wks    |
|                                                 | 62CVAC         | Dermatochalasis with visual field impairment                                                                                               | 5        | 26 wks    |
|                                                 | 62CXAA         | Ectropion                                                                                                                                  | 4        | 12 wks    |
|                                                 | 62CXAB         | Entropion                                                                                                                                  | 4        | 12 wks    |
|                                                 | 62CXAC         | Eye lid retraction                                                                                                                         | 4        | 12 wks    |
|                                                 | 62CXAF         | Lid malpositioned causing ocular injury                                                                                                    | 1        | 2 wks     |
|                                                 | 62CXCC         | Eyelid malignancy - aggressive                                                                                                             | 1        | 2 wks     |
|                                                 | 62CXCD         | Eyelid malignancy                                                                                                                          | 2        | 4 wks     |
| <b>Globe</b>                                    | 62CZAA         | Blind painful eye                                                                                                                          | 2        | 4 wks     |
|                                                 | 62CZAD         | Blind painless eye                                                                                                                         | 5        | 26 wks    |
|                                                 | 62CZCA         | Intraocular tumour                                                                                                                         | 2        | 4 wks     |
| <b>Lacrimal System</b>                          | 62CTAA         | Epiphora                                                                                                                                   | 5        | 26 wks    |
|                                                 | 62CTAB         | Dacryocystitis                                                                                                                             | 1        | 2 wks     |
| <b>Lens</b>                                     | 62CLAC         | Cataract - unable to function without assistance                                                                                           | 3        | 6 wks     |
|                                                 | 62CLAF         | Cataract - second eye                                                                                                                      | 3        | 6 wks     |
|                                                 | 62CLAG         | Cataract - work driving impairment or impairment in the ability to function in the workplace                                               | 4        | 12 wks    |
|                                                 | 62CLAH         | Cataract with functional impairment                                                                                                        | 5        | 26 wks    |
|                                                 | 62CLDB         | Aphakia                                                                                                                                    | 3        | 6 wks     |
|                                                 | 62CLDC         | Dislocated lens                                                                                                                            | 3        | 6 wks     |
| <b>Ocular Muscles</b>                           | 62CQAA         | Strabismus                                                                                                                                 | 5        | 26 wks    |
|                                                 | 62CQAB         | Strabismus with diplopia                                                                                                                   | 4        | 12 wks    |
| <b>Retina</b>                                   | 62CNAA         | Macular hole                                                                                                                               | 3        | 6 wks     |
|                                                 | 62CNAB         | Epiretinal membrane                                                                                                                        | 4        | 12 wks    |
|                                                 | 62CNBB         | Tractional retinal detachment - macular threatening                                                                                        | 1        | 2 wks     |
|                                                 | 62CNBC         | Tractional retinal detachment - not macular threatening                                                                                    | 3        | 6 wks     |
|                                                 | 62CNBD         | Retinal detachment - acute                                                                                                                 | 1        | 2 wks     |
|                                                 | 62CNFA         | Vitreo-macular traction                                                                                                                    | 3        | 6 wks     |
| <b>Soft tissue of orbit and eyeball NEC</b>     | 62CPAA         | Chronic orbital compression causing vision loss (thyroid orbitopathy)                                                                      | 1        | 2 wks     |
|                                                 | 62CPAB         | Chronic orbital compression not causing vision loss (thyroid orbitopathy)                                                                  | 4        | 12 wks    |
|                                                 | 62CPCA         | Orbital and conjunctival tumour                                                                                                            | 2        | 4 wks     |
| <b>Vitreous</b>                                 | 62CMAD         | Vitreous hemorrhage                                                                                                                        | 4        | 12 wks    |
|                                                 | 62CMAE         | Vitreous hemorrhage, chronic, non-clearing                                                                                                 | 2        | 4 wks     |
|                                                 | 62CMBB         | Vitritis with possible lymphoma                                                                                                            | 2        | 4 wks     |
|                                                 | 62CMDA         | Intraocular silicone oil - non urgent                                                                                                      | 4        | 12 wks    |

# SASKATCHEWAN DIAGNOSIS CODE LIST 2026-27

|  |        |                                                        |   |       |
|--|--------|--------------------------------------------------------|---|-------|
|  | 62CMDB | Intraocular silicone oil - urgent due to IOP or cornea | 1 | 2 wks |
|--|--------|--------------------------------------------------------|---|-------|

## Ophthalmology Surgery cont'd

|                                                            | Diagnosis Code | Diagnosis Description  | Priority | Wait Time |
|------------------------------------------------------------|----------------|------------------------|----------|-----------|
| <b>Other *</b>                                             | 62ZZZA         | Ophthalmology other P1 | 1        | 2 wks     |
|                                                            | 62ZZZB         | Ophthalmology other P2 | 2        | 4 wks     |
|                                                            | 62ZZZC         | Ophthalmology other P3 | 3        | 6 wks     |
|                                                            | 62ZZZD         | Ophthalmology other P4 | 4        | 12 wks    |
|                                                            | 62ZZZE         | Ophthalmology other P5 | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                        |          |           |

## Oral Maxillofacial Surgery

|                              | Diagnosis Code | Diagnosis Description                                                        | Priority | Wait Time |
|------------------------------|----------------|------------------------------------------------------------------------------|----------|-----------|
| <b>Dental Disease</b>        | 94FEAC         | Exposure of teeth                                                            | 5        | 26 wks    |
|                              | 94FEAD         | Dental implant                                                               | 5        | 26 wks    |
|                              | 94FEBB         | Erupted teeth - associated with severe dental disease requiring extraction   | 2        | 4 wks     |
|                              | 94FEBD         | Erupted teeth - associated with moderate dental disease requiring extraction | 4        | 12 wks    |
|                              | 94FEBE         | Erupted teeth - associated with mild dental disease requiring extraction     | 5        | 26 wks    |
|                              | 94FEDB         | Impacted teeth - associated with severe dental disease                       | 2        | 4 wks     |
|                              | 94FEDD         | Impacted teeth - associated with moderate dental disease                     | 4        | 12 wks    |
|                              | 94FEDE         | Impacted teeth - associated with mild dental disease                         | 5        | 26 wks    |
|                              | 94FGAA         | Foreign body                                                                 | 4        | 12 wks    |
|                              | 94FKAC         | Dental disease - mild pain/infection with low medical risk                   | 5        | 26 wks    |
|                              | 94FKAD         | Dental disease - moderate pain/infection with moderate medical risk          | 4        | 12 wks    |
|                              | 94FKAF         | Dental disease - severe pain/infection with severe medical risk              | 2        | 4 wks     |
| <b>Maxillofacial Complex</b> | 94EFAB         | Osteonecrosis of the jaw                                                     | 4        | 12 wks    |
|                              | 94EGAA         | Skeletal facial deformity and/or malocclusion with ortho                     | 4        | 12 wks    |
|                              | 94EGAB         | Skeletal facial deformity and/or malocclusion w/o ortho                      | 5        | 26 wks    |
|                              | 94EGBA         | Adult cleft lip and/or palate                                                | 5        | 26 wks    |
|                              | 94ELAA         | Acute temporomandibular joint dysfunction                                    | 1        | 2 wks     |
|                              | 94ELAB         | Chronic temporomandibular joint dysfunction                                  | 5        | 26 wks    |
|                              | 94ELBA         | Maxillofacial complex of jaws                                                | 3        | 6 wks     |
|                              | 94EMAA         | Alveolar cleft                                                               | 4        | 12 wks    |
|                              | 94FGAC         | Maxillofacial soft tissue defect                                             | 5        | 26 wks    |
|                              | 94FGCA         | Benign intraoral soft tissue lesion                                          | 4        | 12 wks    |
|                              | 94FGCB         | Benign extraoral soft tissue lesion                                          | 4        | 12 wks    |
|                              | 94FGCC         | Malignant intraoral soft tissue lesion                                       | 2        | 4 wks     |
|                              | 94FGCD         | Malignant extraoral soft tissue lesion                                       | 2        | 4 wks     |
|                              | 94FKAA         | Acute oral infection                                                         | 1        | 2 wks     |
|                              | 94FKAB         | Chronic oral infection                                                       | 1        | 2 wks     |
|                              | 94FKAJ         | Nerve injury                                                                 | 1        | 2 wks     |
|                              | 94FKBA         | Maxillofacial bone defect                                                    | 5        | 26 wks    |
|                              | 94FKBB         | Maxillofacial tissue defect                                                  | 5        | 26 wks    |
|                              | 94FKCA         | Benign intraoral osseous lesion (cyst/tumour)                                | 4        | 12 wks    |
|                              | 94FKCB         | Malignant intraoral osseous lesion (cyst/tumour)                             | 1        | 2 wks     |
| <b>Nose and Sinuses</b>      | 94ESAB         | Deviated nasal septum                                                        | 5        | 26 wks    |
|                              | 94ETAA         | Epistaxis - recurrent/chronic                                                | 4        | 12 wks    |
|                              | 94ETAC         | Nasal Deformity                                                              | 5        | 26 wks    |
|                              | 94EYAA         | Chronic sinusitis/polyposis                                                  | 4        | 12 wks    |
|                              | 94EYCA         | Benign neoplasm sinus                                                        | 4        | 12 wks    |
|                              | 94EYCB         | Malignant neoplasm sinus                                                     | 2        | 4 wks     |
| <b>Salivary Gland</b>        | 94FPCC         | Salivary gland benign disease                                                | 4        | 12 wks    |
|                              | 94FPCD         | Salivary gland malignancy                                                    | 2        | 4 wks     |
| <b>Sinus disorder</b>        | 94FBBB         | Oral-antral fistula                                                          | 3        | 6 wks     |

## Oral Maxillofacial Surgery cont'd

|                                                            | Diagnosis Code | Diagnosis Description | Priority | Wait Time |
|------------------------------------------------------------|----------------|-----------------------|----------|-----------|
| <b>Other *</b>                                             | 94ZZZA         | Oral surgery other P1 | 1        | 2 wks     |
|                                                            | 94ZZZB         | Oral surgery other P2 | 2        | 4 wks     |
|                                                            | 94ZZZC         | Oral surgery other P3 | 3        | 6 wks     |
|                                                            | 94ZZZD         | Oral surgery other P4 | 4        | 12 wks    |
|                                                            | 94ZZZE         | Oral surgery Other P5 | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                       |          |           |

# Orthopedic Surgery

| BODY AREA | DIAGNOSIS DESCRIPTION | PRIORITY CODE | REASON (REVISION ONLY) |
|-----------|-----------------------|---------------|------------------------|
| 34        | _____                 | _____         | _____                  |

| Body Area     | Code | Diagnosis Description                             | Code | Priority*  | Code | Revision Reason                                               | Code |
|---------------|------|---------------------------------------------------|------|------------|------|---------------------------------------------------------------|------|
| Ankle         | WA   | Acute Fracture                                    | U    | 1 - 2 wks  | K    | Acetabular erosion                                            | A    |
| Elbow         | TM   | Arthritis/Joint Degeneration                      | A    | 2 - 4 wks  | L    | Arthritis in previous unresurfaced compartment                | B    |
| Femur         | VC   | Bony/labral impingement                           | M    | 3 - 6 wks  | M    | Aseptic loosening                                             | C    |
| Foot          | WG   | Cartilage disorder                                | R    | 4 - 12 wks | N    | Bearing Wear (poly wear)                                      | D    |
| Hand or wrist | UZ   | Revision-failed prosthetic joint                  | B    | 5 - 26 wks | O    | Implant fracture                                              | E    |
| Hip           | VA   | Heterotopic ossification                          | P    |            |      | Implant disassociation                                        | F    |
| Humerus       | TK   | Infection                                         | F    |            |      | Single stage revision                                         | G    |
| Knee          | VG   | Joint internal Derangement                        | J    |            |      | Stage 1 of 2 revision                                         | H    |
| Pelvis        | SQ   | (includes Loose Body/ Meniscal tear/ Impingement) |      |            |      | Stage 2 of 2 revision                                         | I    |
| Radius-ulna   | TV   |                                                   |      |            |      | Instability (eg dislocation, excludes patella instability)    | J    |
| Shoulder      | TA   | Joint Recurrent Dislocation                       | K    |            |      | Leg length discrepancy                                        | K    |
| Tibia-Fibula  | VQ   | Ligament dysfunction                              | I    |            |      | Osteolysis (including reaction to metal debris/ pseudo tumor) | L    |
|               |      | Malalignment/Malunion                             | G    |            |      | Other                                                         | Z    |
|               |      | Neurological condition                            | N    |            |      | Pain of unknown origin                                        | M    |
|               |      | Non-union                                         | H    |            |      | Patella maltracking or instability                            | N    |
|               |      | Osteonecrosis                                     | D    |            |      | Acetabulum                                                    | O    |
|               |      | Other                                             | Z    |            |      | Femur                                                         | P    |
|               |      | Retained Hardware                                 | Q    |            |      | Tibia                                                         | Q    |
|               |      | Sequelae of childhood disorder                    | E    |            |      | Stiffness                                                     | R    |
|               |      | Soft Tissue defect                                | S    |            |      |                                                               |      |
|               |      | Stiffness                                         | L    |            |      |                                                               |      |
|               |      | Tendon dysfunction                                | O    |            |      |                                                               |      |

| * Priority is determined by level of functional limitation: |                                                                                                                              |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| 1 - 2 wks                                                   | Severe pain. Patient cannot self-care of delay may lead to serious harm                                                      |
| 2 - 4 wks                                                   | Severe pain and/or urgent impairment/disability. Immediate threat to role or independence – eg collapsed femoral head, “AVN” |
| 3 - 6 wks                                                   | Severe constant pain or constant functional deficit. Imminent threat to role or independence.                                |
| 4 - 12 wks                                                  | Moderate to severe pain with significant or severe functional limitation.                                                    |
| 5 - 26 wks                                                  | Mild pain, but tolerable functional deficit.                                                                                 |

## Orthopedic Oncology Surgery

BODY AREA

DIAGNOSIS DESCRIPTION

|    |                                                                                   |                                                                                   |
|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 34 | <div style="border-bottom: 1px solid black; width: 100px; margin: 0 auto;"></div> | <div style="border-bottom: 1px solid black; width: 100px; margin: 0 auto;"></div> |
|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|

| Body Area                                       | Code | Diagnosis Description                                        | Code | Priority | Wait Time |
|-------------------------------------------------|------|--------------------------------------------------------------|------|----------|-----------|
| Ankle                                           | WA   | <b>SOFT TISSUE</b>                                           |      |          |           |
| Cranium                                         | EA   | Soft Tissue: Wound Complication                              | CA   | 1        | 2 wks     |
| Elbow                                           | TM   | Soft Tissue: Open Biopsy Diagnostic for suspected malignancy | CB   | 1        | 2 wks     |
| Femur                                           | VC   |                                                              |      |          |           |
| Foot                                            | WG   | Soft Tissue: Sarcoma High Grade                              | CC   | 1        | 2 wks     |
| Hand                                            | UL   | No Pre-op RX                                                 |      |          |           |
| Hand with wrist                                 | UZ   | Soft Tissue: Benign Aggressive Lesion                        | CF   | 2        | 4 wks     |
| Hip                                             | VA   | Soft Tissue: Met Disease Soft Tissue                         | CG   | 3        | 6 wks     |
| Humerus                                         | TK   | Soft Tissue: Sarcoma Low Grade                               | CH   | 3        | 6 wks     |
| Knee                                            | VG   | Soft Tissue: Benign Lesion                                   | CI   | 4        | 12 wks    |
| Neck                                            | YG   | Soft Tissue: Benign Lesion with Pre-op Rx                    | CJ   | 4        | 12 wks    |
| Pelvis                                          | SQ   | Soft Tissue: Sarcoma High Grade                              | CK   | 4        | 12 wks    |
| Other Parts – refer to orthopedic section       |      | Pre-op Rx                                                    |      |          |           |
|                                                 |      | <b>BONE</b>                                                  |      |          |           |
| Radius and ulna                                 | TV   | Bone: Wound complication                                     | CL   | 1        | 2 wks     |
| Sacroiliac (only bone diagnosis)                | SI   | Bone: Open Biopsy Diagnostic for suspected malignancy        | CM   | 1        | 2 wks     |
| Shoulder                                        | TA   | Bone: Sarcoma High Grade No Pre-op Rx                        | CN   | 1        | 2 wks     |
| Soft tissue of the back (only tissue diagnosis) | SH   | Bone: Met Disease with Fracture                              | CO   | 1        | 2 wks     |
| Spinal vertebrae                                | SC   | Bone: Met Disease impending Fracture                         | CP   | 2        | 4 wks     |
| Tibia-Fibula                                    | VQ   | Bone: Benign Aggressive Lesion                               | CQ   | 2        | 4 wks     |
| Wrist                                           | UB   | Bone: Sarcoma Low Grade                                      | CS   | 3        | 6 wks     |
|                                                 |      | Bone: Benign Lesion                                          | CT   | 4        | 12 wks    |
|                                                 |      | Bone: Benign Lesion with Pre-op Rx                           | CU   | 4        | 12 wks    |
|                                                 |      | Bone: Sarcoma High Grade Pre-op Rx                           | CV   | 4        | 12 wks    |

## Otolaryngology

|                                                      | Diagnosis Code | Diagnosis Description                                                          | Priority | Wait Time |
|------------------------------------------------------|----------------|--------------------------------------------------------------------------------|----------|-----------|
| <b>Ear/Mastoid</b>                                   | 60DEAA         | External canal atresia/stenosis                                                | 4        | 12 wks    |
|                                                      | 60DLAA         | Mastoid and/or middle ear disease                                              | 4        | 12 wks    |
|                                                      | 60DLAB         | Mastoid and/or middle ear disease - complicated                                | 1        | 2 wks     |
|                                                      | 60DLCA         | Malignant neoplasm ear/mastoid                                                 | 2        | 4 wks     |
|                                                      | 60DZAA         | Hearing loss - other                                                           | 4        | 12 wks    |
| <b>Esophagus</b>                                     | 60NAAA         | Esophageal stricture/diverticulum - with severe obstruction                    | 1        | 2 wks     |
|                                                      | 60NAAB         | Esophageal stricture/diverticulum - with non-severe obstruction                | 4        | 12 wks    |
| <b>Glottis and Larynx</b>                            | 60GAAA         | Vocal cord paralysis                                                           | 3        | 6 wks     |
|                                                      | 60GAAB         | Vocal cord paralysis with aspiration                                           | 1        | 2 wks     |
|                                                      | 60GEAA         | Laryngeal polyp/nodule                                                         | 4        | 12 wks    |
|                                                      | 60GEBA         | Suspected or confirmed malignant neoplasm of larynx                            | 1        | 2 wks     |
|                                                      | 60GECC         | Benign neoplasm larynx                                                         | 4        | 12 wks    |
|                                                      | 60GECD         | Benign neoplasm larynx - obstructing                                           | 1        | 2 wks     |
| <b>Head/Neck</b>                                     | 60YCCB         | Malignant neoplasm skin                                                        | 2        | 4 wks     |
|                                                      | 60YGCX         | Malignant neoplasm neck                                                        | 2        | 4 wks     |
|                                                      | 60YGCY         | Benign neoplasm neck - cyst neck                                               | 4        | 12 wks    |
| <b>Miscellaneous</b>                                 | 60ZZAA         | Sleep apnea                                                                    | 5        | 26 wks    |
| <b>Mouth and Pharynx</b>                             | 60FKCC         | Malignant neoplasm oral cavity                                                 | 2        | 4 wks     |
|                                                      | 60FKCE         | Benign neoplasm oral cavity                                                    | 4        | 12 wks    |
|                                                      | 60FRAC         | Tonsillitis - recurrent/chronic                                                | 5        | 26 wks    |
|                                                      | 60FRAD         | Adenoiditis - recurrent/chronic                                                | 5        | 26 wks    |
|                                                      | 60FXCA         | Malignant neoplasm oropharynx, hypopharynx                                     | 2        | 4 wks     |
|                                                      | 60FXCB         | Malignant neoplasm oropharynx - hypopharynx - with impending airway compromise | 1        | 2 wks     |
|                                                      | 60FXCC         | Benign neoplasm oropharynx                                                     | 4        | 12 wks    |
|                                                      | 60FXCE         | Benign neoplasm hypopharynx                                                    | 3        | 6 wks     |
| <b>Nose and Sinuses</b>                              | 60ESAB         | Deviated nasal septum                                                          | 5        | 26 wks    |
|                                                      | 60ETAA         | Epistaxis - recurrent/chronic                                                  | 4        | 12 wks    |
|                                                      | 60ETAE         | Traumatic Nasal Deformity                                                      | 4        | 12 wks    |
|                                                      | 60EYAA         | Chronic sinusitis/polyposis                                                    | 4        | 12 wks    |
|                                                      | 60EYAE         | Sinusitis acute - complicated                                                  | 1        | 2 wks     |
|                                                      | 60EYCA         | Benign neoplasm sinus                                                          | 4        | 12 wks    |
|                                                      | 60EYCB         | Malignant neoplasm sinus                                                       | 2        | 4 wks     |
| <b>Salivary Gland</b>                                | 60FPAA         | Sialadenitis - acute                                                           | 1        | 2 wks     |
|                                                      | 60FPAB         | Sialadenitis - chronic                                                         | 4        | 12 wks    |
|                                                      | 60FPCC         | Salivary gland benign disease                                                  | 4        | 12 wks    |
|                                                      | 60FPCD         | Salivary gland malignancy                                                      | 2        | 4 wks     |
| <b>Thyroid Parathyroid<br/>(continued next page)</b> | 60FUAB         | Asymptomatic benign mass - goiter or cyst                                      | 5        | 26 wks    |
|                                                      | 60FUCA         | Medullary thyroid cancer                                                       | 2        | 4 wks     |
|                                                      | 60FUCD         | Benign neoplasm/thyroid mass: rule out malignancy                              | 4        | 12 wks    |
|                                                      | 60FUCF         | Malignant thyroid disease except non-metastatic stage 1 papillary carcinoma    | 2        | 4 wks     |
|                                                      | 60FUCG         | Early-stage papillary carcinoma                                                | 4        | 12 wks    |
|                                                      | 60FUCI         | Well differentiated thyroid cancer with cervical lymph node metastases         | 2        | 4 wks     |
|                                                      | 60FUCJ         | Well differentiated thyroid cancer without cervical lymph node metastases      | 4        | 12 wks    |

## Otolaryngology cont'd

|                                                            | Diagnosis Code | Diagnosis Description                                                         | Priority | Wait Time |
|------------------------------------------------------------|----------------|-------------------------------------------------------------------------------|----------|-----------|
| <b>Thyroid Parathyroid (continued)</b>                     | 60FVAB         | Hyperparathyroidism - significant symptoms or Calcium greater than 3.0 mmol/L | 2        | 4 wks     |
|                                                            | 60FVAC         | Hyperparathyroidism                                                           | 4        | 12 wks    |
| <b>Tympanic Membrane</b>                                   | 60DFAA         | Myringotomy and tubes for recurrent otitis media                              | 4        | 12 wks    |
|                                                            | 60DFAB         | Myringotomy and tube for otitis media with effusion                           | 4        | 12 wks    |
|                                                            | 60DFAC         | Myringotomy and tube for otitis media recurrent severe                        | 1        | 2 wks     |
| <b>Other *</b>                                             | 60ZZZA         | Otolaryngology other P1                                                       | 1        | 2 wks     |
|                                                            | 60ZZZB         | Otolaryngology other P2                                                       | 2        | 4 wks     |
|                                                            | 60ZZZC         | Otolaryngology other P3                                                       | 3        | 6 wks     |
|                                                            | 60ZZZD         | Otolaryngology other P4                                                       | 4        | 12 wks    |
|                                                            | 60ZZZE         | Otolaryngology other P5                                                       | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                                                                               |          |           |

## Plastics &amp; Reconstructive Surgery

|                             | Diagnosis Code | Diagnosis Description                                                                                                                           | Priority | Wait Time |
|-----------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Bone and Soft Tissue</b> | 35ZZCA         | Suspected malignancy - requiring open biopsy (i.e., high grade sarcoma - pathological fracture)                                                 | 1        | 2 wks     |
|                             | 35ZZCI         | Benign Tumour with limited functional impairment (e.g., lipoma)                                                                                 | 5        | 26 wks    |
|                             | 35ZZCJ         | Benign tumour with functional impairment                                                                                                        | 4        | 12 wks    |
|                             | 35ZZCP         | Locally aggressive tumour                                                                                                                       | 2        | 4 wks     |
|                             | 35ZZCR         | Metastatic diseases, low grade sarcoma                                                                                                          | 2        | 4 wks     |
| <b>Breast</b>               | 35YMAA         | Mastectomy defect for delayed reconstruction                                                                                                    | 5        | 26 wks    |
|                             | 35YMAB         | Hypermastia and all other benign breast conditions                                                                                              | 5        | 26 wks    |
|                             | 35YMBA         | Breast cancer risk requiring Prophylactic Mastectomy                                                                                            | 4        | 12 wks    |
|                             | 35YMCD         | Post-mastectomy defect - for breast reconstruction post radiation or chemotherapy                                                               | 3        | 6 wks     |
|                             | 35YMCF         | Breast cancer for immediate breast reconstruction                                                                                               | 2        | 4 wks     |
|                             | 35YMCI         | Post mastectomy defect - second stage reconstruction                                                                                            | 4        | 12 wks    |
|                             | 35YMCJ         | Acute wound requiring surgery, high risk                                                                                                        | 1        | 2 wks     |
|                             | 35YMCK         | Acute wound requiring surgery, low risk                                                                                                         | 2        | 4 wks     |
| <b>Eyelid</b>               | 35CVAA         | Ptosis, visual axis obscured                                                                                                                    | 4        | 12 wks    |
|                             | 35CVAB         | Ptosis visual axis not obscured                                                                                                                 | 5        | 26 wks    |
|                             | 35CVAC         | Dermatochalasis with visual field impairment                                                                                                    | 5        | 26 wks    |
|                             | 35CXAA         | Ectropion                                                                                                                                       | 4        | 12 wks    |
|                             | 35CXAB         | Entropion                                                                                                                                       | 4        | 12 wks    |
|                             | 35CXAC         | Eyelid retraction                                                                                                                               | 4        | 12 wks    |
|                             | 35CXAF         | Lid malposition: Corneal impact or threat to vision                                                                                             | 1        | 2 wks     |
|                             | 35CXCC         | Eyelid malignancy - aggressive                                                                                                                  | 1        | 2 wks     |
|                             | 35CXCD         | Eyelid malignancy                                                                                                                               | 2        | 4 wks     |
|                             | 35CXDB         | Periorbital conditions with visual axis or corneal compromise                                                                                   | 2        | 4 wks     |
| <b>Facial Bones</b>         | 35EHAA         | Craniofacial deformity with functional impairment                                                                                               | 4        | 12 wks    |
|                             | 35EHAB         | Craniofacial deformity without functional impairment                                                                                            | 5        | 26 wks    |
|                             | 35EHAC         | Craniofacial deformity functional compromise - timed/staged procedure                                                                           | 3        | 6 wks     |
| <b>Gender Dysphoria</b>     | 39PZGD         | Gender Dysphoria; urgent revisions for urinary complications                                                                                    | 2        | 4 wks     |
|                             | 35ZZGD         | Gender Dysphoria; minor revisions and/or staging procedures                                                                                     | 4        | 12 wks    |
|                             | 35ZZGE         | Gender Dysphoria; primary and/or non-urgent revisions                                                                                           | 5        | 26 wks    |
| <b>Hand</b>                 | 35UZAD         | Hand condition: severe pain - patient cannot self-care - delay will lead to serious harm (e.g. loss of nerve function)                          | 1        | 2 wks     |
|                             | 35UZAE         | Hand condition: severe pain or disability - immediate threat to role or independence                                                            | 2        | 4 wks     |
|                             | 35UZAF         | Hand condition: moderate to severe constant pain or constant functional deficit - imminent threat to role or independence                       | 3        | 6 wks     |
|                             | 35UZAG         | Hand condition: Mild constant pain and disability - moderate threat to role and independence (carpal tunnel- tenosynovitis- neuroma- arthritis) | 4        | 12 wks    |
|                             | 35UZH          | Hand condition: Tolerable functional deficit - intermittent severe pain restricting activity (Dupuytren's- ganglion- stiff joint)               | 5        | 26 wks    |
|                             | 35UZH          | Hand condition: Tolerable functional deficit - intermittent severe pain restricting activity (Dupuytren's- ganglion- stiff joint)               | 5        | 26 wks    |
| <b>Peripheral Nerves</b>    | 35BXAA         | Severe peripheral nerve condition with potential for permanent functional loss/impairment                                                       | 1        | 2 wks     |
|                             | 35BXAB         | Nerve condition - intermittent with functional compromise                                                                                       | 3        | 6 wks     |
|                             | 35BXAC         | Mild peripheral nerve condition - minimal functional compromise                                                                                 | 5        | 26 wks    |

## Plastics &amp; Reconstructive Surgery cont'd

|                                                     | Diagnosis Code | Diagnosis Description                                                                                                               | Priority | Wait Time |
|-----------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Skin                                                | 35YRAE         | Axillary hyperhidrosis                                                                                                              | 5        | 26 wks    |
|                                                     | 35YZBE         | Scar without functional restriction                                                                                                 | 5        | 26 wks    |
|                                                     | 35YZBG         | Chronic wounds and non-healing ulcers requiring surgery                                                                             | 5        | 26 wks    |
|                                                     | 35YZBH         | Scar with functional restriction                                                                                                    | 4        | 12 wks    |
|                                                     | 35YZBI         | Hidradenitis suppurativa lesions                                                                                                    | 2        | 4 wks     |
|                                                     | 35YZCE         | Benign skin and subcutaneous tumours                                                                                                | 5        | 26 wks    |
|                                                     | 35YZCH         | Malignant melanoma, squamous cell carcinoma and head and neck cancers T1N1 or T2N0 or higher                                        | 1        | 2 wks     |
|                                                     | 35YZCI         | Cutaneous malignant Melanoma or squamous cell carcinoma, T1N0                                                                       | 2        | 4 wks     |
|                                                     | 35YZCJ         | Basal cell cancers                                                                                                                  | 3        | 6 wks     |
|                                                     | 35YZCK         | Squamous cell carcinoma and head and neck cancers - post-radiation and head and neck cancers and other aggressive skin malignancies | 2        | 4 wks     |
| Vascular Malformation                               | 35EQAA         | Vascular malformation - benign, no functional compromise or acute complication                                                      | 5        | 26 wks    |
|                                                     | 35EQAB         | Vascular malformation - functional compromise                                                                                       | 3        | 6 wks     |
|                                                     | 35EQAC         | Vascular malformation - acute complication (bleeding, ulceration, infection) - low severity                                         | 2        | 4 wks     |
|                                                     | 35EQAD         | Vascular malformation - acute complication (bleeding, ulceration, infection) - high severity                                        | 1        | 2 wks     |
| Other*                                              | 35ZZZA         | Plastic surgery other P1                                                                                                            | 1        | 2 wks     |
|                                                     | 35ZZZB         | Plastic surgery other P2                                                                                                            | 2        | 4 wks     |
|                                                     | 35ZZZC         | Plastic surgery other P3                                                                                                            | 3        | 6 wks     |
|                                                     | 35ZZZD         | Plastic surgery other P4                                                                                                            | 4        | 12 wks    |
|                                                     | 35ZZZE         | Plastic surgery other P5                                                                                                            | 5        | 26 wks    |
| * provide unique diagnosis in free text description |                |                                                                                                                                     |          |           |

## Spinal Surgery

|                                                            | Diagnosis Code | Diagnosis Description                                                    | Priority | Wait Time |
|------------------------------------------------------------|----------------|--------------------------------------------------------------------------|----------|-----------|
| <b>Claudication</b>                                        | 33SCEA         | Claudication – progressive                                               | 1        | 2 wks     |
|                                                            | 33SCEB         | Claudication – stable                                                    | 4        | 12 wks    |
| <b>Myelopathy</b>                                          | 33SCDA         | Myelopathy – progressive                                                 | 1        | 2 wks     |
|                                                            | 33SCDB         | Myelopathy – stable                                                      | 2        | 4 wks     |
| <b>Oncology</b>                                            | 33SCCA         | Spinal Bone – primary                                                    | 1        | 2 wks     |
|                                                            | 33SCCB         | Spinal Bone - secondary/metastases                                       | 2        | 4 wks     |
|                                                            | 33SCCC         | Intradural – progressive                                                 | 2        | 4 wks     |
|                                                            | 33SCCD         | Intradural – stable                                                      | 3        | 6 wks     |
| <b>Radiculopathy</b>                                       | 33SCBA         | Acute persistent lumbar or cervical radiculopathy with severe symptoms   | 1        | 2 wks     |
|                                                            | 33SCBB         | Acute persistent lumbar or cervical radiculopathy with moderate symptoms | 2        | 4 wks     |
|                                                            | 33SCBC         | Acute persistent lumbar or cervical radiculopathy with mild symptoms     | 4        | 12 wks    |
| <b>Spinal Deformity - bone</b>                             | 33SCFA         | Spinal deformity – progressive                                           | 1        | 2 wks     |
|                                                            | 33SCFB         | Spinal deformity – stable                                                | 5        | 26 wks    |
| <b>Spinal Instability</b>                                  | 33SCGA         | Cervical instability                                                     | 3        | 6 wks     |
|                                                            | 33SCGB         | Thoracolumbar instability                                                | 4        | 12 wks    |
| <b>Other *</b>                                             | 33SCZA         | Spinal surgery other P1                                                  | 1        | 2 wks     |
|                                                            | 33SCZB         | Spinal surgery other P2                                                  | 2        | 4 wks     |
|                                                            | 33SCZC         | Spinal surgery other P3                                                  | 3        | 6 wks     |
|                                                            | 33SCZD         | Spinal surgery other P4                                                  | 4        | 12 wks    |
|                                                            | 33SCZE         | Spinal surgery other P5                                                  | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                                                                          |          |           |

## Thoracic Surgery

|                                                     | Diagnosis Code | Diagnosis Description                                                                | Priority | Wait Time |
|-----------------------------------------------------|----------------|--------------------------------------------------------------------------------------|----------|-----------|
| Chest Wall                                          | 36SYBA         | Pectus excavatum                                                                     | 5        | 26 wks    |
|                                                     | 36SYCA         | Chest wall mass                                                                      | 1        | 2 wks     |
| Diaphragm                                           | 36GXAA         | Hiatus hernia NOS/diaphragmatic hernia - with recent hospitalization or complication | 1        | 2 wks     |
|                                                     | 36GXAB         | Paraesophageal hernia (Type II, III, IV)/diaphragmatic Hernia - with no complication | 3        | 6 wks     |
|                                                     | 36GXAF         | Hiatus hernia (type I only) with no complication                                     | 4        | 12 wks    |
|                                                     | 36GXAG         | Paraesophageal hernia (Type II- III- IV)/diaphragmatic hernia - with complication    | 1        | 2 wks     |
|                                                     | 36GXAH         | Diaphragm disorders (Eventration/traumatic defects)                                  | 3        | 6 wks     |
| Esophagus and Stomach                               | 36NAAA         | Benign esophageal swallowing disorder with recent hospitalization or complication    | 1        | 2 wks     |
|                                                     | 36NAAB         | Benign esophageal swallowing disorder with no complication                           | 4        | 12 wks    |
|                                                     | 36NACA         | Esophageal cancer                                                                    | 1        | 2 wks     |
|                                                     | 36NFCC         | Gastric malignancy                                                                   | 1        | 2 wks     |
| Lung                                                | 36GTAB         | Pneumothorax - active                                                                | 1        | 2 wks     |
|                                                     | 36GTAD         | Pneumothorax - simple/recurrent                                                      | 4        | 12 wks    |
|                                                     | 36GTAG         | Interstitial lung disease - no recent hospitalization or complication                | 3        | 6 wks     |
|                                                     | 36GTAH         | Interstitial lung disease with recent hospitalization or complication                | 1        | 2 wks     |
|                                                     | 36GTCT         | Lung mass NOS                                                                        | 3        | 6 wks     |
|                                                     | 36GTCTG        | Lung cancer - confirmed or suspected                                                 | 1        | 2 wks     |
|                                                     | 36GWCD         | Mediastinal adenopathy NOS - lymphoma or other malignancy suspected                  | 1        | 2 wks     |
| Pleura                                              | 36GVBA         | Pleural effusion                                                                     | 1        | 2 wks     |
| Skin                                                | 36YRAE         | Hyperhidrosis                                                                        | 5        | 26 wks    |
| Thoracic cavity NEC                                 | 36GKCB         | Thymic neoplasm - suspect malignancy                                                 | 1        | 2 wks     |
|                                                     | 36GKCD         | Thymic neoplasm or other indolent condition                                          | 2        | 4 wks     |
|                                                     | 36GYAA         | Fibrothorax or chronic empyema                                                       | 1        | 2 wks     |
| Other *                                             | 36ZZZA         | Thoracic surgery other P1                                                            | 1        | 2 wks     |
|                                                     | 36ZZZB         | Thoracic surgery other P2                                                            | 2        | 4 wks     |
|                                                     | 36ZZZC         | Thoracic surgery other P3                                                            | 3        | 6 wks     |
|                                                     | 36ZZZD         | Thoracic surgery other P4                                                            | 4        | 12 wks    |
|                                                     | 36ZZZE         | Thoracic surgery other P5                                                            | 5        | 26 wks    |
| * provide unique diagnosis in free text description |                |                                                                                      |          |           |

## Urology

|                                           | Diagnosis Code | Diagnosis Description                                                                                                                                                               | Priority | Wait Time |
|-------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Adrenalectomy</b>                      | 39PBCB         | Pheochromocytoma - adrenocortical carcinoma - unilateral adrenalectomy                                                                                                              | 2        | 4 wks     |
|                                           | 39PBCD         | Functioning tumour - unilateral adrenalectomy                                                                                                                                       | 3        | 6 wks     |
| <b>Bladder Fulguration</b>                | 39PMCB         | Bladder cancer - bladder fulguration with cystoscopy                                                                                                                                | 2        | 4 wks     |
|                                           | 39PMDA         | Hematuria - bladder fulguration                                                                                                                                                     | 1        | 2 wks     |
| <b>Circumcision</b>                       | 39QDAA         | Phimosis - risk of urinary retention or infection - circumcision                                                                                                                    | 1        | 2 wks     |
|                                           | 39QDAE         | Phimosis - circumcision                                                                                                                                                             | 5        | 26 wks    |
| <b>Collagen Injections</b>                | 39PQAA         | Incontinence - periurethral bulking agent injection                                                                                                                                 | 5        | 26 wks    |
| <b>Cystectomy</b>                         | 39PMCF         | Bladder cancer with risk of cancer progression - cystectomy - radical with urinary diversion                                                                                        | 1        | 2 wks     |
|                                           | 39PMHA         | Dysfunctional bladder - cystectomy - non-malignant                                                                                                                                  | 4        | 12 wks    |
| <b>Diagnostic</b>                         | 39PCFA         | Hydronephrosis, hematuria - high risk of potential diagnosis of cancer or obstruction – high risk of renal failure - diagnostic ureterorenoscopy- cystoscopy- retrograde pyelograms | 1        | 2 wks     |
|                                           | 39PCFC         | Hydronephrosis, hematuria - low risk of potential diagnosis of cancer or obstruction - diagnostic ureterorenoscopy- cystoscopy- retrograde pyelograms (Routine re-check)            | 4        | 12 wks    |
|                                           | 39QTAA         | Prostate cancer risk - prostate biopsy                                                                                                                                              | 2        | 4 wks     |
| <b>Epididymo-vasostomy or Vasostomy</b>   | 39QJAE         | Pain or infections - epididymectomy - unilateral                                                                                                                                    | 5        | 26 wks    |
|                                           | 39QJAF         | Infertility - vasal obstruction - epididymovasostomy or re-anastomosis of vas - unilateral or bilateral                                                                             | 5        | 26 wks    |
| <b>Fistula Closure</b>                    | 39PMFE         | Incontinence, urinary tract infection - high risk of skin breakdown or infection or emergency - fistula closure-suprapubic- vesicovaginal- rectal                                   | 1        | 2 wks     |
|                                           | 39PMFG         | Incontinence, urinary tract infection - Low risk of skin breakdown or infection or emergency - fistula closure-suprapubic- vesicovaginal- rectal                                    | 4        | 12 wks    |
| <b>Gender Dysphoria</b>                   | 39PZGD         | Gender Dysphoria - Urgent revisions for urinary complications                                                                                                                       | 2        | 4 wks     |
|                                           | 35ZZGD         | Gender Dysphoria - Minor revisions and/or staging procedures                                                                                                                        | 4        | 12 wks    |
|                                           | 35ZZGE         | Gender Dysphoria - Primary and/or non-urgent revisions                                                                                                                              | 5        | 26 wks    |
| <b>Lower Urinary Tract Reconstruction</b> | 39PMIA         | High risk of renal deterioration or infection - lower urinary tract reconstruction                                                                                                  | 1        | 2 wks     |
|                                           | 39PMIC         | Low risk of renal deterioration or infection - lower urinary tract reconstruction                                                                                                   | 4        | 12 wks    |
| <b>Lymphadenectomy</b>                    | 39MGAC         | Bladder, prostate, penis cancer - lymphadenectomy - retroperitoneal or pelvic                                                                                                       | 3        | 6 wks     |
|                                           | 39MGCA         | Testicular cancer - lymphadenectomy - retroperitoneal - post-chemotherapy                                                                                                           | 1        | 2 wks     |
|                                           | 39MGCB         | Testicular cancer - lymphadenectomy - retroperitoneal - primary                                                                                                                     | 2        | 4 wks     |
| <b>Lymphadenectomy - Inguinal</b>         | 39MJAA         | Penis cancer - lymphadenectomy - inguinal                                                                                                                                           | 2        | 4 wks     |
| <b>Nephrectomy</b>                        | 39PCAB         | High risk of cancer or disease progression - nephrectomy radical - simple or partial                                                                                                | 1        | 2 wks     |
|                                           | 39PCAC         | Low risk of cancer or disease progression - nephrectomy radical - simple or partial                                                                                                 | 4        | 12 wks    |
|                                           | 39PCAI         | Moderate risk of cancer or disease progression - nephrectomy radical- simple or partial                                                                                             | 2        | 4 wks     |
|                                           | 39PCAJ         | Kidney Transplant - Recipient                                                                                                                                                       | 1        | 2 wks     |
|                                           | 39PCAK         | Kidney Transplant - Living Donor                                                                                                                                                    | 1        | 2 wks     |
| <b>Nephroscopy and stone removal</b>      | 39PCBA         | Stone - High risk of emergency admission from obstruction and infection - nephrolithotomy or pyelolithotomy - nephroscopy and stone removal                                         | 1        | 2 wks     |

## Urology cont'd

|                                                           | Diagnosis Code | Diagnosis Description                                                                                                                      | Priority | Wait Time |
|-----------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Nephroscopy and stone removal</b>                      | 39PCBC         | Stone - Low risk of emergency admission from obstruction and infection - nephrolithotomy or pyelolithotomy - nephroscopy and stone removal | 3        | 6 wks     |
| <b>Nephrouret-<br/>erectomy</b>                           | 39PCAH         | High risk of cancer progression- radical nephroureterectomy                                                                                | 1        | 2 wks     |
| <b>Orchiectomy</b>                                        | 39QMCB         | Testicular cancer - radical orchiectomy                                                                                                    | 1        | 2 wks     |
|                                                           | 39QMCC         | Prostate cancer- bilateral orchiectomy                                                                                                     | 3        | 6 wks     |
| <b>Orchiopexy</b>                                         | 39QMBF         | Cryptorchidism - orchiopexy - one or two stages                                                                                            | 4        | 12 wks    |
| <b>Penile Prosthesis</b>                                  | 39QEAE         | Erectile dysfunction - penile prosthesis insertion                                                                                         | 5        | 26 wks    |
| <b>Peyronies</b>                                          | 39QEBE         | Peyronie's plaque - plication or grafting                                                                                                  | 5        | 26 wks    |
| <b>Prostatectomy</b>                                      | 39QTBA         | Severe symptoms of urinary retention - prostatectomy - transurethral or simple                                                             | 1        | 2 wks     |
|                                                           | 39QTBD         | Mild symptoms of urinary retention - prostatectomy - transurethral or simple                                                               | 4        | 12 wks    |
|                                                           | 39QTCA         | Prostate cancer with high risk of cancer progression - radical prostatectomy                                                               | 2        | 4 wks     |
|                                                           | 39QTCC         | Prostate cancer with intermediate risk of cancer progression - radical prostatectomy                                                       | 3        | 6 wks     |
| <b>Pyeloplasty</b>                                        | 39PEBD         | Hydronephrosis - risk of emergency admission for obstruction or infection- Pyeloplasty or reconstruction - any approach                    | 2        | 4 wks     |
| <b>Spermatocele or hydrocele</b>                          | 39QMDE         | Spermatocele or hydrocele- excision                                                                                                        | 5        | 26 wks    |
| <b>Transurethral resection bladder tumour</b>             | 39PMCD         | High risk of cancer progression- transurethral resection bladder tumour                                                                    | 1        | 2 wks     |
|                                                           | 39PMCE         | Low risk of cancer progression - transurethral resection bladder tumour                                                                    | 2        | 4 wks     |
| <b>Ureteroscopy and stone manipulation</b>                | 39PGBA         | Ureteral calculus - high risk of renal deterioration / infection - ureteroscopy and stone manipulation                                     | 1        | 2 wks     |
|                                                           | 39PGBD         | Ureteral calculus - low risk of renal deterioration / infection - ureteroscopy and stone manipulation                                      | 2        | 4 wks     |
| <b>Urethral stent insertion</b>                           | 39PEBA         | Hydronephrosis - high risk of compromised renal function - ureteral stent insertion                                                        | 1        | 2 wks     |
|                                                           | 39PEBC         | Hydronephrosis - low risk of compromised renal function - ureteral stent insertion                                                         | 2        | 4 wks     |
| <b>Urethrotomy</b>                                        | 39PQBA         | Urethral stricture - high risk of obstruction or infection - urethrotomy - external or internal                                            | 1        | 2 wks     |
|                                                           | 39PQBD         | Urethral stricture - low risk of obstruction or infection - urethrotomy - external or internal                                             | 3        | 6 wks     |
| <b>Urinary incontinence</b>                               | 39PMBF         | Urinary incontinence severe                                                                                                                | 3        | 6 wks     |
|                                                           | 39PMBG         | Urinary incontinence moderate                                                                                                              | 4        | 12 wks    |
|                                                           | 39PMBH         | Urinary incontinence mild                                                                                                                  | 5        | 26 wks    |
| <b>Urolithiasis</b>                                       | 39PMGD         | Bladder stone - risk of urinary retention or infection or bleeding - cystolitholapaxy                                                      | 3        | 6 wks     |
| <b>Varicocele</b>                                         | 39QMFF         | Infertility - varicocele resection                                                                                                         | 4        | 12 wks    |
|                                                           | 39QMFG         | Scrotal pain - varicocele resection                                                                                                        | 4        | 12 wks    |
| <b>Other*</b>                                             | 39ZZZA         | Urology other P1                                                                                                                           | 1        | 2 wks     |
|                                                           | 39ZZZB         | Urology other P2                                                                                                                           | 2        | 4 wks     |
|                                                           | 39ZZZC         | Urology other P3                                                                                                                           | 3        | 6 wks     |
|                                                           | 39ZZZD         | Urology other P4                                                                                                                           | 4        | 12 wks    |
|                                                           | 39ZZZE         | Urology other P5                                                                                                                           | 5        | 26 wks    |
| <b>*provide unique diagnosis in free text description</b> |                |                                                                                                                                            |          |           |

## Vascular Surgery

|                                                            | Diagnosis Code | Diagnosis Description                                                                             | Priority | Wait Time |
|------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------|----------|-----------|
| <b>Abdominal Aorta</b>                                     | 37KAAC         | Aneurysm >6.5cm                                                                                   | 1        | 2 wks     |
|                                                            | 37KAAD         | Aneurysm <6.5cm                                                                                   | 2        | 4 wks     |
| <b>Abdominal Arteries</b>                                  | 37KEAA         | Renovascular disease                                                                              | 2        | 4 wks     |
|                                                            | 37KEBA         | Chronic mesenteric ischemia                                                                       | 1        | 2 wks     |
|                                                            | 37KEDA         | Visceral or renal aneurysm                                                                        | 2        | 4 wks     |
| <b>Carotid stenosis</b>                                    | 37JEAA         | Symptomatic carotid stenosis-Strokes- TIA's                                                       | 1        | 2 wks     |
|                                                            | 37JEAB         | Asymptomatic carotid stenosis-Progressive- >70%                                                   | 2        | 4 wks     |
| <b>Chronic Compartment Syndrome</b>                        | 37LZAB         | Chronic compartment syndrome - all others                                                         | 5        | 26 wks    |
|                                                            | 37LZAC         | Chronic compartment syndrome - severe symptoms with minimal activities of daily living            | 2        | 4 wks     |
| <b>Chronic Venous Insufficiency</b>                        | 37KRAA         | Chronic venous insufficiency (CEAP Classification 5/6 - ulcer)                                    | 2        | 4 wks     |
|                                                            | 37KRAC         | Chronic venous insufficiency (CEAP Classification 1/2 - uncomplicated symptomatic varicose veins) | 5        | 26 wks    |
|                                                            | 37KRAD         | Chronic venous insufficiency (CEAP Classification 3/4 - stasis change)                            | 4        | 12 wks    |
| <b>Claudication</b>                                        | 37KGDA         | Claudication - severe pain with minimal walking, bed ridden, threat to role and independence      | 2        | 4 wks     |
|                                                            | 37KGDB         | Claudication - moderate to severe pain and disability. Threat to role and independence.           | 4        | 12 wks    |
|                                                            | 37KGDC         | Claudication - minimal pain and disability. No threat to role and independence.                   | 5        | 26 wks    |
| <b>Failing Bypass Graft</b>                                | 37KGBA         | Failing bypass graft                                                                              | 1        | 2 wks     |
|                                                            | 37KGBC         | Peripheral Aneurysm - femoral, popliteal, subclavian - chronic false aneurysm                     | 2        | 4 wks     |
| <b>Limb Ischemia</b>                                       | 37KGAA         | Critical limb ischemia - rest pain or ulcer                                                       | 1        | 2 wks     |
|                                                            | 37KGAB         | Chronic limb ischemia with tissue loss - nonviable leg                                            | 1        | 2 wks     |
|                                                            | 37KGAC         | Chronic limb ischemia - non-healing wound requiring surgery                                       | 2        | 4 wks     |
| <b>Thoracic Outlet</b>                                     | 37BGBA         | Neurogenic thoracic outlet syndrome                                                               | 5        | 26 wks    |
|                                                            | 37JKAB         | Arterial or venous thoracic outlet syndrome                                                       | 2        | 4 wks     |
| <b>Vascular Access</b>                                     | 37ISAA         | Poor venous access for chemotherapy, IV therapy or haemodialysis                                  | 1        | 2 wks     |
|                                                            | 37PCEH         | Chronic renal failure - failing dialysis access                                                   | 1        | 2 wks     |
|                                                            | 37PCEI         | Chronic renal failure - dialysis within 3 months or catheter                                      | 2        | 4 wks     |
|                                                            | 37PCEJ         | Chronic renal failure - dialysis greater than 3 months                                            | 4        | 12 wks    |
| <b>Venous Obstruction</b>                                  | 37KXAA         | Venous obstruction                                                                                | 3        | 6 wks     |
| <b>Other *</b>                                             | 37ZZZA         | Vascular surg. other P1                                                                           | 1        | 2 wks     |
|                                                            | 37ZZZB         | Vascular surg. other P2                                                                           | 2        | 4 wks     |
|                                                            | 37ZZZC         | Vascular surg. other P3                                                                           | 3        | 6 wks     |
|                                                            | 37ZZZD         | Vascular surg. other P4                                                                           | 4        | 12 wks    |
|                                                            | 37ZZZE         | Vascular surg. other P5                                                                           | 5        | 26 wks    |
| <b>* provide unique diagnosis in free text description</b> |                |                                                                                                   |          |           |

Saskatchewan Diagnosis Codes for Surgical Prioritization are coordinated by the Saskatchewan Surgical Registry.

To request more information, to provide feedback on diagnosis codes, or to suggest additions or changes, contact the Surgical Registry at:

[surgicalregistry@health.gov.sk.ca](mailto:surgicalregistry@health.gov.sk.ca)

This listing is in effect from April 1 2026 to March 31 2027.