

Crop Report

For the Period July 22 to July 28, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 13, July 30, 2025

Sporadic showers brought much needed moisture and, in some cases, hail to certain areas of the province, while cooler weather brought relief to crops still in flower. Producers are hoping for more moisture to help with head and pod filling, but for many advanced crops, additional moisture will have little impact on yield at this stage. In some areas, a second cut of hay is unlikely due to the lack of moisture, and crops are being cut for feed where shortages are anticipated.

Rain fell in a few areas of the province this past week, but many regions received only trace amounts or no rain at all. The Richmond area reported the most rain this week with 62 millimetres (mm), followed by the Meadow Lake and Alida areas with 47 and 46 mm respectively. Forty-one mm of rain fell in the Carnduff area and 38 mm was recorded in the Oxbow area.

Variable rainfall across the province was not enough to maintain topsoil moisture in many areas this week. Cropland topsoil moisture is rated as 65 per cent adequate, 28 per cent short and seven per cent very short. Hayland topsoil moisture is rated as 55 per cent adequate, 36 per cent short and nine per cent very short. Lastly, pasture topsoil moisture is rated as 55 per cent adequate, 32 per cent short and 13 per cent very short. Livestock producers would like to see rain soon to ensure their pastures can support their livestock through the end of the growing season.

Most crops are rated as being in fair to good condition with a small number being rated as excellent and a few as poor. Most crops are showing a slight improvement in condition since the last report. The lowest-rated crops are occurring in the southwest, northwest and parts of the northeast, where conditions are driest.

The first-cut haying operations are starting to wind down with 11 per cent standing, 21 per cent cut and 68 per cent baled or put up as silage. Hay quality of the first cut is rated as eight per cent excellent, 56 per cent good, 30 per cent fair and six per cent poor. A second cut of hay is not likely in many areas unless a substantial amount of rain is received soon to allow for adequate regrowth. In some areas, haying has been slowed due to sporadic showers.

One year ago

Heat and lack of moisture continued to accelerated crop advancement throughout the province. Crops throughout many regions were stressed, causing yield potential to decline. Producers were hoping for moisture to help with head and pod filling on later seeded crops but for many advanced crops, this would have little impact on yield. It was unlikely that a second cut of hay would be possible in most areas of the province due to the lack of moisture.

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,

Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.

Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period July 22 to July 28, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 13, July 30, 2025

The heat, dry conditions, gophers, grasshoppers, flea beetles and aphids were the most reported sources of crop damage this week. In drier areas, the flowering period of crops may be significantly shortened, and producers are concerned about how much this may impact yield. Producers will take action where needed to control pests, such as grasshoppers and aphids, up until harvest.

As producers prepare for harvest, they are reminded to take safety precautions and preventative fire measures when they can. The Farm Stress Line is available to provide support to producers toll free at 1-800-667-4442.

A complete, printable version of the Crop Report is available online – [Download Crop Report](#).

Follow the 2025 Crop Report on Twitter at [@SKAgriculture](#).

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.




Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

The region reported some scattered showers with a few significant events that produced hail this week. Producers are hoping for continued rain throughout the region to help lessen the impact of the coming heat on their crop yields, aid hayland regrowth and improve their pasture lands currently supporting livestock.

Rainfall was mostly in the southeast part of the region this week. The Alida area received the highest amount at 46 mm while the Carnduff and Oxbow areas received 41 and 38 mm respectively. The Bienfait area received 33 mm. Most other areas within the region received smaller amounts or no rainfall over the past week.

Despite the precipitation received in the region, topsoil moisture conditions declined this week. Cropland topsoil moisture is rated as 73 per cent adequate, 23 per cent short and four per cent very short. Hayland topsoil moisture is rated as 69 per cent adequate, 26 per cent short and five per cent very short. Similarly, pasture topsoil moisture is rated as 69 per cent adequate, 27 per cent short and four per cent very short.

Crop conditions in the region have remained relatively steady since last reported. Most of the cereal crops are rated to be in good to excellent condition, while flax and canola are mostly rated as fair to good and mustard as good to excellent. Pulse crops are rated as mostly good to excellent with some rated as fair.

Haying progressed throughout the region this past week with 80 per cent of the crop now cut and 58 per cent baled or put up as silage. Hay quality remains relatively high with a rating of five per cent excellent, 70 per cent good, 23 per cent fair and only two per cent poor. Operations have been slowed due to the recent rains, but some are moving on to a second cut where conditions allow.

Most crop damage continues to be caused by heat and lack of moisture. Minor damage is also being reported from hail, gophers, grasshoppers, flea beetles, pea leaf weevil and aphids. Producers have or will be close to completing fungicide applications as the window for application has closed for many crops.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and

Tompkins areas

Much of the region received rain this week that has helped to replenish soil moisture but will be too late for some crops. Producers are hoping for more rain to help lessen the impact of the predicted heat on their crop yields, aid hayland regrowth and improve their pasture lands currently supporting livestock.

Rainfall was significant in some areas this week. The Richmond area reported 62 mm while the Eston area received 30 mm. The Abbey and Vanguard areas each recorded 27 mm followed closely by the Piapot area at 26 mm. Other lesser amounts were recorded in the region.

Topsoil moisture in the region improved due to the precipitation received this week. Cropland topsoil moisture is rated as 82 per cent adequate, 14 per cent short and four per cent very short. Hayland is rated as 76 per cent adequate, 20 per cent short and four per cent very short. Pasture topsoil moisture is rated as 71 per cent adequate, 16 per cent short and 13 per cent very short.

Crop conditions in the region have improved since last reported. Most crops are now reported to be in fair to good condition with a smaller percentage being rated as in poor condition. Recent rainfall has benefitted many crops but more will be needed to promote head or seed filling.

Haying operations are coming to a close with 94 per cent of hay now cut and 79 per cent baled or put up as silage. Due to the limited rainfall, most producers have indicated it is unlikely there will be a second cut and that this is very common for this region. Hay quality is rated at five per cent excellent, 47 per cent good, 40 per cent fair and eight per cent poor.

Minor to severe crop damage was reported from heat and lack of moisture while wind, hail and grasshoppers caused minor to moderate damage. Other minor crop damage was also indicated from gophers and a number of insects. Producers will be preparing equipment for harvest as crops are quickly approaching maturity.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

The dry conditions in the region this week allowed haying to progress while the cool conditions were a benefit to the flowering crops. Producers are hoping for rain soon to help lessen the impact of the upcoming heat on their crop yields, aid hayland regrowth and improve their pasture lands currently supporting livestock.

Rainfall was minimal within the region this week. The Kenaston and Broderick areas reported only seven mm. Most other areas within the region received smaller amounts or no rainfall over the past week.

Lack of precipitation in the region caused topsoil moisture conditions to decline this week. Cropland topsoil moisture is rated as 60 per cent adequate, 37 per cent short and three per cent very short. Hayland topsoil moisture is rated as 57 per cent adequate, 42 per cent short and one per cent very short. Pasture topsoil moisture is rated as 47 per cent adequate, 41 per cent short and 12 per cent very short.

Despite the lack of precipitation in the region this week, crop conditions have improved since last reported. Crop conditions in the region are rated from fair to good, with the largest percentage being rated as good. Lentil and field pea crops have the highest percentage of crops that are rated as excellent.

Producers continue their haying operations and now have 90 per cent cut with 75 per cent baled or put up as silage. Hay quality of the first cut is rated at three per cent excellent, 67 per cent good, 29 per cent fair and one per cent poor. Some producers have indicated they are moving on to a second cut where conditions allow.

Minor to severe crop damage was reported this week due to heat and dry conditions. Other minor crop damage was also indicated from wind, gophers, and a number of insects. Producers were busy applying fungicides to control disease risk during the humid weather; applications have mostly finished up and producers will be monitoring their fields closely as they approach harvest.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

The dry conditions in the region this week allowed haying to progress while the cool conditions were a benefit to the flowering crops. Producers are hoping for rain soon to help lessen the impact of the upcoming heat on their crop yields, aid hayland regrowth and improve their pasture lands currently supporting livestock.

Rainfall was minimal within the region this week. The highest rainfall that was reported was 12 mm in the Kindersley area and 10 mm in the Purdue area. The rest of the region received smaller amounts with many recording no rain. Producers are hopeful more rain will be on the way soon to help improve topsoil moisture and crop seed filling.

Topsoil moisture conditions declined this week due the limited precipitation that was received. Cropland topsoil moisture is rated as one per cent surplus, 77 per cent adequate, 20 per cent short and two per cent very short. Hayland is rated as one per cent surplus, 72 per cent adequate, 25 per cent short and two per cent very short, while pasture is rated as one per cent surplus, 70 per cent adequate, 27 per cent short and two per cent very short.

Despite the lack of precipitation in the region this week, crop conditions have improved since last reported. Crop conditions in the region are rated from fair to good, with the largest percentage being rated as good. Many crops had a significant increase in the percentage of the crop rated as excellent.

Haying operations are progressing within the region with the limited rainfall this week. Currently 82 per cent of the crop is now cut and 56 per cent is baled and put up as silage. Hay quality remains good with 10 per cent rated as excellent, 60 per cent rated as good, 23 per cent fair and seven per cent as poor. Producers will be attempting to quickly finish up haying as harvest is only a few short weeks away.

Dry conditions were the largest factor causing minor to moderate crop damage this week. Aphids, flea beetles and lygus bugs are also still being reported across the region but damage is considered minor. Producers have been busy monitoring their populations and assessing if they have passed actionable thresholds.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

The dry conditions in the region this week allowed haying to progress while the cool conditions were a benefit to the flowering crops. Producers are hoping for rain soon to help lessen the impact of the upcoming heat on their crop yields, aid hayland regrowth and improve their pasture lands currently supporting livestock.

Rainfall was minimal within the region this week. The highest rainfall that was reported was 12 mm in each the Kelvington and Vonda areas. The Rosthern area received 11 mm while the rest of the region received smaller amounts with many recording no rain. Producers are hopeful more rain will be on the way soon to help improve topsoil moisture and crop seed filling.

Very little rainfall was received in the region this week and dry weather allowed for topsoil moisture ratings to decline. Cropland topsoil moisture is rated as 49 per cent adequate, 36 per cent short and 15 per cent very short. Hayland is rated as 44 per cent adequate, 36 per cent short and 20 per cent very short. Pasture topsoil moisture is rated as 43 per cent adequate, 38 per cent short and 19 per cent very short.

Lack of precipitation in the region has resulted in a decline in crop conditions since last reported. Crop conditions in the region are mostly rated from fair to good however, in many cases the percentage rated as good has been reduced.

Haying operations are mostly wrapped up with 94 per cent of the crop cut and 70 per cent baled or put up as silage. The hay quality remains good with seven per cent rated as excellent, 59 per cent good, 31 per cent fair and three per cent poor. Some producers have indicated they are moving on to a second cut where conditions allow.

Heat and lack of moisture have been reported as minor to moderate in the region this week. Minor reports of crop damage were indicated from wind, hail, gophers and grasshoppers. Producers have been busy applying fungicides to suppress disease and will be monitoring these fields closely.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

The region reported some scattered showers with a few significant events this week that will help to replenish soil moisture but will be too late for some crops. Producers are hoping for more rain to help lessen the impact of the predicted heat on their crop yields, aid hayland regrowth and improve their pasture lands currently supporting livestock.

The west half of the region received the majority of the rain that fell this week. The Meadow Lake area received the highest amount at 47 mm while the Loon Lake area ranged from 19 to 25 mm. Most other areas within the region received smaller amounts or no rainfall over the past week.

The northwest region continues to be the driest region in the province. Cropland topsoil moisture is rated as 31 per cent adequate, 50 per cent short and 19 per cent very short. Hayland is rated as only 12 per cent adequate, 59 per cent short and 29 per cent very short. Pasture topsoil moisture is rated as 13 per cent adequate, 49 per cent short and 38 per cent very short.

Although there were some precipitation events in the region, crop conditions declined since last reported. Crop conditions in the region are mostly rated from fair to good however, in many cases there is an increase in the percentage rated as poor. Lentils have the highest percentage of crop rated as good in the region.

Haying operations are progressing well with 90 per cent of the hay crop cut and 70 per cent baled or put up as silage. Hay quality is reported to be less than desirable and rated as 12 per cent being excellent, 31 per cent good, 38 per cent fair and 19 per cent poor. Due to the limited rainfall, most producers have indicated it is unlikely there will be a second cut.

The largest cause of crop damage in the region is heat and lack of moisture which continues to lower the yield potential of many crops. Damage related to grasshoppers was indicated to be mostly minor with a few reports showing it to be severe in some crops. Frost was also noted this week, but damage is considered minor.

Saskatchewan Crop Conditions -July 22 to July 28, 2025


Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	2%	3%	8%	10%	6%	7%	6%	8%
good	53%	63%	60%	45%	62%	58%	69%	60%
fair	32%	25%	26%	33%	29%	28%	23%	26%
poor	8%	7%	6%	11%	3%	6%	2%	6%
very poor	5%	2%	0%	1%	0%	1%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	9%	2%	12%	13%	7%	2%	
good	32%	45%	90%	63%	62%	60%	65%	
fair	48%	32%	6%	20%	21%	27%	31%	
poor	17%	14%	2%	5%	4%	6%	2%	
very poor	3%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	15%	9%	18%	8%	17%	12%	8%	9%
good	76%	82%	70%	76%	78%	76%	77%	77%
fair	9%	9%	11%	16%	5%	12%	15%	13%
poor	0%	0%	1%	0%	0%	0%	0%	1%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	18%	1%	16%	12%	1%	4%	
good	69%	78%	97%	73%	77%	78%	93%	
fair	31%	4%	2%	11%	10%	19%	3%	
poor	0%	0%	0%	0%	1%	2%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	6%	6%	0%	7%	0%	6%
good	59%	40%	45%	35%	65%	38%	51%	46%
fair	29%	40%	42%	43%	30%	41%	44%	39%
poor	8%	16%	6%	15%	4%	11%	5%	9%
very poor	4%	4%	1%	1%	1%	3%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	7%	0%	6%	13%	29%	1%	
good	22%	38%	50%	61%	52%	16%	52%	
fair	49%	30%	50%	26%	26%	45%	44%	
poor	25%	25%	0%	7%	9%	10%	3%	
very poor	4%	0%	0%	0%	0%	0%	0%	
East Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	1%	1%	5%	0%	3%	2%	3%	7%
good	73%	88%	74%	94%	75%	80%	85%	67%
fair	21%	9%	19%	6%	19%	16%	10%	21%
poor	4%	1%	2%	0%	3%	2%	2%	5%
very poor	1%	1%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	5%	2%	22%	15%	0%	0%	
good	87%	62%	49%	52%	68%	83%	82%	
fair	13%	29%	41%	22%	15%	17%	18%	
poor	0%	2%	5%	4%	2%	0%	0%	
very poor	0%	2%	3%	0%	0%	0%	0%	

Saskatchewan Crop Conditions Continued -July 22 to July 28, 2025

West Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	17%	18%	11%	23%	7%	20%
good	80%	92%	64%	70%	78%	66%	84%	65%
fair	20%	6%	15%	9%	11%	11%	9%	14%
poor	0%	2%	4%	3%	0%	0%	0%	1%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	10%	0%	26%	24%	7%	0%	
good	100%	85%	100%	68%	65%	81%	100%	
fair	0%	5%	0%	6%	10%	12%	0%	
poor	0%	0%	0%	0%	1%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	1%	2%	0%	1%	1%	5%	4%
good	0%	8%	56%	80%	60%	56%	44%	57%
fair	100%	90%	37%	20%	37%	39%	43%	33%
poor	0%	1%	5%	0%	2%	4%	8%	6%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	4%	11%	0%	0%	
good	20%	52%	25%	70%	64%	43%	35%	
fair	80%	48%	75%	25%	25%	55%	65%	
poor	0%	0%	0%	1%	0%	2%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	1%	No Response(s)	6%	2%	4%	1%
good	0%	0%	23%	No Response(s)	19%	29%	50%	25%
fair	75%	100%	53%	No Response(s)	60%	52%	46%	49%
poor	25%	0%	22%	No Response(s)	14%	16%	0%	22%
very poor	0%	0%	1%	No Response(s)	1%	1%	0%	3%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	No Response(s)	0%	3%	2%	0%	No Response(s)	
good	0%	No Response(s)	0%	76%	43%	0%	No Response(s)	
fair	100%	No Response(s)	0%	21%	38%	50%	No Response(s)	
poor	0%	No Response(s)	100%	0%	14%	50%	No Response(s)	
very poor	0%	No Response(s)	0%	0%	3%	0%	No Response(s)	

Weekly Rainfall

from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from July 22 to July 28, 2025

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	2	MOUNT PLEASANT	N/A	155	8	137	SWIFT CURRENT	N/A	81	14	366	KELVINGTON	12	129
1	3	ENNISKILLEN	38	239	8	138	WEBB	23	199	14	367	PONASS LAKE	N/A	69
1	4	COALFIELDS	33	274	8	139	GULL LAKE	18	150	14	394	HUDSON BAY	0	88
1	32	RECIPROCITY	46	249	8	142	ENTERPRISE	62	161	14	395	PORCUPINE	N/A	83
1	34	BROWNING	N/A	235	8	168	RIVERSIDE	6	146	14	397	BARRIER VALLEY	N/A	90
1	94	HAZELWOOD	N/A	109	8	228	LACADENA	21	229	14	428	STAR CITY	6	120
1	95	GOLDEN WEST	25	191	8	229	MIRY CREEK	27	162	14	456	ARBORFIELD	2	142
1	2A	MOUNT PLEASANT	41	284	8	231	HAPPYLAND	13	165	14	457	CONNAUGHT	N/A	34
2	10	HAPPY VALLEY	6	225	8	259	SNIPER LAKE	30	196	14	486	MOOSE RANGE	0	123
2	38	LAURIER	1	223	8	260	NEWCOMBE	N/A	11	14	487	NIPAWIN	0	146
2	66	GRIFFIN	0	250	8	138A	WEBB	N/A	155	14	488	TORCH RIVER	1	122
2	67	WEYBURN	N/A	195	8	257A	MONET	24	205	14	394A	HUDSON BAY	4	109
2	70	KEY WEST	N/A	110	8	259A	SNIPER LAKE	21	303	14	397A	BARRIER VALLEY	0	213
2	96	FILLMORE	N/A	39	9	241	CALDER	0	151	14	488A	TORCH RIVER	N/A	12
2	100	ELMSTHORPE	N/A	220	9	243	WALLACE	2	163	14	488B	TORCH RIVER	N/A	23
2	38A	LAURIER	1	169	9	245	GARRY	0	128	15	369	ST. PETER	N/A	171
3	11	HART BUTTE	N/A	142	9	273	SLIDING HILLS	0	121	15	370	HUMBOLDT	3	106
3	73	STONEHENGE	2	154	9	274	GOOD LAKE	0	155	15	371	BAYNE	N/A	206
3	74	WOOD RIVER	2	141	9	301	ST. PHILIPS	3	81	15	372	GRANT	12	122
3	75	PINTO CREEK	15	172	9	331	LIVINGSTON	0	87	15	373	ABERDEEN	9	115
3	76	AUVERGNE	12	205	9	333	CLAYTON	0	77	15	399	LAKE LENORE	1	125
3	101	TERRELL	N/A	26	9	241A	CALDER	0	207	15	400	THREE LAKES	0	247
3	102	LAKE JOHNSTON	7	216	9	245A	GARRY	N/A	94	15	402	FISH CREEK	2	112
3	106	WHISKA CREEK	27	179	10	246	ITUNA BON ACCORD	0	94	15	429	FLETT'S SPRINGS	0	196
3	74A	KEY WEST	14	197	10	247	KELLROSS	0	27	15	430	INVERGORDON	0	143
4	51	RENO	22	99	10	248	TOUCHWOOD	N/A	130	15	459	KINISTINO	0	171
4	79	ARLINGTON	4	149	10	277	EMERALD	N/A	103	15	460	BIRCH HILLS	N/A	158
4	110	PIAPOT	26	114	10	279	MOUNT HOPE	1	144	15	461	PRINCE ALBERT	0	132
4	77A	WISE CREEK	19	221	10	307	ELFROS	1	149	15	463	DUCK LAKE	0	158
4	78A	GRASSY CREEK	N/A	144	10	309	PRAIRIE ROSE	1	154	15	491	BUCKLAND	N/A	60
4	79A	ARLINGTON	13	124	10	336	SASMAN	N/A	138	15	520	PADDOCKWOOD	N/A	113
5	122	MARTIN	0	166	10	337	LAKEVIEW	2	122	15	521	LAKELAND	N/A	113
5	124	KINGSLEY	10	210	10	339	LEROY	4	134	15	371A	BAYNE	3	118
5	151	ROCANVILLE	0	160	10	246A	ITUNA BON ACCORD	N/A	123	15	371B	BAYNE	0	204
5	155	WOLSELEY	N/A	117	10	248A	TOUCHWOOD	2	131	15	403A	ROSTHERN	11	127
5	181	LANGENBURG	2	156	10	276A	FOAM LAKE	0	186	15	403B	ROSTHERN	N/A	36
5	183	FERTILE BELT	6	107	10	276B	FOAM LAKE	0	176	15	403C	ROSTHERN	2	150
5	211	CHURCHBRIDGE	21	173	10	276C	FOAM LAKE	0	122	15	461A	PRINCE ALBERT	0	144
5	213	SALT COATS	5	116	10	277A	EMERALD	N/A	132	16	406	MAYFIELD	N/A	0
5	214	CANA	0	141	10	279A	MOUNT HOPE	N/A	128	16	434	BLAINE LAKE	9	92
5	215	STANLEY	0	43	11	251	BIG ARM	N/A	66	16	435	REDBERRY	2	155
5	125A	CHESTERFIELD	0	203	11	282	McCRANEY	7	107	16	436	DOUGLAS	0	76
5	154A	ELCAPO	N/A	140	11	283	ROSEDALE	4	184	16	437	NORTH BATTLEFORD	3	85
5	183A	FERTILE BELT	16	183	11	284	RUDY	7	138	16	466	MEETING LAKE	0	126
5	211A	CHURCHBRIDGE	8	154	11	310	USBORNE	N/A	45	16	467	ROUND HILL	0	127
6	127	FRANCIS	10	127	11	314	DUNDURN	0	184	16	493	SHELLBROOK	0	59
6	128	LAJORD	N/A	119	11	344	CORMAN PARK	N/A	161	16	494	CANWOOD	10	76
6	130	REDBURN	0	149	11	282A	McCRANEY	0	41	16	497	MEDSTEAD	N/A	76
6	156	INDIAN HEAD	10	176	12	286	MILDEN	N/A	143	16	437A	NORTH BATTLEFORD	N/A	116
6	160	PENSE	5	116	12	287	ST. ANDREWS	N/A	174	16	467A	ROUND HILL	2	161
6	186	ABERNETHY	N/A	125	12	288	PLEASANT VALLEY	N/A	177	17	468	MEOTA	0	65
6	190	DUFFERIN	3	97	12	316	HARRIS	N/A	142	17	470	PAYNTON	0	4
6	216	TULLYMET	N/A	102	12	317	MARRIOTT	5	148	17	471	ELDON	N/A	68
6	217	LIPTON	5	174	12	345	VANS COY	2	200	17	498	PARKDALE	14	73
6	219	LONGLAKETON	0	92	12	346	PERDUE	10	190	17	499	MERVIN	13	75
6	221	SARNIA	2	75	12	347	BIGGAR	2	116	17	501	FRENCHMAN BUTTE	N/A	0
6	159A	SHERWOOD	15	179	12	376	EAGLE CREEK	N/A	180	17	502	BRITANNIA	7	84
6	159B	SHERWOOD	3	132	12	377	GLENSIDE	0	166	17	561	LOON LAKE	19	86
6	190A	DUFFERIN	N/A	29	12	378	ROSEMOUNT	N/A	11	17	588	MEADOW LAKE	47	168
6	190B	DUFFERIN	N/A	160	12	285A	FERTILE VALLEY	9	203	17	498A	PARKDALE	13	33
6	190C	DUFFERIN	11	142	13	290	KINDERSLEY	12	215	17	501A	FRENCHMAN BUTTE	10.5	96
6	216A	TULLYMET	0	72	13	292	MILTON	6	235	17	561A	LOON LAKE	25	66.45
6	219A	LONGLAKETON	N/A	156	13	321	PRAIRIEDALE	N/A	175					
6	219B	LONGLAKETON	N/A	58	13	350	MARIPOSA	0	123					
6	220A	McKILLOP	0	100	13	351	PROGRESS	N/A	154					
6	220B	McKILLOP	0	158	13	379	REFORD	1	132					
7	132	HILLSBOROUGH	4	218	13	382	EYE HILL	0	239					
7	136	COULEE	25	206	13	409	BUFFALO	0	193					
7	161	MOOSE JAW	2	151	13	410	ROUND VALLEY	0	105					
7	162	CARON	9	178	13	440	HILLSDALE	0	132					
7	165	MORSE	N/A	105	13	442	MANITOU LAKE	2	154					
7	191	MARQUIS	N/A	37	13	292A	MILTON	5	232					
7	193	EYEBROW	2	143	13	320A	OAKDALE	3	140					
7	223	HURON	22	109	13	320B	OAKDALE	5	220					
7	132A	HILLSBOROUGH	N/A	168	13	409A	BUFFALO	2	137					
7	162A	CARON	9	123										
7	222A	CRAIK	3	70										
7	223A	HURON	25	144										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to July 28, 2025



Barley Crop Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Canola Crop Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Durum Crop Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Field Pea Crop Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Lentil Crop Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Spring Wheat Crop Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from July 22 to July 28, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from July 22 to July 28, 2025



Maximum Temperature

from July 22 to July 28, 2025

