

Crop Report

For the Period August 26 to September 1, 2025

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 18, September 4, 2025

Dry conditions in most of the province last week allowed producers to make significant progress in the field. Currently, 23 per cent of crops have been harvested, which is up from the 11 per cent reported last week. Harvest progress remains behind the five-year average of 40 per cent and the 10-year average of 34 per cent.

The southwest region continues to lead with 39 per cent of this year's crop in the bin. The southeast region follows closely with 33 per cent of the crop harvested. Producers have harvested 16 per cent of crops in the east-central, followed by 13 per cent in the northeast, and 12 per cent in the northwest regions. The west-central region has the most crops remaining in the field with only 10 per cent of crops harvested.

Most winter cereal acres are off with 91 per cent of winter wheat and 88 per cent of fall rye harvested. Pulse crop harvest has also substantially increased last week with 73 per cent of field peas and 60 per cent of lentils in the bin. For spring cereal crops, triticale is the furthest ahead at 61 per cent, followed by barley at 34 per cent and durum at 30 per cent. Oats are 17 per cent and spring wheat is 14 per cent completed. Most oilseed crops are still in the field. Mustard is the furthest advanced at 10 per cent harvested, followed by canola at four per cent. No flax crops have been reported as harvested yet.

Most parts of the province were dry last week with only small amounts of rain falling in the southwest. The Piapot area reported the highest amount of rainfall for the week at 25 millimetres (mm), followed by the Dollard area at 20 mm. The Cadillac and Shaunavon areas received 18 mm over the past week.

One year ago

Harvest was progressing quickly throughout most of the province. At this point, 42 per cent of the 2024 crop had been harvested with the southwest region leading harvest operations at 73 per cent of the crop harvested. Winter cereals were nearing completion with 94 per cent of fall rye and 93 per cent of winter wheat harvested. Pulse crops substantially increased harvest completion with 92 per cent of lentils and 90 per cent of field peas harvested.

Follow the 2025 Crop Report on
Twitter @SKAgriculture

Harvest Progress in SK	
Per Cent Combined	
Historical All Crops	
Sept 1/25	23
Sept 2/24	42
Sept 4/23	51
Sept 5/22	42
Aug 30/21	36
Aug 31/20	28
5 year avg. (2020-2024)	40
10 year avg. (2015-2024)	34

For further information, contact Tyce Masich, BSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-867-7322, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 26 to September 1, 2025

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 18, September 4, 2025

Producers were happy with the limited rainfall that allowed them to make steady harvest progress, but this also caused a slight decline in topsoil moisture levels. Currently, cropland topsoil moisture is rated as two per cent surplus, 67 per cent adequate, 29 per cent short and two per cent very short. Hayland topsoil moisture is rated as two per cent surplus, 55 per cent adequate, 36 per cent short and seven per cent very short. Pasture topsoil moisture is rated as three per cent surplus, 51 per cent adequate, 37 per cent short and nine per cent very short. Producers are hopeful for rain following harvest to help replenish soil moisture conditions and mitigate fire risk.

Crop damage reported over the past week was mainly due to wind and dry conditions. Crop regrowth and lodging have caused some challenges for producers while combining. Grasshoppers and bertha armyworms continue to cause minor crop damage in some regions of the province.

As producers continue with harvest and other field work, they are reminded to exercise caution and remain safe in all the work that they do. Fire risk remains high in many areas due to the dry conditions. In addition to carrying fire extinguishers on equipment, producers are encouraged to have water trucks and tillage equipment on standby to mitigate risk.

A complete, printable version of the Crop Report is available online – [Download Crop Report](#).

Follow the 2025 Crop Report on Twitter at [@SKAgriculture](#).

Saskatchewan Harvest Progress	
Up to September 1, 2025	
Provincial % Combined	
Winter Wheat**	91%
Fall Rye**	88%
Spring Wheat	14%
Durum**	30%
Oats**	17%
Barley**	34%
Flax	0%
Canola	4%
Triticale**	61%
Mustard	10%
Soybean	11%
Lentil	60%
Field Pea	73%
Canaryseed	5%
Chickpea	13%

**includes per cent harvested as feed

For further information, contact Tyce Masich, BSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-867-7322, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Favourable harvesting conditions allowed producers to make considerable harvest progress within the region last week. Currently, harvest is 33 per cent complete, which is lower than the five-year average of 42 per cent and the 10-year average of 43 per cent. As crops are coming off within the region, reporters are noting that yields are decent so far. Yield data will be available in next week's report.

Producers are wrapping up harvest of winter cereal and pulse crops. Currently, 92 per cent of winter wheat and 86 per cent of fall rye are harvested, while 87 of field peas and 83 per cent of lentils are off. Producers are in the midst of harvesting spring cereal crops, with 46 per cent of barley, 32 per cent of oats, 31 per cent of durum, and 25 per cent of spring wheat currently harvested. The first oilseed crops have been harvested as well. Mustard and soybean crops lead oilseeds with 20 per cent of these crops harvested, while only seven per cent of canola has been harvested. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

Southeast Saskatchewan	
Census Division	% Harvested (September 1, 2025)
1	35%
2	36%
5	20%
6	37%
Region average	33%

There was no rainfall recorded in most of the region last week. The only places to record notable rainfall were the Neelby area with 12 millimetres (mm) and the Francis area with nine mm. Subsequently, topsoil moisture levels dropped from last week. Currently, cropland topsoil moisture is rated as 55 per cent adequate, 42 per cent short and three per cent very short. Hayland topsoil moisture is rated as 45 per cent adequate, 52 per cent short and three per cent very short. Pasture topsoil moisture is rated as five per cent surplus, 35 per cent adequate, 56 per cent short and four per cent very short. Although grain producers don't want rainfall as they harvest, they are hoping for plenty of rainfall after harvest to replenish soil moisture reserves and help pasture conditions.

Over the past week, not much crop damage was observed. There were a few isolated reports of wind lodging crops, wildlife and waterfowl feeding on swaths, and grasshopper damage.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas

- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Scattered rainfall caused short harvest delays in some areas, but producers continued to make steady progress. Currently, harvest is 39 per cent complete, which is well behind the five-year average of 67 per cent and the 10-year average of 56 per cent. Some crops with regrowth and abundant weeds were sprayed last week to aid harvest. Despite the slow progress, a few producers are starting to wrap up harvest, and yields are variable in the region.

Virtually all winter cereal crops have been harvested, as progress sits at 100 per cent for winter wheat and 98 per cent for fall rye. Most pulse crops have been harvested as 73 per cent of field peas and 64 per cent of lentils are off. Most producers are currently working to harvest spring cereal crops. Currently, 50 per cent of oats are harvested, followed by 48 per cent of barley, 37 per cent of spring wheat, and 36 per cent of durum. The earliest seeded oilseed crops are starting to be combined as well, with 19 per cent of canola and 12 per cent of mustard in the bin. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

Southwest Saskatchewan	
Census Division	% Harvested (September 1, 2025)
3	36%
4	23%
7	41%
8	46%
Region average	39%

There was scattered rainfall in the region last week in the southwest. The most rain fell in the Piapot area at 25 mm, followed by the Dollard area with 20 mm. The Cadillac and Shaunavon areas received 18 mm over the past week. Aside from small showers in a few other areas, the rest of the region was dry last week.

Topsoil moisture levels dropped from last week but are substantially higher at this time of year compared to a year ago. Currently, cropland topsoil moisture is rated as three per cent surplus, 69 per cent adequate, 25 per cent short and three per cent very short. Hayland topsoil moisture is rated as four per cent surplus, 58 per cent adequate, 23 per cent short and 15 per cent very short. Pasture topsoil moisture is rated as six per cent surplus, 60 per cent adequate, 23 per cent short and 11 per cent very short.

No widespread crop damage was reported in the region last week. There were varying levels of damage from grasshoppers, dry conditions and wind in a few parts of the region last week.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Warm and dry conditions allowed crops to rapidly mature and producers to conduct lots of field work. Harvest is currently 16 per cent complete, which is behind the five-year average of

29 per cent and ten-year average of 24 per cent. Reporters in the region are noting that yields are better than expected for their early crops. As producers continue with harvest, they are also busy swathing, desiccating, and drying grain.

Much like the southern regions, most winter cereal crops have been harvested. Progress sits at 98 per cent for fall rye and 85 per cent for winter wheat. Additionally, many pulse crops have been harvested as 63 per cent of field peas and 59 per cent of lentils have been combined. As producers work to take off pulses, they are starting to harvest spring cereal crops as well. One-quarter of barley and durum have been harvested, while less spring wheat and oat crops have been harvested, as progress sits at 10 per cent and 5 per cent, respectively. Nearly all oilseed crops aren't ready for harvest and no significant acres have been combined yet. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

East-Central Saskatchewan	
Census Division	% Harvested (September 1, 2025)
9	13%
10	10%
11	23%
Region average	16%

Aside from a few showers, there was no significant rainfall in the east-central region last week. This caused topsoil moisture levels to decline over the last week. Currently, cropland topsoil moisture is rated as one per cent surplus, 82 per cent adequate, and 17 per cent short. Hayland topsoil moisture is rated as one per cent surplus, 71 per cent adequate, 27 per cent short and one per cent very short. Pasture topsoil moisture is rated as one per cent surplus, 57 per cent adequate, 33 per cent short and nine per cent very short.

Wind was the main cause of crop damage over the past week which has led to crop lodging. Grasshoppers and waterfowl continue to cause minor damage in some areas within the region.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

More producers began to harvest last week, but many crops haven't reached maturity yet. Currently, 10 per cent of crops in the west-central region have been harvested, which is the lowest total in the province. This is well behind the five-year average of 43 per cent and 10-year average of 34 per cent. Some of our reporters are experiencing good yields for their early harvested crops. As producers continue with harvest, they are also busy swathing canola, desiccating, and hauling bales.

Most of the winter cereal crops and nearly half of pulse crops have been harvested. All winter wheat and 75 per cent of fall rye has been taken off, while 56 per cent of field peas and 45 per cent of lentils have been harvested. Most spring cereal crops are still standing, but the first acres are starting to be taken off. Harvest is 16 per cent complete for oats, 13 per cent for canary seed, 12 per cent for barley, four per cent for spring wheat, and three per cent for durum. Most oilseed crops are still at least a week away from being ready to harvest. A full

summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

There was virtually no rainfall recorded in the west-central region last week which caused topsoil moisture levels to decline from last week. Currently, cropland topsoil moisture is one per cent surplus, 71 per cent adequate, and 28 per cent short. Hayland topsoil moisture levels are rated as 62 per cent adequate and 38 per cent short. Pasture topsoil moisture is very similar to hayland as conditions are rated as 61 per cent adequate and 39 per cent short. Producers are hopeful for rain following harvest to help replenish soil moisture conditions, assist with pasture growth and mitigate fire risk moving into the fall.

West-Central Saskatchewan	
Census Division	% Harvested (September 1, 2025)
12	13%
13	8%
Region average	10%

There was minor crop damage from bertha armyworms and wind in a few areas. Damage was not widespread and producers are cautiously optimistic for their crops as they are starting to harvest.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Harvest is underway for most producers in the northeast. Currently 13 per cent of the crop is harvested within the region, which is behind the five-year average of 24 per cent and the 10-year average of 18 per cent. Certain crops in the region are maturing unevenly, which is causing producers to swath and desiccate some of their crops.

Most winter cereal crops have been harvested as 93 per cent of winter wheat and 90 per cent of fall rye has been combined. For pulses, 64 per cent of field peas and 33 per cent of lentils have been taken off. Most of the spring cereals harvested in the region are barley and oats, with 36 per cent and 12 per cent of these crops taken off, respectively. Additionally, nine per cent of spring wheat and two per cent of canary seed has been harvested. Most oilseed crops haven't reached maturity yet and aren't ready to harvest. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

Northeast Saskatchewan	
Census Division	% Harvested (September 1, 2025)
14	16%
15	11%
Region average	13%

Apart from a couple of small showers, it was a dry week which allowed crops to ripen and many producers to work uninterrupted. However, this did cause soil moisture levels to fall slightly from last week. Currently, cropland topsoil moisture is rated as two per cent surplus, 81 per cent adequate, and 17 per cent short. Hayland topsoil moisture is rated as two per cent surplus, 71 per cent adequate, 26 per cent short and one

per cent very short. Pasture topsoil moisture is rated as two per cent surplus, 70 per cent adequate, 26 per cent short and two per cent very short.

There were a few reports of wildlife causing minor damage to crop. Additionally, there were also a couple of pockets where bertha armyworms and grasshoppers damaged crops, but damage was minor and not widespread.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Many producers have started combining as warm weather has helped crops mature. Currently, 12 per cent of crops are harvested in the northwest. Similar to the rest of the province, this is behind the five-year average of 18 per cent and the 10-year average of 15 per cent. As producers are starting to harvest, they are also swathing and desiccating crops. Unfortunately, there have been a couple of equipment fires in the region this harvest season. Producers are highly encouraged to be aware of fire risks when they conduct field work and have fire-prevention measures in place.

Nearly all winter cereal crops have been combined in the region as all winter wheat and 88 per cent of fall rye crops are in the bin. Almost three-quarters of pulse crops have been combined with harvest progress for field pea and lentils crops now at 74 per cent. Producers have made some progress with their spring cereal crops. Currently, 22 per cent of barley, 20 per cent of spring wheat, and 16 per cent of oats have been harvested. No oilseed crops have been harvested yet, but approximately one-third of canola and flax crops have been swathed. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

Northwest Saskatchewan	
Census Division	% Harvested (September 1, 2025)
16	11%
17	13%
Region average	12%


Like most of the province, there wasn't any notable rainfall in the northwest last week, which caused soil moisture levels to decline. Currently, cropland topsoil moisture is rated as 55 per cent adequate, 40 per cent short and five per cent very short. Hayland topsoil moisture is rated as 41 per cent adequate, 48 per cent short and 11 per cent very short. Pasture topsoil moisture is rated as 35 per cent adequate, 52 per cent short and 13 per cent very short. Given the dry conditions for most of the year, producers are hoping for abundant rainfall after harvest to help replenish soil moisture conditions and improve pasture conditions for next year.

Crop damage over the past week was mainly caused by dry conditions and bertha armyworms. There are also some reports of waterfowl feeding on swathed crops and lodging

from windy conditions. Overall, the damage reported is considered minor and not widespread throughout the region.

Weekly Rainfall

from August 26 to September 1, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from August 26 to September 1, 2025

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	2	MOUNT PLEASANT	N/A	155	8	137	SWIFT CURRENT	N/A	81	14	366	KELVINGTON	0	202
1	3	ENNISKILLEN	2	305	8	138	WEBB	N/A	317	14	367	PONASS LAKE	N/A	126
1	4	COALFIELDS	0	306	8	139	GULL LAKE	11	244	14	394	HUDSON BAY	1	194
1	32	RECIPROCITY	5	288	8	168	RIVERSIDE	0	246	14	395	PORCUPINE	0	199
1	34	BROWNING	0	238	8	228	LACADENA	1	279	14	397	BARRIER VALLEY	N/A	161
1	94	HAZELWOOD	N/A	109	8	229	MIRY CREEK	N/A	206	14	428	STAR CITY	0	243
1	95	GOLDEN WEST	0	191	8	231	HAPPYLAND	0	211	14	456	ARBORFIELD	0	270
1	2A	MOUNT PLEASANT	0	324	8	259	SNIFE LAKE	0	215	14	457	CONNAUGHT	0	38
2	6	CAMBRIA	0	1	8	260	NEWCOMBE	N/A	11	14	486	MOOSE RANGE	0	219
2	10	HAPPY VALLEY	0	269	8	138A	WEBB	N/A	323	14	487	NIPAWIN	N/A	291
2	38	LAURIER	0	269	8	257A	MONET	0	258	14	488	TORCH RIVER	3	256
2	66	GRIFFIN	0	302	8	259A	SNIFE LAKE	N/A	387	14	394A	HUDSON BAY	0	198
2	67	WEYBURN	N/A	195	9	241	CALDER	8	313	14	397A	BARRIER VALLEY	0	284
2	70	KEY WEST	N/A	110	9	243	WALLACE	0	264	14	488A	TORCH RIVER	N/A	67
2	96	FILLMORE	N/A	39	9	245	GARRY	0	176	14	488B	TORCH RIVER	N/A	73
2	100	ELMSTHORPE	0	246	9	273	SLIDING HILLS	5	258	15	369	ST. PETER	0	253
2	38A	LAURIER	0	186	9	274	GOOD LAKE	0	247	15	370	HUMBOLDT	0	191
3	11	HART BUTTE	N/A	234	9	301	ST. PHILIPS	N/A	164	15	371	BAYNE	N/A	307
3	73	STONEHENGE	0	239	9	331	LIVINGSTON	0	236	15	372	GRANT	0	220
3	74	WOOD RIVER	N/A	223	9	333	CLAYTON	0	230	15	373	ABERDEEN	0	206
3	75	PINTO CREEK	3	301	9	241A	CALDER	4	392	15	399	LAKE LENORE	0	236
3	76	AUVERGNE	5	335	9	245A	GARRY	N/A	124	15	400	THREE LAKES	0	352
3	101	TERRELL	0	26	10	246	ITUNA BON ACCORD	6	175	15	402	FISH CREEK	0	155
3	102	LAKE JOHNSTON	0	285	10	247	KELLROSS	N/A	103	15	429	FLETT'S SPRINGS	0	334
3	106	WHISKA CREEK	12	355	10	248	TOUCHWOOD	0	210	15	430	INVERGORDON	0	230
3	74A	KEY WEST	0	291	10	277	EMERALD	0	182	15	459	KINISTINO	0	311
4	51	RENO	2	187	10	279	MOUNT HOPE	2	205	15	460	BIRCH HILLS	0	185
4	79	ARLINGTON	17	288	10	307	ELFROS	1	213	15	461	PRINCE ALBERT	0	211
4	110	PIAPOT	25	200	10	309	PRAIRIE ROSE	0	219	15	463	DUCK LAKE	N/A	250
4	77A	WISE CREEK	18	383	10	336	SASMAN	7	252	15	491	BUCKLAND	N/A	115
4	78A	GRASSY CREEK	18	162	10	337	LAKEVIEW	5	242	15	520	PADDOCKWOOD	0	183
4	79A	ARLINGTON	20	270	10	339	LEROY	1	216	15	521	LAKELAND	0	183
5	122	MARTIN	0	201	10	246A	ITUNA BON ACCORD	1	158	15	371A	BAYNE	0	198
5	124	KINGSLEY	12	288	10	248A	TOUCHWOOD	0	221	15	371B	BAYNE	0	316
5	151	ROCANVILLE	0	206	10	276A	FOAM LAKE	0	226	15	403A	ROSTHERN	5	234
5	155	WOLSELEY	0	122	10	276B	FOAM LAKE	0	283	15	403B	ROSTHERN	N/A	36
5	181	LANGENBURG	0	225	10	276C	FOAM LAKE	0	188	15	403C	ROSTHERN	0	252
5	183	FERTILE BELT	N/A	160	10	277A	EMERALD	0	172	15	461A	PRINCE ALBERT	0	277
5	211	CHURCHBRIDGE	6	272	10	279A	MOUNT HOPE	N/A	200	16	406	MAYFIELD	N/A	0
5	213	SALTCOATS	0	223	11	251	BIG ARM	N/A	66	16	434	BLAINE LAKE	N/A	155
5	214	CANA	0	221	11	282	McCRANEY	0	188	16	435	REDBERRY	0	291
5	215	STANLEY	0	118	11	283	ROSEDALE	6	273	16	436	DOUGLAS	0	150
5	125A	CHESTERFIELD	0	213	11	284	RUDY	0	174	16	437	NORTH BATTLEFORD	0	122
5	154A	ELCAPO	5	177	11	310	USBORNE	N/A	45	16	466	MEETING LAKE	0	164
5	183A	FERTILE BELT	0	269	11	314	DUNDURN	9	257	16	467	ROUND HILL	0	168
5	211A	CHURCHBRIDGE	2	250	11	344	CORMAN PARK	3	254	16	493	SHELLBROOK	0	81
6	127	FRANCIS	9	155	11	282A	McCRANEY	0	41	16	494	CANWOOD	4	133
6	128	LJORD	8	206	12	286	MILDEN	0	247	16	497	MEDSTEAD	0	178
6	130	REDBURN	0	171	12	287	ST. ANDREWS	0	268	16	437A	NORTH BATTLEFORD	0	168
6	156	INDIAN HEAD	0	176	12	288	PLEASANT VALLEY	N/A	194	16	467A	ROUND HILL	0	220
6	160	PENSE	N/A	165	12	316	HARRIS	0	202	17	468	MEOTA	0	110
6	186	ABERNETHY	0	151	12	317	MARRIOTT	N/A	193	17	470	PAYNTON	0	4
6	190	DUFFERIN	N/A	120	12	345	VANSCOY	0	225	17	471	ELDON	0	76
6	216	TULLYMET	N/A	102	12	346	PERDUE	0	235	17	498	PARKDALE	0	94
6	217	LIPTON	0	224	12	347	BIGGAR	0	155	17	499	MERVIN	1	140
6	219	LONGLAKETON	0	152	12	376	EAGLE CREEK	N/A	272	17	501	FRENCHMAN BUTTE	N/A	0
6	221	SARNIA	0	125	12	377	GLENSIDE	0	194	17	502	BRITANNIA	0	129
6	159A	SHERWOOD	0	207	12	378	ROSEMOUNT	N/A	11	17	561	LOON LAKE	0	146
6	159B	SHERWOOD	N/A	132	12	285A	FERTILE VALLEY	0	271	17	588	MEADOW LAKE	0	259
6	190A	DUFFERIN	N/A	29	13	290	KINDERSLEY	0	229	17	622	BEAVER RIVER	N/A	65
6	190B	DUFFERIN	0	185	13	292	MILTON	0	295	17	498A	PARKDALE	0	106
6	190C	DUFFERIN	0	160	13	321	PRAIRIEDALE	N/A	224	17	501A	FRENCHMAN BUTTE	8.5	183
6	216A	TULLYMET	0	106	13	350	MARIPOSA	0	151	17	561A	LOON LAKE	0	96.15
6	219A	LONGLAKETON	0	193	13	351	PROGRESS	0	177					
6	219B	LONGLAKETON	0	108	13	379	REFORD	N/A	136					
6	220A	McKILLOP	0	141	13	382	EYE HILL	0	294					
6	220B	McKILLOP	0	200	13	409	BUFFALO	1	266					
7	132	HILLSBOROUGH	0	393	13	410	ROUND VALLEY	N/A	148					
7	136	COULEE	N/A	300	13	440	HILLSDALE	0	165					
7	161	MOOSE JAW	0	188	13	442	MANITOU LAKE	0	207					
7	162	CARON	0	218	13	292A	MILTON	N/A	280					
7	165	MORSE	13	213	13	320A	OAKDALE	0	157					
7	191	MARQUIS	N/A	37	13	320B	OAKDALE	N/A	230					
7	193	EYEBROW	0	186	13	409A	BUFFALO	0	185					
7	223	HURON	0	194										
7	132A	HILLSBOROUGH	0	205										
7	162A	CARON	N/A	145										
7	222A	CRAIK	0	78										
7	223A	HURON	0	190										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


N/A indicates that rainfall was not reported for the week

Cumulative Rainfall

from April 1 to September 1, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

September 3, 2025

Saskatchewan Harvest Progress - September 1, 2025

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	5%	5%	61%	51%	63%	45%	94%	76%
In Swath	0%	1%	4%	2%	8%	7%	1%	14%
Ready To Straight Combine	4%	6%	21%	17%	12%	14%	5%	6%
Combined	85%	79%	14%	29%	12%	31%	0%	4%
Harvested As Feed	6%	9%	0%	1%	5%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	35%	79%	89%	23%	14%	88%	84%	
In Swath	0%	1%	0%	0%	2%	0%	0%	
Ready To Straight Combine	4%	10%	0%	16%	11%	7%	3%	
Combined	34%	10%	11%	59%	73%	5%	13%	
Harvested As Feed	27%	0%	0%	1%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	1%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	2%	9%	44%	47%	57%	37%	92%	75%
In Swath	0%	2%	4%	2%	6%	3%	0%	11%
Ready To Straight Combine	6%	3%	27%	20%	5%	14%	8%	7%
Combined	92%	82%	25%	31%	27%	41%	0%	7%
Harvested As Feed	0%	4%	0%	0%	5%	5%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	75%	80%	5%	4%	79%	74%	
In Swath	0%	0%	0%	0%	2%	0%	0%	
Ready To Straight Combine	0%	5%	0%	12%	7%	19%	7%	
Combined	0%	20%	20%	83%	87%	2%	19%	
Harvested As Feed	100%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	42%	48%	44%	45%	100%	69%
In Swath	0%	0%	2%	2%	3%	0%	0%	2%
Ready To Straight Combine	0%	2%	19%	14%	3%	7%	0%	10%
Combined	90%	70%	37%	34%	40%	41%	0%	19%
Harvested As Feed	10%	28%	0%	2%	10%	7%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	33%	81%	50%	18%	18%	92%	90%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	1%	7%	0%	17%	9%	1%	1%	
Combined	23%	12%	0%	62%	73%	7%	9%	
Harvested As Feed	43%	0%	0%	2%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	50%	1%	0%	0%	0%	

Saskatchewan Harvest Progress - September 1, 2025

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	1%	0%	67%	51%	77%	54%	85%	82%
In Swath	0%	0%	9%	0%	17%	17%	0%	15%
Ready To Straight Combine	14%	2%	14%	24%	1%	4%	15%	1%
Combined	79%	97%	10%	25%	3%	22%	0%	2%
Harvested As Feed	6%	1%	0%	0%	2%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	50%	100%	27%	22%	77%	95%	
In Swath	0%	26%	0%	0%	4%	0%	0%	
Ready To Straight Combine	0%	24%	0%	14%	11%	23%	0%	
Combined	0%	0%	0%	59%	63%	0%	5%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	14%	83%	80%	75%	65%	93%	81%
In Swath	0%	4%	1%	1%	2%	4%	0%	14%
Ready To Straight Combine	0%	7%	12%	16%	7%	19%	7%	4%
Combined	100%	75%	4%	3%	0%	12%	0%	1%
Harvested As Feed	0%	0%	0%	0%	16%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	75%	91%	60%	33%	24%	75%	100%	
In Swath	0%	1%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	8%	40%	22%	20%	12%	0%	
Combined	0%	0%	0%	45%	56%	13%	0%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	66%	92%	67%	34%	93%	78%
In Swath	0%	5%	3%	0%	2%	9%	1%	18%
Ready To Straight Combine	7%	5%	22%	0%	19%	21%	6%	3%
Combined	93%	90%	9%	0%	12%	36%	0%	1%
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	8%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	30%	35%	40%	46%	16%	91%	48%	
In Swath	0%	0%	0%	1%	1%	2%	0%	
Ready To Straight Combine	20%	34%	2%	20%	19%	5%	1%	
Combined	0%	0%	8%	33%	64%	2%	1%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	50%	31%	50%	0%	0%	0%	50%	


Saskatchewan Harvest Progress - September 1, 2025

*Other - crop that will not be harvested due to weather, insect or disease damage


North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	44%	0%	57%	38%	60%	63%
In Swath	0%	0%	3%	0%	3%	11%	33%	28%
Ready To Straight Combine	0%	12%	33%	100%	24%	29%	7%	9%
Combined	100%	88%	19%	0%	6%	20%	0%	0%
Harvested As Feed	0%	0%	1%	0%	10%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	No Response(s)	100%	2%	11%	No Response(s)	No Response(s)	
In Swath	0%	No Response(s)	0%	0%	0%	No Response(s)	No Response(s)	
Ready To Straight Combine	100%	No Response(s)	0%	23%	15%	No Response(s)	No Response(s)	
Combined	0%	No Response(s)	0%	74%	74%	No Response(s)	No Response(s)	
Harvested As Feed	0%	No Response(s)	0%	0%	0%	No Response(s)	No Response(s)	
Other (Damage/Challenges)	0%	No Response(s)	0%	1%	0%	No Response(s)	No Response(s)	

Harvest Progress

from April 1 to September 1, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Source:
Harvest Progress - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

September 3, 2025

Cropland Topsoil Moisture Conditions

from August 26 to September 1, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Hay Topsoil Moisture Conditions

from August 26 to September 1, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Pasture Topsoil Moisture Conditions

from August 26 to September 1, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Minimum Temperature

from August 26 to September 1, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture
 September 3, 2025

Maximum Temperature

from August 26 to September 1, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

September 3, 2025