

CWD 3-YR Pooled Prevalence Estimates in Mule Deer (2023-2025)

Apparent prevalence means the proportion of sampled animals infected by CWD, calculated as the (number infected/total number sampled). A prevalence of 0.20 is equivalent to a ratio of 1 in 5 (i.e. 1 in every 5 animals tested is infected). Prevalence estimates based on 3-YR pooled surveillance data (2023-2025).

Estimates are subject to change as new data becomes available. Interpret with caution when sample size is low.

95% confidence intervals shown for WMZs where CWD has been detected and data available.

**No Samples Submitted

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
1	Mule Deer	Female	0.15	14	93	0.08	0.22
1	Mule Deer	Male	0.32	50	155	0.25	0.40
2E	Mule Deer	Female	0.09	6	65	0.02	0.16
2E	Mule Deer	Male	0.32	16	50	0.19	0.45
2W	Mule Deer	Female	0.24	7	29	0.09	0.40
2W	Mule Deer	Male	0.58	36	62	0.46	0.70
3	Mule Deer	Female	0.14	1	7	0.00	0.40
3	Mule Deer	Male	0.56	10	18	0.33	0.79
4	Mule Deer	Female	0.26	11	43	0.13	0.39
4	Mule Deer	Male	0.59	38	64	0.47	0.71
5	Mule Deer	Female	0.37	18	49	0.23	0.50
5	Mule Deer	Male	0.67	31	46	0.54	0.81
6	Mule Deer	Female	0.28	8	29	0.11	0.44
6	Mule Deer	Male	0.40	18	45	0.26	0.54
7E	Mule Deer	Female	0.33	1	3	0.00	0.87
7E	Mule Deer	Male	0.13	1	8	0.00	0.35
7W	Mule Deer	Female	0.09	1	11	0.00	0.26
7W	Mule Deer	Male	0.20	4	20	0.02	0.38
8	Mule Deer	Female	0.50	2	4	0.01	0.99
8	Mule Deer	Male	0.71	5	7	0.38	1.00
9	Mule Deer	Female	0.40	2	5	0.00	0.83
9	Mule Deer	Male	0.71	10	14	0.48	0.95
10	Mule Deer	Female	0.36	4	11	0.08	0.65
10	Mule Deer	Male	0.78	14	18	0.59	0.97
11	Mule Deer	Female	0.00	0	1	0.00	0.95
11	Mule Deer	Male	1.00	6	6	0.54	1.00
12	Mule Deer	Female	0.00	0	2	0.00	0.78

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
12	Mule Deer	Male	0.60	3	5	0.17	1.00
13	Mule Deer	Female	0.29	2	7	0.00	0.62
13	Mule Deer	Male	0.77	10	13	0.54	1.00
14E	Mule Deer	Female	0.33	2	6	0.00	0.71
14E	Mule Deer	Male	0.60	6	10	0.30	0.90
14W	Mule Deer	Female	0.50	2	4	0.01	0.99
14W	Mule Deer	Male	0.75	3	4	0.33	1.17
15	Mule Deer	Female	0.09	4	43	0.01	0.18
15	Mule Deer	Male	0.30	12	40	0.16	0.44
16	Mule Deer	Female	0.25	2	8	0.00	0.55
16	Mule Deer	Male	0.29	2	7	0.00	0.62
17	Mule Deer	Female	0.00	0	16	0.00	0.17
17	Mule Deer	Male	0.13	2	16	0.00	0.29
18	Mule Deer	Female	0.24	12	49	0.12	0.37
18	Mule Deer	Male	0.41	25	61	0.29	0.53
19	Mule Deer	Female	0.33	10	30	0.16	0.50
19	Mule Deer	Male	0.61	25	41	0.46	0.76
21	Mule Deer	Female	0.26	5	19	0.07	0.46
21	Mule Deer	Male	0.67	16	24	0.48	0.86
22	Mule Deer	Female	0.40	2	5	0.00	0.83
22	Mule Deer	Male	0.47	8	17	0.23	0.71
23	Mule Deer	Female	0.57	4	7	0.20	0.94
23	Mule Deer	Male	0.75	15	20	0.56	0.94
24	Mule Deer	Female	0.64	7	11	0.35	0.92
24	Mule Deer	Male	0.69	11	16	0.46	0.91
25	Mule Deer	Female	0.25	1	4	0.00	0.67
25	Mule Deer	Male	0.69	9	13	0.44	0.94
26	Mule Deer	Female	0.40	2	5	0.00	0.83
26	Mule Deer	Male	0.71	5	7	0.38	1.05
27	Mule Deer	Female	1.00	4	4	0.40	1.00
27	Mule Deer	Male	0.69	9	13	0.44	0.94
28	Mule Deer	Female	0.33	3	9	0.03	0.64
28	Mule Deer	Male	0.75	3	4	0.33	1.17
29	Mule Deer	Female	0.21	3	14	0.00	0.43
29	Mule Deer	Male	0.68	15	22	0.49	0.88
30	Mule Deer	Female	0.38	8	21	0.17	0.59
30	Mule Deer	Male	0.47	15	32	0.30	0.64
31	Mule Deer	Female	0.00	0	7	0.00	0.35
31	Mule Deer	Male	0.50	2	4	0.01	0.99

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
32	Mule Deer	Female	0.00	0	1	0.00	0.95
32	Mule Deer	Male	0.00	0	1	0.00	0.95
33	Mule Deer	Female	0.00	0	4	0.00	0.78
33	Mule Deer	Male	0.00	0	1	0.00	0.95
34	Mule Deer	Female	0.00	0	1	0.00	0.95
34	Mule Deer	Male	0.00	0	1	0.00	0.95
35	Mule Deer	Female	0.00	0	1	0.00	0.95
35	Mule Deer	Male	0.00	0	2	0.00	0.78
36	Mule Deer	Female	0.25	3	12	0.01	0.50
36	Mule Deer	Male	0.11	1	9	0.00	0.32
37	Mule Deer	Female	0.20	1	5	0.00	0.55
37	Mule Deer	Male	0.00	0	9	0.00	0.28
38	Mule Deer	Female	0.08	1	13	0.00	0.22
38	Mule Deer	Male	0.40	2	5	0.00	0.83
39	Mule Deer	Female	0.00	0	18	0.00	0.15
39	Mule Deer	Male	0.39	11	28	0.21	0.57
40	Mule Deer	Female	0.20	1	5	0.00	0.55
40	Mule Deer	Male	0.62	8	13	0.35	0.88
41	Mule Deer	Female	0.14	4	29	0.01	0.26
41	Mule Deer	Male	0.36	14	39	0.21	0.51
42E	Mule Deer	Female	1.00	2	2	0.16	1.00
42E	Mule Deer	Male	0.25	1	4	0.00	0.67
42W	Mule Deer	Female	0.20	1	5	0.00	0.55
42W	Mule Deer	Male	0.67	2	3	0.13	1.00
43	Mule Deer	Female	0.17	1	6	0.00	0.46
43	Mule Deer	Male	0.50	6	12	0.22	0.78
44	Mule Deer	Female	0.45	5	11	0.16	0.75
44	Mule Deer	Male	0.73	16	22	0.54	0.91
45E	Mule Deer	Female	0.18	2	11	0.00	0.41
45E	Mule Deer	Male	0.69	9	13	0.44	0.94
45W	Mule Deer	Female	0.80	4	5	0.45	1.00
45W	Mule Deer	Male	1.00	1	1	0.03	1.00
46	Mule Deer	Female	0.27	3	11	0.01	0.54
46	Mule Deer	Male	0.67	10	15	0.43	0.91
47	Mule Deer	Female	0.40	10	25	0.21	0.59
47	Mule Deer	Male	0.42	8	19	0.20	0.64
48	Mule Deer	Female		0	0		
48	Mule Deer	Male	0.00	0	3	0.00	0.35
49	Mule Deer	Female	0.50	1	2	0.00	1.00

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
49	Mule Deer	Male	0.40	2	5	0.00	1.00
50	Mule Deer	Female	0.00	0	3	0.00	0.35
50	Mule Deer	Male	0.50	4	8	0.15	0.85
52	Mule Deer	Female	0.13	1	8	0.00	0.35
52	Mule Deer	Male	0.50	4	8	0.15	0.85
53	Mule Deer	Female	0.50	1	2	0.00	1.00
53	Mule Deer	Male	0.50	3	6	0.10	0.90
54	Mule Deer	Female	0.00	0	8	0.00	0.35
54	Mule Deer	Male	0.69	9	13	0.44	0.94
55	Mule Deer	Female	0.00	0	1	0.00	0.95
55	Mule Deer	Male	0.17	1	6	0.00	0.46
56**	Mule Deer						
57**	Mule Deer						
58**	Mule Deer						
59**	Mule Deer						
60**	Mule Deer						
61**	Mule Deer						
62**	Mule Deer						
63**	Mule Deer						
64**	Mule Deer						
65**	Mule Deer						
66**	Mule Deer						
67**	Mule Deer						
68N**	Mule Deer						
68S**	Mule Deer						
69**	Mule Deer						
70**	Mule Deer						
71**	Mule Deer						
72**	Mule Deer						
73**	Mule Deer						
74**	Mule Deer						
75**	Mule Deer						
76**	Mule Deer						
PWMZ**	Mule Deer						
RWMZ	Mule Deer	Female	0.44	4	9	0.12	0.77
RWMZ	Mule Deer	Male	0.35	6	17	0.13	0.58
SWMZ	Mule Deer	Female	0.27	4	15	0.04	0.49
SWMZ	Mule Deer	Male	0.38	10	26	0.20	0.57

CWD 3-YR Pooled Prevalence Estimates in White-tailed Deer (2023-2025)

Apparent prevalence means the proportion of sampled animals infected by CWD, calculated as the (number infected/total number sampled). A prevalence of 0.20 is equivalent to a ratio of 1 in 5 (i.e. 1 in every 5 animals tested is infected). Prevalence estimates based on 3-YR pooled surveillance data (2023-2025).

Estimates are subject to change as new data becomes available. Interpret with caution when sample size is low.

95% confidence intervals shown for WMZs where CWD has been detected and data available.

**No Samples Submitted

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
1	White-tailed Deer	Female	0.13	2	16	0.00	0.29
1	White-tailed Deer	Male	0.23	14	62	0.12	0.33
2E	White-tailed Deer	Female	0.50	1	2	0.00	1.00
2E	White-tailed Deer	Male	0.22	6	27	0.07	0.38
2W	White-tailed Deer	Female	0.11	1	9	0.00	0.32
2W	White-tailed Deer	Male	0.19	3	16	0.00	0.38
3**	White-tailed Deer	Female			0		
3	White-tailed Deer	Male	0.38	3	8	0.04	0.71
4	White-tailed Deer	Female	0.00	0	18	0.00	0.15
4	White-tailed Deer	Male	0.12	12	104	0.05	0.18
5	White-tailed Deer	Female	0.18	4	22	0.02	0.34
5	White-tailed Deer	Male	0.27	27	99	0.18	0.36
6	White-tailed Deer	Female	0.00	0	9	0.00	0.28
6	White-tailed Deer	Male	0.10	8	82	0.03	0.16
7E	White-tailed Deer	Female	0.00	0	1	0.00	0.95
7E	White-tailed Deer	Male	0.17	1	6	0.00	0.46
7W	White-tailed Deer	Female	0.50	1	2	0.00	1.00
7W	White-tailed Deer	Male	0.15	3	20	0.00	0.31
8	White-tailed Deer	Female	0.00	0	3	0.00	0.63
8	White-tailed Deer	Male	0.10	1	10	0.00	0.29
9	White-tailed Deer	Female	0.00	0	1	0.00	0.95
9	White-tailed Deer	Male	0.16	5	31	0.03	0.29
10	White-tailed Deer	Female	0.20	1	5	0.00	0.55
10	White-tailed Deer	Male	0.21	5	24	0.05	0.37
11	White-tailed Deer	Female	0.50	2	4	0.01	0.99
11	White-tailed Deer	Male	0.29	4	14	0.05	0.52
12**	White-tailed Deer	Female			0		

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
12	White-tailed Deer	Male	0.75	3	4	0.33	1.00
13	White-tailed Deer	Female	0.00	0	8	0.00	0.31
13	White-tailed Deer	Male	0.15	5	33	0.03	0.27
14E	White-tailed Deer	Female	0.00	0	1	0.00	0.95
14E	White-tailed Deer	Male	0.22	4	18	0.03	0.41
14W	White-tailed Deer	Female	0.00	0	1	0.00	0.95
14W	White-tailed Deer	Male	0.43	6	14	0.17	0.69
15	White-tailed Deer	Female	0.00	0	5	0.00	0.45
15	White-tailed Deer	Male	0.00	0	26	0.00	0.11
16	White-tailed Deer	Female	0.00	0	1	0.00	0.95
16	White-tailed Deer	Male	0.00	0	15	0.00	0.18
17	White-tailed Deer	Female	0.00	0	7	0.00	0.35
17	White-tailed Deer	Male	0.06	2	31	0.00	0.15
18	White-tailed Deer	Female	0.00	0	7	0.00	0.35
18	White-tailed Deer	Male	0.10	5	48	0.02	0.19
19	White-tailed Deer	Female	0.07	1	14	0.00	0.21
19	White-tailed Deer	Male	0.19	9	48	0.08	0.30
21	White-tailed Deer	Female	0.18	3	17	0.00	0.36
21	White-tailed Deer	Male	0.23	21	91	0.14	0.32
22	White-tailed Deer	Female	0.00	0	1	0.00	0.95
22	White-tailed Deer	Male	0.31	5	16	0.09	0.54
23	White-tailed Deer	Female	0.00	0	4	0.00	0.53
23	White-tailed Deer	Male	0.12	2	17	0.00	0.27
24	White-tailed Deer	Female	0.00	0	1	0.00	0.95
24	White-tailed Deer	Male	0.50	3	6	0.10	0.90
25**	White-tailed Deer	Female			0		
25	White-tailed Deer	Male	0.36	4	11	0.08	0.65
26**	White-tailed Deer	Female			0		
26	White-tailed Deer	Male	0.29	2	7	0.00	0.62
27**	White-tailed Deer	Female			0		
27	White-tailed Deer	Male	0.40	2	5	0.00	0.83
28**	White-tailed Deer	Female			0		
28	White-tailed Deer	Male	0.38	3	8	0.04	0.71
29	White-tailed Deer	Female	0.00	0	8	0.00	0.31
29	White-tailed Deer	Male	0.41	16	39	0.26	0.56
30	White-tailed Deer	Female	0.21	4	19	0.03	0.39
30	White-tailed Deer	Male	0.24	22	90	0.16	0.33
31	White-tailed Deer	Female	0.00	0	4	0.00	0.53

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
31	White-tailed Deer	Male	0.00	0	5	0.00	0.45
32	White-tailed Deer	Female	0.00	0	1	0.00	0.26
32	White-tailed Deer	Male	0.00	0	6	0.00	0.95
33	White-tailed Deer	Female	0.00	0	2	0.00	0.35
33	White-tailed Deer	Male	0.00	0	18	0.00	0.15
34	White-tailed Deer	Female	0.00	0	3	0.00	0.63
34	White-tailed Deer	Male	0.03	1	30	0.00	0.10
35	White-tailed Deer	Female	0.00	0	12	0.00	0.22
35	White-tailed Deer	Male	0.02	1	56	0.00	0.05
36	White-tailed Deer	Female	0.00	0	6	0.00	0.39
36	White-tailed Deer	Male	0.09	4	46	0.01	0.17
37	White-tailed Deer	Female	0.02	1	47	0.00	0.06
37	White-tailed Deer	Male	0.02	5	224	0.00	0.04
38	White-tailed Deer	Female	0.00	0	3	0.00	0.63
38	White-tailed Deer	Male	0.10	3	31	0.00	0.20
39	White-tailed Deer	Female	0.03	1	31	0.00	0.09
39	White-tailed Deer	Male	0.05	9	172	0.02	0.09
40	White-tailed Deer	Female	0.00	0	3	0.00	0.63
40	White-tailed Deer	Male	0.13	2	15	0.00	0.31
41	White-tailed Deer	Female	0.00	0	15	0.00	0.18
41	White-tailed Deer	Male	0.21	12	58	0.10	0.31
42E	White-tailed Deer	Female	0.00	0	4	0.00	0.53
42E	White-tailed Deer	Male	0.12	2	17	0.00	0.27
42W	White-tailed Deer	Female	0.00	0	1	0.00	0.95
42W	White-tailed Deer	Male	0.14	3	22	0.00	0.28
43	White-tailed Deer	Female	0.13	1	8	0.00	0.35
43	White-tailed Deer	Male	0.21	18	85	0.12	0.30
44	White-tailed Deer	Female	0.08	1	13	0.00	0.22
44	White-tailed Deer	Male	0.27	14	52	0.15	0.39
45E	White-tailed Deer	Female	0.00	0	5	0.00	0.45
45E	White-tailed Deer	Male	0.18	9	50	0.07	0.29
45W	White-tailed Deer	Female	0.00	0	5	0.00	0.45
45W	White-tailed Deer	Male	0.24	7	29	0.09	0.40
46	White-tailed Deer	Female	0.00	0	1	0.00	0.95
46	White-tailed Deer	Male	0.25	5	20	0.06	0.44
47	White-tailed Deer	Female	0.06	1	18	0.00	0.16
47	White-tailed Deer	Male	0.22	28	127	0.15	0.29
48	White-tailed Deer	Female	0.10	2	20	0.00	0.23

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
48	White-tailed Deer	Male	0.07	5	76	0.01	0.12
49	White-tailed Deer	Female	0.50	1	2	0.00	1.00
49	White-tailed Deer	Male	0.05	1	20	0.00	0.15
50	White-tailed Deer	Female	0.17	5	29	0.03	0.31
50	White-tailed Deer	Male	0.14	25	178	0.09	0.19
52	White-tailed Deer	Female	0.11	1	9	0.00	0.32
52	White-tailed Deer	Male	0.17	10	58	0.08	0.27
53	White-tailed Deer	Female	0.06	1	17	0.00	0.17
53	White-tailed Deer	Male	0.05	4	87	0.00	0.09
54	White-tailed Deer	Female	0.00	0	13	0.00	0.20
54	White-tailed Deer	Male	0.13	6	48	0.03	0.22
55	White-tailed Deer	Female	0.06	1	18	0.00	0.16
55	White-tailed Deer	Male	0.11	15	135	0.06	0.16
56	White-tailed Deer	Female	0.00	0	4	0.00	0.53
56	White-tailed Deer	Male	0.00	0	6	0.00	0.39
57	White-tailed Deer	Female	0.00	0	1	0.00	0.95
57	White-tailed Deer	Male	0.00	0	2	0.00	0.78
58**	White-tailed Deer				0		
59	White-tailed Deer	Female	1.00	1	1	0.00	1.00
59	White-tailed Deer	Male	0.00	0	1	0.00	0.95
60**	White-tailed Deer	Female			0		
60	White-tailed Deer	Male	0.00	0	1	0.00	0.95
61**	White-tailed Deer			0			
62**	White-tailed Deer	Female		0	0		
62	White-tailed Deer	Male	0.00	0	1	0.00	0.95
63	White-tailed Deer	Female	0.00	0	1	0.00	0.95
63	White-tailed Deer	Male	0.00	0	1	0.00	0.95
64	White-tailed Deer	Female	0.00	0	1	0.00	0.95
64	White-tailed Deer	Male	0.00	0	3	0.00	0.63
65**	White-tailed Deer				0		
66**	White-tailed Deer	Female		0	0		
66	White-tailed Deer	Male	0.00	0	4	0.00	0.53
67	White-tailed Deer	Female	0.00	0	4	0.00	0.53
67	White-tailed Deer	Male	0.06	1	16	0.00	0.18
68N**	White-tailed Deer	Female			0		
68N	White-tailed Deer	Male	0.00	0	2	0.00	0.78
68S	White-tailed Deer	Female	0.00	0	1	0.00	0.95
68S	White-tailed Deer	Male	0.00	0	1	0.00	0.95

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
69**	White-tailed Deer	Female			0		
69	White-tailed Deer	Male	0.00	0	3	0.00	0.63
70**	White-tailed Deer				0		
71**	White-tailed Deer				0		
72**	White-tailed Deer				0		
73**	White-tailed Deer				0		
74**	White-tailed Deer				0		
75**	White-tailed Deer				0		
76**	White-tailed Deer				0		
PWMZ	White-tailed Deer	Female	0.00	0	3	0.00	0.63
PWMZ	White-tailed Deer	Male	0.17	1	6	0.00	0.46
RWMZ	White-tailed Deer	Female	0.06	1	16	0.00	0.18
RWMZ	White-tailed Deer	Male	0.22	10	45	0.10	0.34
SWMZ	White-tailed Deer	Female	0.06	2	35	0.00	0.13
SWMZ	White-tailed Deer	Male	0.14	12	83	0.07	0.22

CWD 3-YR Pooled Prevalence Estimates in Elk (2023-2025)

Apparent prevalence means the proportion of sampled animals infected by CWD, calculated as the (number infected/total number sampled). A prevalence of 0.20 is equivalent to a ratio of 1 in 5 (i.e. 1 in every 5 animals tested is infected). Prevalence estimates based on 3-YR pooled surveillance data (2023-2025).

Estimates are subject to change as new data becomes available. Interpret with caution when sample size is low.

95% confidence intervals shown for WMZs where CWD has been detected and data available.

**No Samples Submitted

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
1	Elk	Pooled	0.14	3	21	0.00	0.29
2E	Elk	Pooled	0.00	0	9	0.00	0.28
2W	Elk	Pooled	0.21	4	19	0.03	0.39
3**	Elk	Pooled			0		
4**	Elk	Pooled			0		
5**	Elk	Pooled			0		
6	Elk	Pooled	0.20	2	10	0.00	0.45

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
7E	Elk	Pooled	0.00	0	2	0.00	0.78
7W	Elk	Pooled	0.00	0	2	0.00	0.78
8**	Elk	Pooled			0		
9	Elk	Pooled	0.00	0	13	0.00	0.20
10	Elk	Pooled	0.33	1	3	0.00	0.87
11	Elk	Pooled	0.00	0	4	0.00	0.53
12**	Elk	Pooled			0		
13	Elk	Pooled	0.00	0	1	0.00	0.95
14E	Elk	Pooled	0.17	1	6	0.00	0.46
14W**	Elk	Pooled			0		
15	Elk	Pooled	0.00	0	2	0.00	0.78
16**	Elk	Pooled			0		
17**	Elk	Pooled			0		
18**	Elk	Pooled			0		
19	Elk	Pooled	0.07	1	14	0.00	0.21
21	Elk	Pooled	0.07	2	27	0.00	0.17
22	Elk	Pooled	1.00	1	1	0.00	1.00
23**	Elk	Pooled			0		
24	Elk	Pooled	0.50	1	2	0.00	1.19
25**	Elk	Pooled			0		
26**	Elk	Pooled			0		
27	Elk	Pooled	0.00	0	1	0.00	0.95
28	Elk	Pooled	0.00	0	1	0.00	0.95
29	Elk	Pooled	1.00	1	1	0.00	1.00
30	Elk	Pooled	0.25	1	4	0.00	0.67
31**	Elk	Pooled			0		
32**	Elk	Pooled			0		
33	Elk	Pooled	0.00	0	17	0.00	0.16
34	Elk	Pooled	0.00	0	4	0.00	0.53
35	Elk	Pooled	0.00	0	3	0.00	0.63
36**	Elk	Pooled			0		
37	Elk	Pooled	0.00	0	201	0.00	0.01
38	Elk	Pooled	0.00	0	5	0.00	0.45
39	Elk	Pooled	0.02	4	203	0.00	0.04
40	Elk	Pooled	0.00	0	10	0.00	0.26
41	Elk	Pooled	0.00	0	18	0.00	0.15
42E	Elk	Pooled	0.07	2	27	0.00	0.17
42W	Elk	Pooled	0.04	1	23	0.00	0.13
43	Elk	Pooled	0.04	3	76	0.00	0.08

WMZ	Species	Sex	Apparent Prevalence	Number of Positives	Sample Size (n)	Min	Max
44	Elk	Pooled	0.09	1	11	0.00	0.26
45E	Elk	Pooled	0.17	1	6	0.00	0.46
45W	Elk	Pooled	0.11	1	9	0.00	0.32
46	Elk	Pooled	0.40	2	5	0.00	0.83
47	Elk	Pooled	0.08	7	88	0.02	0.14
48	Elk	Pooled	0.02	5	317	0.00	0.03
49	Elk	Pooled	0.03	1	35	0.00	0.08
50	Elk	Pooled	0.04	4	113	0.00	0.07
52	Elk	Pooled	0.00	0	2	0.00	0.78
53	Elk	Pooled	0.00	0	7	0.00	0.35
54	Elk	Pooled	0.09	2	22	0.00	0.21
55	Elk	Pooled	0.04	1	26	0.00	0.11
56	Elk	Pooled	0.00	0	4	0.00	0.53
59	Elk	Pooled	0.00	0	6	0.00	0.39
63	Elk	Pooled	0.00	0	1	0.00	0.95
64	Elk	Pooled	1.00	1	1	0.00	1.00
67**	Elk	Pooled			0		
68N	Elk	Pooled	0.00	0	1	0.00	0.95
RWMZ	Elk	Pooled	0.00	0	5	0.00	0.45
SWMZ	Elk	Pooled	0.00	0	1	0.00	0.95