

Crop Report

For the Period April 28 to May 4, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 01, May 7, 2026

Spring seeding is underway in some areas of Saskatchewan while other areas are delayed due to flooding and runoff. Currently, three per cent of the 2026 crop has been planted, behind the five-year average of 12 per cent and the 10-year average of 13 per cent. Cold temperatures, frozen soils and washed-out roads are limiting seeding progress for many areas; this is expected to change in the coming weeks.

The southwest region is the furthest advanced with seven per cent seeded. The southeast region is also making progress with five per cent seeding complete. The west-central region is reporting only one per cent complete and the east-central, northeast and northwest regions are all reporting that seeding is delayed.

Cereal crops such as triticale and durum are leading the seeding progress while pulse and oilseed crops are just getting underway. Seeding progress is as follows:

Cereal crops

- 16 per cent for triticale;
- 10 per cent for durum;
- Four per cent for barley;
- Two per cent for spring wheat and oats; and
- One per cent for canary seed.

Pulse crops

- Six per cent for field peas;
- Four per cent for lentils; and
- Three per cent for chickpeas.

Oilseed crops

- Three per cent for mustard and canola; and
- Two per cent for flax.

Perennial forages

- One per cent.

One year ago

Seeding was well underway across the province with 18 per cent of the crop seeded. Although most areas were at adequate topsoil moisture levels, some areas in the province were experiencing drier conditions. Livestock producers were hopeful for moisture in the coming weeks to help support water supplies and pasture conditions throughout the season.

Follow the 2026 Crop Report on
Twitter @SKAgriculture

Seeding Progress in SK

Per cent seeded Historical all Crops	
May 4, 2026	3
May 5, 2025	18
May 6, 2024	12
May 8, 2023	9
May 9, 2022	14
May 3, 2021	9
5 year avg. (2021-2025)	12
10 year avg. (2016-2025)	13

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period April 28 to May 4, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 01, May 7, 2026

Limited moisture throughout much of the province over the past week will allow saturated fields to begin to dry up and seeding operations to get underway. The highest reported rainfall was in the Rockglen area at eight millimetres (mm) followed by the Carnduff area at three mm.

Although provincial topsoil moisture conditions are mainly at adequate levels, there are some areas in the province experiencing drier or surplus conditions.

Cropland topsoil moisture is:

- 24 per cent surplus;
- 69 per cent adequate; and
- Seven per cent short.

Hayland topsoil moisture is:

- 14 per cent surplus;
- 71 per cent adequate;
- 14 per cent short; and
- One per cent very short.

Pasture topsoil moisture is:

- 10 per cent surplus;
- 71 per cent adequate;
- 18 per cent short; and
- One per cent very short.

Livestock producers in the west-central and southwest regions are hopeful for moisture in the coming weeks to support water supplies and pasture conditions throughout the season. Spring runoff was reported in late April, with provincial data indicating 32 per cent below normal, 32 per cent normal and 36 per cent above normal. Eighty-one per cent of crop reporters indicated that the amount of runoff received would be sufficient to replenish dugouts and other water bodies within their area. Notably within the west-central and southwest regions, 61 per cent and 45 per cent of respondents respectively indicated that the amount of runoff would not be sufficient to replenish dugouts within their area.

Additionally, pasture conditions were also reported in late April, with provincial data indicating six per cent of pastures to be in excellent condition, 42 per cent reported to be in good condition, 24 per cent reported as in fair condition, 20 per cent reported as poor and eight per cent very poor.

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period April 28 to May 4, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 01, May 7, 2026

With the drier weather this week, some producers are busy in their fields with seeding, pre-seed spraying for weed control, harrowing and rock picking while others are waiting for the water to recede and the land to dry up. Livestock producers are busy calving with some producers finishing up for the season. As cattle are being moved out to pasture, producers are also busy checking and fixing fences.

As spring progresses, producers are reminded to be safe during their field activities and watch for overhead powerlines while moving equipment in fields and farmyards this spring.

A reminder that the Ministry of Agriculture is partnering with Sask Ag Matters to offer the Farm Stress Line. Producers, their families and farm employees can call the toll-free number, 1-800-667-4442, at any time for confidential, free services from mental health professionals trained in issues facing producers.

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Seeding Progress

from April 1 to May 4, 2026

Seeding Progress




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of April 28 to May 4, 2026

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	3%	8%	0%	3%	0%	0%	2%
Durum	20%	8%	0%	5%	0%	0%	10%
Oats	17%	2%	0%	0%	0%	0%	2%
Barley	9%	11%	0%	2%	0%	0%	4%
Triticale	0%	37%	0%	0%	0%	0%	16%
Flax	0%	3%	0%	0%	0%	0%	2%
Canola	12%	8%	0%	5%	0%	0%	3%
Mustard	0%	4%	0%	0%	0%	0%	3%
Soybeans	0%	No Response(s)	0%	0%	0%	0%	0%
Lentils	4%	6%	0%	2%	0%	0%	4%
Field Peas	10%	20%	0%	1%	0%	0%	6%
Canary Seed	0%	5%	0%	0%	0%	0%	1%
Chickpeas	4%	3%	0%	0%	0%	0%	3%
Perennial Forage	0%	2%	0%	0%	0%	0%	1%

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Despite cold conditions throughout the region, the southeast is beginning to make some progress and is currently reporting five per cent of seeding complete. This is behind the five-year average (2021-2025) of 10 per cent for the region.

Many producers are making good progress seeding their cereal and oilseed crops while some have made notable progress in seeding their pulse crops. Seeding progress is as follows:

Southeast Saskatchewan	
Census Division	% seeded (May 4, 2026)
1	4%
2	14%
5	1%
6	1%
Region average	5%

Cereal crops:

- 20 per cent for durum;
- 17 per cent for oats;
- Three per cent for spring wheat; and
- Nine per cent for barley.

Oilseed crops:

- 12 per cent for canola.

Pulse crops:

- 10 per cent for field peas; and
- Four per cent for lentils and chickpeas.

Minimal to no rainfall was reported throughout the region over the last week. The only rainfall recorded fell in the Carnduff area at three millimeters (mm).

Despite the limited rainfall, topsoil moisture conditions are mostly adequate. However, some producers have indicated it is dry and rain would be welcome.

Cropland topsoil moisture is:

- 16 per cent surplus;
- 75 per cent adequate; and
- Nine per cent short.

Hayland topsoil moisture is:

- Six per cent surplus;
- 74 per cent adequate; and
- 20 per cent short.

Pasture topsoil moisture is:

- Five per cent surplus;
- 65 per cent adequate;
- 29 per cent short; and
- One per cent very short.

Spring runoff was reported in late April, with regional data indicating 26 per cent below normal, 56 per cent normal and 18 per cent above normal. Ninety-one per cent of crop reporters indicated the amount of runoff received would be sufficient to replenish dugouts and other water bodies within their area.

Additionally, pasture conditions were also reported in late April, with regional data indicating three per cent of pastures within the region are reported as excellent, 42 per cent are reported as good, 36 per cent reported as in fair condition with 13 per cent reported as poor and six per cent very poor.

Within the region, producers will continue with their seeding operations, with some areas just starting, along with pre-seed spraying for weed control, harrowing, rock picking, calving, fixing fence and getting ready to move cattle out to pasture.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

The weather over the last week has supported some seeding progress within the region. The southwest region is leading the province with seeding progress and is currently reporting seven per cent completed. This is significantly behind the five-year average (2021-2025) of 26 per cent for the region.

Many producers are making good progress seeding their cereal and pulse crops while some have made notable progress in seeding their oilseed crops.

Seeding progress is as follows:

Cereal crops:

- 37 per cent for triticale;
- 11 per cent for barley;
- Eight per cent for spring wheat and durum;
- Five per cent for canary seed; and
- Two per cent for oats.

Southwest Saskatchewan	
Census Division	% seeded (May 4, 2026)
3	6%
4	13%
7	6%
8	6%
Region average	7%

Pulse crops:

- 20 per cent for field peas;
- Six per cent for lentils; and
- Three per cent for chickpeas.

Oilseed crops:

- Eight per cent for canola;
- Four per cent for mustard; and
- Three per cent for flax.

Perennial forages:

- Two per cent.

No rainfall was recorded for any part of the region over the past week.

Despite the lack of rainfall, topsoil moisture conditions are mostly adequate. However, some producers have indicated that rain would be welcome.

Cropland topsoil moisture is:

- Four per cent surplus;
- 81 per cent adequate;
- 14 per cent short; and
- One per cent very short.

Hayland topsoil moisture is:

- One per cent surplus;
- 73 per cent adequate;
- 25 per cent short; and
- One per cent very short.

Pasture topsoil moisture is:

- 74 per cent adequate;
- 25 per cent short; and
- One per cent very short.

Spring runoff was reported in late April, with regional data indicating 68 per cent below normal and 32 per cent normal. Fifty-five per cent of crop reporters indicated the amount of runoff received wouldn't be sufficient to replenish dugouts and other water bodies within their area.

Additionally, pasture conditions were also reported in late April, with regional data indicating that three per cent of pastures within the region are reported as excellent, 49 per cent are

reported as good, 29 per cent reported as in fair condition with 18 per cent reported as poor and one per cent very poor.

Producers will continue seeding operations within the region, along with pre-seed spraying for weed control, harrowing, rock picking, calving, fixing fence and getting ready to move cattle out to pasture.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Producers are struggling to make any progress with seeding within the east-central region. Currently no seeding of any crop is being reported. This is behind the five-year average (2021-2025) of five per cent for the region.

Only trace amounts of rainfall fell within the region over the past week. The highest rainfall recorded fell in the Arran and Wroxton areas, where each reported two mm, followed by the Foam Lake area at one mm.

East-Central Saskatchewan	
Census Division	% seeded (May 4, 2026)
9	0%
10	0%
11	0%
Region average	0%

Topsoil moisture conditions in the east-central region are adequate with a significant amount of surplus. Many producers have indicated that the surplus moisture has damaged roads and is delaying field operations.

Cropland topsoil moisture is:

- 43 per cent surplus;
- 53 per cent adequate; and
- Four per cent short.

Hayland topsoil moisture is:

- 39 per cent surplus;
- 55 per cent adequate; and
- Six per cent short.

Pasture topsoil moisture is:

- 41 per cent surplus;
- 53 per cent adequate; and
- Six per cent short.

Spring runoff was reported in late April, with regional data indicating eight per cent below normal, 31 per cent normal and 61 per cent above normal. One hundred per cent of crop reporters indicated the amount of runoff received would be sufficient to replenish dugouts and other water bodies within their area.

Additionally, pasture conditions were also reported in late April, with regional data indicating six per cent of pastures within the region are reported as excellent, 37 per cent are reported as good, 28 per cent reported as in fair condition with 19 per cent reported as poor and 10 per cent very poor.

Within the region, producers will continue to prepare for seeding operations, with some areas starting in the coming week, along with pre-seed spraying for weed control, harrowing, calving, fixing fence and getting ready to move cattle out to pasture.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

The weather has supported some seeding progress across the west-central region. However, the current seeding completion is reported at only one per cent. This is well below the five-year average (2021-2025) of 11 per cent for the region.

Some producers are making progress seeding their cereal and oilseed crops while others have made a little progress in seeding their pulse crops.

Seeding progress is as follows:

West-Central Saskatchewan	
Census Division	% seeded (May 4, 2026)
12	1%
13	1%
Region average	1%

Cereal crops:

- Five per cent for durum;
- Three per cent for spring wheat; and
- Two per cent for barley.

Oilseed crops:

- Five per cent for canola.

Pulse crops:

- Two per cent for lentils; and
- One per cent for field peas.

Trace amounts of rainfall fell within the region over the past week with the majority of areas receiving no rainfall. The highest rainfall recorded fell in the Mildred area, which reported eight mm

Despite the lack of rainfall, topsoil moisture conditions are mostly adequate and the fields have dried enough to allow field operations to begin.

Cropland topsoil moisture is:

- Two per cent surplus;
- 85 per cent adequate;
- 12 per cent short; and
- One per cent very short.

Hayland topsoil moisture is:

- One per cent surplus;
- 75 per cent adequate;
- 22 per cent short; and
- Two per cent very short.

Pasture topsoil moisture is:

- One per cent surplus;
- 73 per cent adequate;
- 23 per cent short; and
- Three per cent very short.

Spring runoff was reported in late April, with regional data indicating 79 per cent below normal, 16 per cent normal and five per cent above normal. Thirty-nine per cent of the crop reporters indicated that the amount of runoff received would be sufficient to replenish dugouts and other water bodies within their area.

Additionally, pasture conditions were also reported in late April, with regional data indicating eight per cent of pastures within the region are reported as excellent, 41 per cent are reported as good, 23 per cent reported as in fair condition with 26 per cent reported as poor and two per cent very poor.

Producers will continue seeding operations within the region, along with pre-seed spraying for weed control, harrowing, rock picking, calving, fixing fence and getting ready to move cattle out to pasture.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Producers are struggling to make any progress with seeding within the northeast region. Currently no seeding of any crop is being reported. This is behind the five-year average (2021-2025) of four per cent for the region.

Trace amounts of rainfall fell within the region over the past week with the majority of areas receiving no rainfall.

Topsoil moisture conditions in the northeast region are adequate with a large portion indicating surplus amounts. Many producers have indicated the surplus moisture has damaged roads and is delaying field operations.

Northeast Saskatchewan	
Census Division	% seeded (May 4, 2026)
14	0%
15	0%
Region average	0%

Cropland topsoil moisture is:

- 58 per cent surplus; and
- 42 per cent adequate.

Hayland topsoil moisture is:

- 40 per cent surplus; and
- 60 per cent adequate.

Pasture topsoil moisture is:

- 38 per cent surplus; and
- 62 per cent adequate.

Significant spring runoff was reported in late April, with regional data indicating 11 per cent normal and 89 per cent above normal. One hundred per cent of crop reporters indicated the amount of runoff received would be sufficient to replenish dugouts and other water bodies within their area.

Additionally, pasture conditions were also reported in late April, with regional data indicating six per cent of pastures within the region are reported as excellent, 71 per cent are reported as good, 14 per cent are reported as in fair condition and nine per cent very poor.

Within the region, producers will continue to prepare for seeding operations, with some areas starting in the coming week, along with pre-seed spraying for weed control, harrowing, calving, fixing fence and getting ready to move cattle out to pasture.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers are struggling to make any progress with seeding within the northwest region. Currently only small amounts of field peas and spring wheat have been reported as seeded. This is behind the five-year average (2021-2025) of 10 per cent for the region.

Northwest Saskatchewan	
Census Division	% seeded (May 4, 2026)
16	0%
17	0%
Region average	0%

Trace amounts of rainfall fell within the region over the past week, with the majority of areas receiving no rainfall. The largest amount recorded was in the Glaslyn area, which reported only two mm over the past week.

Despite the limited rainfall, topsoil moisture conditions are mostly adequate. However, many producers have indicated the surplus moisture has damaged roads and is delaying field operations.

Cropland topsoil moisture is:

- 27 per cent surplus; and
- 73 per cent adequate.

Hayland topsoil moisture is:

- 13 per cent surplus;
- 79 per cent adequate; and
- Eight per cent short.

Pasture topsoil moisture is:

- 11 per cent surplus;
- 81 per cent adequate; and
- Eight per cent short.


Spring runoff was reported in late April, with regional data indicating 45 per cent normal and 55 per cent above normal. One hundred per cent of crop reporters indicated the amount of runoff received would be sufficient to replenish dugouts and other water bodies within their area.

Additionally, pasture conditions were also reported in late April, with regional data indicating 10 per cent of pastures within the region are reported as excellent, 30 per cent are reported as good, 20 per cent are reported as in fair condition with 21 per cent reported as poor and 19 per cent very poor.

Producers will be busy with seeding operations within the region, along with pre-seed spraying for weed control, harrowing, rock picking, calving, fixing fence and getting ready to move cattle out to pasture.

Weekly Rainfall

from April 28 to May 4, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from April 28 to May 4, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	0	10	8	138	WEBB	N/A	0	14	366	KELVINGTON	0	2
1	4	COALFIELDS	0	10	8	139	GULL LAKE	N/A	0	14	367	PONASS LAKE	1	7
1	32	RECIPROCITY	0	4	8	168	RIVERSIDE	0	0	14	394	HUDSON BAY	0	12
1	34	BROWNING	N/A	0	8	228	LACADENA	0	0	14	395	PORCUPINE	0	0
1	94	HAZELWOOD	0	0	8	229	MIRY CREEK	0	0	14	397	BARRIER VALLEY	0	0
1	95	GOLDEN WEST	0	28	8	231	HAPPYLAND	0	18	14	428	STAR CITY	0	2
1	2A	MOUNT PLEASANT	0	0	8	259	SNIPER LAKE	0	0	14	456	ARBORFIELD	0	17
2	10	HAPPY VALLEY	0	8	8	138A	WEBB	N/A	0	14	457	CONNAUGHT	0	12
2	38	LAURIER	0	15	8	228A	LACADENA	0	0	14	486	MOOSE RANGE	0	30
2	66	GRIFFIN	N/A	0	8	257A	MONET	0	0	14	487	NIPAWIN	0	12
2	67	WEYBURN	0	0	8	259A	SNIPER LAKE	0	0	14	488	TORCH RIVER	0	0
2	100	ELMSTHORPE	3	17	9	241	CALDER	0	0	14	394A	HUDSON BAY	0	12
2	100A	ELMSTHORPE	0	5	9	243	WALLACE	0	0	14	397A	BARRIER VALLEY	0	2
2	38A	LAURIER	0	3	9	245	GARRY	0	5	14	488A	TORCH RIVER	0	0
3	73	STONEHENGE	0	3	9	273	SLIDING HILLS	0	2	14	488B	TORCH RIVER	N/A	5
3	74	WOOD RIVER	0	3	9	274	GOOD LAKE	0	28	15	369	ST. PETER	0	2
3	75	PINTO CREEK	0	5	9	301	ST. PHILIPS	0	0	15	371	BAYNE	0	0
3	76	AUVERGNE	0	5	9	305	INVERMAY	0	0	15	372	GRANT	0	0
3	101	TERRELL	N/A	0	9	331	LIVINGSTON	2	6	15	373	ABERDEEN	0	0
3	102	LAKE JOHNSTON	0	40	9	241A	CALDER	2	4	15	399	LAKE LENORE	0	5
3	106	WHISKA CREEK	0	0	9	245A	GARRY	N/A	5	15	400	THREE LAKES	0	0
3	74A	KEY WEST	N/A	0	10	246	ITUNA BON ACCORD	0	8	15	402	FISH CREEK	0	1
4	51	RENO	0	16	10	247	KELLROSS	0	0	15	429	FLETT'S SPRINGS	0	7
4	79	ARLINGTON	0	4	10	248	TOUCHWOOD	0	0	15	430	INVERGORDON	0	0
4	110	PIAPOT	0	0	10	277	EMERALD	N/A	0	15	459	KINISTINO	0	15
4	77A	WISE CREEK	0	2	10	279	MOUNT HOPE	N/A	0	15	461	PRINCE ALBERT	0	0
4	78A	GRASSY CREEK	0	2	10	307	ELFROS	0	5	15	463	DUCK LAKE	0	0
4	79A	ARLINGTON	0	0	10	309	PRAIRIE ROSE	0	0	15	491	BUCKLAND	N/A	7
5	122	MARTIN	0	10	10	336	SASMAN	0	1	15	520	PADDOCKWOOD	N/A	0
5	124	KINGSLEY	0	22	10	339	LERROY	0	0	15	521	LAKELAND	N/A	0
5	151	ROCANVILLE	0	0	10	246A	ITUNA BON ACCORD	N/A	2	15	371A	BAYNE	0	0
5	155	WOLSELEY	0	0	10	248A	TOUCHWOOD	0	0	15	371B	BAYNE	0	0
5	183	FERTILE BELT	0	0	10	276A	FOAM LAKE	0	11	15	399A	LAKE LENORE	0	0
5	211	CHURCHBRIDGE	0	0	10	276B	FOAM LAKE	0	3	15	403A	ROSTHERN	0	2
5	213	SALTOCOATS	0	2	10	276C	FOAM LAKE	1	4	15	403C	ROSTHERN	N/A	0
5	215	STANLEY	0	0	10	276D	FOAM LAKE	0	4	15	461A	PRINCE ALBERT	0	0
5	125A	CHESTERFIELD	0	0	10	277A	EMERALD	N/A	0	15	461B	PRINCE ALBERT	N/A	2
5	154A	ELCAPO	0	0	10	279A	MOUNT HOPE	N/A	0	16	435	REDBERRY	N/A	10
5	183A	FERTILE BELT	0	0	11	251	BIG ARM	N/A	0	16	436	DOUGLAS	0	0
5	211A	CHURCHBRIDGE	0	0	11	280	WREFORD	0	0	16	437	NORTH BATTLEFORD	N/A	4
6	127	FRANCIS	0	1	11	283	ROSEDALE	0	0	16	466	MEETING LAKE	0	4
6	128	LAJORD	0	6	11	284	RUDY	N/A	0	16	467	ROUND HILL	0	4
6	130	REDBURN	0	0	11	314	DUNDURN	0	0	16	493	SHELLBROOK	0	5
6	156	INDIAN HEAD	N/A	0	11	344	CORMAN PARK	N/A	5	16	494	CANWOOD	0	0
6	160	PENSE	0	0	11	282A	McCRANEY	0	0	16	497	MEDSTEAD	0	0
6	186	ABERNETHY	0	0	12	286	MILDEN	8	13	16	437A	NORTH BATTLEFORD	0	0
6	190	DUFFERIN	0	0	12	287	ST. ANDREWS	N/A	2	16	467A	ROUND HILL	0	0
6	216	TULLYMET	N/A	0	12	288	PLEASANT VALLEY	N/A	0	17	468	MEOTA	0	0
6	217	LIPTON	0	0	12	316	HARRIS	0	0	17	470	PAYNTON	N/A	0
6	221	SARNIA	0	2	12	317	MARRIOTT	0	0	17	471	ELDON	0	9
6	127B	FRANCIS	0	1	12	345	VANSCHOY	0	0	17	498	PARKDALE	2	7
6	159A	SHERWOOD	N/A	0	12	346	PERDUE	0	0	17	499	MERVIN	N/A	3
6	159B	SHERWOOD	N/A	0	12	347	BIGGAR	0	0	17	502	BRITANNIA	0	23
6	160A	PENSE	0	0	12	376	EAGLE CREEK	0	0	17	561	LOON LAKE	0	8
6	190A	DUFFERIN	N/A	0	12	377	GLENSIDE	0	4	17	588	MEADOW LAKE	N/A	0
6	190B	DUFFERIN	0	0	12	285A	FERTILE VALLEY	0	1	17	622	BEAVER RIVER	0	28
6	190C	DUFFERIN	0	0	13	290	KINDERSLEY	0	3	17	498A	PARKDALE	2	6
6	216A	TULLYMET	N/A	0	13	292	MILTON	0	1	17	501A	FRENCHMAN BUTTE	0	22
6	217A	LIPTON	0	2	13	321	PRAIRIEDALE	N/A	6	17	501C	FRENCHMAN BUTTE	N/A	0
6	219A	LONGLAKETON	0	10	13	350	MARIPOSA	0	4	17	561A	LOON LAKE	0	0
6	219B	LONGLAKETON	0	4	13	351	PROGRESS	0	2					
6	220A	McKILLOP	0	0	13	379	REFORD	N/A	7					
7	132	HILLSBOROUGH	0	18	13	382	EYE HILL	0	4					
7	136	COULEE	0	0	13	440	HILLSDALE	0	10					
7	161	MOOSE JAW	0	6	13	442	MANITOU LAKE	0	11					
7	162	CARON	0	0	13	292A	MILTON	0	0					
7	165	MORSE	N/A	0	13	320A	OAKDALE	0	4					
7	193	EYEBROW	0	0	13	321A	PRAIRIEDALE	0	20					
7	223	HURON	N/A	0	13	409A	BUFFALO	0	0					
7	132A	HILLSBOROUGH	0	2										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	0	6										
7	162A	CARON	0	3										
7	222A	CRAIK	0	3										
7	223A	HURON	0	0										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to May 4, 2026



Cropland Topsoil Moisture Conditions


from April 28 to May 4, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from April 28 to May 4, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions

from April 28 to May 4, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Cropland				
Region	Surplus	Adequate	Short	Very Short
South East	16%	75%	9%	0%
South West	4%	81%	14%	1%
East Central	43%	53%	4%	0%
West Central	2%	85%	12%	1%
North East	58%	42%	0%	0%
North West	27%	73%	0%	0%
Provincial Average	24%	69%	7%	0%

Hayland				
Region	Surplus	Adequate	Short	Very Short
South East	6%	74%	20%	0%
South West	1%	73%	25%	1%
East Central	39%	55%	6%	0%
West Central	1%	75%	22%	2%
North East	40%	60%	0%	0%
North West	13%	79%	8%	0%
Provincial Average	14%	71%	14%	1%

Pasture				
Region	Surplus	Adequate	Short	Very Short
South East	5%	65%	29%	1%
South West	0%	74%	25%	1%
East Central	41%	53%	6%	0%
West Central	1%	73%	23%	3%
North East	38%	62%	0%	0%
North West	11%	81%	8%	0%
Provincial Average	10%	71%	18%	1%

Pasture Conditions


from April 21 to April 27, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from April 28 to May 4, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from April 28 to May 4, 2026

