

Crop Report

For the Period May 5 to May 11, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 02, May 14, 2026

With limited precipitation and runoff water receding over the past week, seeding is ramping up in many areas. Seeding is currently 16 per cent complete, up 13 per cent from last week. This is behind the five-year average of 28 per cent and the 10-year average of 27 per cent.

Most regions made considerable progress this week, especially in the southwest region where seeding is 34 per cent complete. The southeast region is 24 per cent and the west-central region is 13 per cent complete. The east-central region reports eight per cent, the northwest six per cent complete and the northeast is at one per cent complete.

Most seeded acres are pulse crops, such as field peas and lentils, followed by cereals and oilseed crops that are beginning to make progress. Current seeding progress is as follows:

Pulse crops

- 33 per cent for field peas;
- 32 per cent for lentils; and
- 19 per cent for chickpeas.

Cereal crops

- 29 per cent for durum;
- 23 per cent for triticale;
- 14 per cent for spring wheat and barley;
- Five per cent for canary seed; and
- Three per cent for oats.

Oilseed crops

- Nine per cent for mustard;
- Seven per cent for canola and flax; and
- Two per cent for soybeans

Perennial forages

- 10 per cent.

One year ago

Limited precipitation over the prior week allowed producers to make substantial progress, raising seeding completion to 49 per cent across the province. Although, the warm, dry and windy conditions continued to deplete topsoil moisture across the province. Livestock producers in areas of the province were hopeful for moisture to support water supplies moving into the season.

Follow the 2026 Crop Report
on X @SKAgriculture

Seeding Progress in SK	
Per cent seeded Historical all Crops	
May 11, 2026	16
May 12, 2025	49
May 13, 2024	32
May 8, 2023	9
May 9, 2022	14
May 10, 2021	38
5 year avg. (2020-2024)	28
10 year avg. (2015-2024)	27

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION



Crop Report

For the Period May 5 to May 11, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 02, May 14, 2026

Overall, rainfall was limited throughout the province over the past week. The highest reported rainfall fell in the Francis, Rosthern and Milden areas at eight millimetres (mm) each. The Carrot River area recorded 7 mm and the Arborfield area six mm. A few other areas reported trace to limited rainfall.

Topsoil moisture remains mostly adequate. However, dry and windy conditions are reducing the surplus water, resulting in a growing number of areas reporting a shortage.

Cropland topsoil moisture is:

- 13 per cent surplus;
- 70 per cent adequate;
- 16 per cent short; and
- One per cent very short.

Hayland topsoil moisture is:

- Seven per cent surplus;
- 69 per cent adequate;
- 21 per cent short; and
- Three per cent very short.

Pasture topsoil moisture is:

- Five per cent surplus;
- 63 per cent adequate;
- 29 per cent short; and
- Three per cent very short.

Most producers are not concerned with water quality for their livestock at time. Currently, 75 per cent of producers report no shortage of on-farm surface water supplies for livestock occurring or anticipated, while none indicate severe shortages.

As seeding progresses, drivers are encouraged to watch for farm machinery on highways and roads during this busy season and producers are reminded to take precautions while transporting equipment.

The Farm Stress Line is available to producers, their families and farm employees through the toll-free number, 1-800-667-4442, at any time for confidential, free services from mental health professionals trained in issues facing producers.

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Seeding Progress

from April 1 to May 11, 2026

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Provincial Seeding Progress	
Per cent seeded by crop	
for the period of May 5 to May 11, 2026	
Region	Seeding Complete
South East	24%
South West	34%
East Central	8%
West Central	13%
North East	1%
North West	6%
Provincial	16%

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 5 to May 11, 2026

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	18%	30%	7%	17%	2%	21%	14%
Durum	41%	35%	18%	12%	0%	0%	29%
Oats	11%	9%	1%	2%	0%	2%	3%
Barley	24%	38%	10%	6%	0%	6%	14%
Triticale	0%	41%	0%	2%	0%	0%	23%
Flax	6%	12%	0%	6%	0%	34%	7%
Canola	10%	26%	2%	8%	0%	2%	7%
Mustard	4%	13%	0%	1%	0%	0%	9%
Soybeans	1%	0%	0%	0%	0%	0%	2%
Lentils	33%	40%	19%	14%	2%	16%	32%
Field Peas	54%	45%	16%	31%	2%	28%	33%
Canary Seed	2%	24%	0%	7%	0%	0%	5%
Chickpeas	44%	22%	0%	0%	0%	0%	19%
Perennial Forage	0%	40%	0%	0%	0%	19%	10%

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Producers were able to make considerable seeding progress over the past week. Currently, seeding is 24 per cent complete in the region. This is up 19 per cent from last week but a bit behind the five-year regional average of 27 per cent.

Pulse crops have jumped ahead of cereals and are leading in seeding completion this week. Seeding progress is as follows:

Pulse crops:

- 54 per cent for field peas;
- 44 per cent for chickpeas; and
- 33 per cent for lentils.

Cereal crops:

- 41 per cent for durum;
- 24 per cent for barley;
- 18 per cent for spring wheat
- 11 per cent for oats; and
- Two per cent for canary seed.

Oilseed crops:

- 10 per cent for canola;
- Six per cent for flax;
- Four per cent for mustard; and
- One per cent for soybeans.

Small amounts of precipitation was recorded over the region for the past week. The highest rainfall recorded fell in the Francis area at eight millimetres (mm), followed by the Rocanville, Stockholm and Earl Grey areas at five mm each. Other areas received very small or trace amounts.

Despite the limited rainfall, topsoil moisture conditions remain mostly adequate this week. However, dry and windy conditions are reducing the surplus water, resulting in a growing number of areas reporting a shortage. Some producers have indicated that rain would be welcome.

Southeast Saskatchewan	
Census Division	% seeded (May 11, 2026)
1	25%
2	44%
5	15%
6	13%
Region average	24%

Cropland topsoil moisture is:

- Nine per cent surplus;
- 74 per cent adequate; and
- 17 per cent short.

Hayland topsoil moisture is:

- Five per cent surplus;
- 64 per cent adequate;
- 29 per cent short; and
- Two per cent very short.

Pasture topsoil moisture is:

- Four per cent surplus;
- 65 per cent adequate;
- 26 per cent short; and
- Five per cent very short.

Currently, 84 per cent of producers in the region estimate there are no shortages of on-farm surface water supplies for livestock, with 11 per cent estimating shortages may occur in one to two months depending on future moisture conditions. Five per cent of producers indicated moderate shortages are occurring and 95 per cent of producers are not concerned with water quality for their livestock at this time.

Producers are busy with seeding, pre-seed herbicide spraying for weeds, land rolling and rock picking. Calving is wrapping up and livestock producers are busy checking fences and starting to move cattle out to pasture.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Many producers were able to make rapid seeding progress over the past week. Currently, seeding is 34 per cent complete within the region. This is up 27 per cent from last week but behind the five-year regional average of 45 per cent.

Many producers are making good progress seeding their pulse crops and cereals while some have made notable progress in seeding their oilseed crops and perennial forages. Seeding progress is as follows:

Southwest Saskatchewan	
Census Division	% seeded (May 11, 2026)
3	40%
4	43%
7	23%
8	34%
Region average	34%

Pulse crops:

- 45 per cent for field peas;
- 40 per cent for lentils; and
- 22 per cent for chickpeas.

Cereal crops:

- 41 per cent for triticale;
- 38 per cent for barley;
- 35 per cent for durum;
- 30 per cent for spring wheat;
- 24 per cent for canary seed; and
- Nine per cent for oats.

Oilseed crops:

- 26 per cent for canola;
- 13 per cent for mustard; and
- 12 per cent for flax.

Perennial forages:

- 40 per cent.

Only one mm of precipitation was recorded in the Shaunavon area during the last week. No other rainfall was reported.

Dry conditions in the region have reduced the amount of topsoil moisture reported as adequate and significantly increased the number of areas reporting a shortage. Some producers have indicated it is dry and rain would be welcome.

Cropland topsoil moisture is:

- 62 per cent adequate;
- 33 per cent short; and
- Five per cent very short.

Hayland topsoil moisture is:

- 51 per cent adequate;
- 44 per cent short; and
- Five per cent very short.

Pasture topsoil moisture is:

- 46 per cent adequate;
- 48 per cent short; and
- Six per cent very short.

Currently, 37 per cent of producers in the region estimate there are no shortages of on-farm surface water supplies for livestock, with 44 per cent estimating shortages may occur in one

to two months depending on future moisture conditions. Nineteen per cent of producers are currently indicating moderate shortages are occurring. Currently, 74 per cent of producers are not concerned with water quality for their livestock.

Producers are continuing with seeding, herbicide spraying for weeds, land rolling and rock picking. Livestock producers are busy checking fences, moving cattle out to pasture and branding.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

With runoff waters beginning to recede, some producers were able to make little seeding progress over the past week. Currently, seeding is eight per cent complete within the region, behind the five-year regional average of 17 per cent.

Producers are beginning to make progress seeding their pulse and cereal crops while oilseed crops are lagging behind. Seeding progress is as follows:

East-Central Saskatchewan	
Census Division	% seeded (May 11, 2026)
9	0%
10	1%
11	17%
Region average	8%

Pulse crops:

- 19 per cent for lentils; and
- 16 per cent for field peas.

Cereal crops:

- 18 per cent for durum;
- 10 per cent for barley;
- Seven per cent for spring wheat; and
- One per cent for oats.

Oilseed crops:

- Two per cent for canola.

Precipitation was limited throughout the region over the past week. The highest rainfall recorded fell in the Foam Lake area at four mm. Other areas received very small or trace amounts.

Drier conditions in the region this week have reduced the amount of topsoil moisture reported as surplus and significantly increased the number of areas reporting as adequate. This will be a benefit to allow field operations to progress.

Cropland topsoil moisture is:

- 23 per cent surplus;
- 71 per cent adequate; and
- Six per cent short.

Hayland topsoil moisture is:

- 20 per cent surplus;
- 70 per cent adequate; and
- 10 per cent short.

Pasture topsoil moisture is:

- 16 per cent surplus;
- 73 per cent adequate; and
- 11 per cent short.

Within the region, 91 per cent of producers estimate there are no shortages of on-farm surface water supplies for livestock, with four per cent estimating shortages may occur in one to two months depending on future moisture conditions and four per cent of producers are indicating that moderate shortages are occurring. Currently, 96 per cent of producers are not concerned with water quality for their livestock.

Producers are busy with seeding where possible, pre-seed herbicide spraying for weeds, harrowing, land rolling and rock picking. Some livestock producers are starting to move cattle out to pasture, while others are continuing to feed their cattle until pastures dry.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers were able to make good seeding progress over the past week. Currently, seeding is 13 per cent complete within the region. This is up 12 per cent from last week but behind the five-year regional average of 27 per cent.

Producers are beginning to make good progress seeding their pulse and cereal crops while some have made notable progress in seeding their oilseed crops. Seeding progress is as follows:

West-Central Saskatchewan	
Census Division	% seeded (May 11, 2026)
12	12%
13	13%
Region average	13%

Pulse crops:

- 31 per cent for field peas; and
- 14 per cent for lentils.

Cereal crops:

- 17 per cent for spring wheat;
- 12 per cent for durum;
- Seven per cent for canary seed;
- Six per cent for barley; and
- Two per cent for triticale and oats.

Oilseed crops:

- Eight per cent for canola;
- Six per cent for flax; and
- One per cent for mustard.

Precipitation was limited in the west-central region over the past week. The only recorded rainfall was in the Mildren area at eight mm.

Dry conditions in the region this week have reduced the amount of topsoil moisture reported as adequate and significantly increased the number of areas reporting a shortage. Some producers have indicated it is dry and rain would be welcome.

Cropland topsoil moisture is:

- One per cent surplus;
- 68 per cent adequate;
- 29 per cent short; and
- Two per cent very short.

Hayland topsoil moisture is:

- Two per cent surplus;
- 58 per cent adequate;
- 33 per cent short; and
- Seven per cent very short.

Pasture topsoil moisture is:

- One per cent surplus;
- 58 per cent adequate;
- 37 per cent short; and
- Four per cent very short.

Currently, 40 per cent of producers in the region estimate there are no shortages of on-farm surface water supplies for livestock, with 50 per cent estimating shortages may occur in one to two months depending on future moisture conditions and 10 per cent of producers are indicating that moderate shortages are occurring. Currently, 85 per cent of producers are not concerned with water quality for their livestock.

Producers are continuing with seeding, herbicide spraying for weeds, land rolling and rock picking. Livestock producers are busy finishing calving, checking fences and starting to move cattle out to pasture in some areas.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Most producers were able to make very little seeding progress over the past week due to excessive runoff and wet fields. Currently, seeding is one per cent complete within the region and behind the five-year regional average of 20 per cent.

The only crops that saw any seeding progress in the northeastern region this week were cereals and pulses. Very few oilseed crops have been reported to be seeded. Seeding progress is as follows:

Northeast Saskatchewan	
Census Division	% seeded (May 11, 2026)
14	0%
15	2%
Region average	1%

Cereal crops:

- Two per cent for spring wheat.

Pulse crops:

- Two per cent for field peas and lentils.

Precipitation was limited throughout the region over the past week. The highest rainfall recorded fell in the Rosthern area at eight mm followed by Carrot River area at seven mm and the Arborfield area at six mm. Other areas received very small or trace amounts.

Drier conditions in the region this week have reduced the amount of topsoil moisture reported as surplus and significantly increased the number of areas reporting as adequate. This will be a benefit to allow field operations to progress.

Cropland topsoil moisture is:

- 38 per cent surplus; and
- 62 per cent adequate.

Hayland topsoil moisture is:

- 23 per cent surplus; and
- 77 per cent adequate.

Pasture topsoil moisture is:

- 22 per cent surplus; and
- 78 per cent adequate.

Within the region, 97 per cent of producers estimate there are no shortages of on-farm surface water supplies for livestock, with three per cent estimating shortages may occur in one to two months depending on future moisture conditions. Currently, all that responded indicated that they are not concerned with water quality for their livestock.

Some producers are busy with seeding, pre-seed herbicide spraying for weeds, harrowing, land rolling and rock picking while many are still delayed. Livestock producers are busy finishing calving, checking fences and starting to move cattle out to pasture while others are continuing to feed their cattle until pastures dry.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers were beginning to make seeding progress over the past week. Currently, seeding is six per cent complete within the region and is behind the five-year regional average of 28 per cent.

Producers indicated they were able to advance seeding for their oilseed and pulse crops while some have made notable progress in seeding their cereals and perennial forages crops. Seeding progress is as follows:

Northwest Saskatchewan	
Census Division	% seeded (May 11, 2026)
16	4%
17	7%
Region average	6%

Oilseed crops:

- 34 per cent for flax; and
- Two per cent for canola;

Pulse crops:

- 28 per cent for field peas; and
- 16 per cent for lentils.

Cereal crops:

- 21 per cent for spring wheat;
- Six per cent for barley; and
- Two per cent for oats.

Perennial forages:

- 19 per cent.

Precipitation was limited throughout the region over the past week. The highest rainfall recorded fell in the Canwood area at four mm with other areas receiving very small or trace amounts.

Drier conditions in the region this week has reduced the amount of topsoil moisture reported as surplus and significantly increased the number of areas reporting as adequate. This will be a benefit to allow field operations to progress.

Cropland topsoil moisture is:

- 15 per cent surplus;
- 82 per cent adequate; and
- Three per cent short.

Hayland topsoil moisture is:

- Two per cent surplus;
- 95 per cent adequate; and
- Three per cent short.


Pasture topsoil moisture is:

- Two per cent surplus;
- 93 per cent adequate; and
- Five per cent short.

Within the region, 94 per cent of producers estimate there are no shortages of on-farm surface water supplies for livestock, with six per cent estimating shortages may occur in one to two months depending on future moisture conditions. Currently, 88 per cent of producers are not concerned with water quality for their livestock.


Producers are continuing with seeding, herbicide spraying for weeds, land rolling and rock picking. Some livestock producers are starting to move cattle out to pasture.

Crop Report Regions & Census Divisions



Weekly Rainfall

from May 5 to May 11, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 5 to May 11, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	0	10	8	138	WEBB	0	0	14	366	KELVINGTON	1	3
1	4	COALFIELDS	0	10	8	139	GULL LAKE	0	0	14	367	PONASS LAKE	1	8
1	32	RECIPROCITY	0	4	8	168	RIVERSIDE	0	0	14	394	HUDSON BAY	3	15
1	34	BROWNING	N/A	0	8	228	LACADENA	0	0	14	395	PORCUPINE	N/A	0
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	0	0	14	397	BARRIER VALLEY	0	0
1	95	GOLDEN WEST	3	30	8	231	HAPPYLAND	0	18	14	428	STAR CITY	1	3
1	2A	MOUNT PLEASANT	N/A	0	8	259	SHIPE LAKE	0	0	14	456	ARBORFIELD	6	23
2	10	HAPPY VALLEY	0	8	8	138A	WEBB	N/A	0	14	457	CONNAUGHT	3	15
2	38	LAURIER	0	15	8	228A	LACADENA	0	0	14	486	MOOSE RANGE	7	37
2	66	GRIFFIN	0	0	8	257A	MONET	0	0	14	487	NIPAWIN	N/A	12
2	67	WEYBURN	0	0	8	259A	SHIPE LAKE	0	0	14	488	TORCH RIVER	4	4
2	100	ELMSTHORPE	N/A	17	9	241	CALDER	N/A	0	14	394A	HUDSON BAY	2	14
2	100A	ELMSTHORPE	0	5	9	243	WALLACE	0	0	14	397A	BARRIER VALLEY	1	3
2	38A	LAURIER	N/A	3	9	245	GARRY	0	5	14	488A	TORCH RIVER	0	0
3	73	STONEHENGE	0	3	9	273	SLIDING HILLS	N/A	2	14	488B	TORCH RIVER	N/A	5
3	74	WOOD RIVER	0	3	9	274	GOOD LAKE	1	29	15	369	ST. PETER	0	2
3	75	PINTO CREEK	0	5	9	301	ST. PHILIPS	N/A	0	15	371	BAYNE	0	0
3	76	AUVERGNE	0	5	9	305	INVERMAY	0	0	15	372	GRANT	0	0
3	101	TERRELL	N/A	0	9	331	LIVINGSTON	2	8	15	373	ABERDEEN	0	0
3	102	LAKE JOHNSTON	0	40	9	241A	CALDER	2	6	15	399	LAKE LENORE	1	6
3	106	WHISKA CREEK	0	0	9	245A	GARRY	1	6	15	400	THREE LAKES	1	1
3	74A	KEY WEST	0	0	10	246	ITUNA BON ACCORD	N/A	8	15	402	FISH CREEK	0	1
4	51	RENO	0	16	10	247	KELLROSS	0	0	15	429	FLETT'S SPRINGS	0	7
4	79	ARLINGTON	0	4	10	248	TOUCHWOOD	0	0	15	430	INVERGORDON	0	0
4	110	PIAPOT	0	0	10	277	EMERALD	0	0	15	459	KINISTINO	0	15
4	77A	WISE CREEK	0	2	10	279	MOUNT HOPE	2	2	15	461	PRINCE ALBERT	0	0
4	78A	GRASSY CREEK	1	3	10	307	ELFROS	1	6	15	463	DUCK LAKE	0	0
4	79A	ARLINGTON	0	0	10	309	PRAIRIE ROSE	N/A	0	15	491	BUCKLAND	0	7
5	122	MARTIN	1	11	10	336	SASMAN	0	1	15	520	PADDOCKWOOD	N/A	0
5	124	KINGSLEY	4	26	10	339	LEROY	1	1	15	521	LAKELAND	N/A	0
5	151	ROCANVILLE	5	5	10	246A	ITUNA BON ACCORD	N/A	2	15	371A	BAYNE	2	2
5	155	WOLSELEY	2	2	10	248A	TOUCHWOOD	0	0	15	371B	BAYNE	N/A	0
5	183	FERTILE BELT	5	5	10	276A	FOAM LAKE	4	15	15	399A	LAKE LENORE	N/A	0
5	211	CHURCHBRIDGE	1	1	10	276B	FOAM LAKE	0	3	15	403A	ROSTHERN	1	3
5	213	SALTOCOATS	0	2	10	276C	FOAM LAKE	1	5	15	403C	ROSTHERN	8	8
5	215	STANLEY	0	0	10	276D	FOAM LAKE	0	4	15	461A	PRINCE ALBERT	2	2
5	125A	CHESTERFIELD	0	0	10	277A	EMERALD	N/A	0	15	461B	PRINCE ALBERT	N/A	2
5	154A	ELCAPO	2	2	10	279A	MOUNT HOPE	N/A	0	16	435	REDBERRY	0	10
5	183A	FERTILE BELT	0	0	11	251	BIG ARM	0	0	16	436	DOUGLAS	0	0
5	211A	CHURCHBRIDGE	2	2	11	280	WREFORD	N/A	0	16	437	NORTH BATTLEFORD	1	5
6	127	FRANCIS	8	9	11	283	ROSEDALE	0	0	16	466	MEETING LAKE	1	5
6	128	LAJORD	0	6	11	284	RUDY	N/A	0	16	467	ROUND HILL	1	5
6	130	REDBURN	0	0	11	314	DUNDURN	0	0	16	493	SHELLBROOK	0	5
6	156	INDIAN HEAD	3	3	11	344	CORMAN PARK	0	5	16	494	CANWOOD	4	4
6	160	PENSE	0	0	11	282A	McCRANEY	0	0	16	497	MEDSTEAD	N/A	0
6	186	ABERNETHY	0	0	12	286	MILDEN	8	21	16	437A	NORTH BATTLEFORD	N/A	0
6	190	DUFFERIN	2	2	12	287	ST. ANDREWS	N/A	2	16	467A	ROUND HILL	3	3
6	216	TULLYMET	0	0	12	288	PLEASANT VALLEY	0	0	17	468	MEOTA	N/A	0
6	217	LIPTON	0	0	12	316	HARRIS	0	0	17	470	PAYNTON	0	0
6	221	SARNIA	3	5	12	317	MARRIOTT	N/A	0	17	471	ELDON	0	9
6	127B	FRANCIS	N/A	1	12	345	VANSCOY	0	0	17	498	PARKDALE	N/A	7
6	159A	SHERWOOD	0	0	12	346	PERDUE	0	0	17	499	MERVIN	0	3
6	159B	SHERWOOD	1	1	12	347	BIGGAR	0	0	17	502	BRITANNIA	0	23
6	160A	PENSE	0	0	12	376	EAGLE CREEK	0	0	17	561	LOON LAKE	0	8
6	190A	DUFFERIN	N/A	0	12	377	GLENSIDE	0	4	17	588	MEADOW LAKE	N/A	0
6	190B	DUFFERIN	0	0	12	285A	FERTILE VALLEY	0	1	17	622	BEAVER RIVER	0	28
6	190C	DUFFERIN	3	3	13	290	KINDERSLEY	0	3	17	498A	PARKDALE	0	6
6	216A	TULLYMET	N/A	0	13	292	MILTON	0	1	17	501A	FRENCHMAN BUTTE	0	22
6	217A	LIPTON	N/A	2	13	321	PRAIRIEDALE	0	6	17	501C	FRENCHMAN BUTTE	0	0
6	219A	LONGLAKETON	5	15	13	350	MARIPOSA	0	4	17	561A	LOON LAKE	0	0
6	219B	LONGLAKETON	0	4	13	351	PROGRESS	0	2					
6	220A	McKILLOP	2	2	13	379	REFORD	N/A	7					
7	132	HILLSBOROUGH	0	18	13	382	EYE HILL	0	4					
7	136	COULEE	0	0	13	440	HILLSDALE	0	10					
7	161	MOOSE JAW	0	6	13	442	MANITOU LAKE	0	11					
7	162	CARON	0	0	13	292A	MILTON	0	0					
7	165	MORSE	0	0	13	320A	OAKDALE	0	4					
7	193	EYEBROW	0	0	13	321A	PRAIRIEDALE	0	20					
7	223	HURON	0	0	13	409A	BUFFALO	0	0					
7	132A	HILLSBOROUGH	N/A	2										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	0	6										
7	162A	CARON	N/A	3										
7	222A	CRAIK	0	3										
7	223A	HURON	0	0										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to May 11, 2026



Cropland Topsoil Moisture Conditions


from May 5 to May 11, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 5 to May 11, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions

from May 5 to May 11, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Topsoil Moisture Conditions-for the period of May 5th to May 11th, 2026


Cropland				
Region	Surplus	Adequate	Short	Very Short
South East	9%	74%	17%	0%
South West	0%	62%	33%	5%
East Central	23%	71%	6%	0%
West Central	1%	68%	29%	2%
North East	38%	62%	0%	0%
North West	15%	82%	3%	0%
Provincial Average	13%	70%	16%	1%

Hayland				
Region	Surplus	Adequate	Short	Very Short
South East	5%	64%	29%	2%
South West	0%	51%	44%	5%
East Central	20%	70%	10%	0%
West Central	2%	58%	33%	7%
North East	23%	77%	0%	0%
North West	2%	95%	3%	0%
Provincial Average	7%	69%	21%	3%

Pasture				
Region	Surplus	Adequate	Short	Very Short
South East	4%	65%	26%	5%
South West	0%	46%	48%	6%
East Central	16%	73%	11%	0%
West Central	1%	58%	37%	4%
North East	22%	78%	0%	0%
North West	2%	93%	5%	0%
Provincial Average	5%	63%	29%	3%

Minimum Temperature


from May 5 to May 11, 2026




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from May 5 to May 11, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83



Data Sources: Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada. Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada IDW interpolation (power 3.5, fixed radius 300 km) Geomatics Services, Ministry of Agriculture		May 13, 2026
---	--	--------------