

Crop Report

For the Period May 12 to May 18, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 03, May 21, 2026

A weather system moved through the province this week, bringing strong winds and periods of mixed precipitation. Multiple areas reported rainfall, while others experienced snow and flurries, that considerably slowed down seeding progress. Currently, seeding is 29 per cent complete in Saskatchewan, an increase of 13 per cent from last week and below the five-year average of 55 per cent and the 10-year average of 52 per cent.

Despite weather delays, seeding progressed in all regions this week. The southwest region is most advanced at 55 per cent, followed by the southeast at 41 per cent, the west-central region at 30 per cent and the northwest region at 16 per cent. The east-central region reports 11 per cent complete and the northeast region is at three per cent.

Seeding progress is most advanced for pulse crops, including lentils and field peas, while cereals and oilseed crops continue to make steady gains in seeded acreage.

Cereal crops

- 49 per cent for durum;
- 34 per cent for triticale;
- 27 per cent for barley;
- 25 per cent for spring wheat;
- 15 per cent for canary seed; and
- 11 per cent for oats.

Pulse crops

- 53 per cent for field peas and lentils; and
- 40 per cent for chickpeas.

Oilseed crops

- 30 per cent for mustard;
- 21 per cent for flax; and
- 15 per cent canola.

Perennial forages

- 15 per cent.

One year ago

Seeding in Saskatchewan was nearly three-quarters complete with 72 per cent of crops planted, which was an increase of 23 per cent from the previous week. This increase was smaller than the week before, which was largely due to rain delays in parts of the southern and eastern regions of the province. Seeding progress remained notably higher than the five-year average of 60 per cent and 10-year average of 64 per cent

Follow the 2026 Crop Report on
X @SKAgriculture

Seeding Progress in SK

Per cent seeded Historical all Crops

May 18, 2026	29
May 19, 2025	72
May 20, 2024	56
May 22, 2023	68
May 23, 2022	52
May 24, 2021	86
5 year avg. (2021-2025)	55
10 year avg. (2015-2025)	52

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 12 to May 18, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 03, May 21, 2026

Considerable rainfall was recorded in several parts of the province. The highest reported rainfall was in the Dundurn area at 83 millimetres (mm), followed by the North Battleford area at around 82 mm and the Big Arm area at 68 mm.

Widespread precipitation increased topsoil moisture recharge across the province. This improvement is expected to benefit crop development, as well as hay and pasture conditions. Topsoil moisture conditions across the province were reported as follows.

Cropland topsoil moisture is:

- 27 per cent surplus;
- 67 per cent adequate;
- Five per cent short; and
- One per cent very short.

Hayland topsoil moisture is:

- 19 per cent surplus;
- 72 per cent adequate; and
- Nine per cent short.

Pasture topsoil moisture is:

- 14 per cent surplus;
- 73 per cent adequate;
- 11 per cent short; and
- Two per cent very short.

As the busy seeding season continues, farmers are monitoring early seeded crops as they emerge, particularly after the low temperatures and frost last week. Many producers are gradually applying pre-seed herbicides when the weather permits to manage weeds and are also completing operations such as harrowing, land rolling, and rock picking. Livestock producers are checking fences and beginning to move cattle to pasture. Pastures are starting to green up, benefiting significantly from the recent precipitation received across the province.

As seeding progresses across the province, motorists are encouraged to remain alert for farm machinery on roadways during this busy period. Producers are also reminded to use caution when transporting equipment and to follow all safety protocols.

The Ministry of Agriculture, in partnership with Sask Ag Matters, reminds producers of the Farm Stress Line. Producers, their families and farm workers can call toll-free at 1-800-667-4442 at any time for confidential support from mental health professionals familiar with the challenges of agriculture.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Seeding Progress

from April 1 to May 18, 2026

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 12 to May 18, 2026

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	40.39%	39.37%	10.66%	37.17%	3.98%	24.43%	24.56%
Durum	67.65%	51.08%	32.93%	30.87%	0.00%	25.00%	48.67%
Oats	31.64%	19.43%	2.09%	9.20%	1.22%	10.39%	10.79%
Barley	46.27%	53.43%	17.22%	19.78%	3.20%	20.78%	26.98%
Triticale	0.00%	48.68%	0.10%	2.43%	7.50%	0.00%	33.86%
Flax	20.62%	33.49%	6.04%	8.96%	6.62%	67.96%	21.36%
Canola	25.82%	45.13%	2.77%	18.39%	0.27%	7.12%	14.73%
Mustard	16.45%	48.99%	2.16%	4.47%	0.00%	0.00%	30.44%
Soybeans	65.23%	0.00%	0.00%	0.00%	0.00%	0.00%	8.83%
Lentils	54.82%	60.50%	28.06%	50.06%	12.86%	17.42%	52.93%
Field Peas	77.64%	68.99%	22.95%	57.45%	12.71%	46.72%	53.33%
Canary Seed	25.47%	15.39%	0.00%	7.50%	0.00%	0.00%	15.04%
Chickpeas	49.57%	49.80%	0.00%	6.10%	18.75%	0.00%	39.65%
Perennial Forage	11.74%	41.13%	0.00%	2.51%	1.67%	31.12%	14.78%

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Despite wind, rain and some snow, growers in this region recorded slight progress in seeding over the past week with 41 per cent complete within the region. This is up 20 per cent from last week and slightly behind the five-year regional average of 47 per cent.

Pulse crops are reported to be at the forefront of seeding completion this week.

Seeding progress is as follows:

Cereal crops:

- 68 per cent for durum;
- 46 per cent for barley;
- 40 per cent for spring wheat;
- 32 per cent for oats; and
- 25 per cent for canary seed.

Oilseed crops:

- 26 per cent for canola;
- 21 per cent for flax; and
- 16 per cent for mustard.

Pulse crops:

- 78 per cent for field peas;
- 65 per cent for soybeans;
- 55 per cent for lentils; and
- 50 per cent chickpeas.

Perennial Forage

- 12 per cent.

Over the past week, the region experienced strong winds and heavy rain. The most rainfall occurred in Sarnia and Long Laketon, with 55 millimetres (mm) and 54 mm, respectively. Additionally, Dufferin, McKillop and Indian Head recorded 47 mm, 45 mm and 44 mm of rain.

The precipitation recharged topsoil moisture, with most reporters indicating conditions are now adequate.

Southeast Saskatchewan	
Census Division	% seeded (May 18, 2026)
1	48%
2	70%
5	22%
6	28%
Region average	41%

Cropland topsoil moisture is:

- 22 per cent surplus;
- 74 per cent adequate; and
- Four per cent short.

Hayland topsoil moisture is:

- 13 per cent surplus;
- 71 per cent adequate; and
- 16 per cent short.

Pasture topsoil moisture is:

- 12 per cent surplus;
- 67 per cent adequate; and
- 21 per cent short.

Producers remain busy with seeding, pre-seed herbicide applications, land rolling and rock picking. Calving is nearing completion, with livestock producers checking fences and starting to move cattle out to pasture.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Producers recorded some seeding progress over the past week despite challenging weather conditions. Currently, seeding is 55 per cent complete across the region. This is up 21 per cent from last week and behind the five-year regional average of 68 per cent.

Many producers are making good progress seeding their cereal and pulse crops while some have made notable progress in seeding their oilseed crops.

Seeding progress is as follows:

Cereal crops:

- 53 per cent for barley;
- 51 per cent for durum;
- 49 per cent for triticale;
- 39 per cent for spring wheat;
- 19 per cent for oats; and
- 15 per cent for canary seed.

Southwest Saskatchewan	
Census Division	% seeded (May 18, 2026)
3	63%
4	74%
7	37%
8	53%
Region average	55%

Pulse crops:

- 69 per cent for field peas;
- 61 per cent for lentils; and
- 50 per cent for chickpeas.

Oilseed crops:

- 49 per cent for mustard;
- 45 per cent for canola; and
- 33 per cent for flax.

Perennial forages:

- 41 per cent.

Over the past week, the region experienced considerable rainfall. The Eyebrow area received the most at 57 millimeters (mm), with Huron close behind at 55 mm. Both Caron and Hillsborough recorded 49 mm.

As a result of the significant rainfall recorded, the topsoil moisture conditions in this region are mostly adequate.

Cropland topsoil moisture is:

- Two per cent surplus;
- 82 per cent adequate;
- 15 per cent short; and
- One per cent very short.

Hayland topsoil moisture is:

- One per cent surplus;
- 79 per cent adequate;
- 19 per cent short; and
- One per cent very short.

Pasture topsoil moisture is:

- One per cent surplus;
- 75 per cent adequate;
- 20 per cent short; and
- Four per cent very short.

Producers are continuing with seeding, applying weed herbicide, land rolling and rock picking. Meanwhile, livestock producers are inspecting fences, moving cattle to pasture and have started branding in the region.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

With windy conditions and precipitation reported in the region last week, seeding increased only slightly from last week's report. Seeding is currently at 11 per cent complete within the region. This is up three per cent from last week and below the five-year regional average of 42 per cent.

As weather permitted, producers made good progress seeding their cereal and pulse crops, with some also starting seeding with oilseed crops.

East-Central Saskatchewan	
Census Division	% seeded (May 18, 2026)
9	1%
10	5%
11	22%
Region average	11%

The seeding progress was reported as follows:

Cereal crops:

- 33 per cent for durum;
- 17 per cent for barley;
- 11 per cent for spring wheat; and
- Two per cent for oats.

Pulse crops:

- 28 per cent for lentils; and
- 23 per cent for field peas.

Oilseed crops:

- Six per cent for flax;
- Three per cent for canola; and
- Two per cent for mustard.

Precipitation was scattered, with windy conditions dominating the region over the past week. The highest rainfall was recorded in the Dundurn area at 83 millimetres (mm), followed by the Big Arm area with 67 mm, and the Foam Lake area with 55 mm.

The heavy rainfall significantly improved topsoil moisture conditions, which are now considered mostly surplus and adequate.

Cropland topsoil moisture is:

- 45 per cent surplus;
- 54 per cent adequate; and
- One per cent short.

Hayland topsoil moisture is:

- 44 per cent surplus;
- 54 per cent adequate; and
- Two per cent short.

Pasture topsoil moisture is:

- 42 per cent surplus;
- 56 per cent adequate; and
- Two per cent short.

Producers are occupied with seeding, applying pre-seed herbicides for weed control, harrowing, land rolling and rock picking. Some livestock producers are beginning to move cattle to pasture, while others continue feeding their cattle to give the pastures time to grow.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers made substantial seeding progress over the past week despite strong winds, rainfall and hail reported in this region. Currently, seeding is 30 per cent complete. This is up 17 per cent from last week and behind the five-year regional average of 63 per cent.

Many producers are making good progress seeding their cereal and pulse crops, while some have made notable progress in seeding their oilseed crops.

West-Central Saskatchewan	
Census Division	% seeded (May 18, 2026)
12	29%
13	32%
Region average	30%

Seeding progress is as follows:

Cereal crops:

- 37 per cent for spring wheat;
- 31 per cent for durum;
- 20 per cent for barley;
- Nine per cent for oats;
- Eight per cent for canary seed; and
- Two per cent for triticale.

Pulse crops:

- 57 per cent for field peas;
- 50 per cent for lentils; and
- Six per cent for chickpeas.

Oilseed crops:

- 18 per cent for canola;
- Nine per cent for flax; and
- Four per cent for mustard.

Perennial forages:

- Three per cent.

Significant rainfall was reported in this region over the past week, with many areas receiving notable amounts. The highest recorded rainfall occurred in the Mildren area, at 62 millimetres (mm). The Buffalo area reported 56 mm, followed by the Perdue area with 53 mm. The areas surrounding Biggar, Glenside and Reford recorded 50 mm of rainfall.

The reported rainfall in this region significantly enhanced the topsoil moisture conditions.

Cropland topsoil moisture is:

- Four per cent surplus;
- 86 per cent adequate;
- Eight per cent short; and
- Two per cent very short.

Hayland topsoil moisture is:

- Three per cent surplus;
- 87 per cent adequate;
- Nine per cent short; and
- One per cent very short.

Pasture topsoil moisture is:

- Three per cent surplus;
- 87 per cent adequate;
- Nine per cent short; and
- One per cent very short.

Producers are still seeding, spraying weeds with herbicide as the weather permits, rolling land and picking up rocks. Livestock farmers are busy finishing calving, checking fences and beginning to move cattle to pasture in certain areas.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Producers reported minimal progress in seeding over the past week, as widespread rain and some snow left fields wet. Currently, seeding is three per cent complete across the region. This is up two per cent from last week and remains behind the five-year regional average of 46 per cent.

Seeding progress was limited by weather conditions and is as follows:

Northeast Saskatchewan	
Census Division	% seeded (May 18, 2026)
14	0%
15	5%
Region average	3%

Cereal crops:

- Eight per cent for triticale;
- Three per cent for barley;
- Four per cent for spring wheat; and
- One per cent for oats.

Pulse crops:

- 19 per cent for chickpeas; and
- 13 per cent for field peas and field peas.

Oilseed crops:

- Seven per cent for flax.

Perennial forages:

- Two per cent.

Scattered precipitation was reported across the region over the past week, with some areas receiving significant amounts, accompanied by strong winds and some spring snowfall. The highest precipitation was recorded in Bayne at 51 mm, followed by Aberdeen at 50 mm, and then the Grant area which recorded 47 mm of rainfall.

Given the recorded precipitation in this region, topsoil moisture conditions are mostly surplus and adequate.

Cropland topsoil moisture is:

- 55 per cent surplus;
- 45 per cent adequate.

Hayland topsoil moisture is:

- 36 per cent surplus;
- 63 per cent adequate; and
- One per cent short.

Pasture topsoil moisture is:

- 35 per cent surplus;
- 64 per cent adequate; and
- One per cent short;

Producers are busy seeding, applying pre-seed herbicide, harrowing, land rolling and picking rocks. Livestock producers are finishing calving, checking fences and beginning to move cattle to pasture in some areas.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland, and St. Walburg areas

Despite strong winds and saturated fields from recent rainfall, producers still made some seeding progress this past week. Currently, seeding is 16 per cent complete within the region. This is up 10 per cent from last week and behind the five-year regional average of 62 per cent.

Many producers are making good progress seeding their cereal and pulse crops, while some have started seeding their oilseed crops.

Northwest Saskatchewan	
Census Division	% seeded (May 18, 2026)
16	16%
17	15%
Region average	16%

Seeding progress is as follows:

Cereal crops:

- 25 per cent for durum;
- 24 per cent for spring wheat;
- 21 per cent for barley; and
- 10 per cent for oats.

Pulse crops:

- 47 per cent for field peas; and
- 17 per cent for lentils.

Oilseed crops:

- 68 per cent for flax; and
- Seven per cent for canola.

Perennial forages:

- 31 per cent.

Over the past week, the region experienced precipitation along with strong winds. The North Battleford area received the highest rainfall at 85 millimetres (mm), while Loon Lake and Meota recorded 57 mm and 50 mm, respectively.

The recorded precipitation replenished topsoil moisture, which is now mostly surplus and adequate.

Cropland topsoil moisture is:

- 37 per cent surplus; and
- 63 per cent adequate.

Hayland topsoil moisture is:


- 16 per cent surplus; and
- 84 per cent adequate.

Pasture topsoil moisture is:

- 16 per cent surplus; and
- 84 per cent adequate.


Producers continue with seeding, pre-seed herbicide application, harrowing, land rolling and rock picking. Livestock producers are wrapping up calving, inspecting fences and starting to move cattle to pasture in some areas.

Crop Report Regions & Census Divisions



Weekly Rainfall

from May 12 to May 18, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 12 to May 18, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	28	38	8	138	WEBB	43	43	14	366	KELVINGTON	N/A	4
1	4	COALFIELDS	26	36	8	139	GULL LAKE	28	28	14	367	PONASS LAKE	12	21
1	32	RECIPROCITY	9	13	8	168	RIVERSIDE	35	35	14	394	HUDSON BAY	16	31
1	34	BROWNING	25	25	8	228	LACADENA	47	47	14	395	PORCUPINE	0	0
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	25	25	14	397	BARRIER VALLEY	38	38
1	95	GOLDEN WEST	18	51	8	231	HAPPYLAND	18	36	14	428	STAR CITY	31	35
1	2A	MOUNT PLEASANT	25	25	8	259	SNIPER LAKE	35	35	14	456	ARBORFIELD	25	48
2	10	HAPPY VALLEY	N/A	8	8	138A	WEBB	35	35	14	457	CONNAUGHT	18	35
2	38	LAURIER	22	37	8	228A	LACADENA	46	46	14	486	MOOSE RANGE	26	63
2	66	GRIFFIN	19	19	8	257A	MONET	36	36	14	487	NIPAWIN	10	22
2	67	WEYBURN	15	15	8	259A	SNIPER LAKE	40	40	14	488	TORCH RIVER	6	10
2	70	KEY WEST	12	12	9	241	CALDER	20	20	14	394A	HUDSON BAY	N/A	16
2	100	ELMSTHORPE	20	37	9	243	WALLACE	0	0	14	397A	BARRIER VALLEY	N/A	4
2	100A	ELMSTHORPE	12	17	9	245	GARRY	21	26	14	488A	TORCH RIVER	N/A	0
2	38A	LAURIER	14	17	9	273	SLIDING HILLS	7	9	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	25	28	9	274	GOOD LAKE	1	31	15	369	ST. PETER	41	43
3	74	WOOD RIVER	33	36	9	301	ST. PHILIPS	8	8	15	371	BAYNE	47	47
3	75	PINTO CREEK	27	32	9	305	INVERMAY	18	18	15	372	GRANT	47	47
3	76	AUVERGNE	24	29	9	331	LIVINGSTON	20	30	15	373	ABERDEEN	50	50
3	101	TERRELL	N/A	0	9	241A	CALDER	N/A	8	15	399	LAKE LENORE	35	41
3	102	LAKE JOHNSTON	19	59	9	245A	GARRY	N/A	7	15	400	THREE LAKES	34	36
3	106	WHISKA CREEK	31	31	10	246	ITUNA BON ACCORD	1	9	15	402	FISH CREEK	16	17
3	74A	KEY WEST	20	20	10	247	KELLROSS	N/A	0	15	429	FLETT'S SPRINGS	22	29
4	51	RENO	20	35	10	248	TOUCHWOOD	29	29	15	430	INVERGORDON	4	4
4	79	ARLINGTON	14	18	10	277	EMERALD	N/A	0	15	459	KINISTINO	38	53
4	110	PIAPOT	25	25	10	279	MOUNT HOPE	50	52	15	461	PRINCE ALBERT	18	18
4	77A	WISE CREEK	32	34	10	307	ELFROS	36	42	15	463	DUCK LAKE	18	18
4	78A	GRASSY CREEK	N/A	3	10	309	PRAIRIE ROSE	35	35	15	491	BUCKLAND	1	8
4	79A	ARLINGTON	33	33	10	336	SASMAN	18	19	15	520	PADDOCKWOOD	N/A	0
5	122	MARTIN	22	34	10	339	LEROY	11	12	15	521	LAKELAND	N/A	0
5	124	KINGSLEY	15	45	10	246A	ITUNA BON ACCORD	10	12	15	371A	BAYNE	40	43
5	151	ROCANVILLE	29	34	10	248A	TOUCHWOOD	40	40	15	371B	BAYNE	51	51
5	155	WOLSELEY	5	9	10	276A	FOAM LAKE	55	70	15	399A	LAKE LENORE	16	16
5	181	LANGENBURG	10	10	10	276B	FOAM LAKE	4	7	15	403A	ROSTHERN	42	46
5	183	FERTILE BELT	15	20	10	276C	FOAM LAKE	3	9	15	403C	ROSTHERN	48	56
5	211	CHURCHBRIDGE	21	22	10	276D	FOAM LAKE	35	40	15	461A	PRINCE ALBERT	14	18
5	213	SALTCOATS	12	14	10	277A	EMERALD	29	29	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	26	26	10	279A	MOUNT HOPE	N/A	0	16	435	REDBERRY	42	52
5	125A	CHESTERFIELD	16	16	11	251	BIG ARM	68	68	16	436	DOUGLAS	32	32
5	154A	ELCAPO	N/A	2	11	280	WREFORD	N/A	0	16	437	NORTH BATTLEFORD	82	87
5	183A	FERTILE BELT	30	30	11	283	ROSEDALE	52	52	16	466	MEETING LAKE	29	35
5	211A	CHURCHBRIDGE	20	24	11	284	RUDY	N/A	0	16	467	ROUND HILL	26	32
6	127	FRANCIS	30	47	11	314	DUNDURN	83	83	16	493	SHELLBROOK	19	24
6	128	LAJORD	15	21	11	344	CORMAN PARK	28	33	16	494	CANWOOD	25	29
6	130	REDBURN	13	13	11	282A	McCRANEY	N/A	0	16	497	MEDSTEAD	N/A	0
6	156	INDIAN HEAD	44	50	12	286	MILDEN	62	83	16	437A	NORTH BATTLEFORD	75	75
6	160	PENSE	18	18	12	287	ST. ANDREWS	39	41	16	467A	ROUND HILL	40	42
6	186	ABERNETHY	26	26	12	288	PLEASANT VALLEY	40	40	17	468	MEOTA	50	50
6	190	DUFFERIN	26	28	12	316	HARRIS	30	30	17	470	PAYNTON	2	2
6	216	TULLYMET	N/A	0	12	317	MARRIOTT	43	43	17	471	ELDON	43	52
6	217	LIPTON	18	18	12	345	VANSCOY	32	32	17	498	PARKDALE	39	46
6	219	LONGLAKETON	51	51	12	346	PERDUE	53	53	17	499	MERVIN	35	38
6	221	SARNIA	55	62	12	347	BIGGAR	50	50	17	502	BRITANNIA	29	52
6	127B	FRANCIS	28	41	12	376	EAGLE CREEK	41	41	17	561	LOON LAKE	40	48
6	159A	SHERWOOD	17	17	12	377	GLENSIDE	50	54	17	588	MEADOW LAKE	43	93
6	159B	SHERWOOD	16	18	12	285A	FERTILE VALLEY	49	50	17	622	BEAVER RIVER	N/A	28
6	160A	PENSE	20	20	13	290	KINDERSLEY	35	38	17	498A	PARKDALE	40	46
6	190A	DUFFERIN	N/A	0	13	292	MILTON	29	30	17	501A	FRENCHMAN BUTTE	29	51
6	190B	DUFFERIN	47	47	13	321	PRAIRIEDALE	13	19	17	501C	FRENCHMAN BUTTE	37	37
6	190C	DUFFERIN	39	42	13	350	MARIPOSA	26	30	17	561A	LOON LAKE	57	57
6	216A	TULLYMET	N/A	0	13	351	PROGRESS	33	35					
6	217A	LIPTON	N/A	2	13	379	REFORD	50	57					
6	219A	LONGLAKETON	43	63	13	382	EYE HILL	20	24					
6	219B	LONGLAKETON	25	29	13	440	HILLSDALE	36	46					
6	220A	McKILLOP	45	47	13	442	MANITOU LAKE	36	47					
7	132	HILLSBOROUGH	49	67	13	292A	MILTON	13	13					
7	136	COULEE	20	20	13	320A	OAKDALE	13	17					
7	161	MOOSE JAW	19	25	13	321A	PRAIRIEDALE	15	35					
7	162	CARON	49	49	13	409A	BUFFALO	56	56					
7	165	MORSE	N/A	0										
7	193	EYEBROW	57	57										
7	223	HURON	55	55										
7	132A	HILLSBOROUGH	N/A	2										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	32	38										
7	162A	CARON	30	33										
7	222A	CRAIK	28	31										
7	223A	HURON	48	48										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to May 18, 2026



Cropland Topsoil Moisture Conditions


from May 12 to May 18, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 12 to May 18, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions

from May 12 to May 18, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Topsoil Moisture Conditions-for the period of May 5th to May 11th, 2026


Cropland				
Region	Surplus	Adequate	Short	Very Short
South East	9%	74%	17%	0%
South West	0%	62%	33%	5%
East Central	23%	71%	6%	0%
West Central	1%	68%	29%	2%
North East	38%	62%	0%	0%
North West	15%	82%	3%	0%
Provincial Average	13%	70%	16%	1%

Hayland				
Region	Surplus	Adequate	Short	Very Short
South East	5%	64%	29%	2%
South West	0%	51%	44%	5%
East Central	20%	70%	10%	0%
West Central	2%	58%	33%	7%
North East	23%	77%	0%	0%
North West	2%	95%	3%	0%
Provincial Average	7%	69%	21%	3%

Pasture				
Region	Surplus	Adequate	Short	Very Short
South East	4%	65%	26%	5%
South West	0%	46%	48%	6%
East Central	16%	73%	11%	0%
West Central	1%	58%	37%	4%
North East	22%	78%	0%	0%
North West	2%	93%	5%	0%
Provincial Average	5%	63%	29%	3%

Minimum Temperature

from May 12 to May 18, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000
0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
IDW interpolation (power 3.5, fixed radius 300 km)
Geomatics Services, Ministry of Agriculture

May 20, 2026

Maximum Temperature

from May 12 to May 18, 2026

