

Crop Report

For the Period May 19 to May 25, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 04, May 28, 2026

Producers made significant seeding progress this week, thanks to favourable weather conditions in most of the province. Seeding progress reached 52 per cent, which continues to be behind both the five-year average of 74 per cent and the 10-year average of 77 per cent.

Regionally, the southwest continues to lead seeding progress at 74 per cent complete due to early field access and generally drier conditions. The west-central region is close behind at 69 per cent. Progress in the southeast region reached 61 per cent, and the northwest region reached 55 per cent, with producers continuing to make gains as field conditions improve.

The east-central region is 26 per cent seeded, and the northeast region is just behind at 25 per cent complete. While these regions experienced comparatively slower progress due to less favourable field conditions, seeding activity continues to advance as opportunities allow.

Pulse crops, including lentils and field peas, remain the most advanced in seeding progress, while cereals and oilseed crops continue to expand steadily, contributing to a consistent increase in overall seeded acreage.

Cereal crops

- 74 per cent for durum;
- 52 per cent for spring wheat;
- 50 per cent for barley;
- 45 per cent for triticale;
- 36 per cent for canary seed; and
- 26 per cent for oats.

Pulse crops

- 77 per cent for field peas;
- 76 per cent lentils; and
- 55 per cent for chickpeas.

One year ago

Producers made significant progress again this week, with seeding now 88 per cent complete in Saskatchewan. This is ahead of the five-year average of 82 per cent and the 10-year average of 85 per cent. Topsoil moisture is showing some slight decline due to warm, windy conditions.

Follow the 2026 Crop Report on Twitter @SKAgriculture

Seeding Progress in SK

Per cent seeded Historical all Crops	
May 25, 2026	52
May 26, 2025	88
May 27, 2024	77
May 29, 2023	89
May 30, 2022	76
May 24, 2021	86
5 year avg. (2021-2025)	74
10 year avg. (2015-2025)	77

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 19 to May 25, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 04, May 28, 2026

Oilseed crops

- 56 per cent for mustard;
- 38 per cent canola; and
- 34 per cent for flax.

Perennial forages

- 23 per cent.

Rainfall varied across the province this past week, with the highest amount reported in the Martin area at 60 millimetres (mm). The Craik area received 59 mm, the Fertile Belt area received 45 mm, while the Stanley and Abernethy areas received 40 mm, respectively.

Overall, topsoil moisture levels remained relatively stable, despite some areas receiving precipitation alongside high temperatures and windy conditions.

Cropland topsoil moisture is:

- 19 per cent surplus;
- 70 per cent adequate; and
- 11 per cent short.

Hayland topsoil moisture is:

- 14 per cent surplus;
- 70 per cent adequate; and
- 16 per cent short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 68 per cent adequate;
- 20 per cent short; and
- 3 per cent very short.

Crop development varies due to localized weather, leading to differences in temperature and moisture. Currently, fall cereals are at 58 per cent of normal development, with one per cent ahead and 41 per cent behind in development. Spring cereals are 37 per cent normal, 63 per cent behind. Pulse crops are 45 per cent normal and 55 per cent behind. Oilseeds are at 27 per cent of their normal stage of development and 73 per cent behind. Perennial forage is 50 per cent at normal development, with two per cent ahead and 48 per cent behind. Annual forage is at 39 per cent normal development, with two per cent ahead and 59 per cent behind.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 19 to May 25, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 04, May 28, 2026

Crop development remains generally behind across all categories, with minimal acres ahead of normal. Oilseeds and spring-seeded crops are showing the greatest delays, while fall cereals and perennial forage are closer to expected stages.

Crop damage across the province was generally minor. Some producers reported localized damage caused by flooding, wind, frost and gophers. In addition, dry conditions and periods of heat contributed to minor crop stress in certain areas. Insect activity was observed, with some producers implementing control measures where populations warranted intervention.

If weather conditions remain favourable, most producers anticipate that seeding will progress rapidly next week. In addition to seeding, producers are busy moving cattle to pasture, applying herbicides and land-rolling.

As producers continue with seeding and field operations, they are encouraged to prioritize safety in all activities. The Farm Stress Line is available to provide confidential support for producers toll-free at 1-800-667-4442.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Seeding Progress

from April 1 to May 25, 2026

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 19 to May 25, 2026

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	65%	69%	30%	68%	29%	79%	52%
Durum	84%	79%	20%	57%	2%	33%	74%
Oats	53%	46%	8%	23%	17%	32%	26%
Barley	68%	81%	30%	54%	31%	48%	50%
Triticale	39%	58%	0%	4%	9%	50%	45%
Flax	54%	44%	15%	35%	19%	92%	34%
Canola	52%	62%	17%	59%	15%	42%	38%
Mustard	66%	64%	14%	34%	0%	33%	56%
Soybeans	67%	4%	0%	0%	0%	33%	39%
Lentils	79%	82%	44%	84%	30%	77%	76%
Field Peas	89%	89%	55%	88%	40%	84%	77%
Canary Seed	56%	41%	0%	30%	4%	33%	36%
Chickpeas	63%	70%	0%	31%	14%	50%	55%
Perennial Forage	23%	47%	0%	8%	26%	34%	23%

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

With improved weather conditions over the past week, seeding progress has advanced significantly across the southeastern region. Overall progress is now reported at 61 per cent complete, which is an increase of 20 per cent from the previous week. Despite this notable gain, seeding progress remains below the five-year average of 68 per cent, indicating that producers are still behind the typical seeding season.

Seeding progress is as follows:

Southeast Saskatchewan	
Census Division	% seeded (May 25, 2026)
1	80%
2	89%
5	34%
6	47%
Region average	61%

Cereal crops:

- 84 per cent for durum;
- 68 per cent for barley;
- 65 per cent for spring wheat;
- 56 per cent for canary seed;
- 53 per cent for oats; and
- 29 per cent for triticale.

Oilseed crops:

- 66 per cent for mustard;
- 54 per cent for flax; and
- 52 per cent for canola.

Pulse crops:

- 89 per cent for field peas;
- 79 per cent for lentils;
- 67 per cent for soybeans; and
- 63 per cent chickpeas.

Perennial Forage

- 23 per cent.

Rainfall was significant this week, with high amounts scattered across the region. The Martin area reported 60 millimetres (mm), followed by the Fertile Belt area at 45 mm and the Stanley and Abernethy areas both received 40 mm of rainfall. Many other areas throughout the region also received some rainfall. Producers are hopeful for a widespread rain event following seeding completion to support crop development.

As a result of the significant rainfall recorded, the topsoil moisture conditions in this region are mostly adequate.

Cropland topsoil moisture is:

- 18 per cent surplus;
- 72 per cent adequate;
- 9 per cent short; and,
- 1 per cent very short.

Hayland topsoil moisture is:

- 10 per cent surplus;
- 69 per cent adequate;
- 18 per cent short; and,
- 3 per cent very short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 65 per cent adequate;
- 23 per cent short; and,
- 4 per cent very short.

Most producers are reporting normal crop development in the southeast. Fall cereals are currently rated at 70 per cent normal for this time of year, with 30 per cent behind. Spring cereals are estimated to be 51 per cent normal and 49 per cent behind. Pulse crops are rated at 56 per cent normal and 44 per cent behind. Oilseeds are at 40 per cent normal and 60 per cent behind. Perennial forage is 67 per cent normal, with three per cent ahead and 30 per cent behind. Annual forage is indicated at 61 per cent normal, while one per cent is ahead and 38 per cent is behind.

Some producers in the southeast region are reporting minor damage from flooding, wind and frost. Reports of flea beetle and gopher activity were noted this week, with some producers taking control measures.

As the week progresses, producers will focus on completing seeding operations, while also moving into post-seeding activities such as land rolling. In addition, in-crop herbicide applications are expected to begin on earlier-seeded fields as crop emergence advances and conditions permit.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Producers in the southwest region report that seeding is 74 per cent complete, which is an increase of 20 per cent from last week's report. Despite this improvement, seeding progress remains behind the five-year average of 83 per cent.

Seeding progress is as follows:

Cereal crops:

- 79 per cent for durum;
- 81 per cent for barley;
- 69 per cent for spring wheat;
- 58 per cent for triticale;
- 46 per cent for oats; and
- 41 per cent for canary seed.

Oilseed crops:

- 64 per cent for mustard;
- 62 per cent for canola; and
- 44 per cent for flax.

Pulse crops:

- 89 per cent for field peas;
- 4 per cent for soybeans;
- 82 per cent for lentils; and
- 70 per cent chickpeas.

Perennial Forage

- 47 per cent.

Some rainfall was reported in this region over the past week, with the highest amount recorded in the Craik area at 59 millimetres (mm). The Huron area received 26 mm of rainfall, and the Eyebrow area reported about 20 mm. Producers are hoping for more rainfall over the coming weeks to help maintain moisture for crop development.

Weather conditions reported across the region were favourable for retaining topsoil moisture.

Southwest Saskatchewan	
Census Division	% seeded (May 25, 2026)
3	80%
4	86%
7	55%
8	78%
Region average	74%

Cropland topsoil moisture is:

- 5 per cent surplus;
- 69 per cent adequate; and
- 26 per cent short.

Hayland topsoil moisture is:

- 66 per cent adequate; and
- 34 per cent short.

Pasture topsoil moisture is:

- 59 per cent adequate;
- 36 per cent short; and
- 5 per cent very short.

Most producers are reporting normal crop development in the southwest. Fall cereals are currently rated at 72 per cent normal for this time of year, with one per cent ahead and 27 per cent behind. Spring cereals are estimated to be 56 per cent normal, with 44 per cent behind. Pulse crops are rated at 53 per cent normal, with 47 per cent behind. Oilseeds are at 53 per cent normal, at 47 per cent behind. Perennial forage is 56 per cent normal, with three per cent ahead and 41 per cent behind. Annual forage is indicated at 55 per cent normal, with four per cent ahead and 41 per cent behind.

Some producers in the region are noting minor crop damage from wind, dry conditions and heat. A few have also reported minor damage from gophers.

As the week progresses, producers will focus on finishing seeding while beginning land rolling and applying early in-crop herbicides.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding in the region advanced to 26 per cent over the past week. While this remains below the five-year average of 62 per cent, it represents an increase of 15 per cent compared to last week's report.

Seeding progress is as follows:

Cereal crops:

- 30 per cent for barley and spring wheat;
- 20 per cent for durum; and
- 8 per cent for oats.

East-Central Saskatchewan	
Census Division	% seeded (May 25, 2026)
9	6%
10	26%
11	39%
Region average	26%

Oilseed crops:

- 17 per cent for canola;
- 15 per cent for flax; and
- 14 per cent for mustard.

Pulse crops:

- 55 per cent for field peas; and
- 44 per cent for lentils.

Rainfall amounts varied across the region. The highest amount reported was in the Sliding Hills area at 40 millimetres (mm), followed by the Calder area at 32 mm and the Foam Lake area at 27 mm. Other areas received significant amounts of precipitation.

Weather conditions reported across the region helped retain topsoil moisture.

Cropland topsoil moisture is:

- 35 per cent surplus;
- 63 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 37 per cent surplus;
- 61 per cent adequate; and
- 2 per cent short.

Pasture topsoil moisture is:

- 33 per cent surplus;
- 64 per cent adequate; and
- 3 per cent short.

Producers are reporting crop development is mostly behind in the east-central region, with a significant amount considered behind. Fall cereals are currently rated at eight per cent normal for this time of year, with four per cent ahead and 88 per cent behind. Spring cereals are estimated to be 25 per cent normal and 75 per cent behind. Pulse crops are rated at 26 per cent normal crop development and 74 per cent behind. Oilseeds are at 20 per cent normal and 80 per cent behind normal development. Perennial forage is seven per cent normal crop development, with four per cent ahead and 89 per cent behind. Annual forage is indicated at two per cent normal, with three per cent ahead and 95 per cent behind.

Producers in the region are noting minor to moderate frost damage to crops and flooding.

As producers continue their seeding operations, they are also busy applying herbicides and moving cattle out to pasture.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers are reporting 69 per cent seeding completion within the region over the past week. This represents an increase of 39 per cent from the previous week and is behind the five-year average of 83 per cent.

Seeding progress is as follows:

Cereal crops:

- 68 per cent for spring wheat;
- 57 per cent for durum;
- 54 per cent for barley;
- 23 per cent for oats;
- 30 per cent for canary seed; and
- 4 per cent for triticale.

Oilseed crops:

- 59 per cent for canola;
- 35 per cent for flax; and
- 34 per cent for mustard.

Pulse crops:

- 88 per cent for field peas;
- 84 per cent for lentils; and
- 31 per cent chickpeas.

Perennial Forage

- 8 per cent.

Rainfall was variable throughout the region, with the highest recorded in the Perdue area at 20 millimetres (mm), followed by the Mildred area at 10 mm. The Eye Hill and Hillsdale areas received five mm. Producers are hoping for timely rain to help with emergence and crop development.

Weather conditions reported across the region helped retain topsoil moisture.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 81 per cent adequate; and
- 18 per cent short.

West-Central Saskatchewan	
Census Division	% seeded (May 25, 2026)
12	68%
13	70%
Region average	69%

Hayland topsoil moisture is:

- 1 per cent surplus;
- 76 per cent adequate; and
- 23 per cent short;

Pasture topsoil moisture is:

- 1 per cent surplus;
- 75 per cent adequate; and
- 24 per cent short.

Producers are reporting a mix of normal crop development with some crops behind in the west-central region. Fall cereals are currently rated at 50 per cent normal for this time of year and 50 per cent behind. Spring cereals are estimated to be 40 per cent normal and 60 per cent behind. Pulse crops are currently rated at 43 per cent with normal and 57 per cent behind. Oilseeds are at 66 per cent normal and 34 per cent behind. Perennial forage is 50 per cent for both normal and behind. Annual forage is indicated at only 44 per cent normal with 56 per cent behind.

Producers in the region are noting minor damage to crops from wind and gophers, while some minor to moderate damage from dry conditions.

As producers continue with seeding they are also busy applying in-crop herbicide.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Producers reported 25 per cent seeding completion, up by 21 per cent from last week's report. This is significantly behind the five-year average of 69 per cent.

Seeding progress is as follows:

Cereal crops:

- 31 per cent for barley;
- 29 per cent for spring wheat;
- 9 per cent titicale;
- 17 per cent for oats;
- 14 per cent for canary seed; and
- 2 per cent for durum.

Oilseed crops:

- 15 per cent for canola; and
- 19 per cent for flax.

Northeast Saskatchewan	
Census Division	% seeded (May 25, 2026)
14	20%
15	29%
Region average	25%

Pulse crops:

- 40 per cent for field peas;
- 30 per cent for lentils; and
- 14 per cent chickpeas.

Perennial Forage

- 26 per cent.

Very little rain fell across the region over the past week, with the highest recorded amount at three millimetres (mm) in the Hudson Bay region. Star City and Rosthern both recorded two mm. Producers are hoping for significant rainfall to aid emergence and crop development.

Despite the weather conditions, topsoil moisture is still in excellent condition to support crop emergence across the region.

Cropland topsoil moisture is:

- 21 per cent surplus;
- 78 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 17 per cent surplus;
- 81 per cent adequate; and
- 2 per cent short.

Pasture topsoil moisture is:

- 17 per cent surplus;
- 80 per cent adequate; and
- 3 per cent short.

Producers are reporting that crop development is mostly behind normal in northeast region. Fall cereals are currently rated at 24 per cent normal for this time of year with 76 per cent behind. Spring cereals are estimated to be seven per cent normal and 93 per cent behind. Pulse crops are rated at 10 per cent normal and 90 per cent behind. Oilseeds are at nine per cent normal and 91 per cent behind normal development. Perennial forage is 30 per cent normal and 70 per cent behind. Annual forage is indicated at 32 per cent normal and 68 per cent behind.

Producers in the region are reporting minor to moderate damage to crops due to flooding and minor damage related to gophers.

Producers will be busy completing seeding, moving cattle out to pasture, and conducting herbicide applications.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers are reporting 55 per cent seeding completion within the region over the past week. This is up 39 per cent from the previous report and significantly behind the five-year average of 84 per cent.

Seeding progress is as follows:

Cereal crops:

- 79 per cent for spring wheat;
- 33 per cent for durum and canary seed;
- 48 per cent for barley; and
- 32 per cent for oats.

Oilseed crops:

- 92 per cent for flax;
- 42 per cent for canola; and
- 33 per cent for mustard.

Pulse crops:

- 84 per cent for field peas;
- 77 per cent for lentils;
- 50 per cent chickpeas; and
- 33 per cent for soybeans.

Perennial Forage

- 34 per cent.

Some rainfall occurred in this region over the past week, with the highest recorded amount falling in the Beaver River area at 10 millimetres (mm). The Canwood, Eldon and Frenchman Butte areas all recorded five mm of rainfall last week. Producers are hoping for more to help with emergence and crop development.

Weather conditions reported across the region helped retain topsoil moisture.

Cropland topsoil moisture is:

- 9 per cent surplus;
- 89 per cent adequate; and
- 2 per cent short.

Northwest Saskatchewan	
Census Division	% seeded (May 25, 2026)
16	55%
17	55%
Region average	55%

Hayland topsoil moisture is:

- 4 per cent surplus;
- 92 per cent adequate; and
- 4 per cent short.

Pasture topsoil moisture is:


- 4 per cent surplus;
- 90 per cent adequate; and
- 6 per cent short.

Producers are reporting mostly normal to behind normal crop development in the northwest region. Fall cereals are currently rated at 100 per cent behind normal. Spring cereals are estimated to be 37 per cent normal, with one per cent ahead and 62 per cent behind. Pulse crops are rated at 39 per cent normal, with one per cent ahead and 60 per cent behind. Oilseeds are 24 per cent normal and 76 per cent behind. Perennial forage is 83 per cent normal and 17 per cent behind. Annual forage is indicated at 18 per cent normal with 82 per cent behind.

Producers in the region are noting minor to moderate damage to crops due to flooding, frost and wind and some areas with minor damage due to dry conditions and gophers.


As the weather allows, producers will continue to seed, apply herbicide and monitor emerging crops. Producers are also busy moving cattle to pasture.

Crop Report Regions & Census Divisions



Weekly Rainfall

from May 19 to May 25, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 19 to May 25, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	28	66	8	138	WEBB	8	51	14	366	KELVINGTON	N/A	4
1	4	COALFIELDS	8	44	8	139	GULL LAKE	4	32	14	367	PONASS LAKE	N/A	21
1	32	RECIPROCITY	19	32	8	168	RIVERSIDE	0	35	14	394	HUDSON BAY	3	34
1	34	BROWNING	N/A	25	8	228	LACADENA	N/A	47	14	395	PORCUPINE	N/A	0
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	2	27	14	397	BARRIER VALLEY	N/A	38
1	95	GOLDEN WEST	10	61	8	231	HAPPYLAND	0	36	14	428	STAR CITY	2	37
1	2A	MOUNT PLEASANT	11	36	8	259	SNIPER LAKE	0	35	14	456	ARBORFIELD	0	48
2	10	HAPPY VALLEY	0	8	8	138A	WEBB	N/A	35	14	457	CONNAUGHT	0	35
2	38	LAURIER	0	37	8	228A	LACADENA	N/A	46	14	486	MOOSE RANGE	1	64
2	66	GRIFFIN	N/A	19	8	257A	MONET	12	48	14	487	NIPAWIN	0	22
2	67	WEYBURN	3	18	8	259A	SNIPER LAKE	4	44	14	488	TORCH RIVER	0	10
2	70	KEY WEST	N/A	12	9	241	CALDER	N/A	20	14	394A	HUDSON BAY	0	32
2	100	ELMSTHORPE	0	37	9	243	WALLACE	22	22	14	397A	BARRIER VALLEY	0	4
2	100A	ELMSTHORPE	2	19	9	245	GARRY	11	37	14	488A	TORCH RIVER	N/A	0
2	38A	LAURIER	3	17	9	273	SLIDING HILLS	40	48	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	4	31	9	274	GOOD LAKE	21	52	15	369	ST. PETER	N/A	43
3	74	WOOD RIVER	4	39	9	301	ST. PHILIPS	10	18	15	371	BAYNE	0	47
3	75	PINTO CREEK	3	35	9	305	INVERMAY	20	38	15	372	GRANT	0	47
3	76	AUVERGNE	6	35	9	331	LIVINGSTON	24	54	15	373	ABERDEEN	0	50
3	101	TERRELL	N/A	0	9	241A	CALDER	32	40	15	399	LAKE LENORE	0	41
3	102	LAKE JOHNSTON	6	65	9	245A	GARRY	N/A	7	15	400	THREE LAKES	N/A	36
3	106	WHISKA CREEK	0	31	10	246	ITUNA BON ACCORD	1	10	15	402	FISH CREEK	0	17
3	74A	KEY WEST	12	32	10	247	KELLROSS	N/A	0	15	429	FLETT'S SPRINGS	0	29
4	51	RENO	2	37	10	248	TOUCHWOOD	8	37	15	430	INVERGORDON	0	4
4	79	ARLINGTON	2	20	10	277	EMERALD	1	1	15	459	KINISTINO	0	53
4	110	PIAPOT	11	36	10	279	MOUNT HOPE	4	55	15	461	PRINCE ALBERT	0	18
4	77A	WISE CREEK	0	34	10	307	ELFROS	5	47	15	463	DUCK LAKE	0	18
4	78A	GRASSY CREEK	N/A	20	10	309	PRAIRIE ROSE	21	56	15	491	BUCKLAND	0	8
4	79A	ARLINGTON	4	37	10	336	SASMAN	N/A	19	15	520	PADDOCKWOOD	N/A	0
5	122	MARTIN	60	94	10	339	LEROY	0	13	15	521	LAKELAND	N/A	0
5	124	KINGSLEY	14	59	10	246A	ITUNA BON ACCORD	N/A	12	15	371A	BAYNE	0	43
5	151	ROCANVILLE	11	45	10	248A	TOUCHWOOD	5	45	15	371B	BAYNE	0	51
5	155	WOLSELEY	14	23	10	276A	FOAM LAKE	27	97	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	30	40	10	276B	FOAM LAKE	17	24	15	403A	ROSTHERN	0	46
5	183	FERTILE BELT	20	40	10	276C	FOAM LAKE	9	18	15	403C	ROSTHERN	2	58
5	211	CHURCHBRIDGE	15	37	10	276D	FOAM LAKE	6	46	15	461A	PRINCE ALBERT	0	18
5	213	SALT COATS	35	49	10	277A	EMERALD	7	36	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	40	66	10	279A	MOUNT HOPE	N/A	0	16	435	REDBERRY	0	52
5	125A	CHESTERFIELD	N/A	16	11	251	BIG ARM	N/A	68	16	436	DOUGLAS	0	32
5	154A	ELCAPO	5	11	11	280	WRENFORD	N/A	0	16	437	NORTH BATTLEFORD	0	87
5	183A	FERTILE BELT	45	75	11	283	ROSEDALE	21	73	16	466	MEETING LAKE	1	36
5	211A	CHURCHBRIDGE	24	48	11	284	RUDY	N/A	0	16	467	ROUND HILL	1	33
6	127	FRANCIS	16	63	11	314	DUNDURN	0	83	16	493	SHELLBROOK	N/A	24
6	128	LAJORD	N/A	21	11	344	CORMAN PARK	12	44	16	494	CANWOOD	3	32
6	130	REDBURN	0	13	11	282A	McCRANEY	10	10	16	497	MEDSTEAD	0	38
6	156	INDIAN HEAD	N/A	50	12	286	MILDEN	10	93	16	437A	NORTH BATTLEFORD	N/A	75
6	160	PENSE	N/A	18	12	287	ST. ANDREWS	0	41	16	467A	ROUND HILL	0	42
6	186	ABERNETHY	40	66	12	288	PLEASANT VALLEY	0	40	17	468	MEOTA	0	50
6	190	DUFFERIN	23	51	12	316	HARRIS	0	30	17	470	PAYNTON	N/A	2
6	216	TULLYMET	N/A	0	12	317	MARRIOTT	0	43	17	471	ELDON	3	55
6	217	LIPTON	26	44	12	345	VANS COY	0	32	17	498	PARKDALE	0	46
6	219	LONGLAKETON	5	56	12	346	PERDUE	20	73	17	499	MERVIN	0	38
6	221	SARNIA	5	67	12	347	BIGGAR	0	50	17	502	BRITANNIA	0	52
6	127B	FRANCIS	0	41	12	376	EAGLE CREEK	2	43	17	561	LOON LAKE	0	48
6	159A	SHERWOOD	8	25	12	377	GLENSIDE	0	54	17	588	MEADOW LAKE	0	93
6	159B	SHERWOOD	12	30	12	285A	FERTILE VALLEY	2	52	17	622	BEAVER RIVER	10	69
6	160A	PENSE	N/A	20	13	290	KINDERSLEY	0	38	17	498A	PARKDALE	1	47
6	190A	DUFFERIN	N/A	0	13	292	MILTON	N/A	30	17	501A	FRENCHMAN BUTTE	0	51
6	190B	DUFFERIN	N/A	47	13	321	PRAIRIEDALE	N/A	19	17	501C	FRENCHMAN BUTTE	3	40
6	190C	DUFFERIN	11	53	13	350	MARIPOSA	0	30	17	561A	LOON LAKE	0	57
6	216A	TULLYMET	0	0	13	351	PROGRESS	0	35					
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	57					
6	219A	LONGLAKETON	33	96	13	382	EYE HILL	5	29					
6	219B	LONGLAKETON	N/A	29	13	440	HILLSDALE	5	51					
6	220A	McKILLOP	17	64	13	442	MANITOU LAKE	6	53					
7	132	HILLSBOROUGH	5	72	13	292A	MILTON	4	17					
7	136	COULEE	0	20	13	320A	OAKDALE	4	21					
7	161	MOOSE JAW	1	26	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	13	62	13	409A	BUFFALO	3	59					
7	165	MORSE	N/A	0										
7	193	EYEBROW	13	70										
7	223	HURON	26	81										
7	132A	HILLSBOROUGH	13	15										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	0	38										
7	162A	CARON	N/A	33										
7	222A	CRAIK	59	90										
7	223A	HURON	20	68										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to May 25, 2026



Cropland Topsoil Moisture Conditions


from May 19 to May 25, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 19 to May 25, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions

from May 19 to May 25, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Topsoil Moisture Conditions-for the period of May 19 to 25, 2026


Cropland				
Region	Surplus	Adequate	Short	Very Short
South East	18%	72%	9%	1%
South West	5%	69%	26%	0%
East Central	35%	63%	2%	0%
West Central	1%	81%	18%	0%
North East	21%	78%	1%	0%
North West	9%	89%	2%	0%
Provincial Average	19%	70%	11%	0%

Hayland				
Region	Surplus	Adequate	Short	Very Short
South East	10%	69%	18%	3%
South West	0%	66%	34%	0%
East Central	37%	61%	2%	0%
West Central	1%	76%	23%	0%
North East	17%	81%	2%	0%
North West	4%	92%	4%	0%
Provincial Average	14%	70%	16%	0%

Pasture				
Region	Surplus	Adequate	Short	Very Short
South East	8%	65%	23%	4%
South West	0%	59%	36%	5%
East Central	33%	64%	3%	0%
West Central	1%	75%	24%	0%
North East	17%	80%	3%	0%
North West	4%	90%	6%	0%
Provincial Average	9%	68%	20%	3%

Pasture Conditions


from May 19 to May 25, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from May 19 to May 25, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000
0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
IDW interpolation (power 3.5, fixed radius 300 km)
Geomatics Services, Ministry of Agriculture

May 27, 2026

Maximum Temperature

from May 19 to May 25, 2026

