

Crop Report

For the Period May 26 to June 1, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 05, June 4, 2026

Seeding progress in the province advanced significantly this week, reaching 80 per cent complete up from 52 per cent last week. While this progress is encouraging, it remains behind the five-year average of 91 per cent and the 10-year average of 92 per cent.

The southwest region leads seeding progress at 91 per cent complete, followed closely by the west-central region at 90 per cent, the south-east region at 87 per cent and the north-west region at 86 per cent. While the northeast and east-central regions made significant seeding progress, they remain behind at 67 per cent and 63 per cent complete, respectively.

Pulse crops, including lentils and field peas, remain the most advanced in seeding progress, followed very closely by durum. Other cereals and oilseed crops made significant progress this week.

Cereal crops

- 90 per cent for durum;
- 85 per cent for spring wheat;
- 77 per cent for barley;
- 66 per cent for triticale;
- 64 per cent for canary seed; and
- 63 per cent for oats.

Pulse crops

- 96 per cent for field peas;
- 94 per cent for lentils; and
- 78 per cent for chickpeas.

Oilseed crops

- 69 per cent for mustard;
- 73 per cent for canola; and
- 71 per cent for flax.

Perennial forages

- 51 per cent.

One year ago

Seeding was nearly complete with 97 per cent of the crop seeded. Rainfall was minimal throughout the province and topsoil moisture continued to decline. Producers reported mostly good crop emergence with the majority of the crops in good to fair condition. Crop damage from dry conditions, wind and heat were reported in various areas of the province.

Follow the 2026 Crop Report on Twitter @SKAgriculture

Seeding Progress in SK	
Per cent seeded Historical all crops	
June 1, 2026	80
June 2, 2025	97
June 3, 2024	94
May 29, 2023	89
May 30, 2022	76
May 31, 2021	97
5 year avg. (2021-2025)	91
10 year avg. (2016-2025)	92

For further information, contact Samantha Marcino, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll-free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 26 to June 1, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 05, June 4, 2026

Rainfall varied across the province with the highest rainfall reported in the Piapot region with 60 millimetres (mm), Luseland area with 54 mm and the Manitou Lake region with 52 mm.

Overall, topsoil moisture levels remained relatively stable, despite some areas receiving precipitation alongside high temperatures and windy conditions.

Cropland topsoil moisture is:

- 8 per cent surplus;
- 82 per cent adequate;
- 9 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 7 per cent surplus;
- 78 per cent adequate;
- 14 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 4 per cent surplus;
- 77 per cent adequate;
- 17 per cent short; and
- 2 per cent very short.

Of the crops that have emerged, the majority are in good to fair condition. For pulse crops, chickpeas are rated at 21 per cent excellent, 75 per cent good and four per cent fair. Lentils were rated at 21 per cent excellent, 74 per cent good and five per cent fair while field peas were rated at 24 per cent excellent, 67 per cent good and nine per cent fair. Soybeans are rated at eight per cent excellent, 68 per cent good and 24 per cent fair.

For cereal crops, durum was rated at 21 per cent in excellent condition, 69 per cent good and 10 per cent fair, while oats are 19 per cent excellent, 69 per cent good, 11 per cent fair and one per cent poor. Spring wheat is rated at 21 per cent in excellent condition, 69 per cent good and 10 per cent fair, followed by barley at 18 per cent in excellent condition, 71 per cent good, 10 per cent fair and one per cent poor.

Other cereal crops have also been rated as being in mostly good to fair condition. Winter wheat is rated at 15 per cent in excellent condition, 70 per cent good and 15 per cent fair. Fall rye is seven per cent excellent,

For further information, contact Samantha Marcino, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll-free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 26 to June 1, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 05, June 4, 2026

80 per cent good and 13 per cent fair. Canary seed is 20 per cent in excellent condition, 67 per cent good and 13 per cent fair, and finally, triticale is seven per cent excellent, 69 per cent good and 24 per cent fair.

For oilseed crops, flax is rated at 20 per cent excellent, 67 per cent good, 12 per cent fair and one per cent poor, followed by canola at 22 per cent excellent condition, 67 per cent good, nine per cent fair and two per cent poor. Mustard is at 17 per cent excellent, 75 per cent good and eight per cent fair.

Crop damage this week was caused by wind and heat in multiple regions of the province. Minor damage from flea beetles, cutworms and wireworms were also reported. Gopher damage ranged from minor to moderate in all regions except the northeast where there was no gopher damage reported.

If weather conditions remain favourable, producers anticipate seeding will progress rapidly and will be wrapping up in some regions. Challenging spraying conditions were reported across the province due to the hot windy weather and have resulted in delays in herbicide applications.

Producers are reminded to keep safety top of mind while working. For any crop or livestock questions, producers can call the Agriculture Knowledge Centre, toll free at 1-866-457-2377.

For further information, contact Samantha Marcino, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll-free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan The logo for the province of Saskatchewan, featuring the word "Saskatchewan" in a green serif font, followed by a stylized yellow and green flag.

Seeding Progress

from April 1 to June 1, 2026

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Provincial Seeding Progress

Per cent seeded by region

for the period of May 26 to June 1, 2026

Region	Seeding Complete
South East	87%
South West	91%
East Central	63%
West Central	90%
North East	67%
North West	86%
Provincial	80%

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of May 26 to June 1, 2026.

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	89%	88%	76%	89%	79%	98%	85%
Durum	95%	92%	83%	86%	75%	50%	90%
Oats	79%	75%	37%	81%	63%	73%	63%
Barley	89%	90%	63%	92%	63%	83%	77%
Triticale	61%	77%	1%	22%	24%	70%	66%
Flax	84%	78%	65%	72%	58%	94%	71%
Canola	83%	93%	56%	90%	58%	85%	73%
Mustard	79%	79%	76%	72%	13%	50%	69%
Soybeans	88%	37%	6%	13%	2%	50%	58%
Lentils	94%	99%	88%	94%	73%	88%	94%
Field Peas	99%	98%	91%	100%	92%	98%	96%
Canary Seed	78%	43%	8%	56%	67%	50%	64%
Chickpeas	68%	94%	100%	52%	27%	60%	78%
Perennial Forage	57%	66%	51%	52%	39%	65%	51%

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Seeding is reported at 87 per cent complete within the region, up significantly from 61 per cent the week previous. This is on par with the five-year average of 87 per cent.

Seeding progress is as follows:

Cereal crops:

- 95 per cent for durum;
- 89 per cent for barley;
- 89 per cent for spring wheat;
- 78 per cent for canary seed;
- 79 per cent for oats; and
- 61 per cent for triticale.

Oilseed crops:

- 79 per cent for mustard;
- 84 per cent for flax; and
- 83 per cent for canola.

Pulse crops:

- 99 per cent for field peas;
- 94 per cent for lentils;
- 88 per cent for soybeans; and
- 68 per cent for chickpeas.

Perennial Forage

- 57 per cent.

Rainfall varied in the region with some areas receiving very little moisture while other areas such as Langenburg reported 24 millimetres (mm) of rain. As there is such a variance in rainfall, topsoil moisture in the region ranges from surplus to very short.

Cropland topsoil moisture is:

- 9 per cent surplus;
- 73 per cent adequate;
- 17 per cent short; and
- 1 per cent very short.

Southeast Saskatchewan	
Census Division	% seeded (June 1, 2026)
1	97%
2	98%
5	73%
6	82%
Region average	87%

Hayland topsoil moisture is:

- 5 per cent surplus;
- 60 per cent adequate;
- 32 per cent short; and
- 3 per cent very short.

Pasture topsoil moisture is:

- 4 per cent surplus;
- 53 per cent adequate;
- 37 per cent short; and
- 6 per cent very short.

Overall crop conditions are rated as good but range from fair to excellent. A full summary of individual crop conditions for all regions can be viewed in the full Crop Report.

Producers in the region reported minor to severe damage from heat, dry conditions and wind. Flooding and gopher damage were also reported in the region. Insects being reported in the region were minor but included flea beetles, cutworms and wireworms.

As the week progresses, producers are hoping for some relief from windy conditions to catch up on herbicide applications. If the weather remains favourable, seeding should be nearing completion for many producers next week.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Seeding is reported at 91 per cent complete within the southwest region, up from 74 per cent the previous week. This is only slightly behind the five-year average of 96 per cent.

Seeding progress is as follows:

Cereal crops:

- 92 per cent for durum;
- 90 per cent for barley;
- 88 per cent for spring wheat;
- 77 per cent for triticale;
- 75 per cent for oats; and
- 43 per cent for canary seed.

Southwest Saskatchewan	
Census Division	% seeded (June 1, 2026)
3	94%
4	96%
7	85%
8	89%
Region average	91%

Oilseed crops:

- 79 per cent for mustard;
- 93 per cent for canola; and
- 78 per cent for flax.

Pulse crops:

- 98 per cent for field peas;
- 37 per cent for soybeans;
- 99 per cent for lentils; and
- 94 per cent for chickpeas.

Perennial Forage

- 66 per cent.

Rainfall varied but some regions received some much-needed moisture. The Piapot region recorded 60 millimetres (mm) of rain, the Shaunavon area received 44 mm of rain and the Gull Lake area received 38 mm of rain. Even with the hot, windy conditions this rain helped increase topsoil moisture compared to last week.

Cropland topsoil moisture is:

- 91 per cent adequate;
- 8 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 73 per cent adequate;
- 25 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 76 per cent adequate;
- 21 per cent short; and
- 3 per cent very short.

Overall crop conditions are rated as good but range from fair to excellent. A full summary of individual crop conditions for all regions can be viewed in the full Crop Report.

Overall, crop damage was reported as minor for the week with some reports indicating minor to moderate damage caused by wind, dry conditions, heat and gophers. Producers are continuing to monitor areas for flea beetles and wireworms.

Producers in the region are focused on completing seeding, in-crop herbicide applications and land rolling. The regions that received rain welcomed a reprieve from the hot, dry weather conditions they have been experiencing.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding is 63 per cent complete within the east-central region, up significantly from 26 per cent the previous week. Challenging spring seeding conditions have put this region behind the five-year average of 82 per cent.

Seeding progress is as follows:

Cereal crops:

- 83 per cent for durum;
- 63 per cent for barley;
- 76 per cent for spring wheat;
- 1 per cent for triticale;
- 37 per cent for oats; and
- 8 per cent for canary seed.

Oilseed crops:

- 76 per cent for mustard;
- 56 per cent for canola; and
- 65 per cent for flax.

Pulse crops:

- 91 per cent for field peas;
- 6 per cent for soybeans;
- 88 per cent for lentils; and
- 100 per cent for chickpeas.

Perennial Forage

- 51 per cent.

Very little rain fell throughout the region last week, with the exception of the Leroy region which reported 27 millimetres (mm) of rain. Hot, windy conditions caused a decrease in topsoil moisture across the region.

Cropland topsoil moisture is:

- 19 per cent surplus;
- 72 per cent adequate; and
- 9 per cent short.

East-Central Saskatchewan	
Census Division	% seeded (June 1, 2026)
9	41%
10	62%
11	76%
Region average	63%

Hayland topsoil moisture is:

- 19 per cent surplus;
- 69 per cent adequate; and
- 12 per cent short.

Pasture topsoil moisture is:

- 17 per cent surplus;
- 69 per cent adequate; and
- 14 per cent short.

Overall crop conditions are rated as good but range from fair to excellent. A full summary of individual crop conditions for all regions can be viewed in the full Crop Report.

Producers in the region reported minor to severe damage caused by flooding. Other environmental factors causing damage this week were wind, dry conditions and heat. Gophers and wildlife also caused damage in the region.

Producers are busy trying to finish up seeding and are beginning in crop herbicide applications. Crops that have been seeded are advancing rapidly with the warm weather and the windy conditions are making timing herbicide applications more challenging.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Seeding is 90 per cent complete in the west-central region, up from 69 per cent last week and close to the five-year average of 96 per cent.

Seeding progress is as follows:

Cereal crops:

- 89 per cent for spring wheat;
- 86 per cent for durum;
- 92 per cent for barley;
- 81 per cent for oats;
- 56 per cent for canary seed; and
- 22 per cent for triticale.

Oilseed crops:

- 90 per cent for canola;
- 72 per cent for flax; and
- 72 per cent for mustard.

West-Central Saskatchewan	
Census Division	% seeded (June 1, 2026)
12	89%
13	91%
Region average	90%

Pulse crops:

- 100 per cent for field peas;
- 94 per cent for lentils; and
- 52 per cent chickpeas.

Perennial Forage

- 52 per cent.

Rainfall varied across the region with some areas receiving significant moisture. The Luseland area recorded 54 millimetres (mm) of rain, while the Manitou Lake region recorded 52 mm. The localized rainfall helped increase topsoil moisture in the region.

Cropland topsoil moisture is:

- 92 per cent adequate; and
- 8 per cent short.

Hayland topsoil moisture is:

- 86 per cent adequate; and
- 14 per cent short;

Pasture topsoil moisture is:

- 85 per cent adequate; and
- 15 per cent short.

Overall crop conditions are rated as good but range from fair to excellent. A full summary of individual crop conditions for all regions can be viewed in the full Crop Report.

Producers in the region reported minor to moderate damage from wind, dry conditions and heat. Gophers were also reported to have caused some minor to moderate damage with some minor damage from flooding and flea beetles.

Producers in the region are busy wrapping up seeding and starting in-crop herbicide applications. The areas that missed the moisture are reporting some spotty germination and producers in those areas are hoping for rainfall soon.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Seeding is at 67 per cent complete for the northeast region, which is up considerably from last week's 25 per cent completion. Although good seeding progress was made, the region is still behind the five-year average of 88 per cent complete.

Seeding progress is as follows:

Northeast Saskatchewan	
Census Division	% seeded (June 1, 2026)
14	70%
15	65%
Region average	67%

Cereal crops:

- 63 per cent for barley;
- 79 per cent for spring wheat;
- 24 per cent for triticale
- 63 per cent for oats;
- 67 per cent for canary seed; and
- 75 per cent for durum.

Oilseed crops:

- 58 per cent for canola;
- 58 per cent for flax; and
- 13 per cent for mustard

Pulse crops:

- 92 per cent for field peas;
- 73 per cent for lentils;
- 27 per cent for chickpeas; and
- 2 per cent for soybeans.

Perennial Forage

- 39 per cent.

Rainfall varied across the region with the RM of Torch River receiving the most with 31 millimetres. Topsoil moisture conditions have improved in part to the windy, dry conditions.

Cropland topsoil moisture is:

- 5 per cent surplus;
- 88 per cent adequate; and
- 7 per cent short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 86 per cent adequate; and
- 11 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 86 per cent adequate; and
- 11 per cent short.

Overall crop conditions are rated as good but range from fair to excellent. A full summary of individual crop conditions for all regions can be viewed in the full Crop Report.

Producers in the region reported minor damage from flooding as well as dry conditions in some areas following the hot, dry weather from last week. Wind caused minor to severe damage while heat was reported to have caused minor to moderate damage. Flea beetle damage was also reported in the region.

Producers are focused on finishing seeding and getting into the field for herbicide applications.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Seeding is 86 per cent complete, which is a 31 per cent increase from last week. Although there was significant progress made, the region is still behind the five-year average of 96 per cent complete.

Seeding progress is as follows:

Cereal crops:

- 98 per cent for spring wheat;
- 50 per cent for durum and canary seed;
- 83 per cent for barley;
- 73 per cent for oats; and
- 70 per cent for triticale.

Northwest Saskatchewan	
Census Division	% seeded (June 1, 2026)
16	87%
17	84%
Region average	86%

Oilseed crops:

- 94 per cent for flax;
- 85 per cent for canola; and
- 50 per cent for mustard.

Pulse crops:

- 98 per cent for field peas;
- 88 per cent for lentils;
- 60 per cent for chickpeas; and
- 50 per cent for soybeans.

Perennial Forage

- 65 per cent.

Rainfall was recorded throughout most of the region with the highest amounts in the Maidstone area with 41 millimetres (mm) and Glaslyn region with 26 mm. With the moisture received, topsoil moisture in the region stayed relatively the same as last week.

Cropland topsoil moisture is:

- 8 per cent surplus;
- 88 per cent adequate; and
- 4 per cent short.

Hayland topsoil moisture is:

- 5 per cent surplus;
- 91 per cent adequate; and
- 4 per cent short.

Pasture topsoil moisture is:


- 4 per cent surplus;
- 93 per cent adequate; and
- 3 per cent short.

Overall crop conditions are rated as good but range from fair to excellent. A full summary of individual crop conditions for all regions can be viewed in the full Crop Report.

Producers reported minor to moderate damage from flooding and gophers this week. Damage was also reported from wind, heat and flea beetles in the region.

Producers in the area are hoping to wrap up seeding operations if the weather allows. In-crop herbicide applications have started but the hot, windy weather has made things challenging.

Crop Report Regions & Census Divisions



Saskatchewan Crop Conditions -May 26 to June 1, 2026


Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	15%	7%	21%	21%	19%	18%	20%	22%
good	70%	80%	69%	69%	69%	71%	67%	67%
fair	15%	13%	10%	10%	11%	10%	12%	9%
poor	0%	0%	0%	0%	1%	1%	1%	2%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	7%	17%	8%	21%	24%	20%	21%	
good	69%	75%	68%	74%	67%	67%	75%	
fair	24%	8%	24%	5%	9%	13%	4%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	20%	35%	10%	21%	16%	15%	22%	18%
good	32%	30%	68%	52%	64%	65%	54%	62%
fair	48%	35%	22%	27%	20%	20%	24%	20%
poor	0%	0%	0%	0%	0%	0%	0%	0%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	19%	13%	2%	27%	20%	28%	17%	
good	57%	47%	68%	55%	57%	50%	59%	
fair	24%	40%	30%	18%	23%	22%	24%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	3%	0%	8%	18%	2%	9%	6%	18%
good	82%	96%	86%	76%	90%	81%	89%	77%
fair	15%	4%	6%	6%	8%	10%	5%	5%
poor	0%	0%	0%	0%	0%	0%	0%	0%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	1%	20%	0%	17%	23%	32%	17%	
good	21%	77%	100%	81%	73%	57%	80%	
fair	78%	3%	0%	2%	4%	11%	3%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
East Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	26%	25%	32%	32%	21%	29%	17%	31%
good	59%	57%	55%	68%	54%	56%	80%	49%
fair	10%	10%	10%	0%	19%	12%	1%	8%
poor	3%	4%	2%	0%	4%	2%	1%	10%
very poor	2%	4%	1%	0%	2%	1%	1%	2%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	3%	0%	41%	45%	18%	0%	
good	99%	92%	94%	59%	42%	47%	100%	
fair	0%	2%	6%	0%	10%	16%	0%	
poor	1%	2%	0%	0%	2%	13%	0%	
very poor	0%	1%	0%	0%	1%	6%	0%	

Saskatchewan Crop Conditions -May 26 to June 1, 2026.

West Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	14%	0%	9%	10%	15%	12%
good	74%	92%	80%	93%	82%	84%	74%	81%
fair	26%	8%	6%	7%	9%	6%	11%	7%
poor	0%	0%	0%	0%	0%	0%	0%	0%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	8%	13%	0%	0%	
good	95%	85%	100%	86%	82%	97%	99%	
fair	5%	15%	0%	6%	5%	3%	1%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	16%	33%	14%	14%	16%	15%
good	97%	97%	80%	67%	81%	81%	80%	83%
fair	3%	3%	4%	0%	5%	5%	4%	2%
poor	0%	0%	0%	0%	0%	0%	0%	0%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	3%	0%	15%	18%	0%	17%	
good	100%	85%	100%	85%	82%	96%	80%	
fair	0%	12%	0%	0%	0%	4%	3%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	80%	100%	20%	50%	20%	22%	52%	16%
good	10%	0%	75%	50%	74%	74%	47%	79%
fair	10%	0%	5%	0%	6%	4%	1%	5%
poor	0%	0%	0%	0%	0%	0%	0%	0%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	95%	100%	100%	34%	29%	100%	100%	
good	5%	0%	0%	65%	68%	0%	0%	
fair	0%	0%	0%	1%	3%	0%	0%	
poor	0%	0%	0%	0%	0%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	

Canola Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Durum Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Lentil Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Spring Wheat Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Barley Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Field Pea Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Flax Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Oat Crop Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cumulative Rainfall

from April 1 to June 1, 2026



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from May 26 to June 1, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	1	67	8	138	WEBB	27	78	14	366	KELVINGTON	5	9
1	4	COALFIELDS	0	44	8	139	GULL LAKE	38	70	14	367	PONASS LAKE	6	27
1	32	RECIPROCITY	0	32	8	168	RIVERSIDE	34	69	14	394	HUDSON BAY	3	37
1	34	BROWNING	N/A	60	8	228	LACADENA	12	66	14	395	PORCUPINE	10	10
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	21	48	14	397	BARRIER VALLEY	5	43
1	95	GOLDEN WEST	N/A	61	8	231	HAPPYLAND	28	64	14	428	STAR CITY	0	37
1	2A	MOUNT PLEASANT	3	39	8	259	SNIFE LAKE	20	55	14	456	ARBORFIELD	0	48
2	10	HAPPY VALLEY	7	15	8	138A	WEBB	22	57	14	457	CONNAUGHT	N/A	35
2	38	LAURIER	10	47	8	228A	LACADENA	18	64	14	486	MOOSE RANGE	N/A	64
2	66	GRIFFIN	0	19	8	257A	MONET	16	64	14	487	NIPAWIN	N/A	22
2	67	WEYBURN	0	18	8	259A	SNIFE LAKE	16	60	14	488	TORCH RIVER	31	41
2	70	KEY WEST	N/A	12	9	241	CALDER	2	35	14	394A	HUDSON BAY	9	41
2	100	ELMSTHORPE	0	37	9	243	WALLACE	0	22	14	397A	BARRIER VALLEY	6	10
2	100A	ELMSTHORPE	1	20	9	245	GARRY	0	37	14	488A	TORCH RIVER	N/A	0
2	38A	LAURIER	0	20	9	273	SLIDING HILLS	4	52	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	35	66	9	274	GOOD LAKE	5	57	15	369	ST. PETER	3	46
3	74	WOOD RIVER	35	74	9	301	ST. PHILIPS	0	18	15	371	BAYNE	4	51
3	75	PINTO CREEK	4	39	9	305	INVERMAY	0	38	15	372	GRANT	11	58
3	76	AUVERGNE	15	50	9	331	LIVINGSTON	5	59	15	373	ABERDEEN	0	50
3	101	TERRELL	N/A	0	9	241A	CALDER	8	48	15	399	LAKE LENORE	0	41
3	102	LAKE JOHNSTON	5	70	9	245A	GARRY	N/A	7	15	400	THREE LAKES	0	36
3	106	WHISKA CREEK	23	54	10	246	ITUNA BON ACCORD	1	11	15	402	FISH CREEK	0	17
3	74A	KEY WEST	20	52	10	247	KELLROSS	2	2	15	429	FLETT'S SPRINGS	0	29
4	51	RENO	27	65	10	248	TOUCHWOOD	0	37	15	430	INVERGORDON	0	4
4	79	ARLINGTON	37	57	10	277	EMERALD	6	7	15	459	KINISTINO	0	53
4	110	PIAPOT	60	96	10	279	MOUNT HOPE	2	57	15	461	PRINCE ALBERT	0	18
4	77A	WISE CREEK	N/A	34	10	307	ELFROS	N/A	47	15	463	DUCK LAKE	0	18
4	78A	GRASSY CREEK	32	65	10	309	PRAIRIE ROSE	1	57	15	491	BUCKLAND	0	8
4	79A	ARLINGTON	44	81	10	336	SASMAN	N/A	19	15	520	PADDOCKWOOD	N/A	0
5	122	MARTIN	N/A	94	10	339	LEROY	27	40	15	521	LAKE LAND	N/A	0
5	124	KINGSLEY	1	60	10	246A	ITUNA BON ACCORD	10	22	15	371A	BAYNE	1	44
5	151	ROCANVILLE	8	53	10	248A	TOUCHWOOD	0	45	15	371B	BAYNE	N/A	51
5	155	WOLSELEY	11	34	10	276A	FOAM LAKE	0	97	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	24	64	10	276B	FOAM LAKE	7	31	15	403A	ROSTHERN	1	47
5	183	FERTILE BELT	19	59	10	276C	FOAM LAKE	4	22	15	403C	ROSTHERN	0	58
5	211	CHURCHBRIDGE	1	38	10	276D	FOAM LAKE	2	48	15	461A	PRINCE ALBERT	0	18
5	213	SALT COATS	14	63	10	277A	EMERALD	N/A	36	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	N/A	66	10	279A	MOUNT HOPE	N/A	0	16	435	REDBERRY	7	59
5	125A	CHESTERFIELD	0	16	11	251	BIG ARM	2	70	16	436	DOUGLAS	2	34
5	154A	ELCAPO	N/A	11	11	280	WREFORD	N/A	0	16	437	NORTH BATTLEFORD	25	112
5	183A	FERTILE BELT	N/A	75	11	283	ROSEDALE	0	73	16	466	MEETING LAKE	11	47
5	211A	CHURCHBRIDGE	3	51	11	284	RUDY	5	5	16	467	ROUND HILL	9	42
6	127	FRANCIS	0	63	11	314	DUNDURN	0	83	16	493	SHELLBROOK	8	32
6	128	LAJORD	0	21	11	344	CORMAN PARK	2	47	16	494	CANWOOD	7	39
6	130	REDBURN	0	13	11	282A	McCRANEY	7	17	16	497	MEDSTEAD	N/A	38
6	156	INDIAN HEAD	6	56	12	286	MILDEN	0	93	16	437A	NORTH BATTLEFORD	20	95
6	160	PENSE	0	18	12	287	ST. ANDREWS	5	46	16	467A	ROUND HILL	13	55
6	186	ABERNETHY	10	76	12	288	PLEASANT VALLEY	3	43	17	468	MEOTA	16	66
6	190	DUFFERIN	N/A	51	12	316	HARRIS	5	35	17	470	PAYNTON	1	4
6	216	TULLYMET	2	2	12	317	MARRIOTT	23	65	17	471	ELDON	41	96
6	217	LIPTON	16	60	12	345	VANS COY	N/A	32	17	498	PARKDALE	26	72
6	219	LONGLAKETON	N/A	56	12	346	PERDUE	3	75	17	499	MERVIN	12	50
6	221	SARNIA	8	75	12	347	BIGGAR	13	63	17	502	BRITANNIA	N/A	52
6	127B	FRANCIS	N/A	41	12	376	EAGLE CREEK	10	53	17	561	LOON LAKE	5	53
6	159A	SHERWOOD	N/A	25	12	377	GLENSIDE	2	56	17	588	MEADOW LAKE	0	93
6	159B	SHERWOOD	0	31	12	285A	FERTILE VALLEY	0	52	17	622	BEAVER RIVER	18	87
6	160A	PENSE	0	20	13	290	KINDERSLEY	8	46	17	498A	PARKDALE	19	66
6	190A	DUFFERIN	N/A	0	13	292	MILTON	22	52	17	501A	FRENCHMAN BUTTE	11	62
6	190B	DUFFERIN	0	54	13	321	PRAIRIEDALE	29	54	17	501C	FRENCHMAN BUTTE	10	50
6	190C	DUFFERIN	1	54	13	350	MARIPOSA	23	53	17	561A	LOON LAKE	3	60
6	216A	TULLYMET	N/A	0	13	351	PROGRESS	54	89					
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	57					
6	219A	LONGLAKETON	2	98	13	382	EYE HILL	38	67					
6	219B	LONGLAKETON	31	60	13	440	HILLSDALE	37	88					
6	220A	McKILLOP	N/A	64	13	442	MANITOU LAKE	52	105					
7	132	HILLSBOROUGH	8	80	13	292A	MILTON	17	34					
7	136	COULEE	17	37	13	320A	OAKDALE	17	38					
7	161	MOOSE JAW	6	32	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	6	68	13	409A	BUFFALO	14	73					
7	165	MORSE	N/A	91										
7	193	EYEBROW	N/A	70										
7	223	HURON	10	91										
7	132A	HILLSBOROUGH	2	17										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	0	38										
7	162A	CARON	4	40										
7	222A	CRAIK	0	90										
7	223A	HURON	N/A	68										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cropland Topsoil Moisture Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from May 26 to June 1, 2026



Minimum Temperature

from May 26 to June 1, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.