

Crop Report

For the Period June 2 to June 8, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 06, June 11, 2026

Seeding progress continued to advance this week with some regions nearing completion. Seeding is 93 per cent complete, which is up from 80 per cent last week but still trailing behind the five- and ten-year average of 97 per cent.

The west-central region is 98 per cent complete followed closely by the southwest region at 97 per cent. The southeast region is 96 per cent complete, the northwest 95 per cent and northeast 92 per cent. The east central region made progress this week but is still behind the other regions at 84 per cent complete.

Provincially, seeding is nearly complete for field peas, lentils, durum and spring wheat. Other cereals and oilseed crops made further progress this week.

Cereal crops

- 97 per cent for durum;
- 96 per cent for spring wheat;
- 91 per cent for barley;
- 71 per cent for triticale;
- 79 per cent for canary seed; and
- 85 per cent for oats.

Pulse crops

- 99 per cent for field peas;
- 96 per cent for lentils; and
- 87 per cent for chickpeas.

Oilseed crops

- 75 per cent for mustard;
- 93 per cent for canola; and
- 86 per cent for flax.

Perennial forages

- 62 per cent.

One year ago

Seeding was finished across the province with 100 per cent of the crop in the ground. Although some areas of the province received rain, topsoil moisture in most areas continued to decline. Crop damage from dry conditions and wind were reported across the province, as well as damage from flea beetles, cutworms, grasshoppers and pea leaf weevil.

Follow the 2026 Crop Report
on X @SKAgriculture

Seeding Progress in SK	
Per cent seeded Historical all Crops	
June 8, 2026	93
June 9, 2025	100
June 10, 2024	98
June 5, 2023	96
June 6, 2022	91
June 7, 2021	99
5 year avg. (2021-2025)	97
10 year avg. (2016-2025)	97

For further information, contact Samantha Marcino, BSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period June 2 to June 8, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 06, June 11, 2026

Rainfall varied significantly with some regions not receiving any while the Calder area received 164 millimetres (mm), the RM of Fertile Belt 118 mm and the Langenburg region 116 mm.

Topsoil moisture conditions were relatively stable with an increase in surplus moisture in some regions due to the rainfall.

Cropland topsoil moisture is:

- 13 per cent surplus;
- 77 per cent adequate;
- 9 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 10 per cent surplus;
- 77 per cent adequate;
- 12 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 76 per cent adequate;
- 14 per cent short; and
- 2 per cent very short.

Varying stages of crop development are reported given the varied environmental conditions.

- 36 per cent of winter cereals are in the tillering stage, 23 per cent at stem elongation, 17 per cent at flag leaf and 24 per cent are heading.
- 23 per cent of spring cereals are at the pre-emergent stage with 54 per cent at the seedling stage, 22 per cent are tillering and one per cent in the stem elongation stage.
- 13 per cent of pulse crops are at the pre-emergent stage with 65 per cent at the seedling stage and 22 per cent reported at the vegetative stage of development.
- 35 per cent of canola and mustard are at the pre-emergent stage, with 60 per cent at the seedling stage and five per cent at the rosette stage.
- 35 per cent of the flax is at the pre-emergent stage with 63 per cent at the seedling stage and two per cent starting stem elongation.

For further information, contact Samantha Marcino, BSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period June 2 to June 8, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 06, June 11, 2026

Crop damage this week was caused by multiple factors including wind, flooding and hail. Minor damage from insects like flea beetles and cutworms was reported. Gopher damage was reported in all regions except the northeast.

As seeding starts to wrap up in many regions producers are focused on in-crop herbicide applications and scouting for insects and disease.

Producers are reminded to keep safety top of mind while working. For any crop or livestock questions, producers can call the Agriculture Knowledge Centre, toll free at 1-866-457-2377.

For further information, contact Samantha Marcino, BSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan 

Seeding Progress

from April 1 to June 8, 2026

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of June 2 to June 8, 2026

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	97%	99%	92%	99%	98%	100%	96%
Durum	99%	99%	93%	89%	75%	67%	97%
Oats	90%	95%	68%	86%	91%	88%	85%
Barley	95%	97%	83%	98%	92%	92%	91%
Triticale	96%	77%	1%	22%	24%	88%	71%
Flax	92%	85%	80%	86%	85%	95%	86%
Canola	94%	99%	83%	99%	91%	98%	93%
Mustard	91%	80%	82%	79%	17%	67%	75%
Soybeans	95%	38%	46%	42%	2%	67%	76%
Lentils	94%	100%	97%	94%	77%	90%	96%
Field Peas	100%	100%	97%	100%	100%	98%	99%
Canary Seed	89%	72%	12%	75%	91%	67%	79%
Chickpeas	80%	99%	100%	54%	27%	75%	87%
Perennial Forage	73%	66%	63%	57%	62%	65%	62%

Southeast Saskatchewan	
Census Division	% seeded (June 8, 2026)
1	100%
2	100%
5	89%
6	96%
Region average	96%

Southwest Saskatchewan	
Census Division	% seeded (June 8, 2026)
3	97%
4	98%
7	96%
8	96%
Region average	97%

East-Central Saskatchewan	
Census Division	% seeded (June 8, 2026)
9	68%
10	87%
11	91%
Region average	84%

West-Central Saskatchewan	
Census Division	% seeded (June 8, 2026)
12	98%
13	98%
Region average	98%

Northeast Saskatchewan	
Census Division	% seeded (June 8, 2026)
14	93%
15	91%
Region average	92%

Northwest Saskatchewan	
Census Division	% seeded (June 8, 2026)
16	96%
17	94%
Region average	95%

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Seeding is wrapping up in the region and is currently at 96 per cent complete, up 10 per cent from the previous week and right in line with the five-year average of 96 per cent. Seeding progress is as follows:

Southeast Saskatchewan	
Census Division	% seeded (June 8, 2026)
1	100%
2	100%
5	89%
6	96%
Region average	96%

Cereal crops:

- 99 per cent for durum;
- 95 per cent for barley;
- 97 per cent for spring wheat;
- 89 per cent for canary seed;
- 90 per cent for oats; and
- 96 per cent for triticale.

Oilseed crops:

- 91 per cent for mustard;
- 92 per cent for flax; and
- 94 per cent for canola.

Pulse crops:

- 100 per cent for field peas;
- 94 per cent for lentils;
- 95 per cent for soybeans; and
- 80 per cent for chickpeas.

Perennial Forage

- 73 per cent.

Rainfall was reported across the region with some areas receiving significant amounts. The largest amount fell in the Esterhazy region with 118 millimetres (mm), followed by the Langenburg area with 116 mm. Other regions that received substantial amounts of rain are the Saltcoats region with 101 mm and the Kipling region with 96 mm. This rainfall increased the number of acres with surplus topsoil moisture; however, because the heavy rainfall was not evenly distributed across the region, some areas continue to experience short or very short topsoil moisture.

Cropland topsoil moisture is:

- 16 per cent surplus;
- 62 per cent adequate;
- 19 per cent short; and
- 3 per cent very short.

Hayland topsoil moisture is:

- 10 per cent surplus;
- 63 per cent adequate;
- 22 per cent short; and
- 5 per cent very short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 58 per cent adequate;
- 24 per cent short; and
- 9 per cent very short.

Varying stages of development are reported within the region given the varied amounts of rain that producers have received.

- 51 per cent of winter cereals are in the tillering stage, 36 per cent at stem elongation and 13 per cent at flag leaf.
- 16 per cent of spring cereals are at the pre-emergent stage with 48 per cent at the seedling stage, 32 per cent tillering and three per cent starting stem elongation and one per cent at flag leaf.
- 13 per cent of pulse crops are at the pre-emergent stage with 66 per cent at the seedling stage and 21 per cent reported at the vegetative stage of development.
- 27 per cent of canola and mustard are at the pre-emergent stage, 63 per cent are at the seedling stage and 10 per cent at the rosette stage.
- 29 per cent of the flax is at the pre-emergent stage, 69 per cent at the seedling stage and two per cent of these crops are beginning the stem elongation stage.

Flooding and wind damage in the region ranged from minor to severe, with hail damage also being reported. Drought damage also ranged from minor to severe in the areas that didn't receive as much rainfall. Gopher, wildlife and waterfowl damages were also reported, although mostly minor.

Extreme weather conditions were seen across the region as producers were trying to wrap up seeding and continue with in-crop herbicide applications. Localized flooding was reported but many producers in the region are still in need of moisture.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Southwestern Saskatchewan is close to finishing seeding and sitting at 97 per cent complete, very close to the five-year average of 99 per cent. Seeding progress is as follows:

Southwest Saskatchewan	
Census Division	% seeded (June 8, 2026)
3	97%
4	98%
7	96%
8	96%
Region average	97%

Cereal crops:

- 99 per cent for durum;
- 97 per cent for barley;
- 99 per cent for spring wheat;
- 77 per cent for triticale;
- 95 per cent for oats; and
- 72 per cent for canary seed.

Oilseed crops:

- 80 per cent for mustard;
- 99 per cent for canola; and
- 85 per cent for flax.

Pulse crops:

- 100 per cent for field peas;
- 38 per cent for soybeans;
- 100 per cent for lentils; and
- 99 per cent for chickpeas.

Perennial Forage

- 66 per cent.

Rainfall was variable across the region with the largest amount falling in the RM of Arlington with 57 millimetres (mm) and the RM of Webb with 40 mm. With the recent rainfall in the area, surplus topsoil moisture levels increased compared to last week.

Cropland topsoil moisture is:

- 8 per cent surplus;
- 85 per cent adequate;
- 5 per cent short; and
- 2 per cent very short.

Hayland topsoil moisture is:

- 6 per cent surplus
- 77 per cent adequate;
- 15 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 10 per cent surplus;
- 74 per cent adequate;
- 15 per cent short; and
- 1 per cent very short.

Stages of crop development in the region are as follows:

- 25 per cent of winter cereals are in the tillering stage, eight per cent at stem elongation, 18 per cent at flag leaf and 49 per cent are heading.
- 17 per cent of spring cereals are at the pre-emergent stage with 53 per cent at the seedling stage, 29 per cent tillering and one per cent starting stem elongation.
- 12 per cent of pulse crops are at the pre-emergent stage with 65 per cent at the seedling stage and 23 per cent reported at the vegetative stage of development.
- 19 per cent of canola and mustard are at the pre-emergent stage, 68 per cent are at the seedling stage and 13 per cent at the rosette stage.
- 19 per cent of the flax is at the pre-emergent stage and 81 per cent at the seedling stage.

Minor crop damage was reported in the region from flooding, wind and gophers. Damage from flea beetles and cutworms were also reported.

As seeding wraps up producers are working on in-crop herbicide applications and scouting for insects and disease. The moisture in the region was welcomed and some areas are still in need of more rain.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

The east-central region is at 84 per cent seeded which is an increase from last week's 63 per cent, but still behind the five-year average of 93 per cent. Challenging spring seeding conditions continue to impact producers in this region. Seeding progress is as follows:

East-Central Saskatchewan	
Census Division	% seeded (June 8, 2026)
9	68%
10	87%
11	91%
Region average	84%

Cereal crops:

- 93 per cent for durum;
- 83 per cent for barley;
- 92 per cent for spring wheat;
- 1 per cent for triticale;
- 68 per cent for oats; and
- 12 per cent for canary seed.

Oilseed crops:

- 82 per cent for mustard;
- 83 per cent for canola; and
- 80 per cent for flax.

Pulse crops:

- 97 per cent for field peas;
- 46 per cent for soybeans;
- 97 per cent for lentils; and
- 100 per cent for chickpeas.

Perennial Forage

- 63 per cent.

Rainfall was variable across the region with some areas getting significant amounts. The Calder region received 164 millimetres (mm) of rain and the Canora region received 72 mm. This rainfall increased topsoil moisture levels in the region.

Cropland topsoil moisture is:

- 22 per cent surplus;
- 65 per cent adequate; and
- 13 per cent short.

Hayland topsoil moisture is:

- 22 per cent surplus;
- 62 per cent adequate; and
- 16 per cent short.

Pasture topsoil moisture is:

- 19 per cent surplus;
- 64 per cent adequate; and
- 17 per cent short.

Stages of crop development in the region are as follows:

- 52 per cent of winter cereals are in the tillering stage, 31 per cent at stem elongation, 10 per cent at flag leaf and seven per cent are heading.
- 30 per cent of spring cereals are at the pre-emergent stage with 48 per cent at the seedling stage and 22 per cent are tillering.
- Six per cent of pulse crops are at the pre-emergent stage with 62 per cent at the seedling stage and 32 per cent reported at the vegetative stage of development.
- 50 per cent of canola and mustard are at the pre-emergent stage, 48 per cent are at the seedling stage and two per cent at the rosette stage.
- 38 per cent of the flax is at the pre-emergent stage, 61 per cent at the seedling stage and one per cent at the stem elongation stage.

Severe damage was reported in the region from both flooding and high winds. Hail was also reported in the region. Gopher damage was reported causing minor to severe damage and insect pests of concern this week were alfalfa weevils, flea beetles and pea leaf weevils.

Producers are hoping for favourable weather conditions to help finish seeding. In-crop herbicide applications have started and cows are still being hauled out to pasture.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Seeding progress in the west-central region is essentially wrapped up at 98 per cent complete. This is an increase of seven per cent from last week and right in line with the five-year average of 99 per cent.

Seeding progress is as follows:

West-Central Saskatchewan	
Census Division	% seeded (June 8, 2026)
12	98%
13	98%
Region average	98%

Cereal crops:

- 99 per cent for spring wheat;
- 89 per cent for durum;
- 98 per cent for barley;
- 86 per cent for oats;
- 75 per cent for canary seed; and
- 22 per cent for triticale.

Oilseed crops:

- 99 per cent for canola;
- 86 per cent for flax; and
- 79 per cent for mustard.

Pulse crops:

- 100 per cent for field peas;
- 94 per cent for lentils; and
- 54 per cent chickpeas.

Perennial Forage

- 57 per cent.

Rainfall was variable across the region with the Major region receiving 24 millimetres (mm) and the Marengo area receiving 18 mm. Topsoil moisture conditions remain in fairly good condition.

Cropland topsoil moisture is:

- 92 per cent adequate; and
- 8 per cent short.

Hayland topsoil moisture is:

- 88 per cent adequate; and
- 12 per cent short.

Pasture topsoil moisture is:

- 87 per cent adequate; and
- 13 per cent short.

Stages of crop development in the region are as follows:

- One per cent of winter cereals are in the tillering stage, 30 per cent at stem elongation and 69 per cent at flag leaf.
- 27 per cent of spring cereals are at the pre-emergent stage with 52 per cent at the seedling stage and 21 per cent tillering stage.
- 12 per cent of pulse crops are at the pre-emergent stage with 70 per cent at the seedling stage and 18 per cent reported at the vegetative stage of development.

- 23 per cent of canola and mustard are at the pre-emergent stage, 69 per cent are at the seedling stage and eight per cent at the rosette stage.
- 35 per cent of the flax is at the pre-emergent stage, 52 per cent at the seedling stage and 13 per cent at the stem elongation stage.

Minor damage from wind, dry conditions and gophers were reported across the region. Flea beetles were also reported, causing minor damage in the area.

Producers in the region are focused on in-crop spraying and scouting for insects and disease. Cattle continue to be hauled to pasture and producers are focusing on post-seeding jobs such as hauling grain.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Seeding progress increased by 25 per cent to 92 per cent complete. This is still slightly behind the five-year average of 97 per cent. Seeding progress is as follows:

Northeast Saskatchewan	
Census Division	% seeded (June 8, 2026)
14	93%
15	91%
Region average	92%

Cereal crops:

- 92 per cent for barley;
- 98 per cent for spring wheat;
- 24 per cent for triticale;
- 91 per cent for oats;
- 91 per cent for canary seed; and
- 75 per cent for durum.

Oilseed crops:

- 91 per cent for canola;
- 85 per cent for flax; and
- 17 per cent for mustard

Pulse crops:

- 100 per cent for field peas;
- 77 per cent for lentils;
- 27 per cent for chickpeas; and
- 2 per cent for soybeans.

Perennial Forage

- 62 per cent.

Rainfall was variable across the region with the highest amounts falling in the Rose Valley region with 45 millimetres (mm) and the Lake Lenore region with 41 mm. Topsoil moisture conditions improved across the region due to the rainfall.

Cropland topsoil moisture is:

- 9 per cent surplus;
- 88 per cent adequate; and
- 3 per cent short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 92 per cent adequate; and
- 5 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 92 per cent adequate; and
- 5 per cent short.

Stages of crop development in the region are as follows:

- 29 per cent of winter cereals are in the tillering stage and 71 per cent at stem elongation.
- 26 per cent of spring cereals are at the pre-emergent stage with 67 per cent at the seedling stage and seven per cent tillering stage.
- Four per cent of pulse crops are at the pre-emergent stage with 79 per cent at the seedling stage and 17 per cent reported at the vegetative stage of development.
- 44 per cent of canola and mustard are at the pre-emergent stage, 53 per cent are at the seedling stage and 3 per cent at the rosette stage.
- 34 per cent of the flax is at the pre-emergent stage, 60 per cent at the seedling stage and six per cent at the stem elongation stage.

Damage in the region was caused by flooding, wind and heat. Insects of concern this week were flea beetles and wireworms.

As producers finish up seeding in the region they are focusing on in-crop herbicide applications. The rain was welcome in many parts of the region but put a damper on seeding progress in others. Producers are hoping for warm sunny weather with minimal winds to help with spraying progress.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Seeding progress in the region increased to 95 per cent complete. This is up from 86 per cent last week and just behind the five-year average of 98 per cent complete.

Seeding progress is as follows:

Northwest Saskatchewan	
Census Division	% seeded (June 8, 2026)
16	96%
17	94%
Region average	95%

Cereal crops:

- 100 per cent for spring wheat;
- 67 per cent for durum and canary seed;
- 92 per cent for barley;
- 88 per cent for oats; and
- 88 per cent for triticale.

Oilseed crops:

- 95 per cent for flax;
- 98 per cent for canola; and
- 67 per cent for mustard.

Pulse crops:

- 98 per cent for field peas;
- 90 per cent for lentils;
- 75 per cent for chickpeas; and
- 67 per cent for soybeans.

Perennial Forage

- 65 per cent.

Rainfall was variable across the region with the largest amount falling in the Hafford region with 58 millimetres (mm) and the Pierceland region with 30 mm. Topsoil moisture levels across the region decreased slightly.

Cropland topsoil moisture is:

- 6 per cent surplus;
- 86 per cent adequate; and
- 8 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 90 per cent adequate; and
- 9 per cent short.

Pasture topsoil moisture is:

- 4 per cent surplus;
- 86 per cent adequate; and
- 10 per cent short.


Stages of crop development in the region are as follows:

- 100 per cent of winter cereals are in the flag leaf stage.
- 17 per cent of spring cereals are at the pre-emergent stage with 66 per cent at the seedling stage and 17 per cent tillering stage.
- Three per cent of pulse crops are at the pre-emergent stage with 86 per cent at the seedling stage and 11 per cent reported at the vegetative stage of development.
- 24 per cent of canola and mustard are at the pre-emergent stage and 76 per cent are at the seedling stage.
- 100 per cent of the flax is at the seedling stage.

Producers reported a small amount of flooding damage, some minor wind damage and minor to moderate gopher damage. Insect damage included cutworms and minor to moderate flea beetle damage.


As seeding wraps up, producers are focusing on in-crop herbicides and scouting for insects. More rain would be welcome in certain areas within the region, but crops are progressing nicely.

Crop Report Regions & Census Divisions



Weekly Rainfall

from June 2 to June 8, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from June 2 to June 8, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	39	106	8	138	WEBB	40	118	14	366	KELVINGTON	26	35
1	4	COALFIELDS	80	124	8	139	GULL LAKE	16	86	14	367	PONASS LAKE	45	72
1	32	RECIPROCITY	39	71	8	168	RIVERSIDE	24	93	14	394	HUDSON BAY	38	75
1	34	BROWNING	N/A	60	8	228	LACADENA	11	76	14	395	PORCUPINE	31	41
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	13	61	14	397	BARRIER VALLEY	23	65
1	95	GOLDEN WEST	76	137	8	231	HAPPYLAND	10	74	14	428	STAR CITY	22	59
1	2A	MOUNT PLEASANT	28	67	8	259	SNIFE LAKE	18	73	14	456	ARBORFIELD	10	58
2	10	HAPPY VALLEY	8	23	8	138A	WEBB	N/A	57	14	457	CONNAUGHT	N/A	35
2	38	LAURIER	21	68	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	2	66
2	66	GRIFFIN	26	45	8	257A	MONET	24	88	14	487	NIPAWIN	5	27
2	67	WEYBURN	12	30	8	259A	SNIFE LAKE	13	73	14	488	TORCH RIVER	7	48
2	70	KEY WEST	N/A	12	9	241	CALDER	106	141	14	394A	HUDSON BAY	44	85
2	100	ELMSTHORPE	6	43	9	243	WALLACE	N/A	22	14	397A	BARRIER VALLEY	16	26
2	100A	ELMSTHORPE	6	26	9	245	GARRY	18	55	14	488A	TORCH RIVER	0	0
2	38A	LAURIER	15	35	9	273	SLIDING HILLS	72	124	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	15	81	9	274	GOOD LAKE	38	95	15	369	ST. PETER	N/A	46
3	74	WOOD RIVER	N/A	74	9	301	ST. PHILIPS	N/A	18	15	371	BAYNE	20	71
3	75	PINTO CREEK	6	45	9	305	INVERMAY	65	103	15	372	GRANT	4	62
3	76	AUVERGNE	11	61	9	331	LIVINGSTON	62	121	15	373	ABERDEEN	5	55
3	101	TERRELL	N/A	0	9	241A	CALDER	164	212	15	399	LAKE LENORE	41	81
3	102	LAKE JOHNSTON	19	89	9	245A	GARRY	36	49	15	400	THREE LAKES	26	62
3	106	WHISKA CREEK	15	69	10	246	ITUNA BON ACCORD	1	12	15	402	FISH CREEK	5	22
3	74A	KEY WEST	9	61	10	247	KELLROSS	13	15	15	429	FLETT'S SPRINGS	32	61
4	51	RENO	4	69	10	248	TOUCHWOOD	9	46	15	430	INVERGORDON	N/A	4
4	79	ARLINGTON	27	84	10	277	EMERALD	N/A	7	15	459	KINISTINO	23	76
4	110	PIAPOT	28	124	10	279	MOUNT HOPE	17	74	15	461	PRINCE ALBERT	20	38
4	77A	WISE CREEK	N/A	72	10	307	ELFROS	16	66	15	463	DUCK LAKE	5	23
4	78A	GRASSY CREEK	N/A	65	10	309	PRAIRIE ROSE	7	64	15	491	BUCKLAND	1	9
4	79A	ARLINGTON	57	138	10	336	SASMAN	11	30	15	520	PADDOCKWOOD	N/A	0
5	122	MARTIN	N/A	99	10	339	LEROY	4	44	15	521	LAKE LAND	N/A	0
5	124	KINGSLEY	96	156	10	246A	ITUNA BON ACCORD	18	40	15	371A	BAYNE	4	48
5	151	ROCANVILLE	56	109	10	248A	TOUCHWOOD	17	62	15	371B	BAYNE	21	72
5	155	WOLSELEY	41	75	10	276A	FOAM LAKE	15	112	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	116	180	10	276B	FOAM LAKE	46	77	15	403A	ROSTHERN	21	68
5	183	FERTILE BELT	74	133	10	276C	FOAM LAKE	11	33	15	403C	ROSTHERN	11	69
5	211	CHURCHBRIDGE	74	112	10	276D	FOAM LAKE	6	54	15	461A	PRINCE ALBERT	10	28
5	213	SALT COATS	101	164	10	277A	EMERALD	12	63	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	51	117	10	279A	MOUNT HOPE	N/A	0	16	435	REDBERRY	58	117
5	125A	CHESTERFIELD	55	71	11	251	BIG ARM	N/A	70	16	436	DOUGLAS	2	36
5	154A	ELCAPO	81	112	11	280	WREFOED	N/A	0	16	437	NORTH BATTLEFORD	N/A	112
5	183A	FERTILE BELT	118	207	11	283	ROSEDALE	0	73	16	466	MEETING LAKE	6	53
5	211A	CHURCHBRIDGE	77	128	11	284	RUDY	3	8	16	467	ROUND HILL	5	47
6	127	FRANCIS	21	84	11	314	DUNDURN	0	83	16	493	SHELLBROOK	5	37
6	128	LAJORD	8	29	11	344	CORMAN PARK	2	49	16	494	CANWOOD	5	44
6	130	REDBURN	9	22	11	282A	McCRANEY	12	29	16	497	MEDSTEAD	10	62
6	156	INDIAN HEAD	31	87	12	286	MILDEN	13	106	16	437A	NORTH BATTLEFORD	N/A	95
6	160	PENSE	N/A	18	12	287	ST. ANDREWS	6	52	16	467A	ROUND HILL	5	60
6	186	ABERNETHY	N/A	76	12	288	PLEASANT VALLEY	5	48	17	468	MEOTA	N/A	66
6	190	DUFFERIN	N/A	51	12	316	HARRIS	5	40	17	470	PAYNTON	0	4
6	216	TULLYMET	8	10	12	317	MARRIOTT	N/A	65	17	471	ELDON	13	109
6	217	LIPTON	6	66	12	345	VANSCOY	N/A	32	17	498	PARKDALE	18	90
6	219	LONGLAKETON	9	65	12	346	PERDUE	10	85	17	499	MERVIN	11	60
6	221	SARNIA	6	80	12	347	BIGGAR	11	74	17	502	BRITANNIA	15	67
6	127B	FRANCIS	12	53	12	376	EAGLE CREEK	16	69	17	561	LOON LAKE	15	68
6	159A	SHERWOOD	10	35	12	377	GLENSIDE	9	65	17	588	MEADOW LAKE	18	111
6	159B	SHERWOOD	16	47	12	285A	FERTILE VALLEY	9	61	17	622	BEAVER RIVER	30	117
6	160A	PENSE	8	28	13	290	KINDERSLEY	N/A	46	17	498A	PARKDALE	16	82
6	190A	DUFFERIN	N/A	0	13	292	MILTON	18	70	17	501A	FRENCHMAN BUTTE	14	76
6	190B	DUFFERIN	8	62	13	321	PRAIRIEDALE	24	78	17	501C	FRENCHMAN BUTTE	N/A	50
6	190C	DUFFERIN	11	65	13	350	MARIPOSA	5	58	17	561A	LOON LAKE	9	69
6	216A	TULLYMET	0	0	13	351	PROGRESS	5	94					
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	57					
6	219A	LONGLAKETON	N/A	98	13	382	EYE HILL	5	72					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	5	95					
6	220A	McKILLOP	14	78	13	440	HILLSDALE	11	99					
7	132	HILLSBOROUGH	15	95	13	442	MANITOU LAKE	13	118					
7	136	COULEE	26	63	13	292A	MILTON	12	46					
7	161	MOOSE JAW	5	37	13	320A	OAKDALE	N/A	38					
7	162	CARON	5	73	13	321A	PRAIRIEDALE	N/A	35					
7	165	MORSE	16	120	13	409A	BUFFALO	5	78					
7	193	EYEBROW	18	102										
7	223	HURON	2	93										
7	132A	HILLSBOROUGH	4	21										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	10	50										
7	222A	CRAIK	5	95										
7	223A	HURON	5	73										

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.
N/A indicates that rainfall was not reported for the week

Crop Staging Tables-June 2 to June 8, 2026

Winter Cereals	Tillering	Stem Elongation	Flag Leaf	Heading	Dough	Ripe
South East	51%	36%	13%	0%	0%	0%
South West	25%	8%	18%	49%	0%	0%
East Central	52%	31%	10%	7%	0%	0%
West Central	1%	30%	69%	0%	0%	0%
North East	29%	71%	0%	0%	0%	0%
North West	0%	0%	100%	0%	0%	0%
Provincial	36%	23%	17%	24%	0%	0%

Spring Cereals	Pre Emerging	Seedling	Tillering	Stem Elongation	Flag Leaf	Heading	Dough	Ripe
South East	16%	48%	32%	3%	1%	0%	0%	0%
South West	17%	53%	29%	1%	0%	0%	0%	0%
East Central	30%	48%	22%	0%	0%	0%	0%	0%
West Central	27%	52%	21%	0%	0%	0%	0%	0%
North East	26%	67%	7%	0%	0%	0%	0%	0%
North West	17%	66%	17%	0%	0%	0%	0%	0%
Provincial	23%	54%	22%	1%	0%	0%	0%	0%


Flax	Pre Emerging	Seedling	Stem Elongation	Flowering	Boll	Ripe
South East	29%	70%	2%	0%	0%	0%
South West	19%	81%	0%	0%	0%	0%
East Central	38%	61%	1%	0%	0%	0%
West Central	35%	52%	13%	0%	0%	0%
North East	34%	60%	6%	0%	0%	0%
North West	0%	100%	0%	0%	0%	0%
Provincial	35%	63%	2%	0%	0%	0%

Canola and Mustard	Pre Emerging	Seedling	Rosette	Bolting	Flowering	Podded	Ripe
South East	27%	63%	10%	0%	0%	0%	0%
South West	19%	68%	13%	0%	0%	0%	0%
East Central	50%	48%	2%	0%	0%	0%	0%
West Central	23%	69%	8%	0%	0%	0%	0%
North East	44%	53%	3%	0%	0%	0%	0%
North West	24%	76%	0%	0%	0%	0%	0%
Provincial	35%	60%	5%	0%	0%	0%	0%

Pulse Crops	Pre Emerging	Seedling	Vegetative	Flowering	Podded	Ripe
South East	13%	66%	21%	0%	0%	0%
South West	12%	65%	23%	0%	0%	0%
East Central	6%	62%	32%	0%	0%	0%
West Central	12%	70%	18%	0%	0%	0%
North East	4%	79%	17%	0%	0%	0%
North West	3%	86%	11%	0%	0%	0%
Provincial	13%	65%	22%	0%	0%	0%


Cumulative Rainfall

from April 1 to June 8, 2026



Cropland Topsoil Moisture Conditions


from June 2 to June 8, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from June 2 to June 8, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from June 2 to June 8, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature


from June 2 to June 8, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from June 2 to June 8, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

June 11, 2026