

Crop Report

For the Period June 9 to June 15, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 07, June 18, 2026

Seeding is 97 per cent complete, up from 93 per cent last week. This is slightly below the five- and ten-year average of 99 per cent. Progress was slowed by rainfall and excess moisture. Despite these delays, seeding is nearing completion in almost all areas.

The west-central and southwest regions are the most advanced at 99 per cent complete, followed closely by the southeast and northern regions at 98 per cent. The east-central region has made progress at 90 per cent complete.

Provincially, good progress was made in seeding oilseed crops and perennial forages, while progress for pulse crops was notably slower. Seeding is nearly finished for key crops, including field peas, lentils, spring wheat and durum.

Cereal crops

- 98 per cent for durum;
- 99 per cent for spring wheat;
- 96 per cent for barley;
- 79 per cent for triticale;
- 82 per cent for canary seed; and
- 93 per cent for oats.

Pulse crops

- 99 per cent for field peas;
- 97 per cent for lentils; and
- 89 per cent for chickpeas.

Oilseed crops

- 90 per cent for mustard;
- 97 per cent for canola; and
- 93 per cent for flax.

Perennial forages

- 76 per cent.

Rainfall varied significantly across the province, with some regions receiving no precipitation, while the RM of Lipton recorded 90 millimetres (mm) and the Langenburg and Elfros regions received 78 mm and 74 mm, respectively.

One year ago

Seeding was completed in the province, with in-field spraying underway. While some areas received isolated showers, precipitation remained uneven across the province, with overall declining topsoil moisture conditions. Localized storms brought heavy rainfall and hail to certain regions, resulting in crop damage. Despite these events, most crops were reported to be at a normal stage of development. A good general rain was needed to help push crop development and prevent deterioration in crop conditions.

Follow the 2026 Crop Report on
X @SKAgriculture

Seeding Progress in SK

Per cent seeded Historical all Crops

June 15, 2026	97
June 16, 2025	100
June 17, 2024	99
June 12, 2023	99
June 13, 2022	98
June 14, 2021	100
5 year avg. (2021-2025)	99
10 year avg. (2016-2025)	99

For further information, contact Augustine Osei, PhD, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-520-5761, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan!

Crop Report

For the Period June 9 to June 15, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 07, June 18, 2026

Topsoil moisture conditions remained stable overall, with increases in surplus moisture observed in some regions following recent rainfall.

Cropland topsoil moisture is:

- 15 per cent surplus;
- 74 per cent adequate;
- 10 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 11 per cent surplus;
- 74 per cent adequate;
- 13 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 74 per cent adequate;
- 16 per cent short; and
- 2 per cent very short.

Crop development varies due to fluctuations in rainfall and growing conditions throughout the season. While most crops are reported to be developing at a normal pace, a notable portion is also behind expected stages. Crop development for this time of year is rated as follows:

- 1 per cent of fall cereals are reported as ahead, 82 per cent as normal and 17 per cent behind.
- 1 per cent of spring cereals are reported as ahead, 63 per cent as normal and 36 per cent behind.
- 1 per cent of oilseeds are reported as ahead, 53 per cent as normal and 46 per cent behind.
- 2 per cent of pulse crops are reported as ahead, 73 per cent as normal and 25 per cent behind.
- 1 per cent of perennial forage are reported as ahead, 77 per cent as normal and 22 per cent behind.
- 1 per cent of annual forage are reported as ahead, 68 per cent as normal and 31 per cent behind.

Crop conditions vary by crop type, with the majority rated as fair to good. A notable proportion of crops are in excellent condition, indicating strong overall crop health. However, some variability remains across crop types and regions, reflecting differences in growing conditions.

For further information, contact Augustine Osei, PhD, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-520-5761, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan!

Crop Report

For the Period June 9 to June 15, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 07, June 18, 2026

Crop damage this week was caused by multiple factors including flooding, gophers and wind. Minor damage from insects like flea beetles was also reported.

With seeding almost wrapped up in many regions, producers are focused on in-crop herbicide applications and scouting for insects and disease.

Producers are reminded to keep safety top of mind while working. For any crop or livestock questions, producers can call the Agriculture Knowledge Centre, toll free at 1-866-457-2377.

For further information, contact Augustine Osei, PhD, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-520-5761, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan!

Seeding Progress

from April 1 to June 15, 2026

Seeding Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Regional Seeding Progress by Crop Type

Per cent seeded by crop
for the period of June 9 to June 15, 2026

	South East	South West	East Central	West Central	North East	North West	Provincial
Spring Wheat	97%	100%	98%	100%	99%	100%	99%
Durum	99%	100%	93%	91%	100%	100%	98%
Oats	92%	98%	80%	90%	98%	96%	93%
Barley	97%	99%	92%	99%	97%	99%	96%
Triticale	96%	79%	40%	23%	38%	100%	79%
Flax	96%	97%	94%	92%	88%	100%	93%
Canola	96%	100%	92%	99%	98%	99%	97%
Mustard	91%	95%	82%	80%	33%	100%	90%
Soybeans	95%	92%	46%	43%	4%	100%	76%
Lentils	99%	100%	97%	94%	84%	100%	97%
Field Peas	100%	100%	97%	100%	100%	98%	99%
Canary Seed	98%	72%	42%	81%	97%	100%	82%
Chickpeas	95%	100%	100%	54%	38%	100%	89%
Perennial Forage	73%	94%	63%	65%	75%	94%	76%

Southeast Saskatchewan	
Census Division	% seeded (June 15, 2026)
1	99%
2	100%
5	94%
6	99%
Region average	98%

Southwest Saskatchewan	
Census Division	% seeded (June 15, 2026)
3	100%
4	100%
7	98%
8	100%
Region average	99%


East-Central Saskatchewan	
Census Division	% seeded (June 15, 2026)
9	80%
10	93%
11	95%
Region average	90%

West-Central Saskatchewan	
Census Division	% seeded (June 15, 2026)
12	99%
13	100%
Region average	99%

Northeast Saskatchewan	
Census Division	% seeded (June 15, 2026)
14	97%
15	99%
Region average	98%

Northwest Saskatchewan	
Census Division	% seeded (June 15, 2026)
16	98%
17	98%
Region average	98%

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Seeding is 98 per cent complete within the region, up from 96 per cent last week. This is not far off the five-year average of 99 per cent.

Seeding progress is as follows:

Cereal crops:

- 99 per cent for durum;
- 97 per cent for barley;
- 97 per cent for spring wheat;
- 98 per cent for canary seed;
- 92 per cent for oats; and
- 96 per cent for triticale.

Oilseed crops:

- 91 per cent for mustard;
- 96 per cent for flax; and
- 96 per cent for canola.

Pulse crops:

- 100 per cent for field peas;
- 99 per cent for lentils;
- 95 per cent for soybeans; and
- 95 per cent for chickpeas.

Perennial Forage

- 73 per cent.

Rainfall was reported across the region with some areas receiving significant amounts. The areas that reported the highest amounts included the Lipton area with 90 millimetres (mm), followed by the Langenburg area with 78 mm. The Griffin area received 65 mm and 50 mm in the RM of Fertile Belt. Though the amount of rainfall in this region was not as much as reported the week prior, it was still enough to increase the number of acres with surplus topsoil moisture. Given this rainfall was not evenly distributed across the entire region, there are still some areas that continue to experience short or very short topsoil moisture conditions.

Southeast Saskatchewan	
Census Division	% seeded (June 15, 2026)
1	99%
2	100%
5	94%
6	99%
Region average	98%

Cropland topsoil moisture is:

- 27 per cent surplus;
- 56 per cent adequate;
- 14 per cent short; and
- 3 per cent very short.

Hayland topsoil moisture is:

- 23 per cent surplus;
- 49 per cent adequate;
- 22 per cent short; and
- 6 per cent very short.

Pasture topsoil moisture is:

- 24 per cent surplus;
- 47 per cent adequate;
- 21 per cent short; and
- 8 per cent very short.

Crop development across the region varies due to differing rainfall levels received; however, most crops reported to be at normal stage for this time of year.

Crop development for this time of year in the region is rated as follows:

- 6 per cent of fall cereals are reported as ahead, 80 per cent as normal and 14 per cent behind.
- 3 per cent of spring cereals are reported as ahead, 71 per cent as normal and 26 per cent behind.
- 3 per cent of oilseeds are reported as ahead, 66 per cent as normal and 31 per cent behind.
- 5 per cent of pulse crops are reported as ahead, 76 per cent as normal and 19 per cent behind.
- 6 per cent of perennial forages are reported as ahead, 70 per cent as normal and 24 per cent behind.
- 7 per cent of annual forage are reported as ahead, 82 per cent as normal and 11 per cent behind.

South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	7%	15%	24%	7%	19%	16%	8%	6%
good	46%	49%	54%	74%	61%	63%	79%	70%
fair	47%	33%	18%	16%	16%	17%	12%	20%
poor	0%	3%	4%	3%	4%	4%	1%	4%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	17%	4%	4%	14%	14%	7%	8%	
good	43%	64%	88%	68%	64%	78%	71%	
fair	29%	32%	7%	18%	21%	15%	21%	
poor	11%	0%	1%	0%	1%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	

While the majority of crop conditions in the region are rated as fair to good, a notable proportion is rated as excellent, indicating strong overall crop health in the region. Despite this overall positive crop health, a few are rated as being in poor condition. With wet and cool conditions slowing crop development, producers are hoping for some warming in the coming days to help.

Minor to severe crop damage was reported in the region this week due to flooding, wind, gophers and hail. Minor to moderate insect damage from flea beetles was also reported in the region.

Generally, windy and wet conditions experienced in most parts of the region are slowing down in-crop spraying operations. Producers are looking forward to favourable conditions to get some spraying done.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Erosee, Fox Valley, Leader, Swift Current and Tompkins areas

Seeding is almost wrapped up in the southwest region with 99 per cent of the seeding complete. This is up from 97 per cent last week and close to the five-year average of 100 per cent. Seeding progress for the region is as follows:

Cereal crops:

- 100 per cent for durum;
- 99 per cent for barley;

Southwest Saskatchewan	
Census Division	% seeded (June 15, 2026)
3	100%
4	100%
7	98%
8	100%
Region average	99%

- 100 per cent for spring wheat;
- 79 per cent for triticale;
- 98 per cent for oats; and
- 72 per cent for canary seed.

Oilseed crops:

- 95 per cent for mustard;
- 100 per cent for canola; and
- 97 per cent for flax.

Pulse crops:

- 100 per cent for field peas;
- 92 per cent for soybeans;
- 100 per cent for lentils; and
- 100 per cent for chickpeas.

Perennial Forage

- 94 per cent.

Rainfall varied throughout the region. While some areas in the region did not receive any rainfall, the Stonehenge area had the largest amount with 28 millimetres (mm) of rainfall, followed closely by the Grassy Creek area with 27 mm and 25 mm in the Arlington region. The rainfall received in the area was enough to maintain adequate amounts of topsoil moisture in the region.

Cropland topsoil moisture is:

- 4 per cent surplus;
- 85 per cent adequate;
- 9 per cent short; and
- 2 per cent very short.

Hayland topsoil moisture is:

- 79 per cent adequate;
- 18 per cent short; and
- 3 per cent very short.

Pasture topsoil moisture is:

- 80 per cent adequate;
- 18 per cent short; and
- 2 per cent very short.

Crop development in the region is reported as normal with a few reported as behind for this time of year.

Crop development for this time of year in the region is rated as follows:

- 1 per cent of fall cereals are reported as ahead, 83 per cent as normal and 16 per cent behind.
- 1 per cent of spring cereals are reported as ahead, 77 per cent as normal and 22 per cent behind.
- 72 per cent of oilseeds are reported as normal and 28 per cent behind.
- 2 per cent of pulse crops are reported ahead, 80 per cent normal and 18 per cent behind.
- 93 per cent of perennial forage are reported normal and 7 per cent behind.
- 95 per cent of annual forage are reported normal and 5 per cent behind.

South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	7%	9%	3%	6%	21%	15%
good	76%	74%	84%	81%	91%	84%	72%	73%
fair	24%	21%	9%	9%	6%	9%	7%	11%
poor	0%	5%	0%	1%	0%	1%	0%	1%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	6%	0%	11%	25%	32%	28%	
good	100%	84%	100%	78%	65%	49%	68%	
fair	0%	10%	0%	10%	8%	19%	4%	
poor	0%	0%	0%	1%	2%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	

Majority of crop conditions in the region are rated as good, with a notable proportion rated as fair and excellent. A few are also rated as being in poor condition.

Minor crop damage was reported in the region this week due to wind, with gophers causing minor and, in some cases, severe damage. Minor damage from localized flooding, heat stress and hail have also been reported. Minor to moderate insect damage from flea beetles was also reported in the region.

While in-crop spraying is ongoing, windy conditions continue to pose a challenge for producers to undertake spraying operations. Producers are looking forward to favorable conditions to get some spraying done.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Seeding advanced within the region and is now reported at 90 per cent complete. This is up from 84 per cent last week and is slightly behind the five-year average of 98 per cent. Seeding progress is as follows:

Cereal crops:

- 93 per cent for durum;
- 92 per cent for barley;
- 98 per cent for spring wheat;
- 40 per cent for triticale;
- 80 per cent for oats; and
- 42 per cent for canary seed.

Oilseed crops:

- 82 per cent for mustard;
- 92 per cent for canola; and
- 94 per cent for flax.

Pulse crops:

- 97 per cent for field peas;
- 46 per cent for soybeans;
- 97 per cent for lentils; and
- 100 per cent for chickpeas.

Perennial Forage

- 63 per cent.

East-Central Saskatchewan	
Census Division	% seeded (June 15, 2026)
9	80%
10	93%
11	95%
Region average	90%

Rainfall varied across the region. The Elfros area received the highest rainfall of 74 millimetres (mm), followed by the Rudy region with 65 mm and both Mount Hope and the Wreford areas receiving 63 mm of rainfall. Topsoil moisture in the region is mostly rated as adequate with a fair amount being surplus. Given this rainfall was not evenly distributed across the entire region, there are still some areas that are short topsoil moisture, but none reported very short topsoil moisture.

Cropland topsoil moisture is:

- 28 per cent surplus;
- 59 per cent adequate; and
- 13 per cent short.

Hayland topsoil moisture is:

- 29 per cent surplus;
- 58 per cent adequate; and
- 13 per cent short.

Pasture topsoil moisture is:

- 26 per cent surplus;
- 58 per cent adequate; and
- 16 per cent short.

While most crops in the region are reported to be at a normal stage of development, a substantial amount of the crops, particularly, spring cereals and oilseed crops are reported as being behind for this time of year.

Crop development for this time of year in the region is rated as follows:

- 2 per cent of fall cereals are reported as ahead, 74 per cent as normal and 24 per cent behind.
- 1 per cent of spring cereals are reported as ahead, 48 per cent as normal and 51 per cent behind.
- 1 per cent of oilseeds are reported as ahead, 38 per cent as normal and 61 per cent behind.
- 4 per cent of pulse crops are reported as ahead, 71 per cent as normal and 25 per cent behind.
- 2 per cent of perennial forage are reported as ahead, 58 per cent as normal and 40 per cent behind.
- 61 per cent of annual forage are reported as normal and 39 per cent behind.

East Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	1%	0%	16%	36%	16%	14%	0%	10%
good	72%	97%	59%	60%	40%	57%	88%	51%
fair	17%	1%	21%	4%	32%	23%	11%	30%
poor	6%	1%	3%	0%	11%	5%	1%	7%
very poor	4%	1%	1%	0%	1%	1%	0%	2%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	2%	19%	0%	0%	
good	89%	92%	65%	95%	61%	68%	100%	
fair	8%	5%	33%	3%	15%	21%	0%	
poor	3%	2%	0%	0%	4%	9%	0%	
very poor	0%	1%	2%	0%	1%	2%	0%	

Most of the crops in the region are rated as fair to excellent, with the majority of them being rated as being in good condition. With wet and cool conditions slowing crop development, producers are hoping for some warming in the coming days to enhance development and condition.

Minor to severe crop damage was reported in the region this week due to flooding, wind and gophers. Minor hail damage was also reported in some areas. In addition, some minor insect damage to crops from flea beetles and cutworms were also reported in the region.

Excessive moisture and windy conditions continue to delay seeding and spraying operations in the region. Producers are looking forward to favorable conditions to get some spraying done.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

The region is currently reporting 99 per cent seeding completion, up from 98 per cent last week and right in line with the five-year average of 100 per cent. Seeding progress in the region is as follows:

West-Central Saskatchewan	
Census Division	% seeded (June 15, 2026)
12	99%
13	100%
Region average	99%

Cereal crops:

- 100 per cent for spring wheat;
- 91 per cent for durum;
- 99 per cent for barley;
- 90 per cent for oats;
- 81 per cent for canary seed; and
- 23 per cent for triticale.

Oilseed crops:

- 99 per cent for canola;
- 92 per cent for flax; and
- 80 per cent for mustard.

Pulse crops:

- 100 per cent for field peas;
- 94 per cent for lentils; and
- 54 per cent chickpeas.

Most of the crop conditions in the region are rated as fair to excellent, with none rated to be in poor or very poor condition.

Minor crop damage was reported in the region this week due to wind and dry soil conditions. Minor insect damage from flea beetles, cutworms and pea leaf weevils were also reported in the region.

With seeding almost all done, in-crop spraying is ongoing. Given the general low soil moisture conditions, producers are looking forward to some much-needed rain.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Producers were able to make good progress over the last week, with seeding now 98 per cent complete, up from 92 per cent reported last week. This is in line with the five-year average of 99 per cent. Seeding progress is as follows:

Northeast Saskatchewan	
Census Division	% seeded (June 15, 2026)
14	97%
15	99%
Region average	98%

Cereal crops:

- 99 per cent for spring wheat;
- 97 per cent for barley;
- 38 per cent for triticale;
- 98 per cent for oats;
- 97 per cent for canary seed; and
- 100 per cent for durum.

Oilseed crops:

- 98 per cent for canola;
- 88 per cent for flax; and
- 33 per cent for mustard

Pulse crops:

- 100 per cent for field peas;
- 84 per cent for lentils;
- 38 per cent for chickpeas; and
- 4 per cent for soybeans.

Perennial Forage

- 75 per cent.

The majority of crop conditions in the region are rated as fair to good, with a notable proportion rated as excellent. Producers have attributed these crop conditions to relatively good growing conditions with some of the later seeded crops now emerging.

Minor to moderate crop damage was reported in the region this week due to flooding, wind and flea beetles. With seeding almost wrapped up, producers are now focused on in-crop spraying.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Seeding is 98 per cent complete, up from 95 per cent last week. This is in line with the five-year average of 99 per cent. Seeding progress is as follows:

Northwest Saskatchewan	
Census Division	% seeded (June 15, 2026)
16	98%
17	98%
Region average	98%

Cereal crops:

- 100 per cent for spring wheat;
- 99 per cent for barley;
- 100 per cent for triticale;
- 96 per cent for oats;
- 100 per cent for canary seed; and
- 100 per cent for durum.

Oilseed crops:

- 99 per cent for canola;
- 100 per cent for flax; and
- 100 per cent for mustard.

Pulse crops:

- 98 per cent for field peas;
- 100 per cent for lentils;
- 100 per cent for chickpeas; and
- 100 per cent for soybeans.

Perennial Forage

- 94 per cent.

The majority of crop conditions in the region are rated as good to excellent, indicating strong overall crop health in the region.

Minor crop damage was reported in the region this week due to wind and flooding. Gophers are reported to have caused minor to moderate damage. Additionally, minor to moderate insect damage from flea beetles and root rot disease were also reported in the region.

With seeding almost wrapped up, producers are now focused on in-crop spraying. Although moisture conditions are generally adequate, some areas are reporting rapid soil drying and producers are looking forward to some much-needed rain.

Saskatchewan Crop Conditions - June 9 to June 15, 2026

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	6%	3%	18%	11%	18%	17%	13%	14%
good	73%	74%	64%	78%	62%	66%	74%	62%
fair	20%	19%	15%	10%	14%	14%	12%	19%
poor	1%	4%	3%	1%	5%	3%	1%	4%
very poor	0%	0%	0%	0%	1%	0%	0%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	3%	10%	13%	15%	21%	14%	25%	
good	96%	78%	57%	71%	64%	74%	68%	
fair	1%	12%	27%	13%	13%	11%	7%	
poor	0%	0%	3%	1%	2%	1%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	7%	15%	24%	7%	19%	16%	8%	6%
good	46%	49%	54%	74%	61%	63%	79%	70%
fair	47%	33%	18%	16%	16%	17%	12%	20%
poor	0%	3%	4%	3%	4%	4%	1%	4%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	17%	4%	4%	14%	14%	7%	8%	
good	43%	64%	88%	68%	64%	78%	71%	
fair	29%	32%	7%	18%	21%	15%	21%	
poor	11%	0%	1%	0%	1%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	0%	0%	7%	9%	3%	6%	21%	15%
good	76%	74%	84%	81%	91%	84%	72%	73%
fair	24%	21%	9%	9%	6%	9%	7%	11%
poor	0%	5%	0%	1%	0%	1%	0%	1%
very poor	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	6%	0%	11%	25%	32%	28%	
good	100%	84%	100%	78%	65%	49%	68%	
fair	0%	10%	0%	10%	8%	19%	4%	
poor	0%	0%	0%	1%	2%	0%	0%	
very poor	0%	0%	0%	0%	0%	0%	0%	
East Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
excellent	1%	0%	16%	36%	16%	14%	0%	10%
good	72%	97%	59%	60%	40%	57%	88%	51%
fair	17%	1%	21%	4%	32%	23%	11%	30%
poor	6%	1%	3%	0%	11%	5%	1%	7%
very poor	4%	1%	1%	0%	1%	1%	0%	2%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
excellent	0%	0%	0%	2%	19%	0%	0%	
good	89%	92%	65%	95%	61%	68%	100%	
fair	8%	5%	33%	3%	15%	21%	0%	
poor	3%	2%	0%	0%	4%	9%	0%	
very poor	0%	1%	2%	0%	1%	2%	0%	

Saskatchewan Crop Development (for the period of June 9 to June 15, 2026)

Provincial Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	1%	82%	17%
Spring Cereals	1%	63%	36%
Oilseeds	1%	53%	46%
Pulse Crops	2%	73%	25%
Perennial Forage	1%	77%	22%
Annual Forage	1%	68%	31%

Southeast Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	6%	80%	14%
Spring Cereals	3%	71%	26%
Oilseeds	3%	66%	31%
Pulse Crops	5%	76%	19%
Perennial Forage	6%	70%	24%
Annual Forage	7%	82%	11%

Southwest Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	1%	83%	16%
Spring Cereals	1%	77%	22%
Oilseeds	0%	72%	28%
Pulse Crops	2%	80%	18%
Perennial Forage	0%	93%	7%
Annual Forage	0%	95%	5%

East-Central Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	2%	74%	24%
Spring Cereals	1%	48%	51%
Oilseeds	1%	38%	61%
Pulse Crops	4%	71%	25%
Perennial Forage	2%	58%	40%
Annual Forage	0%	61%	39%


West-Central Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	68%	32%
Spring Cereals	0%	65%	35%
Oilseeds	0%	60%	40%
Pulse Crops	0%	65%	35%
Perennial Forage	0%	60%	40%
Annual Forage	0%	56%	44%

Northeast Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	65%	35%
Spring Cereals	0%	50%	50%
Oilseeds	0%	47%	53%
Pulse Crops	0%	65%	35%
Perennial Forage	0%	67%	33%
Annual Forage	1%	66%	33%

Northwest Saskatchewan Crop Development			
Crop	% Ahead	% Normal	% Behind
Fall Cereals	0%	100%	0%
Spring Cereals	1%	68%	31%
Oilseeds	0%	54%	46%
Pulse Crops	1%	90%	9%
Perennial Forage	0%	81%	19%
Annual Forage	0%	54%	46%

Weekly Rainfall

from June 9 to June 15, 2026



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from June 9 to June 15, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	28	134	8	138	WEBB	5	123	14	366	KELVINGTON	13	48
1	4	COALFIELDS	22	146	8	139	GULL LAKE	7	93	14	367	PONASS LAKE	N/A	72
1	32	RECIPROCITY	N/A	71	8	168	RIVERSIDE	0	93	14	394	HUDSON BAY	35	110
1	34	BROWNING	38	147	8	228	LACADENA	1	77	14	395	PORCUPINE	N/A	41
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	0	61	14	397	BARRIER VALLEY	5	71
1	95	GOLDEN WEST	5	142	8	231	HAPPYLAND	1	75	14	428	STAR CITY	N/A	59
1	2A	MOUNT PLEASANT	20	87	8	259	SNIPE LAKE	3	75	14	456	ARBORFIELD	23	81
2	10	HAPPY VALLEY	12	35	8	138A	WEBB	9	65	14	457	CONNAUGHT	N/A	35
2	38	LAURIER	14	82	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	1	67
2	66	GRIFFIN	65	110	8	257A	MONET	0	88	14	487	NIPAWIN	13	40
2	67	WEYBURN	17	47	8	259A	SNIPE LAKE	N/A	73	14	488	TORCH RIVER	4	52
2	70	KEY WEST	N/A	12	9	241	CALDER	31	172	14	394A	HUDSON BAY	40	125
2	100	ELMSTHORPE	16	59	9	243	WALLACE	34	56	14	397A	BARRIER VALLEY	12	38
2	100A	ELMSTHORPE	10	36	9	245	GARRY	21	76	14	488A	TORCH RIVER	N/A	0
2	38A	LAURIER	N/A	35	9	273	SLIDING HILLS	N/A	124	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	28	109	9	274	GOOD LAKE	23	118	15	369	ST. PETER	20	75
3	74	WOOD RIVER	18	92	9	301	ST. PHILIPS	32	50	15	371	BAYNE	N/A	71
3	75	PINTO CREEK	9	54	9	305	INVERMAY	38	140	15	372	GRANT	15	77
3	76	AUVERGNE	17	78	9	331	LIVINGSTON	21	142	15	373	ABERDEEN	15	70
3	101	TERRELL	N/A	0	9	241A	CALDER	41	253	15	399	LAKE LENORE	10	92
3	102	LAKE JOHNSTON	6	95	9	245A	GARRY	45	94	15	400	THREE LAKES	N/A	62
3	106	WHISKA CREEK	0	69	10	246	ITUNA BON ACCORD	54	66	15	402	FISH CREEK	11	33
3	74A	KEY WEST	24	85	10	247	KELLROSS	55	70	15	429	FLETT'S SPRINGS	2	63
4	51	RENO	4	73	10	248	TOUCHWOOD	55	101	15	430	INVERGORDON	4	8
4	79	ARLINGTON	14	98	10	277	EMERALD	49	76	15	459	KINISTINO	6	82
4	110	PIAPOT	4	128	10	279	MOUNT HOPE	63	137	15	461	PRINCE ALBERT	N/A	38
4	77A	WISE CREEK	7	79	10	307	ELFROS	74	140	15	463	DUCK LAKE	11	34
4	78A	GRASSY CREEK	27	92	10	309	PRAIRIE ROSE	34	97	15	491	BUCKLAND	3	12
4	79A	ARLINGTON	25	163	10	336	SASMAN	20	50	15	520	PADDOCKWOOD	N/A	0
5	122	MARTIN	N/A	155	10	339	LEROY	20	64	15	521	LAKELAND	N/A	0
5	124	KINGSLEY	N/A	156	10	246A	ITUNA BON ACCORD	22	62	15	371A	BAYNE	29	77
5	151	ROCANVILLE	27	136	10	248A	TOUCHWOOD	65	127	15	371B	BAYNE	17	89
5	155	WOLSELEY	24	99	10	276A	FOAM LAKE	25	137	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	78	258	10	276B	FOAM LAKE	61	138	15	403A	ROSTHERN	10	78
5	183	FERTILE BELT	50	183	10	276C	FOAM LAKE	51	84	15	403C	ROSTHERN	10	79
5	211	CHURCHBRIDGE	49	161	10	276D	FOAM LAKE	19	73	15	461A	PRINCE ALBERT	1	29
5	213	SALT COATS	36	200	10	277A	EMERALD	N/A	63	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	24	141	10	279A	MOUNT HOPE	45	45	16	434	BLAINE LAKE	12	12
5	125A	CHESTERFIELD	N/A	71	11	251	BIG ARM	N/A	70	16	435	REDBERRY	7	124
5	154A	ELCAPO	40	152	11	280	WREFORD	63	63	16	436	DOUGLAS	0	36
5	183A	FERTILE BELT	38	245	11	283	ROSEDALE	11	84	16	437	NORTH BATTLEFORD	N/A	112
5	211A	CHURCHBRIDGE	43	171	11	284	RUDY	0	8	16	466	MEETING LAKE	6	59
6	127	FRANCIS	46	130	11	314	DUNDURN	13	96	16	467	ROUND HILL	5	52
6	128	LAJORD	5	34	11	344	CORMAN PARK	N/A	49	16	493	SHELLBROOK	2	39
6	130	REDBURN	21	43	11	282A	McCRANEY	7	36	16	494	CANWOOD	N/A	44
6	156	INDIAN HEAD	36	123	12	286	MILDEN	0	106	16	497	MEDSTEAD	6	68
6	160	PENSE	5	23	12	287	ST. ANDREWS	0	52	16	437A	NORTH BATTLEFORD	1	104
6	186	ABERNETHY	N/A	86	12	288	PLEASANT VALLEY	4	52	16	467A	ROUND HILL	7	67
6	190	DUFFERIN	8	58	12	316	HARRIS	0	40	17	468	MEOTA	0	66
6	216	TULLYMET	N/A	10	12	317	MARRIOTT	0	65	17	470	PAYNTON	0	4
6	217	LIPTON	90	156	12	345	VANSCOY	0	32	17	471	ELDON	3	112
6	219	LONGLAKETON	37	102	12	346	PERDUE	0	85	17	498	PARKDALE	7	97
6	221	SARNIA	30	110	12	347	BIGGAR	3	77	17	499	MERVIN	5	65
6	127B	FRANCIS	14	67	12	376	EAGLE CREEK	4	73	17	502	BRITANNIA	11	78
6	159A	SHERWOOD	7	42	12	377	GLENSIDE	1	66	17	561	LOON LAKE	6	74
6	159B	SHERWOOD	21	68	12	285A	FERTILE VALLEY	1	62	17	588	MEADOW LAKE	10	121
6	160A	PENSE	N/A	28	13	290	KINDERSLEY	N/A	51	17	622	BEAVER RIVER	3	120
6	190A	DUFFERIN	N/A	0	13	292	MILTON	27	97	17	498A	PARKDALE	N/A	82
6	190B	DUFFERIN	14	76	13	321	PRAIRIEDALE	24	102	17	501A	FRENCHMAN BUTTE	0	76
6	190C	DUFFERIN	13	78	13	350	MARIPOSA	0	58	17	501C	FRENCHMAN BUTTE	N/A	50
6	216A	TULLYMET	30	30	13	351	PROGRESS	1	95	17	561A	LOON LAKE	6	75
6	217A	LIPTON	N/A	2	13	379	REFORD	10	67					
6	219A	LONGLAKETON	7	105	13	382	EYE HILL	3	74					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	5	100					
6	220A	McKILLOP	14	92	13	440	HILLSDALE	13	113					
7	132	HILLSBOROUGH	15	110	13	442	MANITOU LAKE	15	133					
7	136	COULEE	4	66	13	292A	MILTON	18	64					
7	161	MOOSE JAW	12	49	13	320A	OAKDALE	0	42					
7	162	CARON	10	83	13	321A	PRAIRIEDALE	N/A	35					
7	165	MORSE	N/A	120	13	409A	BUFFALO	5	83					
7	193	EYEBROW	12	114										
7	223	HURON	N/A	93										
7	132A	HILLSBOROUGH	3	24										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	10	60										
7	222A	CRAIK	15	110										
7	223A	HURON	2	75										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cumulative Rainfall

from April 1 to June 15, 2026




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Cropland Topsoil Moisture Conditions

from June 9 to June 15, 2026




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Hay Topsoil Moisture Conditions

from June 9 to June 15, 2026




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Pasture Topsoil Moisture Conditions

from June 9 to June 15, 2026




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Maximum Temperature

from June 9 to June 15, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture


June 17, 2026

Minimum Temperature

from June 9 to June 15, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

June 17, 2026