

Crop Report

For the Period August 11 to August 17, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 16, August 20, 2026

Harvest progress remained slow last week, reaching 4 per cent complete as scattered rain showers and thunderstorms moved across the province. While the moisture was welcome in some regions, early-morning humidity shortened harvest windows and created poor desiccation conditions. Producers noted that warmer temperatures are needed to help advance crop maturity.

Rainfall was variable across the province last week. Some areas reported receiving significant precipitation from scattered showers and thunderstorms, while others recorded trace or no rainfall, resulting in uneven moisture conditions across crop districts.

The highest rainfall was reported in the Browning area, with 115 millimetres (mm) of rain, followed by the Enniskillen area with 106 mm and the Coalfields area with 102 mm. The Reciprocity and Meadow Lake areas reported 73 mm.

Localized showers resulted in slight improvements to topsoil moisture conditions across the province.

Cropland topsoil moisture is:

- 2 per cent surplus;
- 54 per cent adequate;
- 37 per cent short; and
- 7 per cent very short.

Hayland topsoil moisture is:

- 2 per cent surplus;
- 52 per cent adequate;
- 38 per cent short; and
- 8 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 43 per cent adequate;
- 41 per cent short; and
- 15 per cent very short.

One year ago

Harvest progress was slow last week due to scattered rain showers and thunderstorms. Humid mornings across the province led to short harvest days and poor desiccation conditions. Farmers are looking forward to higher temperatures this week to speed up crop maturity. The provincial harvest progress total last week was three per cent, which is behind our five and 10 year averages. The combination of rainfall, humidity and low temperatures delayed crop development and harvest progress.

Follow the 2026 Crop Report on X
@SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Aug 17/26	4
Aug 18/25	3
Aug 19/24	15
Aug 21/23	21
Aug 22/22	16
Aug 16/21	20
5 year avg. (2021-2025)	15
10 year avg. (2016-2025)	12

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 11 to August 17, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 16, August 20, 2026

Cool weather, rainfall and humidity slowed crop development and harvest operations last week. While harvest has begun in some areas, mainly on early seeded pulse crops, spring and winter cereals, most crops are still developing and not yet ready to combine.

Harvest completion remains significantly below the five-year average of 15 per cent and the 10 year average of 12 per cent, but ahead of last year at this time, when 3 per cent of the crop had been harvested. The southwest leads in harvest progress at 9 per cent complete, followed by the southeast at 4 per cent, west-central at 2 per cent, and east-central at 1 per cent.

- Winter cereals harvested:
 - Winter wheat: 33 per cent; and
 - Fall rye: 44 per cent.
- Spring cereals harvested:
 - Triticale: 37 per cent;
 - Barley: 5 per cent;
 - Durum: 1 per cent;
 - Spring wheat: 1 per cent;
 - Oats: 4 per cent; and
 - Canary seed: 1 per cent.
- Pulses harvested:
 - Lentils: 13 per cent; and
 - Field peas: 18 per cent.

Provincially, 81 per cent of reporters indicated no water shortages are occurring or anticipated for livestock producers. Moderate shortages were reported by 9 per cent of respondents, while 9 per cent indicated shortages are expected within the next one to two months, and one per cent reported severe shortages. Most livestock producers are not currently concerned about water quality. If producers have questions or concerns about water quality or testing, they can contact the Agriculture Knowledge Centre at 1-866-457-2377.

Crop damage over the past week was mainly attributed to dry conditions, disease pressure and insect pest activity prompting spraying in parts of the central and northern regions. Along with minor crop lodging and damage from heat and wind, gopher activity continued to cause localized field damage in some areas.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 11 to August 17, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 16, August 20, 2026

Harvest is a busy and demanding time and producers are reminded to take appropriate safety precautions during harvest operations. This includes having fire suppression equipment readily available and exercising caution when working around powerlines.

The Farm Stress Line is available to provide confidential support to producers, toll-free at 1 800 667-4442. The public is also reminded to use caution when encountering farm machinery and equipment travelling on roadways.

A complete, printable version of the Crop Report is available online.

Follow the 2026 Crop Report on X at @SKAgriculture.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.




Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan



Crop Report Regions & Census Divisions



Harvest Progress

from April 1 to August 17, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Harvest Progress - August 17, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	48%	26%	98%	94%	95%	90%	100%	100%
In Swath	1%	12%	0%	1%	1%	2%	0%	0%
Ready To Straight Combine	18%	18%	1%	4%	0%	3%	0%	0%
Combined	28%	31%	1%	1%	1%	3%	0%	0%
Harvested As Feed	5%	13%	0%	0%	3%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	58%	99%	91%	67%	65%	99%	100%	
In Swath	5%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	1%	9%	20%	17%	0%	0%	
Combined	3%	0%	0%	13%	18%	1%	0%	
Harvested As Feed	34%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	47%	31%	96%	91%	85%	68%	100%	99%
In Swath	0%	2%	0%	0%	1%	10%	0%	1%
Ready To Straight Combine	18%	34%	2%	8%	0%	9%	0%	0%
Combined	35%	22%	2%	0%	10%	12%	0%	0%
Harvested As Feed	0%	11%	0%	0%	4%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	1%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	100%	72%	55%	43%	96%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	28%	25%	24%	2%	0%	
Combined	0%	0%	0%	17%	33%	2%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	3%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	15%	8%	92%	91%	58%	84%	100%	96%
In Swath	0%	31%	0%	0%	5%	0%	0%	0%
Ready To Straight Combine	23%	17%	7%	8%	11%	7%	0%	3%
Combined	47%	28%	1%	1%	8%	3%	0%	1%
Harvested As Feed	15%	16%	0%	0%	18%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	35%	99%	100%	58%	44%	100%	100%	
In Swath	8%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	1%	0%	29%	26%	0%	0%	
Combined	5%	0%	0%	13%	30%	0%	0%	
Harvested As Feed	52%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - August 17, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	72%	5%	99%	98%	99%	93%	100%	100%
In Swath	0%	2%	0%	0%	0%	3%	0%	0%
Ready To Straight Combine	28%	1%	1%	0%	0%	1%	0%	0%
Combined	0%	92%	0%	2%	0%	2%	0%	0%
Harvested As Feed	0%	0%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	95%	100%	100%	81%	88%	100%	100%	
In Swath	0%	0%	0%	0%	1%	0%	0%	
Ready To Straight Combine	0%	0%	0%	14%	8%	0%	0%	
Combined	5%	0%	0%	5%	3%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	33%	56%	99%	100%	82%	91%	100%	99%
In Swath	0%	0%	1%	0%	0%	0%	0%	1%
Ready To Straight Combine	30%	18%	0%	0%	0%	0%	0%	0%
Combined	37%	24%	0%	0%	0%	6%	0%	0%
Harvested As Feed	0%	2%	0%	0%	18%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	94%	100%	82%	86%	100%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	14%	8%	0%	0%	
Combined	0%	6%	0%	4%	6%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	75%	65%	100%	100%	99%	97%	100%	100%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	0%	0%	0%	1%	0%	0%
Combined	25%	35%	0%	0%	0%	0%	0%	0%
Harvested As Feed	0%	0%	0%	0%	1%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	38%	100%	100%	98%	98%	100%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	2%	1%	0%	0%	
Combined	50%	0%	0%	0%	1%	0%	0%	
Harvested As Feed	12%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - August 17, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	99%	100%	100%	100%	100%	99%	100%	100%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	1%	0%	0%	0%	0%	1%	0%	0%
Combined	0%	0%	0%	0%	0%	0%	0%	0%
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	No Response(s)	No Response(s)	96%	93%	100%	No Response(s)	
In Swath	0%	No Response(s)	No Response(s)	0%	0%	0%	No Response(s)	
Ready To Straight Combine	0%	No Response(s)	No Response(s)	2%	6%	0%	No Response(s)	
Combined	0%	No Response(s)	No Response(s)	0%	0%	0%	No Response(s)	
Harvested As Feed	0%	No Response(s)	No Response(s)	0%	0%	0%	No Response(s)	
Other (Damage/Challenges)	0%	No Response(s)	No Response(s)	2%	1%	0%	No Response(s)	

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Cool temperatures and high humidity slowed crop maturity and limited harvest progress this week. Despite the challenging conditions, producers continued harvesting, with pulse crops accounting for most of the activity and a significant amount of cereal harvest also underway.

Rainfall was variable across the region, with the Browning area reporting the highest amount at 115 millimetres (mm), followed by Enniskillen with 106 mm and the Coalfields area with 102 mm.

Southeast Saskatchewan	
Census Division	% Harvested (August 17, 2026)
1	4%
2	8%
5	1%
6	4%
Region average	4%

The additional moisture delayed field operations in some areas but helped maintain soil moisture reserves.

Cropland topsoil moisture is:

- 8 per cent surplus;
- 49 per cent adequate;
- 39 per cent short; and
- 4 per cent very short.

Hayland topsoil moisture is:

- 9 per cent surplus;
- 49 per cent adequate;
- 36 per cent short; and
- 6 per cent very short.

Pasture topsoil moisture is:

- 6 per cent surplus;
- 46 per cent adequate;
- 39 per cent short; and
- 9 per cent very short.

Harvest progress remains slow across the region, with producers now approximately 4 per cent complete. Following last week's rainfall and several humid days, field conditions have limited harvesting opportunities and slowed crop dry-down. Producers are waiting for more favourable harvesting weather to start again.

Despite these challenges, harvest operations continue where conditions permit, particularly in pulse crops, with some cereal acres also being taken off.

Winter cereals harvested:

- Winter wheat: 35 per cent; and
- Fall rye: 33 per cent.

Spring cereals harvested:

- Barley: 14 per cent;
- Spring wheat: 2 per cent;
- Oats: 14 per cent; and
- Canary seed: 2 per cent.

Pulses harvested:

- Lentil: 17 per cent; and
- Field peas: 33 per cent.

On-farm surface water supplies for livestock remain in good condition across the region. 86 per cent of producers are not experiencing water shortages, while 8 per cent report moderate shortages and 6 per cent anticipate shortages within the next one to two months. Water quality is generally not a concern in the region.

Environmental damage was reported in parts of the region this week. Rainfall combined with strong winds resulted in some crop lodging, which may create harvest challenges and may impact crop quality in localized areas. Producers continue to monitor fields as crops mature and harvesting conditions improve.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Harvest progressed the most in southwestern Saskatchewan this week, with sunny weather advancing crop maturity and allowing producers to make significant harvest progress. However, recent rainfall has created challenges, delaying operations in some areas. Producers are also reporting late-season weed flushes following the moisture, which may complicate harvest management.

Southwest Saskatchewan	
Census Division	% Harvested (August 17, 2026)
3	4%
4	9%
7	16%
8	8%
Region average	9%

Rainfall was variable across the region. The Miry Creek area received the highest amount at 31 millimetres (mm), followed by the Lacadena, Snipe Lake and Piapot areas, which received 20 mm and the Gull Lake area received 16 mm. Many locations received trace amounts of rainfall during the reporting period.

The scattered precipitation helped recharge topsoil moisture despite the prevailing weather.

Cropland topsoil moisture is:

- 20 per cent adequate;
- 57 per cent short; and
- 23 per cent very short.

Hayland topsoil moisture is:

- 16 per cent adequate;
- 60 per cent short; and
- 24 per cent very short.

Pasture topsoil moisture is:

- 12 per cent adequate;
- 61 per cent short; and
- 27 per cent very short.

Harvest progress remains ahead of other regions across Saskatchewan, with producers now approximately 9 per cent complete. Warm, sunny weather throughout much of the reporting period helped advance crop maturity and provided favourable harvesting conditions. However, recent rainfall has slowed crop dry-down in some areas and delayed harvest operations.

Winter cereals harvested:

- Winter wheat: 62 per cent; and
- Fall rye: 44 per cent.

Spring cereals harvested:

- Triticale: 57 per cent;
- Barley: 10 per cent;
- Spring wheat: 1 per cent; and
- Oats: 26 per cent.

Pulses harvested:

- Lentil: 13 per cent; and
- Field peas: 30 per cent.

On-farm surface water supplies for livestock remain in good condition across southwestern Saskatchewan. 47 per cent of producers report no water shortages, while 19 per cent report moderate shortages, 5 per cent indicate severe or widespread shortages and 29 per cent anticipate shortages within the next one to two months. Water quality is generally not a concern, with 86 per cent of respondents reporting no current issues.

Environmental damage was the primary cause of crop damage reported this week. Strong winds caused lodging in susceptible crops. Producers also reported minor to severe damage due to dry conditions in localized areas. Insect pressure remained relatively low, although grasshopper feeding was reported in some fields.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Variable rainfall and cooler nights slowed harvest progress across east-central Saskatchewan this week, limiting opportunities for fieldwork and delaying crop dry-down. Producers are increasingly concerned that continued cool conditions could lead to a prolonged and challenging harvest season. High winds also caused crop lodging, which may create additional harvest difficulties.

East-Central Saskatchewan	
Census Division	% Harvested (August 17, 2026)
9	0%
10	0%
11	2%
Region average	1%

Rainfall was significantly variable across parts of the region. The McCraney and Corman Park areas received the highest amount at 23 millimetres (mm), followed by the Livingston and Calder areas with 15 mm and the Rudy area with 12 mm.

The moisture further delayed harvest operations but helped replenish soil moisture reserves in some areas.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 66 per cent adequate;
- 31 per cent short; and
- 2 per cent very short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 61 per cent adequate;
- 37 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 59 per cent adequate;
- 39 per cent short; and
- 1 per cent very short.

Harvest progress remains slow across east-central Saskatchewan, with producers now approximately 1 per cent complete. Spotty rainfall and cooler conditions have limited harvesting opportunities and slowed crop dry-down. Harvest activity has been focused primarily on pulse crops, with limited cereal harvest also underway where field conditions permit.

Winter cereals harvested:

- Fall rye: 92 per cent.

Spring cereals harvested:

- Barley: 3 per cent;
- Triticale: 5 per cent; and
- Oats: 1 per cent.

Pulses harvested:

- Lentil: 5 per cent; and
- Field peas: 3 per cent.

On-farm surface water supplies for livestock remain in generally good condition across east-central Saskatchewan. 83 per cent of producers report no water shortages, while 13 per cent report moderate shortages and 4 per cent anticipate shortages within the next one to two months. No producers reported severe or widespread shortages. Water quality is generally not a concern, with 83 per cent of reporters indicating no issues currently.

Disease was the primary cause of crop damage reported this week. Dry conditions and heat in some areas resulted in minor crop damage. Strong winds combined with rainfall led to lodging in parts of some fields, which may create additional harvest challenges. Insect pressure increased in localized areas, with producers reporting pockets of cabbage seed pod weevils and bertha armyworm activity.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Localized heavy rain has caused some damage and crop lodging in this region. Although the rain delayed field operations, it was welcome for the later-sown crops and pasture. Hay is being cut, and producers report it is in fair condition. Producers are hoping for sunny weather to speed up crop maturity.

West-Central Saskatchewan	
Census Division	% Harvested (August 17, 2026)
12	3%
13	1%
Region average	2%

Rainfall was variable across west-central Saskatchewan this week. The Mariposa area received the highest amount at 53 millimetres (mm), followed by Pleasant Valley with 35 mm, St. Andrews with 33 mm and the Oakdale area with 30 mm.

The precipitation helped replenish soil moisture reserves and delayed field operations in some areas.

Cropland topsoil moisture is:

- 62 per cent adequate;
- 37 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 59 per cent adequate;
- 36 per cent short; and
- 4 per cent very short.

Pasture topsoil moisture is:

- 55 per cent adequate;
- 39 per cent short; and
- 6 per cent very short.

Harvest progress continues across west-central Saskatchewan, with producers now approximately 2 per cent complete. Recent rainfall delayed field operations in some areas, although producers were able to make harvest advances where conditions permitted.

Winter cereals harvested:

- Winter wheat: 37 per cent; and
- Fall rye: 27 per cent.

Spring cereals harvested:

- Barley: 9 per cent; and
- Oats: 18 per cent.

Oilseeds

- Mustard: 6 per cent

Pulses harvested:

- Lentil: 4 per cent; and
- Field peas: 6 per cent.

On-farm surface water supplies for livestock remain in generally good condition across west-central Saskatchewan. 84 per cent of producers report no water shortages, while 16 per cent report moderate shortages and no producer anticipates shortages within the next one to two months. No producers reported severe or widespread shortages. Water quality is a little concerning, with 68 per cent of reporters indicating no issues at this time.

Insect damage and disease were the primary causes of crop damage reported this week. Bertha armyworms and grasshoppers resulted in localized feeding damage in some fields. Producers also reported strong winds caused lodging in some crops, creating additional harvest challenges in affected areas.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Crop development and maturity progressed slowly across northeastern Saskatchewan this week due to cool temperatures, high humidity and frequent moisture. Producers are hoping for a stretch of warm, dry weather to support crop dry-down. Desiccation is ongoing in early seeded crops and spotty insecticide applications have been made in response to insect pressure, particularly where bertha armyworm populations reached economic thresholds.

Rainfall was significant across northeastern Saskatchewan this week. The Paddockwood and Lakeland areas received the highest amount at 50 millimetres (mm), followed by the Rosthern and Duck Lake areas with 43 mm. The widespread precipitation further delayed field operations but resulted in significant improvements to topsoil moisture conditions and helped replenish soil moisture reserves across much of the region.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 76 per cent adequate;
- 16 per cent short; and
- 7 per cent very short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 74 per cent adequate;
- 18 per cent short; and
- 7 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 91 per cent adequate; and
- 8 per cent short.

Harvest progress remains very limited across northeastern Saskatchewan. Cool temperatures, high humidity and frequent rainfall have slowed crop maturity and delayed field operations. Harvest activity has been minimal, with most producers focused on crop monitoring, desiccation of early-seeded crops and preparing for harvest as conditions allow.

Winter cereals harvested:

- Winter wheat: 25 per cent; and
- Fall rye: 35 per cent.

Spring cereals harvested:

- Barley: 2 per cent; and
- Oats: 1 per cent.

Pulses harvested:

- Field peas: 1 per cent.

On-farm surface water supplies for livestock in the northeast region are reported as 92 per cent without shortages, 4 per cent of producers experiencing moderate shortages and 4 per cent anticipating shortages in the next one to two months. Water quality in this region is good, with all respondents saying they are not concerned.

The main crop damage reported in this region was caused by bertha armyworms. Producers have been scouting and spraying over the past week. Disease damage was the second most common challenge, with growers reporting incidences of sclerotinia and fusarium head blight.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers welcomed the rainfall last week, which helped replenish soil moisture reserves and support crop development. Farmers are now waiting for a period of warm, dry weather to advance crop maturity and allow harvest operations to begin.

The highest rainfall recorded was in the Meadow Lake area, with 72 millimetres (mm). Other areas that received large amounts of rain were the Beaver River and Meeting Lake areas, which reported 34 mm and 32 mm, respectively. This precipitation increased topsoil moisture conditions in the region compared to previous weeks.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 94 per cent adequate; and
- 5 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 94 per cent adequate; and
- 5 per cent short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 91 per cent adequate; and
- 8 per cent short.


Harvest progress remains very limited across northwestern Saskatchewan. Recent rainfall delayed field operations in many areas, although the moisture helped replenish soil reserves and support crop development. Most producers are focused on crop monitoring and preparing for harvest while waiting for warmer, drier conditions to advance crop maturity and improve field access.

On-farm surface water supplies for livestock remain in excellent condition across northwestern Saskatchewan. Producers report that 88 per cent have no current water shortages and 12 per cent anticipate shortages in one to two months. Water quality is also reported to be good and is generally not a concern for producers in the region.

Insect pests were the primary cause of crop damage reported this week. Producers noted disease pressure in some crops, while insect feeding also resulted in localized damage across the region. Crop development continues to be monitored as producers prepare for harvest and assess field conditions.

Weekly Rainfall

from August 11 to August 17, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from August 11 to August 17, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	106	393	8	138	WEBB	13	242	14	366	KELVINGTON	N/A	249
1	4	COALFIELDS	102	480	8	139	GULL LAKE	16	226	14	367	PONASS LAKE	N/A	306
1	32	RECIPROCITY	73	351	8	168	RIVERSIDE	3	196	14	394	HUDSON BAY	3	229
1	34	BROWNING	115	405	8	228	LACADENA	22	256	14	395	PORCUPINE	N/A	273
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	31	183	14	397	BARRIER VALLEY	N/A	194
1	95	GOLDEN WEST	17	241	8	231	HAPPYLAND	11	178	14	428	STAR CITY	2	228
1	2A	MOUNT PLEASANT	34	237	8	259	SNIPER LAKE	20	214	14	456	ARBORFIELD	6	278
2	10	HAPPY VALLEY	6	202	8	138A	WEBB	9	165	14	457	CONNAUGHT	N/A	67
2	38	LAURIER	12	260	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	11	240
2	66	GRIFFIN	25	319	8	257A	MONET	3	190	14	487	NIPAWIN	28	270
2	67	WEYBURN	N/A	101	8	259A	SNIPER LAKE	N/A	141	14	488	TORCH RIVER	N/A	227
2	70	KEY WEST	N/A	12	9	241	CALDER	8	393	14	394A	HUDSON BAY	1	249
2	100	ELMSTHORPE	5	214	9	243	WALLACE	2	234	14	397A	BARRIER VALLEY	8	252
2	100A	ELMSTHORPE	1	224	9	245	GARRY	2	161	14	488A	TORCH RIVER	N/A	116
2	38A	LAURIER	10	225	9	273	SLIDING HILLS	7	325	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	12	221	9	274	GOOD LAKE	7	251	15	369	ST. PETER	2	212
3	74	WOOD RIVER	15	222	9	301	ST. PHILIPS	0	143	15	371	BAYNE	15	267
3	75	PINTO CREEK	10	155	9	305	INVERMAY	8	318	15	372	GRANT	21	202
3	76	AUVERGNE	6	205	9	331	LIVINGSTON	15	253	15	373	ABERDEEN	9	194
3	101	TERRELL	N/A	0	9	241A	CALDER	15	489	15	399	LAKE LENORE	8	245
3	102	LAKE JOHNSTON	2	197	9	245A	GARRY	N/A	213	15	400	THREE LAKES	13	324
3	106	WHISKA CREEK	7	185	10	246	ITUNA BON ACCORD	0	131	15	402	FISH CREEK	17	193
3	74A	KEY WEST	12	182	10	247	KELLROSS	N/A	216	15	429	FLETT'S SPRINGS	11	245
4	51	RENO	4	134	10	248	TOUCHWOOD	5	209	15	430	INVERGORDON	8	132
4	79	ARLINGTON	4	222	10	277	EMERALD	5	213	15	459	KINISTINO	10	272
4	110	PIAPOT	19	236	10	279	MOUNT HOPE	1	192	15	461	PRINCE ALBERT	N/A	224
4	77A	WISE CREEK	13	165	10	307	ELFROS	3	402	15	463	DUCK LAKE	43	289
4	78A	GRASSY CREEK	N/A	127	10	309	PRAIRIE ROSE	2	257	15	491	BUCKLAND	16	124
4	79A	ARLINGTON	15	251	10	336	SASMAN	N/A	299	15	520	PADDOCKWOOD	50	70
5	122	MARTIN	40	302	10	339	LEROY	4	241	15	521	LAKELAND	50	70
5	124	KINGSLEY	18	275	10	246A	ITUNA BON ACCORD	5	110	15	371A	BAYNE	2	178
5	151	ROCANVILLE	33	274	10	248A	TOUCHWOOD	2	349	15	371B	BAYNE	12	245
5	155	WOLSELEY	N/A	202	10	276A	FOAM LAKE	4	345	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	22	446	10	276B	FOAM LAKE	11	467	15	403A	ROSTHERN	44	293
5	183	FERTILE BELT	15	293	10	276C	FOAM LAKE	5	363	15	403C	ROSTHERN	38	285
5	211	CHURCHBRIDGE	18	314	10	276D	FOAM LAKE	0	260	15	461A	PRINCE ALBERT	20	212
5	213	SALT COATS	5	334	10	277A	EMERALD	N/A	270	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	0	218	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	151
5	125A	CHESTERFIELD	13	221	11	251	BIG ARM	N/A	232	16	435	REDBERRY	14	309
5	154A	ELCAPO	23	236	11	280	WRETFORD	N/A	83	16	436	DOUGLAS	10	202
5	183A	FERTILE BELT	15	347	11	283	ROSEDALE	8	269	16	437	NORTH BATTLEFORD	18	360
5	211A	CHURCHBRIDGE	14	331	11	284	RUDY	12	86	16	466	MEETING LAKE	32	333
6	127	FRANCIS	3	224	11	314	DUNDURN	11	214	16	467	ROUND HILL	28	287
6	128	LAJORD	1	112	11	344	CORMAN PARK	22	176	16	493	SHELLBROOK	13	187
6	130	REDBURN	0	238	11	282A	McCRANEY	24	179	16	494	CANWOOD	7	123
6	156	INDIAN HEAD	0	246	12	286	MILDEN	29	250	16	497	MEDSTEAD	N/A	269
6	160	PENSE	0	160	12	287	ST. ANDREWS	33	193	16	437A	NORTH BATTLEFORD	9	288
6	186	ABERNETHY	8	239	12	288	PLEASANT VALLEY	35	198	16	467A	ROUND HILL	15	337
6	190	DUFFERIN	3	180	12	316	HARRIS	12	160	17	468	MEOTA	N/A	215
6	216	TULLYMET	N/A	10	12	317	MARRIOTT	25	233	17	470	PAYNTON	N/A	77
6	217	LIPTON	11	342	12	345	VANSCOY	16	151	17	471	ELDON	7	283
6	219	LONGLAKETON	16	258	12	346	PERDUE	18	201	17	498	PARKDALE	7	329
6	221	SARNIA	9	226	12	347	BIGGAR	25	264	17	499	MERVIN	17	249
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	8	233	17	502	BRITANNIA	13	205
6	159A	SHERWOOD	0	136	12	377	GLENSIDE	1	209	17	561	LOON LAKE	20	195
6	159B	SHERWOOD	1	191	12	285A	FERTILE VALLEY	13	162	17	588	MEADOW LAKE	72	400
6	160A	PENSE	0	142	13	290	KINDERSLEY	28	200	17	622	BEAVER RIVER	34	308
6	190A	DUFFERIN	4	129	13	292	MILTON	N/A	353	17	498A	PARKDALE	N/A	269
6	190B	DUFFERIN	N/A	207	13	321	PRAIRIEDALE	28	283	17	501A	FRENCHMAN BUTTE	10	253
6	190C	DUFFERIN	3	254	13	350	MARIPOSA	53	261	17	501C	FRENCHMAN BUTTE	N/A	50
6	216A	TULLYMET	0	75	13	351	PROGRESS	17	255	17	561A	LOON LAKE	5	183
6	217A	LIPTON	N/A	2	13	379	REFORD	14	107					
6	219A	LONGLAKETON	0	226	13	382	EYE HILL	8	224					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	14	284					
6	220A	McKILLOP	8	172	13	440	HILLSDALE	0	256					
6	220B	McKILLOP	6	7	13	442	MANITOU LAKE	0	232					
7	132	HILLSBOROUGH	2	302	13	292A	MILTON	18	195					
7	136	COULEE	14	164	13	320A	OAKDALE	30	208					
7	161	MOOSE JAW	0	143	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	0	211	13	409A	BUFFALO	15	243					
7	165	MORSE	3	253										
7	193	EYEBROW	5	250										
7	223	HURON	2	188										
7	132A	HILLSBOROUGH	2	120										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	0	188										
7	222A	CRAIK	3	233										
7	223A	HURON	20	200										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to August 17, 2026



Cropland Topsoil Moisture Conditions


from August 11 to August 17, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from August 11 to August 17, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions

from August 11 to August 17, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Topsoil Moisture Conditions-for the period of August 11th to August 17th, 2026


Cropland				
Region	Surplus	Adequate	Short	Very Short
South East	9%	49%	39%	4%
South West	0%	20%	57%	23%
East Central	1%	66%	31%	2%
West Central	0%	62%	37%	1%
North East	1%	76%	16%	7%
North West	1%	94%	5%	0%
Provincial Average	2%	54%	37%	7%

Hayland				
Region	Surplus	Adequate	Short	Very Short
South East	9%	49%	36%	6%
South West	0%	16%	60%	24%
East Central	1%	61%	37%	1%
West Central	1%	59%	36%	4%
North East	1%	74%	18%	7%
North West	1%	94%	5%	0%
Provincial Average	2%	52%	38%	8%

Pasture				
Region	Surplus	Adequate	Short	Very Short
South East	6%	46%	39%	9%
South West	0%	12%	61%	27%
East Central	1%	59%	39%	1%
West Central	0%	55%	39%	6%
North East	1%	75%	18%	6%
North West	1%	91%	8%	0%
Provincial Average	1%	43%	41%	15%


Maximum Temperature

from August 11 to August 17, 2026



Minimum Temperature

from August 11 to August 17, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.