

Crop Report

For the Period August 18 to August 24, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 17, August 27, 2026

It was a relatively warm week in Saskatchewan, with higher daytime temperatures and cooler evenings. Harvest progress is at 11 per cent, significantly behind the five- and 10-year averages of 25 per cent and 21 per cent, respectively. There were reports of rain and strong winds in some regions, while high humidity stalled operations in others. Overall, crops are beginning to turn and harvest of later-seeded crops is expected to begin very soon.

Many parts of the province were dry last week, which advanced crop maturity and harvest efforts. The strong winds observed in parts of the province brought significant rain to some regions, including the Round Hill area, which had the most rainfall at 81 millimetres (mm), followed by the Emerald and Meeting Lake areas with 76 mm and 68 mm, respectively.

Despite the prevailing warm conditions reported across Saskatchewan, provincial topsoil moisture levels were relatively stable last week.

Cropland topsoil moisture is:

- 4 per cent surplus;
- 49 per cent adequate;
- 37 per cent short; and
- 10 per cent very short.

Hayland topsoil moisture is:

- 2 per cent surplus;
- 48 per cent adequate;
- 38 per cent short; and
- 12 per cent very short.

Pasture topsoil moisture is:

- 2 per cent surplus;
- 40 per cent adequate;
- 39 per cent short; and
- 19 per cent very short.

One year ago

Saskatchewan experienced a hot week with intense thunderstorms, including strong winds and large hail in some regions. While harvest was underway in certain areas, heavy rain and humidity slowed progress elsewhere. Overall, harvest was behind the five- and 10-year averages, with only 12 per cent of the crop combined.

Follow the 2026 Crop Report on X
@SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Aug 24/26	11
Aug 25/25	12
Aug 26/24	25
Aug 28/23	33
Aug 29/22	23
Aug 23/21	29
5 year avg. (2021-2025)	24
10 year avg. (2016-2025)	21

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



Crop Report

For the Period August 18 to August 24, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 17, August 27, 2026

Harvest continued this week as producers focused on combining winter cereals, pulse crops and other early-seeded crops. Rainfall delayed on-farm operations in some regions, but crop maturity advanced across the province.

- Winter cereals harvested:
 - Winter wheat: 60 per cent; and
 - Fall rye: 69 per cent.
- Oilseeds harvested:
 - Mustard: 2 per cent;
 - Soybeans: 7 per cent; and
 - Canola: 1 per cent.
- Spring cereals harvested:
 - Triticale: 56 per cent;
 - Barley: 16 per cent;
 - Durum: 5 per cent;
 - Spring wheat: 1 per cent;
 - Oats: 7 per cent; and
 - Canary seed: 2 per cent.
- Pulses harvested:
 - Lentils: 48 per cent;
 - Field peas: 44 per cent; and
 - Chickpeas: 1 per cent.

Harvested winter crop quality varies throughout the province due to variable rainfall and growing conditions during the season. A complete breakdown of regional crop grades is available in the full Crop Report.

Pasture conditions have improved across many areas of the province in recent weeks, thanks to sufficient rainfall. Provincially, 3 per cent of pastures are rated excellent, 39 per cent good, 42 per cent fair, 14 per cent poor and 2 per cent very poor.

Dry conditions were reported as the primary cause of crop damage this week, although overall damage was limited. Minor crop damage was also attributed to strong winds, sclerotinia stem rot and bertha armyworms in canola in some areas. Localized crop damage from aphids and gophers was also reported.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 18 to August 24, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 17, August 27, 2026

With harvest operations underway across Saskatchewan, increased farm equipment traffic is expected on public roadways. Drivers are reminded to use caution when approaching and passing large equipment. Producers are also encouraged to take necessary fire prevention measures when operating in dry field conditions to ensure harvest activities are conducted safely.

The Farm Stress Line is available to provide confidential support to producers, toll-free at 1-800-667-4442.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Harvest Progress

from April 1 to August 24, 2026

Harvest Progress




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Provincial Harvest Progress	
Per cent Harvested for All Crops for the Period up to August 24, 2026	
Region	Harvest Completed
Southeast	11%
Southwest	27%
East-central	5%
West-central	8%
Northeast	1%
Northwest	1%
Provincial	11%

Saskatchewan Harvest Progress	
Up to August 24, 2026	
Provincial % Combined	
Winter Wheat**	60%
Fall Rye**	69%
Spring Wheat	1%
Durum	5%
Oats**	7%
Barley**	16%
Flax	0%
Canola	1%
Triticale**	56%
Mustard	2%
Soybean	7%
Lentil	48%
Field Pea	44%
Canaryseed	2%
Chickpea	1%
**includes per cent harvested as feed	

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

The prevailing weather over the past week has allowed most producers in the southeast to proceed with harvest, which is 11 per cent complete in the region, up 7 percentage points from last week. Producers were mainly combining winter cereals, pulses, and early-seeded spring wheat. In addition to combining, some producers were desiccating and swathing other crops.

Variable amounts of precipitation were reported in the southeast over the past week. The Enniskillen area received the highest amount, at 28 millimetres (mm), while the Griffin area received 25 mm. The Mount Pleasant and Coalfields areas received about 22 mm of rainfall. This rainfall improved topsoil moisture levels slightly.

Southeast Saskatchewan	
Census Division	% Harvested (August 24, 2026)
1	6%
2	18%
5	3%
6	13%
Region average	11%

Cropland topsoil moisture is:

- 6 per cent surplus;
- 50 per cent adequate;
- 40 per cent short; and
- 4 per cent very short.

Hayland topsoil moisture is:

- 7 per cent surplus;
- 47 per cent adequate;
- 41 per cent short; and
- 5 per cent very short.

Pasture topsoil moisture is:

- 5 per cent surplus;
- 44 per cent adequate;
- 43 per cent short; and
- 8 per cent very short.

Harvest operations continue with steady progress, particularly in pulse crops, winter cereals and some early-seeded cereal acres.

Winter cereals harvested:

- Winter wheat: 51 per cent; and
- Fall rye: 62 per cent.

Oilseeds harvested:

- Soybeans: 16 per cent.

Spring cereals harvested:

- Durum: 11 per cent;
- Barley: 34 per cent;
- Spring wheat: 2 per cent; and
- Oats: 4 per cent.

Pulses harvested:

- Lentils: 48 per cent; and
- Field peas: 64 per cent.

Most pastures in the southeast are in fair to good condition. 17 per cent of pastures are rated excellent, 32 per cent good, 37 per cent fair, 10 per cent poor and 4 per cent very poor.

The quality of winter wheat and fall rye crops in the southeast is variable, with a crop grade summary provided in the table below.

Winter Wheat Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	CW Feed
Southeast	3%	61%	30%	6%
Fall Rye Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	Sample
Southeast	28%	72%	0%	0%

Most crop damage reported in the southeast was caused by high temperatures, dry conditions and strong winds that lodged some crops; however, damage was not widespread across the region. A few areas received hail, which caused varying levels of crop damage. There were also isolated reports of gopher damage on some crops in the region.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Last week was relatively dry for most of the southwest, which helped crops mature and allowed harvest to continue with fewer delays. Harvest is 27 per cent complete in the region and leading the province in harvested acres. Producers are encouraged to be cautious while operating machinery in these dry conditions.

Southwestern areas of the province received little precipitation last week, though trace showers occurred. The Happy Valley area received the most rainfall at 10 millimetres (mm), followed by the Wise Creek area with 7 mm and the Coulee and Riverside area with 5 mm. Despite limited rainfall, topsoil moisture is maintained throughout much of the region.

Southwest Saskatchewan	
Census Division	% Harvested (August 24, 2026)
3	16%
4	23%
7	37%
8	31%
Region average	27%

Cropland topsoil moisture is:

- 17 per cent adequate;
- 57 per cent short; and
- 26 per cent very short.

Hayland topsoil moisture is:

- 12 per cent adequate;
- 55 per cent short; and
- 33 per cent very short.

Pasture topsoil moisture is:

- 10 per cent adequate;
- 54 per cent short; and
- 36 per cent very short.

Harvest operations are progressing steadily as conditions allow, particularly in pulse crops and winter cereals, with some early-seeded cereal acres also being harvested.

Winter cereals harvested:

- Winter wheat: 73 per cent; and
- Fall rye: 73 per cent.

Oilseeds harvested:

- Mustard: 2 per cent; and
- Canola: 5 per cent.

Spring cereals harvested:

- Barley: 36 per cent;
- Triticale 67 per cent;
- Durum: 5 per cent;
- Spring wheat: 5 per cent;
- Oats: 36 per cent; and
- Canary seed: 10 per cent.

Pulses harvested:

- Lentils: 61 per cent; and
- Field peas: 73 per cent.

Most pastures in the southwest are rated fair to good. Currently, 16 per cent of pastures are good, 58 per cent are fair, 24 per cent are poor and 2 per cent are very poor.

Winter wheat and fall rye grades vary across the southwest, with a crop grade summary provided in the table below.

Winter Wheat Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	CW Feed
Southwest	60%	39%	1%	0%
Fall Rye Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	Sample
Southwest	44%	33%	23%	0%

Minimal crop damage was reported in the southwest last week, although notable damage was caused by strong winds and dry conditions.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

More producers in the east-central region are starting to harvest; however, showers and humid conditions have slowed progress. Harvest is currently 5 per cent complete in the region. In addition to harvesting, producers continue to desiccate and swath crops as they mature.

Census Division	% Harvested (August 24, 2026)
9	1%
10	3%
11	8%
Region average	5%

Rainfall varied across the east-central region last week, with most parts receiving significant amounts. The highest amount was recorded in the Emerald area at 76 millimetres (mm), followed by the Foam Lake area at 57 mm and the Elfros area at 31 mm. This precipitation maintained topsoil moisture conditions.

Cropland topsoil moisture is:

- 6 per cent surplus;
- 61 per cent adequate;
- 32 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 4 per cent surplus;
- 58 per cent adequate;
- 37 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 4 per cent surplus;
- 58 per cent adequate;
- 37 per cent short; and
- 1 per cent very short.

Producers are happy to see that harvest is steadily progressing with the warmer weather.

Winter cereals harvested:

- Winter wheat: 30 per cent; and
- Fall rye: 93 per cent.

Oilseeds harvested:

- Mustard: 2 per cent.

Spring cereals harvested:

- Barley: 7 per cent;
- Durum: 4 per cent;
- Spring wheat: 2 per cent; and
- Oats: 4 per cent.

Pulses harvested:

- Lentils: 19 per cent; and
- Field peas: 17 per cent.

Many pastures in the east-central region are rated as fair. Currently, 6 per cent of pastures are in excellent condition, 54 per cent in good condition, 27 per cent fair, 9 per cent poor and 4 per cent very poor.

Details on winter wheat and fall rye grades in the east-central region are provided below.

Winter Wheat Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	CW Feed
East-central	50%	42%	8%	0%
Fall Rye Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	Sample
East-central	59%	29%	12%	0%

There was no widespread crop damage reported in the east-central region last week; however, some localized issues were noted. Producers reported that strong winds, high temperatures and dry conditions had a minor impact on crop development in some areas. Insect pests continue to cause varying levels of damage in some canola fields. In addition, a few producers reported minor damage from gophers and other wildlife on crops across the region.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers in the west-central region are just beginning to harvest their crops, with others waiting for crops to mature. Currently, 8 per cent of the harvest is complete. As harvest gets underway, producers are also busy swathing and desiccating their crops and ensuring everything is prepared for the busy season ahead.

West-Central Saskatchewan	
Census Division	% Harvested (August 24, 2026)
12	9%
13	7%
Region average	8%

Rainfall in the west-central region last week varied widely.

The Biggar area recorded the most precipitation, at 40 millimetres (mm), followed by the Buffalo area at 23 mm. Many parts of the region received moisture, a slight decline in topsoil moisture levels was reported.

Cropland topsoil moisture is:

- 61 per cent adequate;
- 28 per cent short; and
- 11 per cent very short.

Hayland topsoil moisture is:

- 53 per cent adequate;
- 35 per cent short; and
- 12 per cent very short.

Pasture topsoil moisture is:

- 52 per cent adequate;
- 36 per cent short; and
- 12 per cent very short.

Among the harvested crops, the greatest advancements were made in winter cereals.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 61 per cent.

Oilseeds harvested:

- Mustard: 6 per cent; and
- Soybeans: 61 per cent.

Spring cereals harvested:

- Barley: 23 per cent;
- Durum: 1 per cent;
- Triticale: 100 per cent; and
- Oats: 36 per cent.

Pulses harvested:

- Lentils: 30 per cent; and
- Field peas: 28 per cent.

Generally, most pastures are in satisfactory to favourable condition. Specifically, 1 per cent are rated as excellent, 56 per cent as good, 39 per cent as fair, 3 per cent as poor, and 1 per cent as very poor.

The grades of all reported winter wheat and fall rye crops are provided in the table below.

Winter Wheat Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	CW Feed
West-central	30%	70%	0%	0%
Fall Rye Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	Sample
West-central	75%	25%	0%	0%

In the west-central region last week, crop damage was reported mainly from dry conditions. Bertha armyworms and localized grasshopper activity caused minor damage in a small number of fields; however, impacts were not widespread.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Harvest is beginning in the northeast region, with early seeded crops now being combined. Harvest progress is currently at 1 per cent. Producers are desiccating and swathing crops as they mature while preparing equipment for the harvest season.

Last week, the northeast experienced variable rainfall. The Touch River area recorded the most rain at 44 millimetres (mm), followed by the Connaught area at 38 mm and Kinistino at 29 mm.

Northeast Saskatchewan	
Census Division	% Harvested (August 24, 2026)
14	0%
15	1%
Region average	1%

Topsoil moisture levels were maintained with this precipitation.

Cropland topsoil moisture is:

- 5 per cent surplus;
- 68 per cent adequate; and
- 21 per cent short.
- 6 per cent very short

Hayland topsoil moisture is:

- 69 per cent adequate;
- 25 per cent short; and
- 6 per cent very short.

Pasture topsoil moisture is:

- 70 per cent adequate;
- 25 per cent short; and
- 5 per cent very short.

So far, mostly winter cereals, pulses, and triticale have been harvested.

Winter cereals harvested:

- Winter wheat: 52 per cent; and
- Fall rye: 44 per cent.

Spring cereals harvested:

- Barley: 3 per cent;
- Triticale: 75 per cent; and
- Oats: 1 per cent.

Pulses harvested:

- Lentils: 1 per cent; and
- Field peas: 2 per cent.

Pastures in the northeast region are among the highest quality in the province. Currently, 1 per cent of pastures are rated excellent, 60 per cent good, 31 per cent fair, and 8 per cent poor.

Winter wheat and fall rye grades are uniform across the northeast, with more information provided in the table below.

Winter Wheat Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	CW Feed
Northeast	0%	100%	0%	0%
Fall Rye Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	Sample
Northeast	0%	100%	0%	0%

Last week, areas of the northeast experienced thunderstorms with strong winds and rain. These conditions resulted in minor damage to certain crops. Furthermore, bertha armyworms and aphids are a concern in parts of the northeast, as producers continue to apply insecticides to canola crops.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Harvest is gradually getting underway in the northwest region, although many crops are not yet ready. Currently, 1 per cent of crops have been harvested, with most of the progress in fall-seeded cereals and pulse crops. Producers continue to swath and desiccate crops as they mature while preparing equipment for the remainder of the harvest season.

Northwest Saskatchewan	
Census Division	% Harvested (August 24, 2026)
16	0%
17	2%
Region average	1%

The northwest region received scattered rainfall last week. The Round Hill area recorded the highest amount of precipitation at 81 millimetres (mm), followed by the Meeting Lake area with 68 mm and the Parkdale area with 41 mm. Scattered showers reported in many areas helped maintain moisture levels, with minimal change across the region compared to last week.

Cropland topsoil moisture is:

- 4 per cent surplus;
- 95 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 90 per cent adequate; and
- 7 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 90 per cent adequate; and
- 7 per cent short.

The bulk of harvested crops include mainly winter wheat and pulse crops.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Spring cereals harvested:

- Oats: 1 per cent.

Pulses harvested:

- Lentils: 1 per cent; and
- Field peas: 12 per cent.

Most pastures in the northwest region are rated good to fair. Currently, 5 per cent of pastures are rated excellent, 78 per cent good, and 17 per cent fair.

Additional information regarding winter wheat and fall rye grades for the northwest region is provided in the table below.

Winter Wheat Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	CW Feed
Northwest	0%	100%	0%	0%
Fall Rye Grades – August 24, 2026				
Region	1 CW	2 CW	3 CW	Sample
Northwest	100%	0%	0%	0%

Most crop damage reported in the northwest region was caused by strong winds with the accompanying excess moisture. Bertha armyworms and localized grasshopper activity also caused varying levels of damage in some fields; however, impacts were not widespread across the region.

Fall Rye Grades-August 24, 2026


Region	1 CW	2 CW	3 CW	Sample
South East	28%	72%	0%	0%
South West	44%	33%	23%	0%
East Central	59%	29%	12%	0%
West Central	75%	25%	0%	0%
North East	0%	100%	0%	0%
North West	100%	0%	0%	0%
Provincial	60%	32%	8%	0%
10-Year Average (2016-2025)	52%	39%	8%	2%

Winter Wheat Grades-August 24, 2026

Region	1 CW	2 CW	3 CW	CW Feed
South East	3%	61%	30%	6%
South West	60%	39%	1%	0%
East Central	50%	42%	8%	0%
West Central	30%	70%	0%	0%
North East	0%	100%	0%	0%
North West	0%	100%	0%	0%
Provincial	26%	68%	6%	0%
10-Year Average (2016-2025)	54%	32%	9%	6%

Weekly Rainfall

from August 18 to August 24, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from August 18 to August 24, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	28	421	8	138	WEBB	1	243	14	366	KELVINGTON	19	268
1	4	COALFIELDS	21	501	8	139	GULL LAKE	1	227	14	367	PONASS LAKE	N/A	306
1	32	RECIPROCITY	6	357	8	168	RIVERSIDE	5	201	14	394	HUDSON BAY	24	253
1	34	BROWNING	13	418	8	228	LACADENA	0	256	14	395	PORCUPINE	3	284
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	0	183	14	397	BARRIER VALLEY	8	201
1	95	GOLDEN WEST	18	259	8	231	HAPPYLAND	N/A	178	14	428	STAR CITY	10	238
1	2A	MOUNT PLEASANT	22	259	8	259	SNIPER LAKE	N/A	214	14	456	ARBORFIELD	8	286
2	10	HAPPY VALLEY	0	202	8	138A	WEBB	N/A	165	14	457	CONNAUGHT	38	105
2	38	LAURIER	14	274	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	N/A	240
2	66	GRIFFIN	25	344	8	257A	MONET	0	190	14	487	NIPAWIN	27	297
2	67	WEYBURN	N/A	101	8	259A	SNIPER LAKE	N/A	141	14	488	TORCH RIVER	42	328
2	70	KEY WEST	N/A	12	9	241	CALDER	N/A	393	14	394A	HUDSON BAY	3	252
2	100	ELMSTHORPE	N/A	214	9	243	WALLACE	0	234	14	397A	BARRIER VALLEY	0	252
2	100A	ELMSTHORPE	2	226	9	245	GARRY	8	169	14	488A	TORCH RIVER	44	160
2	38A	LAURIER	6	231	9	273	SLIDING HILLS	11	336	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	0	221	9	274	GOOD LAKE	5	256	15	369	ST. PETER	9	221
3	74	WOOD RIVER	0	222	9	301	ST. PHILIPS	N/A	143	15	371	BAYNE	7	274
3	75	PINTO CREEK	2	157	9	305	INVERMAY	20	338	15	372	GRANT	14	217
3	76	AUVERGNE	1	206	9	331	LIVINGSTON	4	257	15	373	ABERDEEN	0	194
3	101	TERRELL	N/A	0	9	241A	CALDER	8	497	15	399	LAKE LENORE	8	253
3	102	LAKE JOHNSTON	0	197	9	245A	GARRY	N/A	213	15	400	THREE LAKES	14	338
3	106	WHISKA CREEK	7	192	10	246	ITUNA BON ACCORD	4	135	15	402	FISH CREEK	5	198
3	74A	KEY WEST	0	182	10	247	KELLROSS	11	227	15	429	FLETT'S SPRINGS	11	256
4	51	RENO	4	139	10	248	TOUCHWOOD	2	211	15	430	INVERGORDON	7	139
4	79	ARLINGTON	0	222	10	277	EMERALD	76	289	15	459	KINISTINO	29	301
4	110	PIAPOT	10	246	10	279	MOUNT HOPE	4	195	15	461	PRINCE ALBERT	N/A	224
4	77A	WISE CREEK	6	171	10	307	ELFROS	31	433	15	463	DUCK LAKE	7	296
4	78A	GRASSY CREEK	3	130	10	309	PRAIRIE ROSE	5	262	15	491	BUCKLAND	3	128
4	79A	ARLINGTON	0	251	10	336	SASMAN	20	319	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	13	315	10	339	LERROY	20	261	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	8	283	10	246A	ITUNA BON ACCORD	16	126	15	371A	BAYNE	3	181
5	151	ROCANVILLE	2	276	10	248A	TOUCHWOOD	2	351	15	371B	BAYNE	6	251
5	155	WOLSELEY	N/A	202	10	276A	FOAM LAKE	57	402	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	3	449	10	276B	FOAM LAKE	35	502	15	403A	ROSTERN	8	301
5	183	FERTILE BELT	N/A	293	10	276C	FOAM LAKE	31	394	15	403C	ROSTERN	0	285
5	211	CHURCHBRIDGE	7	321	10	276D	FOAM LAKE	25	285	15	461A	PRINCE ALBERT	18	229
5	213	SALT COATS	0	334	10	277A	EMERALD	70	340	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	6	224	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	151
5	125A	CHESTERFIELD	11	232	11	251	BIG ARM	N/A	232	16	435	REDBERRY	N/A	309
5	154A	ELCAPO	N/A	236	11	280	WREDFORD	N/A	83	16	436	DOUGLAS	6	208
5	183A	FERTILE BELT	3	350	11	283	ROSEDALE	7	276	16	437	NORTH BATTLEFORD	30	390
5	211A	CHURCHBRIDGE	4	335	11	284	RUDY	2	88	16	466	MEETING LAKE	68	401
6	127	FRANCIS	0	224	11	314	DUNDURN	0	214	16	467	ROUND HILL	81	368
6	128	LAJORD	1	113	11	344	CORMAN PARK	N/A	176	16	493	SHELLBROOK	N/A	187
6	130	REDBURN	0	238	11	282A	McCRANEY	11	190	16	494	CANWOOD	0	123
6	156	INDIAN HEAD	0	246	12	286	MILDEN	4	254	16	497	MEDSTEAD	N/A	301
6	160	PENSE	0	160	12	287	ST. ANDREWS	0	193	16	437A	NORTH BATTLEFORD	N/A	288
6	186	ABERNETHY	0	239	12	288	PLEASANT VALLEY	N/A	198	16	467A	ROUND HILL	N/A	337
6	190	DUFFERIN	0	180	12	316	HARRIS	7	167	17	468	MEOTA	30	245
6	216	TULLYMET	N/A	10	12	317	MARRIOTT	3	235	17	470	PAYNTON	0	77
6	217	LIPTON	7	349	12	345	VANSCOY	N/A	151	17	471	ELDON	4	287
6	219	LONGLAKETON	N/A	258	12	346	PERDUE	18	218	17	498	PARKDALE	27	356
6	221	SARNIA	0	226	12	347	BIGGAR	40	304	17	499	MERVIN	30	279
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	16	249	17	502	BRITANNIA	27	232
6	159A	SHERWOOD	3	139	12	377	GLENSIDE	18	227	17	561	LOON LAKE	11	206
6	159B	SHERWOOD	3	194	12	285A	FERTILE VALLEY	1	163	17	588	MEADOW LAKE	8	408
6	160A	PENSE	0	142	13	290	KINDERSLEY	N/A	200	17	622	BEAVER RIVER	15	323
6	190A	DUFFERIN	1	130	13	292	MILTON	12	365	17	498A	PARKDALE	41	310
6	190B	DUFFERIN	0	211	13	321	PRAIRIEDALE	3	286	17	501A	FRENCHMAN BUTTE	10	263
6	190C	DUFFERIN	0	254	13	350	MARIPOSA	8	269	17	501C	FRENCHMAN BUTTE	N/A	50
6	216A	TULLYMET	0	75	13	351	PROGRESS	11	266	17	561A	LOON LAKE	3	185
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	107					
6	219A	LONGLAKETON	0	226	13	382	EYE HILL	18	242					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	23	307					
6	220A	McKILLOP	0	172	13	440	HILLSDALE	4	259					
6	220B	McKILLOP	0	7	13	442	MANITOU LAKE	1	233					
7	132	HILLSBOROUGH	2	304	13	292A	MILTON	2	196					
7	136	COULEE	5	169	13	320A	OAKDALE	1	209					
7	161	MOOSE JAW	1	144	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	0	211	13	409A	BUFFALO	21	264					
7	165	MORSE	N/A	253										
7	193	EYEBROW	0	250										
7	223	HURON	1	189										
7	132A	HILLSBOROUGH	1	121										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	N/A	188										
7	222A	CRAIK	0	233										
7	223A	HURON	N/A	200										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to August 24, 2026



Cropland Topsoil Moisture Conditions


from August 18 to August 24, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from August 18 to August 24, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from August 18 to August 24, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from August 18 to August 24, 2026



Minimum Temperature

from August 18 to August 24, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.