

Crop Report

For the Period August 25 to August 31, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 18, September 3, 2026

Last week began with predominantly dry conditions across much of Saskatchewan, allowing producers to make harvest progress. Many regions received rainfall and localized hail later in the week and field activities continued where conditions permitted. Harvest is now 18 per cent complete in Saskatchewan, up 7 per cent from the previous week. Progress remains significantly below the 5-year average of 39 per cent and the 10-year average of 34 per cent. Producers remain optimistic that favourable weather conditions will support further harvest progress.

Significant precipitation was reported in many areas later in the week. The Prairie Rose area recorded the highest rainfall at 136 millimetres (mm), followed by the Fertile Belt area at 125 mm. The Langenburg and Sasman areas also received 113 mm and 96 mm, respectively. The widespread precipitation significantly improved topsoil moisture conditions across much of Saskatchewan.

Cropland topsoil moisture is:

- 11 per cent surplus;
- 64 per cent adequate;
- 20 per cent short; and
- 5 per cent very short.

Hayland topsoil moisture is:

- 7 per cent surplus;
- 63 per cent adequate;
- 23 per cent short; and
- 7 per cent very short.

Pasture topsoil moisture is:

- 4 per cent surplus;
- 56 per cent adequate;
- 28 per cent short; and
- 12 per cent very short.

Provincial Harvest Progress	
Per cent Harvested for All Crops for the Period up to August 31, 2026	
Region	Harvest Completed
Southeast	19%
Southwest	38%
East-central	10%
West-central	17%
Northeast	4%
Northwest	4%
Provincial	18%

Harvest Progress in SK	
Per Cent Combined Historical All Crops	
August 31/26	18
September 1/25	23
September 2/24	42
September 4/23	51
September 5/22	42
August 30/21	36
5 year avg. (2021-2025)	39
10 year avg. (2016-2025)	34

One year ago

At this time last year, dry conditions across most of the province over the past week allowed producers to make significant progress in the field. 23 per cent of crops had been harvested, up from 11 per cent reported the previous week. Harvest progress remained behind the five-year average of 40 percent and the 10-year average of 34 percent.

Follow the 2026 Crop Report on X
@SKAgriculture

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 25 to August 31, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 18, September 3, 2026

Harvest operations, primarily in winter cereals, pulses and other early-seeded crops, continued as weather conditions supported field activities.

- Winter cereals harvested:
 - Winter wheat: 74 per cent; and
 - Fall rye: 88 per cent.
- Oilseeds harvested:
 - Mustard: 25 per cent;
 - Flax: 1 per cent;
 - Soybeans: 7 per cent; and
 - Canola: 4 per cent.
- Spring cereals harvested:
 - Triticale: 68 per cent;
 - Barley: 32 per cent;
 - Durum: 20 per cent;
 - Spring wheat: 6 per cent;
 - Oats: 12 per cent; and
 - Canary seed: 4 per cent.
- Pulses harvested:
 - Lentils: 73 per cent;
 - Field peas: 66 per cent; and
 - Chickpeas: 7 per cent.

The significant variation in growing conditions across Saskatchewan resulted in a wide range of yield estimates for all crops. Producers throughout the province continue to report considerable yield variability due to the dynamic nature of the growing season.

Current provincial average yield estimates are 52 bushels per acre for hard red spring wheat, 44 bushels per acre for durum, 94 bushels per acre for oats, 74 bushels per acre for barley, 41 bushels per acre for triticale, 38 bushels per acre for canola, 26 bushels per acre for flax and 39 bushels per acre for field peas. Lentil yields are currently estimated at 1361 pounds per acre, while mustard, canary seed and chickpea are 1129 pounds, 1266 pounds and 1501 pounds, respectively. In many parts of the province, weather conditions during the growing season had a significant impact on crop yields.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan The logo for the province of Saskatchewan, featuring the word "Saskatchewan" in a green serif font, followed by a stylized yellow and green flag.

Crop Report

For the Period August 25 to August 31, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 18, September 3, 2026

Crop damage over the past week was mainly due to wind and rain, which caused some localized flooding. Sclerotinia stem rot damage in canola was also reported, particularly in regions with high precipitation during the growing season.

Producers are actively working on combining, swathing and desiccating crops seeded later in the season. They're also busy baling and hauling straw, as well as transporting grain. Additionally, some producers have started making projections and plans for fall fieldwork to prepare the land for next season.

With harvest well underway, producers are reminded to follow safe operating practices and remain vigilant while working in the field. Having fire suppression resources readily available and taking precautions around power lines can help reduce risks during harvest. The public is encouraged to exercise caution and provide ample space when approaching or passing farm machinery on roads.

The Farm Stress Line is available to provide confidential support to producers, toll-free at 1-800 667-4442.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.





**Agriculture and
Agri-Food Canada**

Harvest Progress

from April 1 to August 31, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Provincial Harvest Progress	
Per cent Harvested for All Crops for the Period up to August 31, 2026	
Region	Harvest Completed
Southeast	19%
Southwest	38%
East-central	10%
West-central	17%
Northeast	4%
Northwest	4%
Provincial	18%

Saskatchewan Harvest Progress - August 31, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	9%	3%	76%	47%	82%	49%	96%	79%
In Swath	0%	0%	2%	0%	1%	2%	0%	7%
Ready To Straight Combine	17%	8%	16%	33%	5%	17%	3%	10%
Combined	70%	75%	6%	20%	7%	29%	1%	4%
Harvested As Feed	4%	14%	0%	0%	5%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	25%	63%	91%	14%	19%	90%	88%	
In Swath	4%	1%	0%	0%	1%	0%	0%	
Ready To Straight Combine	3%	11%	2%	13%	14%	6%	5%	
Combined	15%	25%	7%	73%	66%	4%	7%	
Harvested As Feed	53%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	1%	1%	73%	46%	61%	35%	99%	81%
In Swath	0%	0%	5%	0%	3%	4%	0%	6%
Ready To Straight Combine	27%	16%	15%	27%	4%	10%	0%	10%
Combined	72%	72%	7%	26%	25%	41%	1%	3%
Harvested As Feed	0%	11%	0%	0%	7%	10%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	1%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	74%	82%	80%	7%	4%	78%	73%	
In Swath	0%	4%	0%	0%	1%	0%	0%	
Ready To Straight Combine	0%	8%	4%	15%	12%	13%	3%	
Combined	0%	6%	16%	75%	83%	9%	24%	
Harvested As Feed	26%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	3%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	35%	32%	26%	23%	85%	40%
In Swath	0%	0%	1%	0%	2%	0%	0%	0%
Ready To Straight Combine	4%	1%	36%	46%	6%	22%	13%	35%
Combined	82%	82%	28%	22%	43%	49%	2%	25%
Harvested As Feed	14%	17%	0%	0%	23%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	14%	57%	100%	7%	3%	90%	87%	
In Swath	7%	0%	0%	0%	0%	0%	1%	
Ready To Straight Combine	6%	10%	0%	11%	9%	0%	7%	
Combined	11%	33%	0%	82%	88%	10%	5%	
Harvested As Feed	62%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - August 31, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	24%	4%	81%	55%	89%	65%	98%	83%
In Swath	4%	0%	2%	0%	1%	3%	0%	10%
Ready To Straight Combine	31%	1%	10%	27%	2%	11%	0%	4%
Combined	35%	94%	6%	18%	6%	20%	2%	2%
Harvested As Feed	6%	1%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	1%	0%	1%	0%	0%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	98%	100%	28%	43%	98%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	14%	13%	0%	0%	
Combined	0%	2%	0%	58%	44%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	2%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	71%	75%	60%	37%	98%	76%
In Swath	0%	0%	1%	0%	1%	4%	1%	9%
Ready To Straight Combine	0%	20%	22%	21%	1%	19%	0%	11%
Combined	100%	76%	6%	4%	21%	39%	1%	4%
Harvested As Feed	0%	4%	0%	0%	17%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	93%	39%	27%	19%	100%	100%	
In Swath	0%	0%	0%	0%	1%	0%	0%	
Ready To Straight Combine	0%	1%	0%	13%	21%	0%	0%	
Combined	100%	6%	61%	60%	59%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	34%	34%	91%	100%	94%	61%	100%	91%
In Swath	0%	0%	0%	0%	0%	1%	0%	5%
Ready To Straight Combine	14%	16%	8%	0%	4%	22%	0%	3%
Combined	52%	50%	1%	0%	1%	15%	0%	1%
Harvested As Feed	0%	0%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	25%	100%	100%	58%	47%	100%	100%	
In Swath	0%	0%	0%	0%	4%	0%	0%	
Ready To Straight Combine	0%	0%	0%	24%	20%	0%	0%	
Combined	50%	0%	0%	18%	29%	0%	0%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - August 31, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	83%	100%	90%	72%	100%	81%
In Swath	0%	0%	1%	0%	0%	3%	0%	14%
Ready To Straight Combine	0%	0%	15%	0%	7%	19%	0%	5%
Combined	100%	100%	1%	0%	1%	6%	0%	0%
Harvested As Feed	0%	0%	0%	0%	2%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	No Response(s)	No Response(s)	71%	33%	No Response(s)	No Response(s)	
In Swath	0%	No Response(s)	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Ready To Straight Combine	0%	No Response(s)	No Response(s)	12%	34%	No Response(s)	No Response(s)	
Combined	0%	No Response(s)	No Response(s)	17%	33%	No Response(s)	No Response(s)	
Harvested As Feed	100%	No Response(s)	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Other (Damage/Challenges)	0%	No Response(s)	No Response(s)	0%	0%	No Response(s)	No Response(s)	


Saskatchewan Harvest Progress	
Up to August 31, 2026	
Provincial % Combined	
Winter Wheat**	74%
Fall Rye**	88%
Spring Wheat	6%
Durum	20%
Oats**	12%
Barley**	32%
Flax	1%
Canola	4%
Triticale**	68%
Mustard	25%
Soybean	7%
Lentil	73%
Field Pea	66%
Canaryseed	4%
Chickpea	7%
**includes per cent harvested as feed	

Saskatchewan Estimated Crop Yields - August 31, 2026								
	Winter Wheat (bu/acre)	Durum (bu/acre)	Flax (bu/acre)	Fall Rye (bu/acre)	Oat (bu/acre)	Canola (bu/acre)	Hard Red Spring Wheat (bu/acre)	Barley (bu/acre)
Southeast	48	50	24	50	97	36	50	69
Southwest	50	40	25	47	70	34	43	60
East-Central	50	45	30	52	78	41	53	76
West-Central	38	46	26	45	86	41	57	74
Northeast	61	63	25	50	107	40	58	88
Northwest	58	No Response(s)	25	No Response(s)	102	42	54	77
Provincial	55	44	26	46	94	38	52	74
	Soybean (bu/acre)	Other Spring Wheat (bu/acre)	Triticale (bu/acre)	Field Pea (bu/acre)	Mustard (lbs/acre)	Canaryseed (lbs/acre)	Lentil (lbs/acre)	Chickpea (lbs/acre)
Southeast	33	48	100	34	272	1270	1004	986
Southwest	40	54	32	39	1156	788	1448	1682
East Central	30	50	60	49	1675	1000	2218	900
West Central	40	60	40	43	1083	1350	1453	100
Northeast	No Response(s)	58	No Response(s)	37	1750	1018	1959	No Response(s)
Northwest	No Response(s)	53	No Response(s)	35	No Response(s)	No Response(s)	660	No Response(s)
Provincial	33	53	41	39	1129	1266	1361	1501

* 'Other Spring Wheat' includes all wheat classes other than Hard Red Spring Wheat

** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Dry conditions early in the week allowed for fieldwork across the region, with harvest reaching 19 per cent, up 8 points from last week, but still below the 5-year and 10-year averages of 41 per cent and 42 per cent, respectively. Most producers are combining winter cereals, pulses and early spring wheat, with some desiccating and swathing other crops.

Significant rainfall was reported across the region late in the week, improving topsoil moisture conditions. The highest rainfall was recorded in the Fertile Belt area at 125 millimetres (mm), followed by the Langenburg area at 113 mm and the Dufferin area at 76 mm.

Southeast Saskatchewan	
Census Division	% Harvested (August 31, 2026)
1	9%
2	32%
5	8%
6	23%
Region average	19%

Cropland topsoil moisture is:

- 20 per cent surplus;
- 59 per cent adequate;
- 20 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 13 per cent surplus;
- 57 per cent adequate;
- 27 per cent short; and
- 3 per cent very short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 55 per cent adequate;
- 32 per cent short; and
- 5 per cent very short.

Producers continued to make steady harvest progress across the region, particularly in pulse crops, winter cereals and some early-seeded cereal acres.

Winter cereals harvested:

- Winter wheat: 72 per cent; and
- Fall rye: 83 per cent.

Oilseeds harvested:

- Soybeans: 16 per cent;

- Flax: 1 per cent;
- Canola: 3 per cent; and
- Mustard: 6 per cent.

Spring cereals harvested:

- Durum: 26 per cent;
- Barley: 51 per cent;
- Spring wheat: 7 per cent;
- Oats: 32 per cent;
- Triticale: 26 per cent; and
- Canary seed: 9 per cent.

Pulses harvested:

- Lentils: 75 per cent;
- Field peas: 83 per cent; and
- Chickpea: 24 per cent.

Estimated crop yields vary across the region, with some areas reporting average to above-average yields. Producers estimate 50 bushels per acre for hard red spring wheat, 50 bushels per acre for durum, 97 bushels per acre for oats, 69 bushels per acre for barley, 36 bushels per acre for canola, 24 bushels per acre for flax, 34 bushels per acre for field peas, 1004 and 986 pounds per acre for lentils and chickpeas, respectively. A full summary of estimated crop yields for all regions is available in the estimated crop yields table.

Crop damage over the past week was mainly attributed to wind, flooded fields and wildlife. Producers also reported minor damage from bertha armyworms and gophers, though overall crop damage remained limited.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Favourable weather for most of the past week allowed harvest to progress across the region, reaching 38 per cent complete. This remains behind the 5-year average of 65 per cent and the 10-year average of 57 per cent. While most producers continue to focus on harvest, others are hauling bales and beginning fall field work activities where conditions allow.

Scattered rainfall was reported across parts of the region late in the week; however, it had minimal effect on topsoil moisture conditions. The highest rainfall amount was reported in the Hillsborough and Huron areas with 30 millimetres (mm), followed by the Morse area at 28 mm and the Caron area at 27 mm

Southwest Saskatchewan	
Census Division	% Harvested (August 31, 2026)
3	28%
4	38%
7	37%
8	47%
Region average	38%

Cropland topsoil moisture is:

- 28 per cent adequate;
- 52 per cent short; and
- 20 per cent very short.

Hayland topsoil moisture is:

- 28 per cent adequate;
- 58 per cent short; and
- 14 per cent very short.

Pasture topsoil moisture is:

- 24 per cent adequate;
- 54 per cent short; and
- 22 per cent very short.

Producers continued to make steady harvest progress, with most combine activities focused on pulse crops, winter cereals and some early-seeded cereal crops.

Winter cereals harvested:

- Winter wheat: 96 per cent; and
- Fall rye: 99 per cent.

Oilseeds harvested:

- Flax: 2 per cent;
- Canola: 25 per cent; and
- Mustard: 33 per cent.

Spring cereals harvested:

- Durum: 22 per cent;
- Barley: 55 per cent;
- Spring wheat: 28 per cent;
- Oats: 66 per cent;
- Triticale: 73 per cent; and
- Canary seed: 10 per cent.

Pulses harvested:

- Lentils: 82 per cent;
- Field peas: 88 per cent; and
- Chickpeas: 5 per cent.

Estimated crop yields are variable throughout the region, with some areas reporting average to above-average results. Current producer estimates are 43 bushels per acre for hard red spring wheat, 40 bushels per acre for durum, 70 bushels per acre for oats, 60 bushels per acre for barley, 34 bushels per acre for canola, 39 bushels per acre for field peas and 1448 pounds per acre for lentils. A full summary of estimated crop yields for all regions is available in the estimated crop yields table.

Crop damage over the past week was mainly attributed to wind and dry conditions. Producers reported moderate grasshopper and sclerotinia stem rot damage of canola in some areas, though overall crop damage remained limited.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Harvest progressed throughout the region as weather conditions allowed, with 10 per cent of this year's crop now harvested. This remains behind the 5-year average of 28 per cent and the 10-year average of 26 per cent. While harvest activities continued, some areas experienced delays due to rainfall. These conditions may affect the harvest readiness of some later-seeded crops. Producers continue to focus on harvest operations, while others are hauling bales and beginning fieldwork activities.

East-Central Saskatchewan	
Census Division	% Harvested (August 31, 2026)
9	4%
10	6%
11	15%
Region average	10%

Most areas of the region received significant precipitation over the past week. The highest accumulation was reported in the Prairie Rose area at 136 millimetres (mm). The Foam Lake, Livingston, and Deer Forks areas also received measurable rainfall, reporting 82 mm, 72 mm, and 71 mm, respectively.

Cropland topsoil moisture is:

- 15 per cent surplus;
- 73 per cent adequate; and
- 12 per cent short.

Hayland topsoil moisture is:

- 11 per cent surplus;
- 66 per cent adequate;
- 19 per cent short; and
- 4 per cent very short.

Pasture topsoil moisture is:

- 12 per cent surplus;
- 65 per cent adequate;
- 19 per cent short; and
- 4 per cent very short.

Field activities continued to progress as the weather permitted, with harvest efforts concentrated mainly on pulse crops, winter cereals and some early-seeded cereal acres.

Winter cereals harvested:

- Winter wheat: 40 per cent; and
- Fall rye: 94 per cent.

Oilseeds harvested:

- Flax: 2 per cent;

- Canola: 2 per cent; and
- Mustard: 2 per cent.

Spring cereals harvested:

- Durum: 18 per cent;
- Barley: 21 per cent;
- Spring wheat: 6 per cent; and
- Oats: 7 per cent.

Pulses harvested:

- Lentils: 58 per cent; and
- Field peas: 44 per cent.

Crop yield estimates vary throughout the region, although some areas are reporting average to above-average yields. Producers estimate hard red spring wheat at 53 bushels per acre, durum at 45 bushels per acre, oats at 78 bushels per acre, barley at 76 bushels per acre, canola at 41 bushels per acre, field peas at 49 bushels per acre and lentils at 2218 pounds per acre. A full summary of estimated crop yields for all regions is available in the estimated crop yields table.

Producers reported flooding and wind as the main sources of crop damage this week. While these conditions affected some fields, the extent of damage was generally localized.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Significant harvest progress was made across the region over the past week, with harvest advancing to 17 per cent complete, up 9 per cent from last week. Despite this progress, harvest remains behind the 5-year average of 40 per cent and the 10-year average of 33 per cent. Alongside harvest operations, producers are baling straw, hauling bales and grain, and swathing or desiccating later-seeded crops.

West-Central Saskatchewan	
Census Division	% Harvested (August 31, 2026)
12	17%
13	17%
Region average	17%

Widespread rainfall was received across much of the region late in the reporting period, resulting in improved topsoil moisture conditions. The highest precipitation amount was reported in the Buffalo area at 52 millimetres (mm), followed by the Redford area with 44 mm and the Perdue area with 40 mm.

Cropland topsoil moisture is:

- 3 per cent surplus;
- 79 per cent adequate;
- 17 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 78 per cent adequate;
- 20 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 77 per cent adequate;
- 21 per cent short; and
- 1 per cent very short.

Harvest progress remained steady across the region as producers focused on combining pulse crops, winter cereals and early-seeded cereal acres.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 80 per cent.

Oilseeds harvested:

- Soybeans: 61 per cent;
- Flax: 1 per cent;
- Canola: 4 per cent; and
- Mustard: 6 per cent.

Spring cereals harvested:

- Durum: 4 per cent;
- Barley: 40 per cent;
- Spring wheat: 6 per cent;
- Oats: 38 per cent; and
- Triticale: 100 per cent.

Pulses harvested:

- Lentils: 60 per cent; and
- Field peas: 59 per cent.

Yield estimates differ across the region, with some areas reporting average to above-average production. Producers estimate 57 bushels per acre for hard red spring wheat, 46 bushels per acre for durum, 86 bushels per acre for oats, 74 bushels per acre for barley, 41 bushels per acre for canola and 43 bushels per acre for field peas. Lentils are estimated at 1453 pounds per acre. A full summary of estimated crop yields for all regions is available in the estimated crop yields table.

Crop damage last week was primarily caused by flooding and wind. Excess moisture and saturated fields also delayed field work in some regions. However, overall crop damage was limited, with minor damage from aphids also reported.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Harvest advanced to 4 per cent complete over the past week as weather conditions allowed. This remains significantly behind the 5-year average of 24 per cent and the 10-year average of 18 per cent. Wet field conditions developing towards the end of the reporting period caused harvest delays in some areas, although producers continued to make progress where conditions allowed.

Alongside harvest operations, producers are swathing or desiccating later-seeded crops as they prepare for the next stage of harvest.

Northeast Saskatchewan	
Census Division	% Harvested (August 31, 2026)
14	4%
15	5%
Region average	4%

Significant rainfall occurred across the region late in the reporting period, replenishing soil moisture reserves and improving topsoil conditions. The Kelvington area received the highest rainfall amount at 96 millimetres (mm), followed by the Three Lakes area with 77 mm and the St. Peter area with 70 mm.

Cropland topsoil moisture is:

- 22 per cent surplus; and
- 78 per cent adequate.

Hayland topsoil moisture is:

- 13 per cent surplus;
- 84 per cent adequate; and
- 3 per cent short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 88 per cent adequate; and
- 3 per cent short.

Producers made steady progress with harvest operations this week, particularly in pulse crops, winter cereals and some early-seeded cereal acres.

Winter cereals harvested:

- Winter wheat: 52 per cent; and
- Fall rye: 50 per cent.

Oilseeds harvested:

- Canola: 1 per cent.

Spring cereals harvested:

- Barley: 16 per cent;
- Triticale: 75 per cent;
- Spring wheat: 1 per cent; and
- Oats: 2 per cent.

Pulses harvested:

- Lentils: 18 per cent; and
- Field peas: 29 per cent.

Estimated yields vary by area within the region, with some producers reporting average to above-average yields. Current estimates are 58 bushels per acre for hard red spring wheat, 63 bushels per acre for durum, 107 bushels per acre for oats, 88 bushels per acre for barley, 40 bushels per acre for canola, 37 bushels per acre for field peas and 1959 pounds per acre for lentils. A full summary of estimated crop yields for all regions is available in the estimated crop yields table.

Flooding and wind were the primary causes of crop damage reported over the past week. Excess moisture in low-lying areas and strong winds resulted in localized crop losses; however, widespread damage was limited. Minor bertha armyworm and aphid damage was also reported in some areas, though overall crop damage remained limited.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers made harvest progress across the region as the weather conditions allowed. Harvest is currently 4 per cent complete, up 3 per cent from last week. This is significantly behind the 5-year average of 20 per cent and the 10-year average of 15 per cent. As harvest operations continue, producers are also busy baling and hauling straw, as well as swathing and desiccating later-seeded crops.

Northwest Saskatchewan	
Census Division	% Harvested (August 31, 2026)
16	3%
17	5%
Region average	4%

Rainfall received late in the week improved topsoil moisture conditions across much of the region. The highest precipitation was reported in the Redberry area at 70 millimetres (mm), followed by the Round Hill area at 58 mm and the Shellbrook area at 53 mm.

Cropland topsoil moisture is:

- 12 per cent surplus; and
- 88 per cent adequate.

Hayland topsoil moisture is:

- 2 per cent surplus;
- 93 per cent adequate; and
- 5 per cent short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 93 per cent adequate; and
- 6 per cent short.

Harvest advanced steadily this week, with producers primarily working on pulse crops, winter cereals, and early seeded cereal acres.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Spring cereals harvested:

- Barley: 6 per cent;
- Triticale: 100 per cent;
- Spring wheat: 1 per cent; and
- Oats: 3 per cent.

Pulses harvested:

- Lentils: 17 per cent; and


- Field peas: 33 per cent.

Producers are reporting variable yield estimates across the region, with some areas seeing average to above-average results. Estimated yields are 54 bushels per acre for hard red spring wheat, 25 bushels per acre for flax, 102 bushels per acre for oats, 77 bushels per acre for barley, 42 bushels per acre for canola, 35 bushels per acre for field peas and 660 pounds per acre for lentils. A full summary of estimated crop yields for all regions is available in the [estimated crop yields table](#).

Flooding and wind were the primary causes of crop damage reported over the past week. Excess moisture in low-lying areas and strong winds resulted in localized crop losses; however, widespread damage was limited. Producers also reported minor bertha armyworm and aphid activity in some areas, though the impact on crops was generally minimal.

Weekly Rainfall

from August 25 to August 31, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from August 25 to August 31, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	41	462	8	138	WEBB	16	259	14	366	KELVINGTON	96	364
1	4	COALFIELDS	28	529	8	139	GULL LAKE	9	236	14	367	PONASS LAKE	35	341
1	32	RECIPROCITY	37	394	8	168	RIVERSIDE	18	219	14	394	HUDSON BAY	25	278
1	34	BROWNING	N/A	418	8	228	LACADENA	N/A	256	14	395	PORCUPINE	N/A	284
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	10	193	14	397	BARRIER VALLEY	N/A	201
1	95	GOLDEN WEST	20	279	8	231	HAPPYLAND	6	184	14	428	STAR CITY	33	271
1	2A	MOUNT PLEASANT	30	289	8	259	SNIPER LAKE	13	226	14	456	ARBORFIELD	55	341
2	10	HAPPY VALLEY	0	202	8	138A	WEBB	12	177	14	457	CONNAUGHT	N/A	105
2	38	LAURIER	11	285	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	31	290
2	66	GRIFFIN	N/A	344	8	257A	MONET	14	204	14	487	NIPAWIN	40	337
2	67	WEYBURN	N/A	101	8	259A	SNIPER LAKE	N/A	141	14	488	TORCH RIVER	50	378
2	70	KEY WEST	N/A	12	9	241	CALDER	71	488	14	394A	HUDSON BAY	N/A	252
2	100	ELMSTHORPE	15	229	9	243	WALLACE	27	261	14	397A	BARRIER VALLEY	54	307
2	100A	ELMSTHORPE	17	243	9	245	GARRY	26	195	14	488A	TORCH RIVER	N/A	160
2	38A	LAURIER	8	239	9	273	SLIDING HILLS	22	358	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	20	241	9	274	GOOD LAKE	28	284	15	369	ST. PETER	70	291
3	74	WOOD RIVER	20	242	9	301	ST. PHILIPS	N/A	143	15	371	BAYNE	38	312
3	75	PINTO CREEK	15	172	9	305	INVERMAY	60	398	15	372	GRANT	31	248
3	76	AUVERGNE	14	220	9	331	LIVINGSTON	72	329	15	373	ABERDEEN	38	232
3	101	TERRELL	N/A	0	9	241A	CALDER	63	560	15	399	LAKE LENORE	46	298
3	102	LAKE JOHNSTON	16	213	9	245A	GARRY	N/A	213	15	400	THREE LAKES	77	415
3	106	WHISKA CREEK	N/A	192	10	246	ITUNA BON ACCORD	16	151	15	402	FISH CREEK	N/A	198
3	74A	KEY WEST	12	194	10	247	KELLROSS	N/A	227	15	429	FLETT'S SPRINGS	38	294
4	51	RENO	6	144	10	248	TOUCHWOOD	24	235	15	430	INVERGORDON	32	171
4	79	ARLINGTON	6	228	10	277	EMERALD	37	326	15	459	KINISTINO	N/A	301
4	110	PIAPOT	9	255	10	279	MOUNT HOPE	64	259	15	461	PRINCE ALBERT	N/A	224
4	77A	WISE CREEK	11	182	10	307	ELFROS	46	479	15	463	DUCK LAKE	55	351
4	78A	GRASSY CREEK	6	136	10	309	PRAIRIE ROSE	136	397	15	491	BUCKLAND	48	176
4	79A	ARLINGTON	5	257	10	336	SASMAN	N/A	319	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	45	360	10	339	LEROY	22	283	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	54	337	10	246A	ITUNA BON ACCORD	N/A	126	15	371A	BAYNE	37	218
5	151	ROCANVILLE	29	305	10	248A	TOUCHWOOD	28	378	15	371B	BAYNE	34	285
5	155	WOLSELEY	N/A	202	10	276A	FOAM LAKE	82	484	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	113	562	10	276B	FOAM LAKE	73	575	15	403A	ROSTERN	46	347
5	183	FERTILE BELT	90	390	10	276C	FOAM LAKE	28	422	15	403C	ROSTERN	40	325
5	211	CHURCHBRIDGE	61	382	10	276D	FOAM LAKE	60	345	15	461A	PRINCE ALBERT	38	267
5	213	SALT COATS	53	387	10	277A	EMERALD	40	380	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	29	253	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	60	211
5	125A	CHESTERFIELD	18	250	11	251	BIG ARM	N/A	232	16	435	REDBERRY	70	379
5	154A	ELCAPO	35	271	11	280	WRETFORD	N/A	83	16	436	DOUGLAS	20	228
5	183A	FERTILE BELT	125	475	11	283	ROSEDALE	35	311	16	437	NORTH BATTLEFORD	N/A	390
5	211A	CHURCHBRIDGE	72	407	11	284	RUDY	40	128	16	466	MEETING LAKE	34	435
6	127	FRANCIS	65	289	11	314	DUNDURN	36	250	16	467	ROUND HILL	33	401
6	128	LAJORD	31	144	11	344	CORMAN PARK	31	207	16	493	SHELLBROOK	53	249
6	130	REDBURN	35	273	11	282A	McCRANEY	N/A	190	16	494	CANWOOD	43	166
6	156	INDIAN HEAD	60	306	12	286	MILDEN	28	282	16	497	MEDSTEAD	42	407
6	160	PENSE	32	192	12	287	ST. ANDREWS	25	218	16	437A	NORTH BATTLEFORD	34	322
6	186	ABERNETHY	50	289	12	288	PLEASANT VALLEY	17	215	16	467A	ROUND HILL	58	419
6	190	DUFFERIN	35	215	12	316	HARRIS	25	192	17	468	MEOTA	N/A	245
6	216	TULLYMET	N/A	10	12	317	MARRIOTT	28	263	17	470	PAYNTON	N/A	77
6	217	LIPTON	45	394	12	345	VANSCOY	25	176	17	471	ELDON	10	297
6	219	LONGLAKETON	30	292	12	346	PERDUE	38	256	17	498	PARKDALE	30	386
6	221	SARNIA	22	248	12	347	BIGGAR	26	330	17	499	MERVIN	23	302
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	40	289	17	502	BRITANNIA	5	237
6	159A	SHERWOOD	51	190	12	377	GLENSIDE	36	263	17	561	LOON LAKE	9	215
6	159B	SHERWOOD	23	217	12	285A	FERTILE VALLEY	30	193	17	588	MEADOW LAKE	15	423
6	160A	PENSE	N/A	142	13	290	KINDERSLEY	N/A	200	17	622	BEAVER RIVER	N/A	323
6	190A	DUFFERIN	N/A	130	13	292	MILTON	N/A	365	17	498A	PARKDALE	24	334
6	190B	DUFFERIN	20	231	13	321	PRAIRIEDALE	12	298	17	501A	FRENCHMAN BUTTE	6	269
6	190C	DUFFERIN	76	330	13	350	MARIPOSA	13	282	17	501C	FRENCHMAN BUTTE	N/A	50
6	216A	TULLYMET	N/A	75	13	351	PROGRESS	15	281	17	561A	LOON LAKE	3	188
6	217A	LIPTON	N/A	2	13	379	REFORD	44	151					
6	219A	LONGLAKETON	N/A	226	13	382	EYE HILL	13	254					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	52	359					
6	220A	McKILLOP	36	208	13	440	HILLSDALE	20	279					
6	220B	McKILLOP	38	45	13	442	MANITOU LAKE	13	246					
7	132	HILLSBOROUGH	30	334	13	292A	MILTON	N/A	196					
7	136	COULEE	20	189	13	320A	OAKDALE	10	219					
7	161	MOOSE JAW	14	158	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	27	238	13	409A	BUFFALO	28	291					
7	165	MORSE	28	280										
7	193	EYEBROW	25	275										
7	223	HURON	30	219										
7	132A	HILLSBOROUGH	N/A	121										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	25	213										
7	222A	CRAIK	23	256										
7	223A	HURON	23	223										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to August 31, 2026



Cropland Topsoil Moisture Conditions


from August 25 to August 31, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from August 25 to August 31, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from August 25 to August 31, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from August 25 to August 31, 2026



Minimum Temperature

from August 25 to August 31, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

September 2, 2026