

Crop Report

For the Period September 1 to September 7

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 19, September 10, 2026

Harvest progress was made earlier in the week before widespread rainfall stalled field operations across much of the province. Currently, 27 per cent of the crop is in the bin, up from 18 per cent last week. This is behind the five-year average of 58 per cent harvested and the 10-year average of 50 per cent.

Large amounts of precipitation were recorded throughout the province and field work will be on hold until it is dry enough to continue. The RM of Longlaketon recorded 138 millimetres (mm), the RM of Eyebrow recorded 132 mm, the RM of Sarnia recorded 127 mm and the RM of McKillop recorded 121 mm. Fields are generally saturated in many regions and producers are hoping for warm, dry weather going forward. Topsoil moisture increased in cropland, hayland and pastures this past week.

Cropland topsoil moisture is:

- 33 per cent surplus;
- 58 per cent adequate;
- 7 per cent short; and
- 2 per cent very short.

Hayland topsoil moisture is:

- 23 per cent surplus;
- 64 per cent adequate;
- 10 per cent short; and
- 3 per cent very short.

Pasture topsoil moisture is:

- 15 per cent surplus;
- 66 per cent adequate;
- 16 per cent short; and
- 3 per cent very short.

This week, winter cereals, pulses and early-seeded cereal crops accounted for most of the harvest progress.

- Winter cereals harvested:
 - Winter wheat: 87 per cent; and
 - Fall rye: 94 per cent.

One year ago

Harvest was well underway with 41 per cent of the crop in the bin, an increase of 23 per cent from the week prior but behind the five-year average of 58 per cent. Topsoil moisture conditions continued to decline in response to the hot dry weather experienced across the province.

Follow the 2026 Crop Report
on X @SKAgriculture

Harvest Progress in SK

Per cent combined Historical all Crops

Sept 7, 2026	27
Sept 8, 2025	41
Sept 9, 2024	61
Sept 11, 2023	68
Sept 12, 2022	64
Sept 6, 2021	56
5-year avg. (2021-2025)	58
10-year avg. (2016-2025)	50

For further information, contact Samantha Marcino, BSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 1 to September 7

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 19, September 10, 2026

- Oilseeds harvested:
 - Mustard: 50 per cent;
 - Flax: 3 per cent;
 - Soybeans: 7 per cent; and
 - Canola: 9 per cent.
- Spring cereals harvested:
 - Triticale: 79 per cent;
 - Barley: 41 per cent;
 - Durum: 38 per cent;
 - Spring wheat: 13 per cent;
 - Oats: 14 per cent; and
 - Canary seed: 11 per cent.
- Pulses harvested:
 - Lentils: 84 per cent;
 - Field peas: 79 per cent; and
 - Chickpeas: 24 per cent.

Crop damage this week was largely due to excess moisture and high winds. There were also small pockets of hail damage. Many crops are now lodged and waterlogged due to very wet fields. Producers are concerned about grain quality, bleaching and sprouting.

Producers continue to swath and desiccate crops as conditions allow. Other activities like baling greenfeed and hauling bales continue as producers wait for things to dry so they can get back into the combines.

With the busy fall season, producers are reminded to follow safe operating practices and remain vigilant while working in the field. The public is encouraged to exercise caution and provide ample space when approaching or passing farm machinery on roads.

The Farm Stress Line is available to provide confidential support to producers, toll-free at 1-800 667-4442.

For further information, contact Samantha Marcino, BSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-621-1162, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Harvest Progress

from April 1 to September 7, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Harvest Progress - September 7, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	3%	1%	58%	27%	70%	39%	86%	59%
In Swath	0%	0%	1%	0%	2%	3%	0%	15%
Ready To Straight Combine	10%	4%	28%	35%	14%	17%	11%	17%
Combined	84%	80%	13%	38%	10%	38%	3%	9%
Harvested As Feed	3%	15%	0%	0%	4%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	9%	27%	85%	7%	9%	65%	50%	
In Swath	1%	0%	0%	0%	1%	0%	0%	
Ready To Straight Combine	11%	23%	8%	9%	11%	24%	26%	
Combined	18%	50%	7%	84%	79%	11%	24%	
Harvested As Feed	61%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	1%	0%	53%	24%	47%	24%	91%	55%
In Swath	0%	0%	4%	0%	3%	2%	0%	13%
Ready To Straight Combine	6%	2%	27%	39%	14%	12%	8%	21%
Combined	93%	87%	16%	37%	30%	52%	1%	11%
Harvested As Feed	0%	11%	0%	0%	3%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	3%	4%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	48%	59%	81%	3%	2%	51%	39%	
In Swath	0%	0%	0%	0%	1%	0%	0%	
Ready To Straight Combine	0%	18%	3%	12%	8%	31%	34%	
Combined	52%	23%	16%	83%	86%	18%	27%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	2%	3%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	18%	21%	24%	16%	70%	32%
In Swath	0%	0%	0%	0%	0%	0%	0%	1%
Ready To Straight Combine	0%	0%	32%	37%	4%	19%	22%	34%
Combined	89%	79%	50%	42%	50%	57%	8%	33%
Harvested As Feed	11%	21%	0%	0%	22%	8%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	2%	22%	90%	2%	0%	73%	32%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	16%	17%	0%	5%	3%	3%	36%	
Combined	14%	61%	10%	93%	97%	24%	32%	
Harvested As Feed	68%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - September 7, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	7%	1%	73%	51%	87%	55%	97%	66%
In Swath	0%	0%	3%	0%	2%	8%	0%	20%
Ready To Straight Combine	25%	3%	15%	27%	3%	9%	0%	8%
Combined	62%	95%	9%	22%	7%	26%	3%	6%
Harvested As Feed	6%	1%	0%	0%	1%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	98%	100%	23%	23%	98%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	6%	12%	2%	0%	
Combined	0%	2%	0%	71%	65%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	47%	46%	45%	24%	87%	45%
In Swath	0%	0%	1%	0%	3%	4%	0%	11%
Ready To Straight Combine	0%	10%	39%	36%	13%	20%	11%	29%
Combined	100%	86%	13%	18%	26%	50%	2%	15%
Harvested As Feed	0%	4%	0%	0%	13%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	49%	29%	8%	6%	65%	53%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	41%	10%	10%	14%	34%	46%	
Combined	75%	10%	61%	82%	80%	1%	1%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	1%	36%	79%	100%	81%	49%	98%	77%
In Swath	0%	0%	1%	0%	0%	2%	0%	16%
Ready To Straight Combine	18%	6%	18%	0%	15%	20%	2%	5%
Combined	81%	58%	2%	0%	3%	28%	0%	2%
Harvested As Feed	0%	0%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	25%	75%	100%	53%	29%	98%	100%	
In Swath	0%	0%	0%	5%	3%	0%	0%	
Ready To Straight Combine	0%	25%	0%	16%	18%	2%	0%	
Combined	50%	0%	0%	26%	50%	0%	0%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	


Saskatchewan Harvest Progress - September 7, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	58%	0%	73%	60%	100%	61%
In Swath	0%	0%	1%	25%	2%	3%	0%	28%
Ready To Straight Combine	0%	0%	39%	50%	21%	23%	0%	10%
Combined	100%	100%	2%	25%	2%	14%	0%	1%
Harvested As Feed	0%	0%	0%	0%	2%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	20%	21%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	100%	100%	55%	42%	100%	100%	
Combined	100%	0%	0%	25%	37%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress	
Up to September 7, 2026	
Provincial % Combined	
Winter Wheat**	87%
Fall Rye**	94%
Spring Wheat	13%
Durum	38%
Oats**	14%
Barley**	41%
Flax	3%
Canola	9%
Triticale**	79%
Mustard	50%
Soybean	7%
Lentil	84%
Field Pea	79%
Canaryseed	11%
Chickpea	24%
**includes per cent harvested as feed	

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Wet conditions in the later part of the week stalled harvest progress. Harvest is 26 per cent complete up from 19 per cent last week. This is well behind the five-year average of 61 per cent and the 10-year average of 59 per cent complete.

Significant rainfall was received in the region, slowing field work. The RM of Longlaketon recorded 138 millimetres (mm) of rain, the RM of McKillop had 121 mm, the RM of Pense had 120 mm and the RM of Francis recorded 118 mm. Topsoil moisture has increased, particularly in the surplus category.

Southeast Saskatchewan	
Census Division	% Harvested (September 7, 2026)
1	15%
2	44%
5	12%
6	30%
Region average	26%

Cropland topsoil moisture is:

- 46 per cent surplus;
- 52 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 34 per cent surplus;
- 65 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 23 per cent surplus;
- 75 per cent adequate; and
- 2 per cent short.

Harvest progress increased by 7 per cent in the region this week. Fall cereals are nearly complete with pulse crops following close behind.

Winter cereals harvested:

- Winter wheat: 93 per cent; and
- Fall rye: 98 per cent.

Oilseeds harvested:

- Soybeans: 16 per cent;
- Flax: 1 per cent;
- Canola: 11 per cent; and
- Mustard: 23 per cent.

Spring cereals harvested:

- Durum: 37 per cent;
- Barley: 58 per cent;
- Spring wheat: 16 per cent;
- Oats: 33 per cent;
- Triticale: 52 per cent; and
- Canary seed: 18 per cent.

Pulses harvested:

- Lentils: 83 per cent;
- Field peas: 86 per cent; and
- Chickpeas: 27 per cent.

Crop damage this week was mainly caused by heavy rainfall and wind with minor to severe damage being reported across the entire region. Producers are reporting significant lodging and quality concerns from the moisture. Reports of scattered hailstorms also caused damage this week.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Favourable weather earlier in the week allowed the region to reach 55 per cent harvested. This is still behind the five-year average of 80 per cent and the 10-year average of 72 per cent harvested. While field operations were delayed by the rainfall some producers continue to haul bales and clean corrals.

Rainfall was recorded in almost every portion of the region but was variable. The highest amount of rain was in the RM of Eyebrow with 132 millimetres (mm), followed by the RM of Happyland with 84 mm and the RM of Huron with 80 mm.

Southwest Saskatchewan	
Census Division	% Harvested (September 7, 2026)
3	50%
4	55%
7	55%
8	59%
Region average	55%

With the rainfall across the region, topsoil moisture conditions increased with the majority being reported as adequate.

Cropland topsoil moisture is:

- 5 per cent surplus;
- 73 per cent adequate;
- 19 per cent short; and
- 3 per cent very short.

Hayland topsoil moisture is:

- 66 per cent adequate;
- 26 per cent short; and
- 8 per cent very short.

Pasture topsoil moisture is:

- 56 per cent adequate;
- 35 per cent short; and
- 9 per cent very short.

Producers made steady harvest progress in the region. Fall cereals are mostly complete with pulses following closely behind.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Oilseeds harvested:

- Flax: 8 per cent;
- Canola: 33 per cent; and
- Mustard: 61 per cent.

Spring cereals harvested:

- Durum: 42 per cent;
- Barley: 65 per cent;
- Spring wheat: 50 per cent;
- Oats: 72 per cent;
- Triticale: 82 per cent; and
- Canary seed: 24 per cent.

Pulses harvested:

- Lentils: 93 per cent;
- Field peas: 97 per cent; and
- Chickpeas: 32 per cent.

Crop damage across the region was mainly caused by heavy rainfall and wind. Producers are concerned with lodging, bleaching and downgrading of crops.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Harvest progress in the region progressed slightly to 14 per cent up from 10 per cent the week prior. This is significantly behind the five-year average of 43 per cent and the 10-year average of 39 per cent. The majority of the region experienced rain delays this week while some producers in the region are still waiting for crops to mature.

East-Central Saskatchewan	
Census Division	% Harvested (September 7, 2026)
9	9%
10	9%
11	20%
Region average	14%

Rainfall varied across the region with some areas receiving significant amounts. The largest amount of rain fell in the Ituna region with 93 millimetres (mm), followed by the Dundurn region with 88 mm and the Foam Lake region with 82 mm. This rainfall increased the topsoil moisture reported across the region.

Cropland topsoil moisture is:

- 36 per cent surplus;
- 63 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 30 per cent surplus;
- 69 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 29 per cent surplus;
- 70 per cent adequate; and
- 1 per cent short.

Harvest progress was limited the past week with only a 4 per cent increase in the region, mostly in the winter cereals and pulse crop categories.

Winter cereals harvested:

- Winter wheat: 62 per cent; and
- Fall rye: 96 per cent.

Oilseeds harvested:

- Flax: 3 per cent;
- Canola: 6 per cent; and
- Mustard: 2 per cent.

Spring cereals harvested:

- Durum: 22 per cent;
- Barley: 28 per cent;
- Spring wheat: 9 per cent; and
- Oats: 8 per cent.

Pulses harvested:

- Lentils: 71 per cent; and
- Field peas: 65 per cent.

Producers reported damage from heavy rain and wind. Concerns this week include grain quality, lodging and equipment getting stuck on saturated fields. Small areas of hail damage were also reported. Most are hoping for a stretch of warm sunny weather to get back to harvest operations.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Harvest progressed to 25 per cent complete this week. This is behind the five-year average of 59 per cent and 10-year average of 51 per cent. Rain showers across the region delayed harvest operations and any additional field work.

West-Central Saskatchewan	
Census Division	% Harvested (September 7, 2026)
12	27%
13	24%
Region average	25%

Rain fell throughout the entire region with the largest amount in the RM of Marriott with 98 millimetres (mm), followed by the RM of Milton at 86 mm and the RM of Fertile Valley with 74 mm. Due to significant rainfall, the topsoil moisture conditions increased across the region.

Cropland topsoil moisture is:

- 20 per cent surplus;
- 77 per cent adequate; and
- 3 per cent short.

Hayland topsoil moisture is:

- 9 per cent surplus;
- 86 per cent adequate; and
- 5 per cent short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 87 per cent adequate; and
- 5 per cent short.

Harvest progress was limited in the region this past week, but gains were seen in pulse crops, durum and spring wheat.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 90 per cent.

Oilseeds harvested:

- Soybeans: 61 per cent;
- Flax: 2 per cent;
- Canola: 15 per cent; and
- Mustard: 10 per cent.

Spring cereals harvested:

- Durum: 18 per cent;
- Barley: 52 per cent;
- Spring wheat: 13 per cent;
- Oats: 39 per cent; and
- Triticale: 100 per cent.

Pulses harvested:

- Lentils: 82 per cent; and
- Field peas: 80 per cent.

Crop damage this week was largely due to heavy rain and wind. Many producers cited concerns about grain quality, bleaching and lodging. Producers are hoping for a stretch of warm dry weather to continue harvest.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Harvest in the region increased to 7 per cent complete this week, an increase of 3 per cent from the week before. This remains behind the five-year average of 41 per cent and the 10-year average of 33 per cent complete.

Heavy rains across the region caused harvest delays. The largest amount of precipitation fell in the RM of Invergordon with 92 millimetres (mm), followed by the RM Bayne with 91 mm and the RM of Nipawin with 85 mm. The rain across the region caused the topsoil moisture conditions to increase.

Northeast Saskatchewan	
Census Division	% Harvested (September 7, 2026)
14	6%
15	8%
Region average	7%

Cropland topsoil moisture is:

- 67 per cent surplus; and
- 33 per cent adequate.

Hayland topsoil moisture is:

- 55 per cent surplus; and
- 45 per cent adequate.

Pasture topsoil moisture is:

- 50 per cent surplus; and
- 50 per cent adequate.

Producers made limited harvest progress with all the moisture. The biggest gains were seen in winter wheat and pulse crops.

Winter cereals harvested:

- Winter wheat: 81 per cent; and
- Fall rye: 58 per cent.

Oilseeds harvested:

- Canola: 2 per cent.

Spring cereals harvested:

- Barley: 29 per cent;
- Triticale: 75 per cent;
- Spring wheat: 2 per cent; and
- Oats: 4 per cent.

Pulses harvested:

- Lentils: 26 per cent; and
- Field peas: 50 per cent.

The majority of crop damage this week was due to heavy rainfall and wind. Producers reported concerns of lodging, quality and sprouting. Fields are saturated and producers are worried about getting equipment back into the fields without getting stuck.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Harvest increased to 6 per cent complete up from 4 per cent the week prior. This is significantly behind the five-year average of 43 per cent and the 10-year average of 30 per cent complete.

Rainfall across the region delayed harvest further. The largest amount of precipitation fell in the RM of Redberry with 66 millimetres (mm), followed by the RM of Meeting Lake with 51 mm and the RM of Round Hill with 47 mm. Although the total rainfall amounts were less than other regions of the province it was still enough to stall harvest.

Northwest Saskatchewan	
Census Division	% Harvested (September 7, 2026)
16	4%
17	8%
Region average	6%

Topsoil moisture conditions continue to increase in the region.

Cropland topsoil moisture is:

- 27 per cent surplus; and
- 73 per cent adequate.

Hayland topsoil moisture is:

- 16 per cent surplus;
- 83 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 16 per cent surplus;
- 83 per cent adequate; and
- 1 per cent short.

Harvest progress was limited in the region but winter wheat, fall rye and triticale harvest has wrapped up.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Spring cereals harvested:

- Barley: 14 per cent;
- Triticale: 100 per cent;
- Spring wheat: 2 per cent; and
- Oats: 4 per cent.


Pulses harvested:

- Lentils: 25 per cent; and
- Field peas: 37 per cent.

Crop damage from excessive rainfall and wind was reported across the region. Minor waterfowl damage was also reported. Producers are hoping for some warm weather to get back into the combines and continue harvest.

Weekly Rainfall


from September 1 to September 7, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cumulative Rainfall

from April 1 to September 7, 2026



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from September 1 to September 7, 202

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	73	535	8	138	WEBB	29	288	14	366	KELVINGTON	67	431
1	4	COALFIELDS	68	597	8	139	GULL LAKE	14	250	14	367	PONASS LAKE	75	416
1	32	RECIPROCITY	45	439	8	168	RIVERSIDE	30	249	14	394	HUDSON BAY	50	328
1	34	BROWNING	N/A	418	8	228	LACADENA	15	271	14	395	PORCUPINE	20	427
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	43	236	14	397	BARRIER VALLEY	75	276
1	95	GOLDEN WEST	41	320	8	231	HAPPYLAND	84	268	14	428	STAR CITY	54	325
1	2A	MOUNT PLEASANT	65	354	8	259	SNIFE LAKE	49	275	14	456	ARBORFIELD	72	413
2	10	HAPPY VALLEY	84	286	8	138A	WEBB	28	204	14	457	CONNAUGHT	N/A	105
2	38	LAURIER	85	370	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	58	348
2	66	GRIFFIN	50	394	8	257A	MONET	0	204	14	487	NIPAWIN	85	422
2	67	WEYBURN	N/A	101	8	259A	SNIFE LAKE	N/A	141	14	488	TORCH RIVER	45	423
2	70	KEY WEST	N/A	12	9	241	CALDER	47	535	14	394A	HUDSON BAY	35	287
2	100	ELMSTHORPE	100	329	9	243	WALLACE	56	317	14	397A	BARRIER VALLEY	54	361
2	100A	ELMSTHORPE	99	342	9	245	GARRY	38	233	14	488A	TORCH RIVER	44	204
2	38A	LAURIER	82	321	9	273	SLIDING HILLS	40	398	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	53	294	9	274	GOOD LAKE	34	318	15	369	ST. PETER	43	334
3	74	WOOD RIVER	49	291	9	301	ST. PHILIPS	58	201	15	371	BAYNE	91	403
3	75	PINTO CREEK	78	250	9	305	INVERMAY	50	448	15	372	GRANT	66	314
3	76	AUVERGNE	51	270	9	331	LIVINGSTON	57	386	15	373	ABERDEEN	81	314
3	101	TERRELL	N/A	0	9	241A	CALDER	32	592	15	399	LAKE LENORE	26	325
3	102	LAKE JOHNSTON	44	257	9	245A	GARRY	51	264	15	400	THREE LAKES	78	493
3	106	WHISKA CREEK	55	247	10	246	ITUNA BON ACCORD	93	244	15	402	FISH CREEK	34	232
3	74A	KEY WEST	60	254	10	247	KELLROSS	64	291	15	429	FLETT'S SPRINGS	65	359
4	51	RENO	32	177	10	248	TOUCHWOOD	60	295	15	430	INVERGORDON	92	263
4	79	ARLINGTON	3	231	10	277	EMERALD	68	394	15	459	KINISTINO	70	409
4	110	PIAPOT	21	276	10	279	MOUNT HOPE	73	332	15	461	PRINCE ALBERT	N/A	224
4	77A	WISE CREEK	2	184	10	307	ELFROS	57	536	15	463	DUCK LAKE	71	422
4	78A	GRASSY CREEK	6	142	10	309	PRAIRIE ROSE	78	475	15	491	BUCKLAND	24	200
4	79A	ARLINGTON	17	274	10	336	SASMAN	N/A	319	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	45	405	10	339	LEROY	45	328	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	69	406	10	246A	ITUNA BON ACCORD	N/A	126	15	371A	BAYNE	70	288
5	151	ROCANVILLE	71	376	10	248A	TOUCHWOOD	63	441	15	371B	BAYNE	68	353
5	155	WOLSELEY	39	241	10	276A	FOAM LAKE	82	566	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	35	597	10	276B	FOAM LAKE	61	636	15	403A	ROSTHERN	17	364
5	183	FERTILE BELT	25	415	10	276C	FOAM LAKE	58	480	15	403C	ROSTHERN	77	402
5	211	CHURCHBRIDGE	20	402	10	276D	FOAM LAKE	62	407	15	461A	PRINCE ALBERT	N/A	267
5	213	SALT COATS	44	431	10	277A	EMERALD	29	409	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	49	302	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	211
5	125A	CHESTERFIELD	69	319	11	251	BIG ARM	N/A	232	16	435	REDBERRY	66	445
5	154A	ELCAPO	N/A	271	11	280	WREFORD	N/A	83	16	436	DOUGLAS	26	254
5	183A	FERTILE BELT	33	507	11	283	ROSEDALE	72	383	16	437	NORTH BATTLEFORD	40	430
5	211A	CHURCHBRIDGE	17	424	11	284	RUDY	82	210	16	466	MEETING LAKE	51	486
6	127	FRANCIS	118	407	11	314	DUNDURN	88	338	16	467	ROUND HILL	47	448
6	128	LAJORD	43	187	11	344	CORMAN PARK	49	256	16	493	SHELLBROOK	N/A	249
6	130	REDBURN	90	363	11	282A	McCRANEY	73	263	16	494	CANWOOD	10	176
6	156	INDIAN HEAD	72	378	12	286	MILDEN	38	320	16	497	MEDSTEAD	21	428
6	160	PENSE	70	262	12	287	ST. ANDREWS	30	248	16	437A	NORTH BATTLEFORD	N/A	322
6	186	ABERNETHY	76	365	12	288	PLEASANT VALLEY	53	268	16	467A	ROUND HILL	45	464
6	190	DUFFERIN	90	305	12	316	HARRIS	45	237	17	468	MEOTA	N/A	245
6	216	TULLYMET	N/A	10	12	317	MARRIOTT	98	360	17	470	PAYNTON	2	79
6	217	LIPTON	51	445	12	345	VANSCOY	N/A	176	17	471	ELDON	23	320
6	219	LONGLAKETON	72	364	12	346	PERDUE	65	321	17	498	PARKDALE	36	422
6	221	SARNIA	127	375	12	347	BIGGAR	53	383	17	499	MERVIN	34	335
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	55	344	17	502	BRITANNIA	7	244
6	159A	SHERWOOD	66	256	12	377	GLENSIDE	N/A	263	17	561	LOON LAKE	5	220
6	159B	SHERWOOD	84	301	12	285A	FERTILE VALLEY	74	267	17	588	MEADOW LAKE	8	431
6	160A	PENSE	120	320	13	290	KINDERSLEY	N/A	217	17	622	BEAVER RIVER	1	340
6	190A	DUFFERIN	N/A	130	13	292	MILTON	86	451	17	498A	PARKDALE	N/A	334
6	190B	DUFFERIN	N/A	231	13	321	PRAIRIEDALE	45	343	17	501A	FRENCHMAN BUTTE	9	278
6	190C	DUFFERIN	108	438	13	350	MARIPOSA	30	312	17	501C	FRENCHMAN BUTTE	N/A	50
6	216A	TULLYMET	63	138	13	351	PROGRESS	43	324	17	561A	LOON LAKE	3	190
6	217A	LIPTON	N/A	2	13	379	REFORD	46	197					
6	219A	LONGLAKETON	138	427	13	382	EYE HILL	55	309					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	42	401					
6	220A	McKILLOP	121	329	13	440	HILLSDALE	25	304					
6	220B	McKILLOP	98	143	13	442	MANITOU LAKE	34	280					
7	132	HILLSBOROUGH	76	410	13	292A	MILTON	45	241					
7	136	COULEE	18	207	13	320A	OAKDALE	55	274					
7	161	MOOSE JAW	74	232	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	61	299	13	409A	BUFFALO	38	329					
7	165	MORSE	N/A	280										
7	193	EYEBROW	132	407										
7	223	HURON	N/A	219										
7	132A	HILLSBOROUGH	N/A	140										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	N/A	213										
7	222A	CRAIK	N/A	256										
7	223A	HURON	80	303										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cropland Topsoil Moisture Conditions


from September 1 to September 7, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from September 1 to September 7, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from September 1 to September 7, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from September 1 to September 7, 2026



Minimum Temperature

from September 1 to September 7, 2026

