

Crop Report

For the Period September 8 to September 14, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 17, 2026

Widespread rainfall across the province over the past week stalled harvest operations. Harvest is currently 32 per cent complete, an increase of five per cent from last week. This remains well behind both the five-year average of 71 per cent and the 10-year average of 63 per cent.

The rural municipality (RM) of Sarnia recorded the highest rainfall at 97 millimetres (mm), followed by the RM of Sasman with 85 mm and the RM of Aberdeen with 80 mm.

Topsoil moisture increased in cropland, hayland and pastures this past week.

Cropland topsoil moisture is:

- 34 per cent surplus;
- 63 per cent adequate; and
- 3 per cent short.

Hayland topsoil moisture is:

- 21 per cent surplus;
- 74 per cent adequate;
- 4 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 13 per cent surplus;
- 79 per cent adequate;
- 6 per cent short; and
- 2 per cent very short.

Winter cereals, pulses and early-seeded cereal crops continue to account for most harvest progress, with winter cereal harvest nearly complete.

One year ago

Many areas of the province received rainfall during the reporting period which caused a brief pause to harvest. Harvest was at 53 per cent complete, which was a 12 per cent increase from the week prior. Despite the rain slowing harvest progress, it was welcomed by producers in dry areas as it helped improve soil moisture conditions.

Follow the 2026 Crop Report on X
@SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Sept 14/26	32
Sept 15/25	53
Sept 16/24	74
Sept 18/23	82
Sept 19/22	73
Sept 13/21	74
5-year avg. (2021-2025)	71
10-year avg. (2016-2025)	63

For further information, contact Augustine Osei, PhD, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-848-2856, Email: croreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 8 to September 14, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 17, 2026

- Winter cereals harvested:
 - Winter wheat: 93 per cent; and
 - Fall rye: 98 per cent.
- Oilseeds harvested:
 - Mustard: 51 per cent;
 - Flax: 5 per cent;
 - Soybeans: 7 per cent; and
 - Canola: 15 per cent.
- Spring cereals harvested:
 - Triticale: 89 per cent;
 - Barley: 47 per cent;
 - Durum: 46 per cent;
 - Spring wheat: 17 per cent;
 - Oats: 19 per cent; and
 - Canary seed: 18 per cent.
- Pulses harvested:
 - Lentils: 88 per cent;
 - Field peas: 84 per cent; and
 - Chickpeas: 26 per cent.

Crop yield and quality vary across the province due to differences in rainfall throughout the growing season. Excessive rainfall received in many areas affected grain quality, with crop yield quality graded as:

Field peas:

- 30 per cent graded as 1 Canada (CAN) compared to 42 per cent for the 10-year average;
- 61 per cent graded as 2 CAN compared to 51 per cent for the 10-year average;
- 8 per cent graded as 3 CAN compared to 6 per cent for the 10-year average; and
- 1 per cent graded as sample, similar to 1 per cent for the 10-year average.

Lentils:

- 17 per cent graded as 1 Canada (CAN) compared to 31 per cent for the 10-year average;
- 70 per cent graded as 2 CAN compared to 52 per cent for the 10-year average;
- 9 per cent graded as 3 CAN compared to 15 per cent for the 10-year average; and
- 4 per cent graded as sample, compared to 2 per cent for the 10-year average.

For further information, contact Augustine Osei, PhD, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-848-2856, Email: croreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 8 to September 14, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 17, 2026

Durum:

- 23 per cent graded as 1 Canada Western (CW) compared to 39 per cent for the 10-year average;
- 28 per cent graded as 2 CW similar to 28 per cent for the 10-year average;
- 25 per cent graded as 3 CW compared to 20 per cent for the 10-year average; and
- 24 per cent graded as other, compared to 13 per cent for the 10-year average.

Barley:

- 18 per cent graded as malt compared to 31 per cent for the 10-year average;
- 53 per cent graded as 1 CW compared to 51 per cent for the 10-year average; and
- 29 per cent graded as 2 CW compared to 18 per cent for the 10-year average.

Excessive moisture, strong winds and waterfowl activity were the primary causes of crop damage this week. Frost damage in later-seeded crops and hail were also reported in some areas.

With wet field conditions continuing to slow harvest, producers are hoping for warm, dry weather to allow harvest to resume. Producers are reminded to make safety a top priority. The public is also encouraged to be patient and exercise extra caution when approaching or passing farm machinery on public roads.

The Farm Stress Line is available to provide confidential support to producers and their families at 1-800-667-4442.

For further information, contact Augustine Osei, PhD, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-848-2856, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Harvest Progress

from April 1 to September 14, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Harvest Progress - September 14, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	1%	1%	46%	21%	55%	29%	77%	41%
In Swath	0%	0%	2%	0%	3%	4%	0%	20%
Ready To Straight Combine	6%	1%	35%	33%	23%	20%	18%	24%
Combined	90%	84%	17%	46%	15%	44%	5%	15%
Harvested As Feed	3%	14%	0%	0%	4%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	5%	27%	86%	6%	6%	50%	48%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	6%	22%	7%	6%	10%	32%	26%	
Combined	43%	51%	7%	88%	84%	18%	26%	
Harvested As Feed	46%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	29%	14%	32%	16%	80%	34%
In Swath	0%	0%	2%	0%	3%	2%	0%	12%
Ready To Straight Combine	6%	1%	39%	41%	18%	13%	18%	33%
Combined	94%	88%	30%	44%	39%	60%	2%	21%
Harvested As Feed	0%	11%	0%	0%	6%	5%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	1%	2%	4%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	48%	45%	81%	1%	1%	36%	27%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	16%	3%	3%	4%	33%	43%	
Combined	52%	39%	16%	93%	92%	31%	30%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	3%	3%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	18%	18%	23%	13%	54%	25%
In Swath	0%	0%	0%	0%	0%	0%	0%	1%
Ready To Straight Combine	0%	0%	27%	31%	5%	13%	33%	26%
Combined	89%	83%	55%	51%	50%	67%	13%	48%
Harvested As Feed	11%	17%	0%	0%	22%	7%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	1%	21%	90%	1%	0%	51%	32%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	11%	16%	0%	5%	2%	25%	36%	
Combined	27%	63%	10%	94%	98%	24%	32%	
Harvested As Feed	61%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - September 14, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	64%	39%	81%	49%	84%	53%
In Swath	0%	1%	3%	0%	4%	8%	5%	28%
Ready To Straight Combine	4%	0%	20%	32%	2%	11%	6%	11%
Combined	90%	98%	13%	29%	13%	30%	5%	8%
Harvested As Feed	6%	1%	0%	0%	0%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	99%	93%	100%	20%	17%	81%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	5%	12%	11%	0%	
Combined	1%	7%	0%	75%	71%	8%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	41%	35%	28%	15%	87%	35%
In Swath	0%	0%	0%	0%	9%	4%	0%	11%
Ready To Straight Combine	0%	4%	46%	45%	15%	29%	11%	37%
Combined	100%	91%	13%	20%	38%	50%	2%	17%
Harvested As Feed	0%	5%	0%	0%	10%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	35%	29%	8%	6%	54%	51%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	53%	10%	10%	12%	45%	48%	
Combined	75%	12%	61%	82%	82%	1%	1%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	1%	35%	62%	95%	61%	34%	96%	56%
In Swath	0%	0%	2%	0%	2%	2%	0%	23%
Ready To Straight Combine	7%	6%	32%	5%	31%	30%	4%	17%
Combined	92%	59%	4%	0%	5%	33%	0%	4%
Harvested As Feed	0%	0%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	25%	62%	99%	42%	21%	76%	100%	
In Swath	0%	0%	0%	5%	0%	7%	0%	
Ready To Straight Combine	0%	38%	1%	16%	19%	17%	0%	
Combined	50%	0%	0%	37%	60%	0%	0%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	


Saskatchewan Harvest Progress - September 14, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	48%	0%	52%	37%	76%	30%
In Swath	0%	0%	1%	25%	1%	7%	24%	54%
Ready To Straight Combine	0%	0%	46%	50%	39%	39%	0%	13%
Combined	100%	100%	5%	25%	5%	16%	0%	3%
Harvested As Feed	0%	0%	0%	0%	3%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	20%	14%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	100%	100%	55%	37%	100%	100%	
Combined	0%	0%	0%	25%	49%	0%	0%	
Harvested As Feed	100%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress	
Up to September 14, 2026	
Provincial % Combined	
Winter Wheat**	93%
Fall Rye**	98%
Spring Wheat	17%
Durum	46%
Oats**	19%
Barley**	47%
Flax	5%
Canola	15%
Triticale**	89%
Mustard	51%
Soybean	7%
Lentil	88%
Field Pea	84%
Canaryseed	18%
Chickpea	26%
**includes per cent harvested as feed	

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Significant rainfall across the region slowed harvest progress. Harvest is 36 per cent complete, up from 26 per cent the week prior. This is well behind the five-year average of 72 per cent and the 10-year average of 71 per cent complete.

The rural municipality (RM) of Sarnia received the highest rainfall at 97 millimetres (mm), followed by the RM of Dufferin with 53 mm and the RM of Martin with 50 mm. The rainfall improved topsoil moisture conditions, particularly in the surplus moisture category.

Southeast Saskatchewan	
Census Division	% Harvested (September 14, 2026)
1	29%
2	53%
5	23%
6	38%
Region average	36%

Cropland topsoil moisture is:

- 47 per cent surplus; and
- 53 per cent adequate.

Hayland topsoil moisture is:

- 35 per cent surplus; and
- 65 per cent adequate.

Pasture topsoil moisture is:

- 31 per cent surplus;
- 68 per cent adequate; and
- 1 per cent short.

Harvest of winter cereals is nearly complete with pulse crops following close behind.

Winter cereals harvested:

- Winter wheat: 94 per cent; and
- Fall rye: 99 per cent.

Oilseeds harvested:

- Soybeans: 16 per cent;
- Flax: 2 per cent;
- Canola: 21 per cent; and
- Mustard: 39 per cent.

Spring cereals harvested:

- Durum: 44 per cent;
- Barley: 65 per cent;
- Spring wheat: 30 per cent;
- Oats: 45 per cent;
- Triticale: 52 per cent; and
- Canary seed: 31 per cent.

Pulses harvested:

- Lentils: 93 per cent;
- Field peas: 92 per cent; and
- Chickpeas: 30 per cent.

The significant rainfall received across the region impacted grain quality for peas, lentils, durum and barley. Variable grades were reported as follows:

- 36 per cent of harvested field peas are graded as 1 Canada (CAN), 52 per cent as 2 CAN, 6 per cent as 3 CAN and 6 per cent as sample.
- 27 per cent of harvested lentils are graded as 1 CAN, 60 per cent as 2 CAN, 11 per cent as 3 CAN and 2 per cent as sample.
- 18 per cent of harvested durum is graded as 1 Canada Western (CW), 21 per cent as 2 CW, 25 per cent as 3 CW and 36 per cent graded as other.
- 11 per cent of harvested barley is graded as malt, 46 per cent as 1 CW and 43 per cent as 2 CW and sample.

Heavy rainfall and wind were the leading causes of crop damage this week, with reports ranging from minor to severe across the region. Excess moisture has resulted in significant lodging and increased concerns about crop quality. Localized frost and hail events also contributed to crop damage.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Widespread rain in the region slowed harvest progress. Harvest in the region is currently 60 per cent complete, up from 55 per cent last week. This is behind the five-year average of 88 per cent and the 10-year average of 79 per cent harvested.

Rainfall was recorded across nearly all parts of the region, although amounts varied. The highest precipitation was reported in the rural municipality (RM) of Huron, which received 58 millimetres (mm) of rain. The RMs of Webb and Auvergne followed with 49 mm each, while the RMs of Caron and Arlington recorded 48 mm.

Southwest Saskatchewan	
Census Division	% Harvested (September 14, 2026)
3	57%
4	65%
7	62%
8	59%
Region average	60%

Rainfall received throughout the region improved topsoil moisture conditions, with most areas reporting adequate moisture levels.

Cropland topsoil moisture is:

- 16 per cent surplus;
- 77 per cent adequate;
- 6 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 2 per cent surplus;
- 86 per cent adequate;
- 10 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 83 per cent adequate;
- 11 per cent short; and
- 5 per cent very short.

Winter cereal harvest is complete, with pulse crops also nearing completion.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Oilseeds harvested:

- Flax: 13 per cent;
- Canola: 48 per cent; and
- Mustard: 63 per cent.

Spring cereals harvested:

- Durum: 51 per cent;
- Barley: 74 per cent;
- Spring wheat: 55 per cent;
- Oats: 72 per cent;
- Triticale: 88 per cent; and
- Canary seed: 24 per cent.

Pulses harvested:

- Lentils: 94 per cent;
- Field peas: 98 per cent; and
- Chickpeas: 32 per cent.

Grain quality for peas, lentils, durum and barley was variable in the region and is graded as follows:

- 38 per cent of harvested field peas are graded as 1 Canada (CAN), 57 per cent as 2 CAN and 5 per cent as 3 CAN.
- 13 per cent of harvested lentils are graded as 1 CAN, 80 per cent as 2 CAN and 7 per cent as 3 CAN.
- 29 per cent of harvested durum is graded as 1 Canada Western (CW), 33 per cent as 2 CW, 19 per cent as 3 CW and 19 per cent graded as other.
- 9 per cent of harvested barley is graded as malt, 51 per cent as 1 CW and 40 per cent as 2 CW and sample.

Crop damage across the region was primarily caused by heavy rainfall and strong winds. Frost and hail also resulted in minor to moderate damage in some isolated areas. Producers continue to express concerns about crop lodging, bleaching, and potential downgrading due to excess moisture.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Harvest progress remained slow this week, reaching 18 per cent complete. Progress continues to lag significantly behind the five-year average of 58 per cent and the 10-year average of 53 per cent. Frequent rainfall limited field activity across much of the region and most producers, like in most parts of the province, are waiting for dry conditions to resume harvest operations.

Rainfall was variable across the region, with several areas receiving substantial precipitation. The highest amount was reported in the Sasman region at 85 millimetres (mm), followed by the Foam Lake region with 52 mm and the Sliding Hills region with 44 mm. The rainfall improved topsoil moisture conditions and increased moisture reserves across the area.

East-Central Saskatchewan	
Census Division	% Harvested (September 14, 2026)
9	14%
10	11%
11	26%
Region average	18%

Cropland topsoil moisture is:

- 40 per cent surplus;
- 57 per cent adequate; and
- 3 per cent short.

Hayland topsoil moisture is:

- 30 per cent surplus;
- 69 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 29 per cent surplus;
- 70 per cent adequate; and
- 1 per cent short.

Harvest progress was limited in the past week with only a 4 per cent increase in the region, mostly in the winter cereals and pulse crops.

Winter cereals harvested:

- Winter wheat: 96 per cent; and
- Fall rye: 99 per cent.

Oilseeds harvested:

- Flax: 5 per cent;
- Canola: 8 per cent; and
- Mustard: 7 per cent.

Spring cereals harvested:

- Durum: 29 per cent;
- Barley: 32 per cent;
- Spring wheat: 13 per cent;
- Oats: 13 per cent;
- Triticale: 1 per cent; and
- Canary seed: 8 per cent.

Pulses harvested:

- Lentils: 75 per cent; and
- Field peas: 71 per cent.

Grain quality for peas, lentils, durum and barley was variable in the region and is graded as follows:

- 21 per cent of harvested field peas are graded as 1 Canada (CAN), 63 per cent as 2 CAN and 16 per cent as 3 CAN.
- 32 per cent of harvested lentils are graded as 1 CAN, 56 per cent as 2 CAN, 11 per cent as 3 CAN and 1 per cent as sample.
- 80 per cent of harvested durum is graded as 3 Canada Western (CW) and 20 per cent as other.
- 20 per cent of harvested barley is graded as malt, 60 per cent as 1 CW and 20 per cent as 2 CW and sample.

Producers reported damage from heavy rain and wind. Frost and hail also resulted in minor to moderate damage in the region. Concerns this week include grain quality, lodging and equipment getting stuck on saturated fields. Most are hoping for a stretch of warm sunny weather to get back to harvest operations.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Harvest progressed to 27 per cent complete this week. This is behind the five-year average of 74 per cent and 10-year average of 65 per cent. Rain across the region stalled harvest operations.

Rainfall was received throughout the region, with the highest amount reported in the rural municipality (RM) of Fertile Valley at 36 millimetres (mm). The RM of Milton followed with 34 mm, while the RM of St. Andrews received 24 mm of rain. The rainfall improved topsoil moisture conditions across the region, with increases reported in overall moisture levels.

West-Central Saskatchewan	
Census Division	% Harvested (September 14, 2026)
12	29%
13	24%
Region average	27%

Cropland topsoil moisture is:

- 14 per cent surplus;
- 84 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 7 per cent surplus;
- 91 per cent adequate; and
- 2 per cent short.

Pasture topsoil moisture is:

- 7 per cent surplus;
- 91 per cent adequate; and
- 2 per cent short.

Harvest progress was limited in the region this past week due to cool, wet and rainy conditions. Winter cereal harvest is nearly complete.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 96 per cent.

Oilseeds harvested:

- Soybeans: 61 per cent;
- Flax: 2 per cent;
- Canola: 17 per cent; and
- Mustard: 12 per cent.

Spring cereals harvested:

- Durum: 20 per cent;
- Barley: 52 per cent;
- Spring wheat: 13 per cent;
- Oats: 48 per cent;
- Triticale: 100 per cent; and
- Canary seed: 1 per cent.

Pulses harvested:

- Lentils: 82 per cent;
- Field peas: 82 per cent; and
- Chickpeas: 1 per cent.

Grain quality for peas, lentils, durum and barley is variable in the region and is graded as follows:

- 8 per cent of harvested field peas are graded as 1 Canada (CAN), 91 per cent as 2 CAN and 1 per cent as 3 CAN.
- 9 per cent of harvested lentils are graded as 1 CAN, 73 per cent as 2 CAN, 10 per cent as 3 CAN and 8 per cent as sample.
- 10 per cent of harvested durum is graded as 1 Canada Western (CW), 76 per cent as 2 CW and 14 per cent as 3 CW.
- 24 per cent of harvested barley is graded as malt, 62 per cent as 1 CW and 14 per cent as 2 CW and sample.

Crop damage this week was largely due to heavy rain and frost. Many producers are concerned about grain quality, sprouting, bleaching and lodging. Producers are hoping for a stretch of warm dry weather to continue harvest.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Widespread rainfall across the region caused harvest delays. Harvest in the region is 9 per cent complete this week, an increase of 2 per cent from the week before. This remains well behind the five-year average of 60 per cent and the 10-year average of 49 per cent complete.

The rural municipality (RM) of Aberdeen recorded the highest precipitation at 80 millimetres (mm), followed by the RM of Grant with 67 mm, the RM of Prince Albert with 63 mm and the RM of Porcupine with 62 mm. The significant rainfall improved topsoil moisture conditions across the region, resulting in higher overall moisture levels.

Northeast Saskatchewan	
Census Division	% Harvested (September 14, 2026)
14	9%
15	9%
Region average	9%

Cropland topsoil moisture is:

- 59 per cent surplus; and
- 41 per cent adequate.

Hayland topsoil moisture is:

- 52 per cent surplus; and
- 48 per cent adequate.

Pasture topsoil moisture is:

- 47 per cent surplus; and
- 53 per cent adequate.

Harvest progress remains limited across the region due to persistent rainfall and saturated field conditions. Winter cereals continue to lead harvest progress, with most acres already combined.

Winter cereals harvested:

- Winter wheat: 92 per cent; and
- Fall rye: 59 per cent.

Oilseeds harvested:

- Canola: 4 per cent.

Spring cereals harvested:

- Barley: 34 per cent;
- Triticale: 75 per cent;
- Spring wheat: 4 per cent; and
- Oats: 6 per cent.

Pulses harvested:

- Lentils: 37 per cent; and
- Field peas: 60 per cent.

Grain quality for peas, lentils and barley is variable in the region and is graded as follows:

- 17 per cent of harvested field peas are graded as 1 Canada (CAN), 71 per cent as 2 CAN and 12 per cent as 3 CAN.
- 37 per cent of harvested lentils are graded as 1 CAN, 13 per cent as 2 CAN, 30 per cent as 3 CAN and 20 per cent as sample.
- 24 per cent of harvested barley is graded as malt, 55 per cent as 1 Canada Western (CW) and 21 per cent as 2 CW and sample.

The majority of crop damage this week was caused by heavy rainfall, frost and wind. Minor waterfowl damage was also reported. Producers continue to express concerns about crop lodging, grain quality and sprouting. Saturated field conditions remain a challenge and producers are hoping for warm, sunny weather to promote drying and allow harvest and other field operations to resume.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Persistent rain continues to delay harvest progress in the region. Harvest is currently 12 per cent complete, up from 6 per cent the week prior. This remains well behind the five-year average of 61 per cent and the 10-year average of 44 per cent complete.

The highest precipitation in the region was reported in the rural municipality (RM) of North Battleford at 18 millimetres (mm), followed by the RM of Frenchman Butte with 16 mm and the RM of Eldon with 10 mm. Although rainfall amounts were lower than those reported in other regions of the province, they were sufficient to stall harvest progress.

Northwest Saskatchewan	
Census Division	% Harvested (September 14, 2026)
16	5%
17	21%
Region average	12%

Topsoil moisture conditions continued to improve across the region, with increased moisture levels reported in many areas.

Cropland topsoil moisture is:

- 15 per cent surplus; and
- 85 per cent adequate.

Hayland topsoil moisture is:

- 4 per cent surplus;
- 91 per cent adequate; and
- 5 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 90 per cent adequate; and
- 7 per cent short.

Although harvest progress has been limited across the region, winter wheat, fall rye and triticale harvest are now complete.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Oilseeds harvested:

- Canola: 3 per cent.

Spring cereals harvested:

- Durum: 25 per cent;
- Barley: 17 per cent;
- Triticale: 100 per cent;
- Spring wheat: 5 per cent; and
- Oats: 8 per cent.

Pulses harvested:

- Lentils: 25 per cent; and
- Field peas: 49 per cent.


Grain quality for peas, lentils, durum and barley is variable in the region and is graded as follows:

- 56 per cent of harvested field peas are graded as 2 Canada (CAN), 37 per cent as 3 CAN and 7 per cent as sample.
- 5 per cent of harvested lentils are graded as 2 CAN, 60 per cent as 3 CAN and 35 per cent as sample.
- 1 per cent of harvested barley is graded as malt, 77 per cent as 1 Canada Western (CW) and 22 per cent as 2 CW and sample.

Crop damage caused by excessive rainfall, frost and wind was reported across the region this week. Minor waterfowl and wildlife damage was also noted. Producers are hoping for a period of warm, dry weather for harvest operations to resume and progress to continue.

Weekly Rainfall

from September 8 to September 14, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000
0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83




Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

September 16, 2026

Cumulative Rainfall

from April 1 to September 14, 2026



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from Sept. 8 to Sept. 14, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	24	559	8	138	WEBB	49	337	14	366	KELVINGTON	21	452
1	4	COALFIELDS	22	619	8	139	GULL LAKE	38	288	14	367	PONASS LAKE	N/A	416
1	32	RECIPROCITY	31	470	8	168	RIVERSIDE	38	287	14	394	HUDSON BAY	18	346
1	34	BROWNING	N/A	418	8	228	LACADENA	38	309	14	395	PORCUPINE	62	489
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	25	261	14	397	BARRIER VALLEY	24	300
1	95	GOLDEN WEST	25	345	8	231	HAPPYLAND	17	285	14	428	STAR CITY	25	350
1	2A	MOUNT PLEASANT	30	384	8	259	SNIPER LAKE	13	288	14	456	ARBORFIELD	18	431
2	10	HAPPY VALLEY	28	314	8	138A	WEBB	2	206	14	457	CONNAUGHT	N/A	105
2	38	LAURIER	18	388	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	24	372
2	66	GRIFFIN	15	409	8	257A	MONET	46	250	14	487	NIPAWIN	17	439
2	67	WEYBURN	N/A	101	8	259A	SNIPER LAKE	N/A	141	14	488	TORCH RIVER	22	445
2	70	KEY WEST	N/A	12	9	241	CALDER	26	561	14	394A	HUDSON BAY	26	313
2	100	ELMSTHORPE	18	347	9	243	WALLACE	1	318	14	397A	BARRIER VALLEY	16	377
2	100A	ELMSTHORPE	28	370	9	245	GARRY	32	265	14	488A	TORCH RIVER	9	213
2	38A	LAURIER	14	335	9	273	SLIDING HILLS	44	442	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	25	319	9	274	GOOD LAKE	23	341	15	369	ST. PETER	30	364
3	74	WOOD RIVER	25	316	9	301	ST. PHILIPS	42	243	15	371	BAYNE	14	417
3	75	PINTO CREEK	40	290	9	305	INVERMAY	38	485	15	372	GRANT	67	380
3	76	AUVERGNE	49	319	9	331	LIVINGSTON	30	416	15	373	ABERDEEN	80	394
3	101	TERRELL	N/A	0	9	241A	CALDER	25	617	15	399	LAKE LENORE	30	355
3	102	LAKE JOHNSTON	30	287	9	245A	GARRY	38	302	15	400	THREE LAKES	49	542
3	106	WHISKA CREEK	39	286	10	246	ITUNA BON ACCORD	28	272	15	402	FISH CREEK	27	259
3	74A	KEY WEST	30	284	10	247	KELLROSS	N/A	291	15	429	FLETT'S SPRINGS	28	387
4	51	RENO	11	188	10	248	TOUCHWOOD	27	322	15	430	INVERGORDON	14	277
4	79	ARLINGTON	45	276	10	277	EMERALD	40	434	15	459	KINISTINO	33	442
4	110	PIAPOT	47	323	10	279	MOUNT HOPE	25	357	15	461	PRINCE ALBERT	63	287
4	77A	WISE CREEK	45	229	10	307	ELFROS	40	576	15	463	DUCK LAKE	5	427
4	78A	GRASSY CREEK	33	175	10	309	PRAIRIE ROSE	25	500	15	491	BUCKLAND	3	203
4	79A	ARLINGTON	48	322	10	336	SASMAN	85	404	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	50	455	10	339	LEROY	22	350	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	19	425	10	246A	ITUNA BON ACCORD	32	158	15	371A	BAYNE	22	310
5	151	ROCANVILLE	21	397	10	248A	TOUCHWOOD	32	473	15	371B	BAYNE	18	371
5	155	WOLSELEY	12	253	10	276A	FOAM LAKE	50	616	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	21	618	10	276B	FOAM LAKE	47	683	15	403A	ROSTHERN	45	409
5	183	FERTILE BELT	18	433	10	276C	FOAM LAKE	35	515	15	403C	ROSTHERN	0	402
5	211	CHURCHBRIDGE	28	430	10	276D	FOAM LAKE	52	459	15	461A	PRINCE ALBERT	1	350
5	213	SALT COATS	30	461	10	277A	EMERALD	38	447	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	26	328	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	211
5	125A	CHESTERFIELD	25	344	11	251	BIG ARM	N/A	232	16	435	REDBERRY	4	449
5	154A	ELCAPO	25	296	11	280	WREFORD	N/A	83	16	436	DOUGLAS	0	254
5	183A	FERTILE BELT	N/A	507	11	283	ROSEDALE	2	385	16	437	NORTH BATTLEFORD	18	448
5	211A	CHURCHBRIDGE	26	450	11	284	RUDY	16	226	16	466	MEETING LAKE	8	494
6	127	FRANCIS	30	436	11	314	DUNDURN	22	360	16	467	ROUND HILL	6	454
6	128	LAJORD	18	205	11	344	CORMAN PARK	N/A	256	16	493	SHELLBROOK	9	258
6	130	REDBURN	22	385	11	282A	McCRANEY	15	278	16	494	CANWOOD	7	183
6	156	INDIAN HEAD	38	416	12	286	MILDEN	24	344	16	497	MEDSTEAD	4	432
6	160	PENSE	28	290	12	287	ST. ANDREWS	24	272	16	437A	NORTH BATTLEFORD	N/A	322
6	186	ABERNETHY	25	390	12	288	PLEASANT VALLEY	11	279	16	467A	ROUND HILL	5	469
6	190	DUFFERIN	40	345	12	316	HARRIS	5	242	17	468	MEOTA	N/A	280
6	216	TULLYMET	18	28	12	317	MARRIOTT	N/A	360	17	470	PAYNTON	N/A	79
6	217	LIPTON	31	476	12	345	VANSCOY	N/A	176	17	471	ELDON	10	330
6	219	LONGLAKETON	N/A	364	12	346	PERDUE	10	331	17	498	PARKDALE	4	426
6	221	SARNIA	97	472	12	347	BIGGAR	8	391	17	499	MERVIN	2	337
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	5	349	17	502	BRITANNIA	3	247
6	159A	SHERWOOD	21	277	12	377	GLENSIDE	N/A	263	17	561	LOON LAKE	2	222
6	159B	SHERWOOD	31	332	12	285A	FERTILE VALLEY	36	303	17	588	MEADOW LAKE	4	435
6	160A	PENSE	43	363	13	290	KINDERSLEY	N/A	267	17	622	BEAVER RIVER	N/A	340
6	190A	DUFFERIN	N/A	155	13	292	MILTON	34	485	17	498A	PARKDALE	6	340
6	190B	DUFFERIN	53	354	13	321	PRAIRIEDALE	15	358	17	501A	FRENCHMAN BUTTE	3	281
6	190C	DUFFERIN	44	482	13	350	MARIPOSA	13	325	17	501C	FRENCHMAN BUTTE	16	66
6	216A	TULLYMET	N/A	138	13	351	PROGRESS	N/A	324	17	561A	LOON LAKE	0	190
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	197					
6	219A	LONGLAKETON	45	472	13	382	EYE HILL	8	317					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	15	416					
6	220A	McKILLOP	N/A	329	13	440	HILLSDALE	3	307					
6	220B	McKILLOP	35	178	13	442	MANITOU LAKE	11	291					
7	132	HILLSBOROUGH	36	446	13	292A	MILTON	10	251					
7	136	COULEE	27	233	13	320A	OAKDALE	15	289					
7	161	MOOSE JAW	31	263	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	48	347	13	409A	BUFFALO	7	336					
7	165	MORSE	N/A	280										
7	193	EYEBROW	43	450										
7	223	HURON	58	387										
7	132A	HILLSBOROUGH	31	246										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	35	311										
7	222A	CRAIK	30	286										
7	223A	HURON	40	343										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cropland Topsoil Moisture Conditions


from September 8 to September 14, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from September 8 to September 14, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from September 8 to September 14, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from September 8 to September 14, 2026



Minimum Temperature

from September 8 to September 14, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:

- Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
- Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
- IDW interpolation (power 3.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

September 16, 2026