

Crop Report

For the Period September 15 to September 21, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 21, September 24, 2026

Harvest progress is picking up across Saskatchewan. However, rainfall, high humidity and wet field conditions slowed progress in the eastern part of the province and delayed harvest operations in the west. Wet conditions and high humidity are also affecting crop quality in some areas, with cereal and pulse crops still in the field experiencing poor quality and sprouting. High temperatures over the weekend and into this coming week will help farmers progress or finish up.

The provincial harvest progress is 41 per cent complete, behind the five-year average of 82 per cent and 10-year average of 73 per cent. The southwest continues to lead in harvest progress at 67 per cent followed by the west-central region at 45 per cent complete. The southeast and east-central areas are 38 per cent and 29 per cent complete, respectively. The northwest sits at 26 per cent complete while the northeast sits at 24 per cent complete.

Winter cereals, pulses and spring-seeded cereal crops continue to account for most harvest progress, with winter cereal harvest nearly complete.

- Winter cereals harvested:
 - Fall rye: 99 per cent; and
 - Winter wheat: 97 per cent.
- Oilseeds harvested:
 - Mustard: 63 per cent;
 - Canola: 26 per cent;
 - Soybeans: 10 per cent; and
 - Flax: 7 per cent.
- Spring cereals harvested:
 - Triticale: 91 per cent;
 - Barley: 61 per cent;
 - Durum: 55 per cent;
 - Oats: 33 per cent;
 - Spring wheat: 32 per cent; and
 - Canary seed: 25 per cent.

One year ago

Harvest progress remained steady but was behind the five and 10-year averages. Rain and high humidity hampered the eastern portion of the province and caused a delayed start in the west. Winter cereals and pulses were nearing completion while spring cereals made good progress and oilseeds lagged behind. Crop damage from wind and dry conditions continued to be reported.

Follow the 2026 Crop Report on
Twitter @SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Sept 21/26	41
Sept 22/25	68
Sept 23/24	79
Sept 25/23	91
Sept 26/22	81
Sept 20/21	89
5-year avg. (2021-2025)	82
10-year avg. (2016-2025)	73

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 15 to September 21, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 21, September 24, 2026

- Pulses harvested:
 - Lentils: 92 per cent;
 - Field peas: 91 per cent; and
 - Chickpeas: 32 per cent.

Significant rain was recorded in parts of the province early in the week with the heaviest amounts reported in the southeast. The Moosomin area recorded 75 millimetres (mm) and Bethune area 54 mm. The Alida and Carnduff areas received 34 and 32 mm, respectively.

Topsoil moisture remains mostly adequate in cropland, hayland and pastures this past week.

Cropland topsoil moisture is:

- 19 per cent surplus;
- 76 per cent adequate; and
- 5 per cent short.

Hayland topsoil moisture is:

- 12 per cent surplus;
- 81 per cent adequate;
- 6 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 81 per cent adequate;
- 9 per cent short; and
- 2 per cent very short.

In many parts of the province, weather conditions during the growing season had a significant impact on crop yields. A full summary of estimated crop yields for all regions can be viewed in the estimated crop yields table.

Since August, pasture conditions have improved significantly. Provincially, 13 per cent of pastures are in excellent condition, 58 per cent in good condition, 21 per cent in fair condition, 7 per cent in poor condition and 1 per cent in very poor condition.

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 15 to September 21, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 21, September 24, 2026

This week most crop damage was caused by flooding and wind with some reports of low-lying areas lost to water accumulation. Waterfowl damage was more prevalent this week as geese, cranes and other waterfowl move across the province.

Harvest is a very busy and stressful time. We would like to remind producers that the Farm Stress Line is available to provide support toll free at 1-800-667-4442.

With an increased number of machinery fires, we would like to remind producers to have fire mitigation resources ready, blow off their combines regularly and take precautions when working around power lines. The public is also reminded to exercise caution when encountering machinery and equipment travelling on roadways.

For further information, contact Kim Stonehouse, MSc, PAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-878-8807, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Harvest Progress

from April 1 to September 21, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Harvest Progress - September 21, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	23%	14%	35%	17%	64%	24%
In Swath	0%	0%	5%	0%	7%	6%	2%	21%
Ready To Straight Combine	3%	1%	40%	30%	25%	16%	26%	29%
Combined	96%	89%	32%	53%	29%	58%	7%	26%
Harvested As Feed	1%	10%	0%	2%	4%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	1%	0%	0%	1%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	3%	14%	72%	2%	2%	46%	40%	
In Swath	1%	0%	0%	0%	1%	1%	0%	
Ready To Straight Combine	5%	23%	17%	5%	6%	27%	24%	
Combined	54%	62%	10%	92%	91%	25%	32%	
Harvested As Feed	37%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	1%	1%	1%	0%	1%	4%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	13%	4%	16%	7%	75%	21%
In Swath	0%	0%	4%	0%	4%	3%	0%	11%
Ready To Straight Combine	6%	0%	50%	46%	25%	12%	21%	45%
Combined	94%	89%	33%	47%	48%	62%	2%	22%
Harvested As Feed	0%	11%	0%	0%	4%	11%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	3%	3%	5%	2%	1%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	48%	11%	79%	1%	0%	30%	17%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	17%	5%	3%	4%	28%	39%	
Combined	52%	71%	16%	93%	92%	42%	44%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	1%	0%	3%	4%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	11%	13%	7%	10%	46%	11%
In Swath	0%	0%	0%	0%	3%	0%	0%	1%
Ready To Straight Combine	0%	0%	25%	23%	14%	12%	39%	20%
Combined	97%	87%	62%	61%	55%	72%	15%	68%
Harvested As Feed	3%	13%	2%	3%	21%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	1%	17%	50%	0%	0%	34%	32%	
In Swath	2%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	9%	9%	40%	4%	2%	31%	28%	
Combined	41%	74%	10%	96%	98%	35%	40%	
Harvested As Feed	47%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - September 21, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	26%	12%	57%	26%	66%	31%
In Swath	0%	0%	9%	1%	9%	9%	8%	29%
Ready To Straight Combine	1%	0%	31%	23%	13%	16%	3%	20%
Combined	92%	99%	34%	62%	20%	48%	21%	20%
Harvested As Feed	7%	1%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	2%	0%	0%	2%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	74%	36%	61%	3%	3%	65%	90%	
In Swath	20%	0%	0%	1%	2%	0%	0%	
Ready To Straight Combine	5%	30%	0%	1%	8%	17%	0%	
Combined	1%	31%	0%	95%	87%	9%	10%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	3%	39%	0%	0%	9%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	21%	28%	8%	9%	70%	13%
In Swath	0%	0%	1%	0%	16%	5%	10%	9%
Ready To Straight Combine	0%	0%	42%	34%	18%	18%	14%	35%
Combined	100%	96%	36%	38%	41%	65%	6%	43%
Harvested As Feed	0%	4%	0%	0%	17%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	24%	29%	6%	1%	54%	51%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	33%	10%	4%	5%	41%	36%	
Combined	75%	43%	61%	90%	94%	5%	13%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	34%	30%	40%	31%	20%	68%	35%
In Swath	0%	0%	4%	0%	5%	3%	0%	26%
Ready To Straight Combine	0%	7%	51%	45%	36%	14%	32%	27%
Combined	100%	59%	15%	15%	28%	62%	0%	12%
Harvested As Feed	0%	0%	0%	0%	0%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	25%	50%	99%	21%	5%	66%	100%	
In Swath	0%	25%	0%	5%	0%	9%	0%	
Ready To Straight Combine	0%	25%	1%	7%	7%	22%	0%	
Combined	50%	0%	0%	67%	88%	3%	0%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - September 21, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	24%	0%	36%	21%	52%	12%
In Swath	0%	0%	9%	0%	16%	24%	22%	56%
Ready To Straight Combine	0%	0%	40%	75%	31%	21%	17%	18%
Combined	100%	100%	27%	25%	11%	34%	9%	14%
Harvested As Feed	0%	0%	0%	0%	6%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	17%	14%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	100%	100%	44%	29%	100%	100%	
Combined	33%	0%	0%	39%	57%	0%	0%	
Harvested As Feed	67%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress	
Up to September 21, 2026	
Provincial % Combined	
Winter Wheat**	97%
Fall Rye**	99%
Spring Wheat	32%
Durum	55%
Oats**	33%
Barley**	61%
Flax	7%
Canola	26%
Triticale**	91%
Mustard	62%
Soybean	10%
Lentil	92%
Field Pea	91%
Canaryseed	25%
Chickpea	32%
**includes per cent harvested as feed	

Saskatchewan Estimated Crop Yields - September 21, 2026								
	Winter Wheat (bu/acre)	Durum (bu/acre)	Flax (bu/acre)	Fall Rye (bu/acre)	Oat (bu/acre)	Canola (bu/acre)	Hard Red Spring Wheat (bu/acre)	Barley (bu/acre)
Southeast	37	53	25	60	77	36	49	69
Southwest	54	45	26	45	89	37	39	63
East-Central	47	35	27	50	85	41	55	79
West-Central	45	45	31	58	82	40	51	70
Northeast	63	63	26	50	111	39	59	80
Northwest	70	50	31	60	92	40	55	76
Provincial	50	46	26	46	94	39	52	73
	Soybean (bu/acre)	Other Spring Wheat (bu/acre)	Triticale (bu/acre)	Field Pea (bu/acre)	Mustard (lbs/acre)	Canaryseed (lbs/acre)	Lentil (lbs/acre)	Chickpea (lbs/acre)
Southeast	39	46	100	36	865	1480	1149	1411
Southwest	30	56	32	36	937	1024	1531	1721
East Central	28	55	60	45	1904	1050	2211	No Response(s)
West Central	32	67	40	45	1304	1504	1437	2021
Northeast	No Response(s)	60	No Response(s)	37	No Response(s)	1013	1541	No Response(s)
Northwest	No Response(s)	60	60	31	1500	1250	604	No Response(s)
Provincial	33	56	42	38	1024	1359	1469	1673

* 'Other Spring Wheat' includes all wheat classes other than Hard Red Spring Wheat

** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.

Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Rain, high humidity and wet fields over the week caused most producers to pause harvest until the weekend. Cereals remaining in the field are reported to have sprouting and poor quality. However, with the warm weather over the weekend and favourable conditions forecasted for the upcoming week, farmers are looking forward to making significant harvest progress.

Despite moisture delays, harvest is 38 per cent complete in the region. Harvest of winter wheat is nearly complete while fall rye is complete.

Southeast Saskatchewan	
Census Division	% Harvested (September 21, 2026)
1	29%
2	56%
5	27%
6	38%
Region average	38%

Winter cereals harvested:

- Fall rye: 100 per cent; and
- Winter wheat: 94 per cent.

Oilseeds harvested:

- Mustard: 71 per cent;
- Canola: 22 per cent;
- Soybeans: 16 per cent; and
- Flax: 2 per cent.

Spring cereals harvested:

- Barley: 73 per cent;
- Oats and triticale: 52 per cent;
- Durum: 47 per cent;
- Canary seed: 42 per cent; and
- Spring wheat: 33 per cent.

Pulses harvested:

- Lentils: 93 per cent;
- Field peas: 92 per cent; and
- Chickpeas: 44 per cent.

Substantial rain fell in parts of the region this week. The most rain was recorded in the Moosomin area with 75 millimetres (mm). Other significant amounts of rain were 54 mm in the Bethune area, 34 mm in the Alida area and 32 mm in the Carnduff area.

Topsoil moisture conditions remain mostly adequate with a significant amount of surplus moisture in the area this week.

Cropland topsoil moisture is:

- 33 per cent surplus;
- 66 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 26 per cent surplus;
- 73 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 23 per cent surplus;
- 75 per cent adequate; and
- 2 per cent short.

Estimated crop yields vary throughout the region with some areas currently reporting average to above average yields. A full summary of estimated crop yields for all regions can be viewed in the estimated crop yields table.

Pasture conditions have improved in the southeast since last reported. Conditions are 39 per cent excellent, 44 per cent good, 7 per cent fair, 7 per cent poor and 3 per cent very poor.

The majority of crop damage this past week was due to water accumulation in low spots. There were also reports of damage caused by frost and hail.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Heavy dew caused a slow start this week but harvest still progressed. The main challenge in the area is the high humidity and lack of wind causing slow dry down and curing. Crop quality has deteriorated due to rain and some of the grain being binned is tough, requiring careful management.

Harvest is the furthest along in the southwest sitting at 67 per cent complete. Winter wheat and fall rye harvest are complete in this region.

Southwest Saskatchewan	
Census Division	% Harvested (September 21, 2026)
3	62%
4	70%
7	68%
8	67%
Region average	67%

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 100 per cent.

Oilseeds harvested:

- Mustard: 74 per cent;
- Canola: 68 per cent;
- Flax: 15 per cent; and
- Soybeans: 10 per cent.

Spring cereals harvested:

- Triticale: 88 per cent;
- Barley: 78 per cent;
- Oats: 76 per cent;
- Durum and spring wheat: 64 per cent; and
- Canary seed: 35 per cent.

Pulses harvested:

- Field peas: 98 per cent;
- Lentils: 96 per cent; and
- Chickpeas: 40 per cent.

A few areas received rain in the southwest this week with the most rain recorded being 26 millimetres (mm) near Elrose. Other areas reported less than 10 mm.

Topsoil moisture remains mostly adequate in the area this week.

Cropland topsoil moisture is:

- 4 per cent surplus;
- 85 per cent adequate;
- 10 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 84 per cent adequate;
- 13 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 79 per cent adequate;
- 15 per cent short; and
- 5 per cent very short.

Estimated crop yields vary throughout the region with some areas currently reporting yields that are better than expected. A full summary of estimated crop yields for all regions can be viewed in the estimated crop yields table.

Pasture conditions have improved in the southwest since last reported. Currently they are reported as 1 per cent good, 56 per cent fair, 28 per cent poor and 15 per cent very poor.

Crop damage in this area was mainly caused by wind and water accumulation in low spots. Gopher damage was also reported as minor to moderate in the region.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Harvest was slow this week due to wet conditions but has started to resume with much of the crop being put in driers. Producers are reporting bleached kernels and poor cereal quality as a result of the recent rains.

Harvest is sitting at 29 per cent complete in this area. With warm, dry weather this coming week, harvest progress is expected to increase significantly.

East-Central Saskatchewan	
Census Division	% Harvested (September 21, 2026)
9	18%
10	23%
11	41%
Region average	29%

Winter cereals harvested:

- Fall rye: 100 per cent; and
- Winter wheat: 99 per cent.

Oilseeds harvested:

- Mustard: 31 per cent;
- Flax: 21 per cent; and
- Canola: 20 per cent.

Spring cereals harvested:

- Durum: 62 per cent;
- Barley: 49 per cent;
- Spring wheat: 34 per cent;
- Oats: 21 per cent;
- Canary seed: 9 per cent; and
- Triticale: 1 per cent.

Pulses harvested:

- Lentils: 95 per cent;
- Field peas: 87 per cent; and
- Chickpeas: 10 per cent.

A few areas received rain in the east-central region this week with the most rain recorded being 28 millimetres (mm) near Arran. There were some isolated showers that accumulated 22 mm in the Jedburgh area and 18 mm in the Pelly area. Other areas reported less than 10 mm.

Topsoil moisture conditions are mostly adequate with a significant amount of surplus moisture remaining in the area this week.

Cropland topsoil moisture is:

- 30 per cent surplus;
- 69 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 25 per cent surplus;
- 74 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 20 per cent surplus;
- 79 per cent adequate; and
- 1 per cent short.

Producers estimate varying yields throughout the region with some areas reporting average to above average yields. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

Pasture conditions in the east-central have improved in the past month. Conditions are now sitting at 26 per cent excellent, 59 per cent good, 13 per cent fair and only 2 per cent poor.

Crop damage in this area is mainly environmental. High winds have caused some crop damage as well as flooding of low-lying areas. Frost was reported as minor to moderate in some areas. Damage caused by gophers and waterfowl was reported in this region. There were a few reports of damage from diseases such as verticillium stripe and sclerotinia in canola as well as rust and ergot in cereal crops.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Harvest in the west-central area is progressing but is being slowed by some humid mornings. Many reporters are noting a significant amount of sprouting in cereals and pulses, reducing grain quality. Farmers are looking forward to a good week of weather to accelerate harvest.

West-Central Saskatchewan	
Census Division	% Harvested (September 21, 2026)
12	47%
13	44%
Region average	45%

Harvest in west central is 45 per cent complete.

Harvest is complete in this region for fall rye, winter wheat and triticale.

Winter cereals harvested:

- Fall rye and winter wheat: 100 per cent.

Oilseeds harvested:

- Soybeans: 61 per cent;
- Mustard and canola: 43 per cent; and
- Flax: 6 per cent.

Spring cereals harvested:

- Triticale: 100 per cent;
- Barley: 68 per cent;
- Oats: 58 per cent;
- Durum: 38 per cent;
- Spring wheat: 36 per cent; and
- Canary seed: 5 per cent.

Pulses harvested:

- Field peas: 94 per cent;
- Lentils: 90 per cent; and
- Chickpeas: 13 per cent.

Almost no rainfall was reported in this region except for the Mildred area receiving six millimetres.

Topsoil moisture remains mostly adequate in the area this week.

Cropland topsoil moisture is:

- 8 per cent surplus;
- 87 per cent adequate; and
- 5 per cent short.

Hayland topsoil moisture is:

- 9 per cent surplus;
- 85 per cent adequate; and
- 6 per cent short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 85 per cent adequate; and
- 6 per cent short.

Estimated crop yields vary throughout the region with some areas currently reporting yields that are better than expected. A full summary of estimated crop yields for all regions can be viewed in the estimated crop yields table.

Pasture conditions have improved in the west-central region since last reported. Conditions are now sitting at 7 per cent excellent, 76 per cent good and 17 per cent fair with none reported as poor or very poor.

Minor to moderate crop damage was reported for this region from wind, flooding and waterfowl.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Foggy and dewy mornings along with wet fields made for slow harvest progress in this region. The warmer weather has farmers back in the fields combining. Downgrading of cereal crops due to rain is being reported and some of the grain being binned is tough, requiring careful management.

Northeast Saskatchewan	
Census Division	% Harvested (September 21, 2026)
14	23%
15	24%
Region average	24%

Despite the slow harvest progress due to humid and wet conditions, harvest completion improved to 24 per cent for the northeast region this week. Harvest is complete in this region for winter wheat.

Winter cereals harvested:

- Winter wheat: 100 per cent; and
- Fall rye: 59 per cent.

Oilseeds harvested:

- Canola: 12 per cent.

Spring cereals harvested:

- Triticale: 75 per cent;
- Barley: 63 per cent;
- Oats: 28 per cent;
- Durum and spring wheat: 15 per cent; and
- Canary seed: 3 per cent.

Pulses harvested:

- Field peas: 88 per cent; and
- Lentils: 67 per cent.

Only small amounts of rain were reported in this area this week, with a few areas recording less than five millimetres.

Topsoil moisture conditions are mostly adequate with some surplus moisture remaining in the area this week.

Cropland topsoil moisture is:

- 24 per cent surplus; and
- 76 per cent adequate.

Hayland topsoil moisture is:

- 16 per cent surplus; and
- 84 per cent adequate.

Pasture topsoil moisture is:

- 13 per cent surplus; and
- 87 per cent adequate.

Estimated crop yields vary throughout the region with some areas currently reporting average to above average yields. A full summary of estimated crop yields for all regions can be viewed in the estimated crop yields table.

Pasture conditions have improved in the northeast since last reported. Conditions are now sitting at 10 per cent excellent, 80 per cent good and 10 per cent fair with none reported as poor or very poor.

Some minor to moderate crop damage was reported due to wind, frost and water accumulation in low lying areas. Other crop damage reported was mild frost damage, waterfowl damage and minor damage from wildlife. There were a few reports of damage from diseases such as sclerotinia in canola and fusarium head blight in the cereal crops.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Harvest in the northwestern region is progressing but is being hindered by some humid mornings causing slow starts. Many reporters are noting a significant amount of sprouting in cereals and pulses, reducing grain quality. Farmers are looking forward to a good week of weather to accelerate harvest.

Warmer weather allowed harvest progress to improve to 26 per cent for the northwest region this week.

Harvest is complete in this region for winter wheat, fall rye and triticale.

Northwest Saskatchewan	
Census Division	% Harvested (September 21, 2026)
16	16%
17	40%
Region average	26%

Winter cereals harvested:

- Winter wheat and fall rye: 100 per cent.

Oilseeds harvested:

- Canola: 14 per cent; and
- Flax: 9 per cent.

Spring cereals harvested:

- Triticale: 100 per cent;
- Barley: 34 per cent;
- Spring wheat: 27 per cent;
- Durum: 25 per cent; and
- Oats: 17 per cent.

Pulses harvested:

- Field peas: 57 per cent; and
- Lentils: 39 per cent.

Only small amounts of rain were reported in this area this week with a few areas recording less than five millimetres.

Topsoil moisture remains mostly adequate in the area this week.

Cropland topsoil moisture is:

- 7 per cent surplus;
- 91 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 5 per cent surplus;
- 92 per cent adequate; and
- 3 per cent short.

Pasture topsoil moisture is:


- 4 per cent surplus;
- 93 per cent adequate; and
- 3 per cent short.

Estimated crop yields vary throughout the region with areas reporting mostly average yields. A full summary of estimated crop yields for all regions can be viewed in the estimated crop yields table.

Pasture conditions have a slight decline in this region due to limited recent rainfall. Conditions are now sitting at 22 per cent excellent, 55 per cent good, 20 per cent fair and 3 per cent poor.


Crop damage this past week is mainly due to light frost, wind and water accumulation in low lying areas. There is also a slight increase in waterfowl, wildlife and gopher damage in the region.

Crop Report Regions & Census Divisions



Weekly Rainfall


from September 15 to September 21, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cumulative Rainfall

from April 1 to September 21, 2026



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from Sept. 15 to Sept. 21, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	17	576	8	138	WEBB	10	347	14	366	KELVINGTON	0	452
1	4	COALFIELDS	N/A	619	8	139	GULL LAKE	6	294	14	367	PONASS LAKE	N/A	416
1	32	RECIPROCITY	34	504	8	168	RIVERSIDE	3	290	14	394	HUDSON BAY	0	346
1	34	BROWNING	N/A	418	8	228	LACADENA	0	309	14	395	PORCUPINE	N/A	489
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	0	261	14	397	BARRIER VALLEY	N/A	300
1	95	GOLDEN WEST	N/A	345	8	231	HAPPYLAND	0	285	14	428	STAR CITY	0	350
1	2A	MOUNT PLEASANT	32	416	8	259	SNIFE LAKE	N/A	288	14	456	ARBORFIELD	4	435
2	10	HAPPY VALLEY	0	314	8	138A	WEBB	8	214	14	457	CONNAUGHT	N/A	105
2	38	LAURIER	N/A	388	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	3	375
2	66	GRIFFIN	0	409	8	257A	MONET	26	276	14	487	NIPAWIN	N/A	439
2	67	WEYBURN	N/A	101	8	259A	SNIFE LAKE	N/A	141	14	488	TORCH RIVER	0	445
2	70	KEY WEST	N/A	12	9	241	CALDER	3	564	14	394A	HUDSON BAY	N/A	313
2	100	ELMSTHORPE	N/A	347	9	243	WALLACE	0	318	14	397A	BARRIER VALLEY	3	380
2	100A	ELMSTHORPE	8	378	9	245	GARRY	22	287	14	488A	TORCH RIVER	0	213
2	38A	LAURIER	0	335	9	273	SLIDING HILLS	1	443	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	8	327	9	274	GOOD LAKE	0	341	15	369	ST. PETER	3	367
3	74	WOOD RIVER	8	324	9	301	ST. PHILIPS	18	261	15	371	BAYNE	0	417
3	75	PINTO CREEK	N/A	290	9	305	INVERMAY	3	488	15	372	GRANT	0	380
3	76	AUVERGNE	7	326	9	331	LIVINGSTON	28	444	15	373	ABERDEEN	0	394
3	101	TERRELL	8	8	9	241A	CALDER	6	623	15	399	LAKE LENORE	3	358
3	102	LAKE JOHNSTON	9	296	9	245A	GARRY	N/A	302	15	400	THREE LAKES	2	544
3	106	WHISKA CREEK	8	294	10	246	ITUNA BON ACCORD	0	272	15	402	FISH CREEK	0	259
3	74A	KEY WEST	7	291	10	247	KELLROSS	0	291	15	429	FLETT'S SPRINGS	2	389
4	51	RENO	2	190	10	248	TOUCHWOOD	0	322	15	430	INVERGORDON	N/A	277
4	79	ARLINGTON	6	282	10	277	EMERALD	0	434	15	459	KINISTINO	N/A	442
4	110	PIAPOT	5	328	10	279	MOUNT HOPE	0	357	15	461	PRINCE ALBERT	N/A	287
4	77A	WISE CREEK	5	234	10	307	ELFROS	0	576	15	463	DUCK LAKE	0	427
4	78A	GRASSY CREEK	0	175	10	309	PRAIRIE ROSE	0	500	15	491	BUCKLAND	0	203
4	79A	ARLINGTON	6	328	10	336	SASMAN	8	411	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	75	530	10	339	LEROY	0	350	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	16	441	10	246A	ITUNA BON ACCORD	2	159	15	371A	BAYNE	0	310
5	151	ROCANVILLE	4	401	10	248A	TOUCHWOOD	0	473	15	371B	BAYNE	0	371
5	155	WOLSELEY	N/A	253	10	276A	FOAM LAKE	0	616	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	9	627	10	276B	FOAM LAKE	0	683	15	403A	ROSTHERN	0	409
5	183	FERTILE BELT	N/A	433	10	276C	FOAM LAKE	0	515	15	403C	ROSTHERN	0	402
5	211	CHURCHBRIDGE	4	434	10	276D	FOAM LAKE	0	459	15	461A	PRINCE ALBERT	0	350
5	213	SALT COATS	8	469	10	277A	EMERALD	N/A	447	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	0	328	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	211
5	125A	CHESTERFIELD	15	359	11	251	BIG ARM	N/A	232	16	435	REDBERRY	N/A	449
5	154A	ELCAPO	N/A	296	11	280	WREFORD	N/A	83	16	436	DOUGLAS	0	254
5	183A	FERTILE BELT	25	532	11	283	ROSEDALE	0	385	16	437	NORTH BATTLEFORD	0	448
5	211A	CHURCHBRIDGE	10	460	11	284	RUDY	0	226	16	466	MEETING LAKE	3	497
6	127	FRANCIS	7	443	11	314	DUNDURN	0	360	16	467	ROUND HILL	3	457
6	128	LAJORD	N/A	205	11	344	CORMAN PARK	0	256	16	493	SHELLBROOK	N/A	258
6	130	REDBURN	8	393	11	282A	McCRANEY	N/A	278	16	494	CANWOOD	3	186
6	156	INDIAN HEAD	12	428	12	286	MILDEN	6	350	16	497	MEDSTEAD	N/A	432
6	160	PENSE	6	296	12	287	ST. ANDREWS	N/A	272	16	437A	NORTH BATTLEFORD	N/A	342
6	186	ABERNETHY	1	391	12	288	PLEASANT VALLEY	0	279	16	467A	ROUND HILL	0	469
6	190	DUFFERIN	5	350	12	316	HARRIS	N/A	242	17	468	MEOTA	0	280
6	216	TULLYMET	N/A	28	12	317	MARRIOTT	N/A	360	17	470	PAYNTON	0	79
6	217	LIPTON	9	485	12	345	VANSCOY	N/A	176	17	471	ELDON	0	330
6	219	LONGLAKETON	0	399	12	346	PERDUE	0	331	17	498	PARKDALE	0	426
6	221	SARNIA	5	477	12	347	BIGGAR	0	391	17	499	MERVIN	N/A	337
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	0	349	17	502	BRITANNIA	0	247
6	159A	SHERWOOD	8	285	12	377	GLENSIDE	N/A	263	17	561	LOON LAKE	0	222
6	159B	SHERWOOD	0	332	12	285A	FERTILE VALLEY	0	303	17	588	MEADOW LAKE	0	435
6	160A	PENSE	0	363	13	290	KINDERSLEY	0	277	17	622	BEAVER RIVER	2	345
6	190A	DUFFERIN	15	170	13	292	MILTON	0	485	17	498A	PARKDALE	4	344
6	190B	DUFFERIN	54	408	13	321	PRAIRIEDALE	0	358	17	501A	FRENCHMAN BUTTE	5	286
6	190C	DUFFERIN	6	488	13	350	MARIPOSA	0	325	17	501C	FRENCHMAN BUTTE	N/A	66
6	216A	TULLYMET	0	138	13	351	PROGRESS	0	335	17	561A	LOON LAKE	0	190
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	197					
6	219A	LONGLAKETON	N/A	472	13	382	EYE HILL	0	317					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	0	416					
6	220A	McKILLOP	3	332	13	440	HILLSDALE	0	307					
6	220B	McKILLOP	3	181	13	442	MANITOU LAKE	0	291					
7	132	HILLSBOROUGH	9	455	13	292A	MILTON	0	251					
7	136	COULEE	8	241	13	320A	OAKDALE	0	289					
7	161	MOOSE JAW	6	269	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	5	352	13	409A	BUFFALO	0	336					
7	165	MORSE	N/A	373										
7	193	EYEBROW	3	453										
7	223	HURON	0	387										
7	132A	HILLSBOROUGH	8	254										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	0	311										
7	222A	CRAIK	10	296										
7	223A	HURON	2	345										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Pasture Conditions


from September 15 to September 21, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions


from September 15 to September 21, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from September 15 to September 21, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from September 15 to September 21, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from September 15 to September 21, 2026



Minimum Temperature

from September 15 to September 21, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture

September 23, 2026