

Crop Report

For the Period September 22 to September 28, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 22, October 1, 2026

Warm, dry weather meant excellent combining conditions that allowed producers across Saskatchewan to make substantial harvest progress this week. An estimated 63 per cent of the provincial crop has now been harvested, up 22 per cent from last week. Harvest progress remains behind the five-year average of 91 per cent and the 10-year average of 82 per cent. This continues to trail historical levels due to a delayed start in some areas.

Rainfall was limited this week, with the highest amounts reported in the Mount Pleasant area at 15 millimeters (mm) and the Martin region at 12 mm. Dry conditions meant a marginal decrease was reported in topsoil moisture reserves.

Cropland topsoil moisture is:

- 13 per cent surplus;
- 81 per cent adequate; and
- 6 per cent short.

Hayland topsoil moisture is:

- 8 per cent surplus;
- 84 per cent adequate;
- 7 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 5 per cent surplus;
- 81 per cent adequate;
- 12 per cent short; and
- 2 per cent very short.

Harvest progress is relatively consistent across all regions of the province. The southwest region leads with 84 per cent complete, followed by the west-central and southeast regions at 69 and 57 per cent complete, respectively. The northwest region has reached 53 per cent completion, the east-central region has 52 per cent, while the northeast is 49 per cent harvested. Producers across Saskatchewan continue to take advantage of the warm, dry conditions as harvest advances steadily toward completion.

One year ago

Warm, dry conditions across the province helped producers make significant harvest progress. By the end of the reporting period, 84 per cent of the year's crop was in the bin, representing a 16 per cent increase from the previous week. While harvest progress remained behind the five-year average of 92 per cent, it was slightly ahead of the ten-year average of 81 per cent.

Follow the 2026 Crop Report on X
@SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Sept 28/26	63
Sept 29/25	84
Sept 30/24	91
Oct 2/23	95
Oct 3/22	90
Sept 28/21	95
5-year avg. (2021-2025)	91
10-year avg. (2016-2025)	82

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 22 to September 28, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 22, October 1, 2026

Winter cereals, pulse crops and spring-seeded cereals continue to account for most of the harvest progress across Saskatchewan. Winter cereal harvest is now essentially complete. Producers have made substantial gains on pulse and spring cereal crops as warm, dry conditions have supported uninterrupted harvesting operations.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 84 per cent;
 - Canola: 45 per cent;
 - Soybeans: 17 per cent; and
 - Flax: 24 per cent.
- Spring cereals harvested:
 - Triticale: 97 per cent;
 - Barley: 79 per cent;
 - Durum: 79 per cent;
 - Oats: 56 per cent;
 - Spring wheat: 65 per cent; and
 - Canary seed: 50 per cent.
- Pulses harvested:
 - Lentils: 96 per cent;
 - Field peas: 97 per cent; and
 - Chickpeas: 65 per cent.

Livestock water availability remains favourable across Saskatchewan, with 93 per cent of producers reporting no current or expected shortages. Six per cent reported moderate shortages and 1 per cent anticipated future shortages. Concerns regarding water quality were limited, with 8 per cent of respondents citing issues, primarily due to algae in some water sources. Producers also reported that adequate rainfall has supported water supplies by keeping dugouts full.

This week, most of the crop damage was caused by high winds. Some producers reported winds strong enough to blow swaths away. The other minor reports of crop damage were caused by some localized flooding, frost, waterfowl and wildlife.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 22 to September 28, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 22, October 1, 2026

As warm, dry conditions persist across the province, the risk of machinery fires remains elevated. Producers are reminded to take appropriate fire prevention measures, including carrying fire suppression equipment, regularly cleaning combines and other machinery, and exercising caution when working around powerlines. Motorists are also encouraged to remain alert and use caution when sharing roadways with agricultural equipment during harvest operations.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan 

Harvest Progress

from April 1 to September 28, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Harvest Progress - September 28, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	10%	7%	18%	7%	43%	13%
In Swath	0%	0%	4%	0%	9%	5%	1%	17%
Ready To Straight Combine	0%	0%	21%	14%	16%	9%	32%	25%
Combined	96%	85%	65%	79%	53%	76%	24%	45%
Harvested As Feed	4%	15%	0%	0%	4%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	1%	5%	65%	1%	1%	25%	15%	
In Swath	0%	0%	0%	0%	0%	1%	0%	
Ready To Straight Combine	2%	11%	18%	2%	2%	24%	20%	
Combined	57%	84%	17%	96%	97%	50%	65%	
Harvested As Feed	40%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	1%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	11%	4%	13%	7%	49%	12%
In Swath	0%	0%	4%	0%	8%	2%	0%	11%
Ready To Straight Combine	0%	0%	34%	22%	16%	7%	31%	29%
Combined	100%	92%	51%	71%	58%	70%	20%	48%
Harvested As Feed	0%	8%	0%	0%	3%	10%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	3%	2%	4%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	11%	79%	1%	0%	18%	5%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	17%	5%	1%	2%	20%	30%	
Combined	52%	71%	16%	95%	95%	62%	65%	
Harvested As Feed	48%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	1%	0%	3%	3%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	8%	5%	3%	2%	20%	4%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	9%	11%	4%	4%	43%	11%
Combined	89%	82%	83%	84%	71%	86%	37%	85%
Harvested As Feed	11%	18%	0%	0%	22%	8%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	1%	50%	0%	0%	30%	13%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	1%	7%	30%	2%	0%	3%	18%	
Combined	45%	92%	20%	98%	100%	67%	69%	
Harvested As Feed	54%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - September 28, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	13%	6%	31%	12%	42%	18%
In Swath	0%	0%	8%	1%	16%	12%	6%	20%
Ready To Straight Combine	0%	0%	18%	10%	15%	8%	16%	20%
Combined	93%	99%	61%	83%	37%	67%	36%	42%
Harvested As Feed	7%	1%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	5%	61%	3%	0%	26%	40%	
In Swath	0%	2%	0%	0%	1%	5%	0%	
Ready To Straight Combine	10%	17%	0%	0%	2%	22%	0%	
Combined	90%	76%	0%	97%	97%	47%	60%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	39%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	13%	8%	2%	4%	31%	9%
In Swath	0%	0%	0%	0%	5%	2%	2%	8%
Ready To Straight Combine	0%	0%	17%	19%	11%	7%	25%	25%
Combined	100%	96%	70%	73%	67%	84%	42%	58%
Harvested As Feed	0%	4%	0%	0%	15%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	3%	0%	4%	0%	49%	0%	
In Swath	0%	0%	0%	0%	0%	2%	0%	
Ready To Straight Combine	0%	21%	39%	1%	1%	23%	45%	
Combined	75%	76%	61%	95%	99%	26%	55%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	34%	6%	0%	18%	5%	58%	19%
In Swath	0%	0%	3%	0%	3%	1%	0%	18%
Ready To Straight Combine	0%	0%	25%	17%	19%	12%	41%	38%
Combined	100%	66%	66%	83%	59%	81%	1%	25%
Harvested As Feed	0%	0%	0%	0%	1%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	50%	97%	12%	1%	50%	15%	
In Swath	0%	0%	0%	3%	0%	1%	0%	
Ready To Straight Combine	0%	40%	1%	3%	1%	31%	35%	
Combined	75%	10%	2%	82%	98%	18%	50%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	


Saskatchewan Harvest Progress - September 28, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	6%	0%	17%	11%	52%	8%
In Swath	0%	0%	5%	0%	15%	12%	22%	47%
Ready To Straight Combine	0%	0%	24%	75%	17%	14%	17%	14%
Combined	100%	100%	65%	25%	44%	63%	9%	31%
Harvested As Feed	0%	0%	0%	0%	6%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	1%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	17%	5%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	100%	100%	30%	8%	100%	100%	
Combined	0%	0%	0%	53%	87%	0%	0%	
Harvested As Feed	100%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress	
Up to September 28, 2026	
Provincial % Combined	
Winter Wheat**	100%
Fall Rye**	100%
Spring Wheat	65%
Durum	79%
Oats**	56%
Barley**	79%
Flax	24%
Canola	45%
Triticale**	97%
Mustard	84%
Soybean	17%
Lentil	96%
Field Pea	97%
Canaryseed	50%
Chickpea	65%
**includes per cent harvested as feed	

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Favourable weather, including warm temperatures and limited precipitation, helped producers make significant harvest progress this past week, bringing the southeast region to 57 per cent complete, which is behind the five-year and 10-year averages of 90 and 86 per cent, respectively.

Limited precipitation was recorded across the region during the past reporting period, with the Mount Pleasant area recording 15 millimeters (mm) and the Martin region recording 12 mm. Dry conditions persisted in many areas, resulting in a slight decrease in reported topsoil moisture conditions.

Southeast Saskatchewan	
Census Division	% Harvested (September 28, 2026)
1	38%
2	75%
5	47%
6	63%
Region average	57%

Cropland topsoil moisture is:

- 28 per cent surplus;
- 71 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 22 per cent surplus;
- 76 per cent adequate; and
- 2 per cent short.

Pasture topsoil moisture is:

- 18 per cent surplus;
- 79 per cent adequate; and
- 3 per cent short.

Harvest progress is relatively consistent throughout the region, as warm, dry conditions have allowed producers to continue harvest operations.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 71 per cent;
 - Canola: 48 per cent;
 - Soybeans: 16 per cent; and
 - Flax: 20 per cent.

- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 80 per cent;
 - Durum: 71 per cent;
 - Oats: 61 per cent;
 - Spring wheat: 51 per cent; and
 - Canary seed: 62 per cent.
- Pulses harvested:
 - Lentils: 95 per cent;
 - Field peas: 95 per cent; and
 - Chickpeas: 65 per cent.

Livestock water quality is not an immediate concern for producers in the region, with only 8 per cent reporting concerns. For on-farm surface water supplies, 6 per cent reported moderate shortages, 1 per cent reported anticipated shortages and 93 per cent reported no shortages occurring or anticipated.

Crop damage reported this week was mainly due to high winds and flooding, but it was generally minor. Producers who have finished harvest are now concentrating on fall field work, such as applying fertilizer after harvest, tillage and other field preparations.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Warm, dry weather conditions helped producers make substantial harvest progress this past week, with the south-west region harvest reaching 84 per cent complete, slightly behind the five-year average of 96 per cent and the 10-year average of 92 per cent.

The region received trace amounts of rainfall this past week. Dry conditions continued throughout much of the area, resulting in a slight decline in topsoil moisture reserves.

Southwest Saskatchewan	
Census Division	% Harvested (September 28, 2026)
3	81%
4	89%
7	82%
8	84%
Region average	84%

Cropland topsoil moisture is:

- 6 per cent surplus;
- 81 per cent adequate;
- 12 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 84 per cent adequate;
- 14 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 75 per cent adequate;
- 20 per cent short; and
- 5 per cent very short.

Harvest conditions were favourable throughout the reporting period, allowing producers to increase harvest progress 17 per cent compared to the previous week.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 92 per cent;
 - Canola: 85 per cent;
 - Soybeans: 20 per cent; and
 - Flax: 37 per cent.
- Spring cereals harvested:
 - Triticale: 99 per cent;
 - Barley: 94 per cent;
 - Durum: 84 per cent;
 - Oats: 93 per cent;
 - Spring wheat: 83 per cent; and
 - Canary seed: 67 per cent.
- Pulses harvested:
 - Lentils: 98 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 69 per cent.

Concerns about livestock water quality were minimal in the region, with 11 per cent of producers reporting water quality issues. For on-farm surface water supplies, 21 per cent reported moderate shortages and 79 per cent indicated no shortages were occurring or anticipated.

High winds and flooding were the main sources of crop damage reported this week, although the overall impact was generally minor. Producers who have finished harvest operations are turning their attention to post-harvest fieldwork, hauling bales and preparing for winter.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Warm temperatures and limited precipitation, helped producers make significant progress on harvest activities this past week, bringing east central regional harvest completion to 52 per cent, behind the five-year average of 87 per cent and the 10 -year average of 78 per cent.

The region received trace amounts of rainfall during the past reporting period. Dry conditions persisted across much of the area but topsoil moisture conditions were relatively maintained.

East-Central Saskatchewan	
Census Division	% Harvested (September 28, 2026)
9	40%
10	48%
11	63%
Region average	52%

Cropland topsoil moisture is:

- 18 per cent surplus; and
- 82 per cent adequate;

Hayland topsoil moisture is:

- 19 per cent surplus;
- 80 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 10 per cent surplus;
- 88 per cent adequate; and
- 2 per cent short.

Harvest conditions improved considerably during the reporting period and producers were able to make strong harvest progress.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 76 per cent;
 - Canola: 42 per cent; and
 - Flax: 42 per cent.

- Spring cereals harvested:
 - Triticale: 90 per cent;
 - Barley: 68 per cent;
 - Durum: 83 per cent;
 - Oats: 38 per cent;
 - Spring wheat: 61 per cent; and
 - Canary seed: 47 per cent.
- Pulses harvested:
 - Lentils: 97 per cent;
 - Field peas: 97 per cent; and
 - Chickpeas: 60 per cent.

Livestock water quality concerns were reported by 14 per cent of producers. On-farm surface water supplies for livestock remain adequate in most areas with 95 per cent of producers reporting no shortages were occurring or expected and 5 per cent reporting moderate shortages.

High winds and localized flood events were the leading cause of crop damage reported this week, resulting in moderate damage in some areas. Additional minor damage from frost, wildlife and waterfowl was also noted. In some areas, late-season rainfall promoted crop regrowth, delaying harvest operations while producers wait for crops to reach harvest maturity.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Warm, dry weather conditions allowed producers to make substantial harvest progress this past week, with the west-central harvest completion reaching 69 per cent, compared to the five-year average of 94 per cent and the 10-year average of 83 per cent.

Dry conditions persisted across the region this past week, with no measurable amounts of rainfall recorded in the west-central region.

Cropland topsoil moisture is:

- 6 per cent surplus;
- 83 per cent adequate; and
- 11 per cent short.

West-Central Saskatchewan	
Census Division	% Harvested (September 28, 2026)
12	69%
13	69%
Region average	69%

Hayland topsoil moisture is:

- 8 per cent surplus;
- 81 per cent adequate; and
- 11 per cent short.

Pasture topsoil moisture is:

- 8 per cent surplus;
- 81 per cent adequate; and
- 11 per cent short.

Warm, dry weather provided favourable harvesting conditions, enabling producers to make substantial progress this past week. As a result, harvest progress increased 24 per cent from the previous week.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 76 per cent;
 - Canola: 58 per cent;
 - Soybeans: 61 per cent; and
 - Flax: 42 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 87 per cent;
 - Durum: 73 per cent;
 - Oats: 82 per cent;
 - Spring wheat: 70 per cent; and
 - Canary seed: 26 per cent.
- Pulses harvested:
 - Lentils: 95 per cent;
 - Field peas: 99 per cent; and
 - Chickpeas: 55 per cent.

Few producers in the region expressed concerns about livestock water quality, with 7 per cent reporting concerns. Regarding on-farm surface water supplies for livestock, 20 per cent reported moderate shortages and 80 per cent indicated that no shortages were occurring or expected.

Crop damage reported this week was primarily caused by strong winds, with moderate damage occurring in some areas. Producers also reported minor damage from frost and waterfowl. Harvest operations continued throughout the region as producers worked to take advantage of favourable weather conditions, while those who had completed harvest turned their attention to fall fieldwork and other seasonal activities.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Favourable harvest weather helped producers make significant harvest progress this past week, bringing the northeast harvest completion to 49 per cent, compared to the five-year average of 87 per cent and the 10-year average of 77 per cent.

This region experienced no rainfall during the past reporting period, leading to a decrease in topsoil moisture reserves.

Northeast Saskatchewan	
Census Division	% Harvested (September 28, 2026)
14	51%
15	47%
Region average	49%

Cropland topsoil moisture is:

- 8 per cent surplus;
- 91 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 96 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 96 per cent adequate; and
- 1 per cent short.

Harvest conditions improved considerably during the reporting period and producers were able to make significant harvest progress. Regional harvest completion advanced by 25 per cent from the previous week.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 60 per cent.
- Oilseeds harvested:
 - Mustard: 10 per cent;
 - Canola: 25 per cent;
 - Soybeans: 2 per cent; and
 - Flax: 1 per cent.

- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 82 per cent;
 - Durum: 83 per cent;
 - Oats: 60 per cent;
 - Spring wheat: 66 per cent; and
 - Canary seed: 18 per cent.
- Pulses harvested:
 - Lentils: 82 per cent;
 - Field peas: 98 per cent; and
 - Chickpeas: 18 per cent.

Livestock water supplies in the region raised no concerns, with all respondents reporting no concerns regarding water quality. When asked to describe on-farm surface water supplies for livestock, all producers who responded also indicated that no shortages were occurring or anticipated.

Crop damage reported this week was primarily caused by strong winds, with moderate damage occurring in some areas. Wildlife, frost and localized flooding also caused minor crop damage, although impacts were generally limited.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Northwest harvest completion advanced to 53 per cent, up 27 per cent from the previous week. This remains significantly below the five-year average of 90 per cent and the 10-year average of 73 per cent. Hot, dry weather continued to support harvest operations, enabling producers to make substantial progress across the region.

Northwest Saskatchewan	
Census Division	% Harvested (September 28, 2026)
16	46%
17	63%
Region average	53%

Limited precipitation was observed during the reporting period, with trace amounts of rainfall documented in the region.

Cropland topsoil moisture is:

- 4 per cent surplus;
- 90 per cent adequate; and
- 6 per cent short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 87 per cent adequate; and
- 10 per cent short.

Pasture topsoil moisture is:

- 2 per cent surplus;
- 89 per cent adequate; and
- 9 per cent short.

Improved harvest conditions allowed producers to make considerable progress this past week, with regional harvest completion increasing 27 per cent compared to the previous week.


- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 31 per cent;
 - Soybeans: 100 per cent; and
 - Flax: 9 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 63 per cent;
 - Durum: 25 per cent;
 - Oats: 50 per cent;
 - Spring wheat: 65 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 53 per cent;
 - Field peas: 87 per cent; and
 - Chickpeas: 100 per cent.

Livestock water supplies raised no concern in the region, with 92 per cent of respondents reporting no concerns water quality. When also asked to describe on-farm surface water supplies for livestock, all respondents indicated that no shortages were occurring or anticipated.

High winds and frost were the main sources of crop damage reported during the past week. Wildlife and waterfowl also contributed to crop losses, although impacts were generally localized.

Weekly Rainfall


from September 22 to September 28, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cumulative Rainfall

from April 1 to September 28, 2026



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from September 22 to September 28, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	4	580	8	138	WEBB	0	347	14	366	KELVINGTON	0	452
1	4	COALFIELDS	0	619	8	139	GULL LAKE	0	294	14	367	PONASS LAKE	N/A	416
1	32	RECIPROCITY	3	507	8	168	RIVERSIDE	0	290	14	394	HUDSON BAY	0	346
1	34	BROWNING	N/A	418	8	228	LACADENA	0	309	14	395	PORCUPINE	N/A	489
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	0	261	14	397	BARRIER VALLEY	0	300
1	95	GOLDEN WEST	N/A	345	8	231	HAPPYLAND	0	285	14	428	STAR CITY	0	350
1	2A	MOUNT PLEASANT	15	431	8	259	SNIPE LAKE	N/A	288	14	456	ARBORFIELD	0	435
2	10	HAPPY VALLEY	0	314	8	138A	WEBB	0	214	14	457	CONNAUGHT	0	105
2	38	LAURIER	0	388	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	0	375
2	66	GRIFFIN	N/A	409	8	257A	MONET	0	276	14	487	NIPAWIN	0	444
2	67	WEYBURN	N/A	101	8	259A	SNIPE LAKE	N/A	141	14	488	TORCH RIVER	0	445
2	70	KEY WEST	N/A	12	9	241	CALDER	0	564	14	394A	HUDSON BAY	0	313
2	100	ELMSTHORPE	0	347	9	243	WALLACE	0	318	14	397A	BARRIER VALLEY	0	380
2	100A	ELMSTHORPE	0	378	9	245	GARRY	N/A	287	14	488A	TORCH RIVER	0	213
2	38A	LAURIER	0	335	9	273	SLIDING HILLS	1	444	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	0	327	9	274	GOOD LAKE	1	341	15	369	ST. PETER	0	367
3	74	WOOD RIVER	0	324	9	301	ST. PHILIPS	N/A	261	15	371	BAYNE	0	417
3	75	PINTO CREEK	0	290	9	305	INVERMAY	0	488	15	372	GRANT	0	380
3	76	AUVERGNE	0	326	9	331	LIVINGSTON	1	445	15	373	ABERDEEN	0	394
3	101	TERRELL	N/A	8	9	241A	CALDER	0	623	15	399	LAKE LENORE	0	358
3	102	LAKE JOHNSTON	0	296	9	245A	GARRY	0	302	15	400	THREE LAKES	N/A	544
3	106	WHISKA CREEK	0	294	10	246	ITUNA BON ACCORD	0	272	15	402	FISH CREEK	0	259
3	74A	KEY WEST	0	291	10	247	KELLROSS	0	291	15	429	FLETT'S SPRINGS	0	389
4	51	RENO	0	190	10	248	TOUCHWOOD	0	322	15	430	INVERGORDON	0	277
4	79	ARLINGTON	0	282	10	277	EMERALD	0	434	15	459	KINISTINO	0	442
4	110	PIAPOT	0	328	10	279	MOUNT HOPE	1	357	15	461	PRINCE ALBERT	N/A	287
4	77A	WISE CREEK	N/A	234	10	307	ELFROS	0	576	15	463	DUCK LAKE	0	427
4	78A	GRASSY CREEK	N/A	175	10	309	PRAIRIE ROSE	0	500	15	491	BUCKLAND	N/A	203
4	79A	ARLINGTON	0	328	10	336	SASMAN	0	411	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	12	542	10	339	LERROY	0	351	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	0	441	10	246A	ITUNA BON ACCORD	0	159	15	371A	BAYNE	0	310
5	151	ROCANVILLE	0	401	10	248A	TOUCHWOOD	0	473	15	371B	BAYNE	0	371
5	155	WOLSELEY	2	255	10	276A	FOAM LAKE	N/A	616	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	2	629	10	276B	FOAM LAKE	0	683	15	403A	ROSTERN	0	409
5	183	FERTILE BELT	N/A	441	10	276C	FOAM LAKE	0	515	15	403C	ROSTERN	0	402
5	211	CHURCHBRIDGE	0	434	10	276D	FOAM LAKE	0	459	15	461A	PRINCE ALBERT	0	350
5	213	SALT COATS	1	470	10	277A	EMERALD	N/A	447	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	0	328	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	211
5	125A	CHESTERFIELD	3	362	11	251	BIG ARM	N/A	232	16	435	REDBERRY	0	449
5	154A	ELCAPO	0	296	11	280	WREDFORD	N/A	83	16	436	DOUGLAS	0	254
5	183A	FERTILE BELT	0	532	11	283	ROSEDALE	0	385	16	437	NORTH BATTLEFORD	N/A	448
5	211A	CHURCHBRIDGE	0	460	11	284	RUDY	0	226	16	466	MEETING LAKE	0	497
6	127	FRANCIS	0	443	11	314	DUNDURN	0	360	16	467	ROUND HILL	0	457
6	128	LAJORD	0	205	11	344	CORMAN PARK	N/A	256	16	493	SHELLBROOK	0	258
6	130	REDBURN	N/A	393	11	282A	McCRANEY	0	278	16	494	CANWOOD	0	186
6	156	INDIAN HEAD	1	429	12	286	MILDEN	0	350	16	497	MEDSTEAD	N/A	436
6	160	PENSE	0	296	12	287	ST. ANDREWS	N/A	272	16	437A	NORTH BATTLEFORD	N/A	342
6	186	ABERNETHY	0	391	12	288	PLEASANT VALLEY	0	279	16	467A	ROUND HILL	1	470
6	190	DUFFERIN	0	350	12	316	HARRIS	0	242	17	468	MEOTA	0	280
6	216	TULLYMET	N/A	28	12	317	MARRIOTT	N/A	360	17	470	PAYNTON	N/A	79
6	217	LIPTON	0	485	12	345	VANSCOY	N/A	176	17	471	ELDON	0	330
6	219	LONGLAKETON	N/A	399	12	346	PERDUE	0	331	17	498	PARKDALE	0	426
6	221	SARNIA	0	477	12	347	BIGGAR	0	391	17	499	MERVIN	N/A	337
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	0	349	17	502	BRITANNIA	0	247
6	159A	SHERWOOD	0	285	12	377	GLENSIDE	N/A	263	17	561	LOON LAKE	0	222
6	159B	SHERWOOD	0	332	12	285A	FERTILE VALLEY	0	303	17	588	MEADOW LAKE	0	435
6	160A	PENSE	0	363	13	290	KINDERSLEY	0	277	17	622	BEAVER RIVER	0	345
6	190A	DUFFERIN	0	170	13	292	MILTON	0	485	17	498A	PARKDALE	0	344
6	190B	DUFFERIN	0	408	13	321	PRAIRIEDALE	0	358	17	501A	FRENCHMAN BUTTE	0	286
6	190C	DUFFERIN	0	488	13	350	MARIPOSA	0	325	17	501C	FRENCHMAN BUTTE	N/A	66
6	216A	TULLYMET	0	138	13	351	PROGRESS	0	335	17	561A	LOON LAKE	0	190
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	197					
6	219A	LONGLAKETON	N/A	472	13	382	EYE HILL	0	317					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	N/A	416					
6	220A	McKILLOP	0	332	13	440	HILLSDALE	0	307					
6	220B	McKILLOP	0	181	13	442	MANITOU LAKE	0	291					
7	132	HILLSBOROUGH	0	455	13	292A	MILTON	0	251					
7	136	COULEE	0	241	13	320A	OAKDALE	N/A	289					
7	161	MOOSE JAW	0	269	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	0	352	13	409A	BUFFALO	0	336					
7	165	MORSE	N/A	373										
7	193	EYEBROW	N/A	453										
7	223	HURON	0	387										
7	132A	HILLSBOROUGH	0	254										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	1	312										
7	222A	CRAIK	0	296										
7	223A	HURON	0	345										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cropland Topsoil Moisture Conditions


from September 22 to September 28, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from September 22 to September 28, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from September 22 to September 28, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from September 22 to September 28, 2026




Minimum Temperature

from September 22 to September 28, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83



Data Sources:	
Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.	
Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada	
IDW interpolation (power 3.5, fixed radius 300 km)	
Geomatics Services, Ministry of Agriculture	September 30, 2026