

# Crop Report

For the Period September 29 to October 5, 2026

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 23, October 8, 2026

Harvest progress continued this week as producers made good use of available field time, despite the humidity and dew reducing the number of harvesting hours each day. Provincially, 82 per cent of crops have been harvested, with many producers finishing last week. Harvest remains behind the five-year average of 97 per cent and slightly behind the 10-year average of 88 per cent.

Harvest is furthest ahead in the southwest and west-central regions with 92 per cent of crops harvested in each. This is followed by the northwest region with 80 per cent of crops off. Harvest progress sits at 77 per cent complete in the southeast, while harvest is 74 per cent complete in the east-central and northeast regions.

All winter cereals and most of the pulse crops have been harvested except for chickpeas. Spring cereals made significant progress this week.

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 95 per cent;
  - Canola: 72 per cent;
  - Flax: 51 per cent; and
  - Soybeans: 27 per cent.
- Spring cereals harvested:
  - Triticale: 100 per cent;
  - Barley: 92 per cent;
  - Durum: 92 per cent;
  - Spring wheat: 88 per cent;
  - Oats: 77 per cent; and
  - Canary seed: 68 per cent.
- Pulses harvested:
  - Field peas: 99 per cent;
  - Lentils: 98 per cent; and
  - Chickpeas: 89 per cent.

## One year ago

Ninety-three per cent of crops had been harvested throughout the province, with many producers finishing within the last week. Nearly all winter cereal and pulse crops had been harvested with the only notable unharvested pulse acres being chickpeas. As producers finished harvest, they began fall field work such as spraying for weeds, harrowing, applying fertilizer, and moving livestock.

Follow the 2026 Crop Report on X  
@SKAgriculture

## Harvest Progress in SK

Per Cent Combined  
Historical All Crops

|                                     |           |
|-------------------------------------|-----------|
| <b>Oct 5/26</b>                     | <b>82</b> |
| Oct 6/25                            | 93        |
| Oct 7/24                            | 97        |
| Oct 9/23                            | 98        |
| Oct 10/22                           | 99        |
| Oct 4/21                            | 99        |
| <b>5-year avg.<br/>(2021-2025)</b>  | <b>97</b> |
| <b>10-year avg.<br/>(2016-2025)</b> | <b>88</b> |

For further information, contact Kim Stonehouse, MSc, PAg,  
Crops Extension Specialist, Extension Services Branch,  
Toll Free: 1-866-457-2377 or 306-878-8807, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on [saskatchewan.ca/crop-report](https://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

Saskatchewan

# Crop Report

**For the Period September 29 to October 5, 2026**

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 23, October 8, 2026

Current crop yields are similar or slightly better than reported last month, and average provincial yields remain at or above historical averages for most crop types. However, yields vary throughout the province due to regional rainfall levels and agronomic challenges during the growing season.

Cereal yield estimates are:

- 53 bushels per acre for hard red spring wheat;
- 45 bushels per acre for durum;
- 94 bushels per acre for oats; and
- 72 bushels per acre for barley.

Pulse crop yield estimates are:

- 37 bushels per acre for field peas;
- 1,532 pounds per acre for lentils; and
- 1,751 pounds per acre for chickpeas.

Oilseed crop yield estimates are:

- 40 bushels per acre for canola;
- 1,039 pounds per acre for mustard; and
- 26 bushels per acre for flax.

With most hard red spring wheat crops now harvested, crop reporters are sharing their grades. Quality varies throughout the province largely due to variable rainfall levels, wet conditions and pest activity during the growing season. Average quality this year appears lower than historical averages.

Currently, average hard red spring wheat quality is:

- 31 per cent 1 Canada Western (CW);
- 44 per cent 2 CW;
- 19 per cent 3 CW; and
- 6 per cent CW Feed.

There was minimal to no rainfall throughout the province last week. The most rain fell in the North Battleford and Rabbit Lake areas with five millimetres (mm). The Hudson Bay, Annaheim, Speers and Maidstone areas each received three mm, with a few areas receiving trace amounts.

Despite limited rainfall last week, topsoil moisture levels continue to remain mostly adequate; however, some areas are beginning to become short.

For further information, contact Kim Stonehouse, MSc, PAg,  
Crops Extension Specialist, Extension Services Branch,  
Toll Free: 1-866-457-2377 or 306-878-8807, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan* 

# Crop Report

**For the Period September 29 to October 5, 2026**

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 23, October 8, 2026

Cropland topsoil moisture is:

- 8 per cent surplus;
- 83 per cent adequate;
- 8 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 84 per cent adequate;
- 11 per cent short; and
- 2 per cent very short.

Pasture topsoil moisture is:

- 2 per cent surplus;
- 79 per cent adequate;
- 16 per cent short; and
- 3 per cent very short.

There is less crop damage being reported as more crops are harvested. For the crops remaining in the field, reporters noted that wind continues to blow swaths around, wildlife is feeding on crops, and freezing temperatures are impacting some crops. Damage observed last week is mostly minor to moderate.

As producers finish harvest, they are starting fall field work which includes spraying for weeds, harrowing, applying fertilizer and moving livestock. With conditions remaining dry in much of the province, we would like to remind producers to have fire mitigation resources ready, blow off their combines regularly and take precautions when working around powerlines. The public is also reminded to exercise caution when encountering machinery and equipment travelling on roadways.

For further information, contact Kim Stonehouse, MSc, PAg,  
Crops Extension Specialist, Extension Services Branch,  
Toll Free: 1-866-457-2377 or 306-878-8807, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada



**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan*

# Harvest Progress

from April 1 to October 5, 2026

## Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Saskatchewan Harvest Progress -October 5 2026

\*Other - crop that will not be harvested due to weather, insect or disease damage

| Provincial                |              |          |              |        |           |            |          |        |
|---------------------------|--------------|----------|--------------|--------|-----------|------------|----------|--------|
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 2%           | 1%     | 7%        | 1%         | 22%      | 5%     |
| In Swath                  | 0%           | 0%       | 2%           | 1%     | 5%        | 3%         | 3%       | 7%     |
| Ready To Straight Combine | 0%           | 0%       | 8%           | 6%     | 11%       | 4%         | 24%      | 16%    |
| Combined                  | 96%          | 85%      | 88%          | 92%    | 73%       | 90%        | 51%      | 72%    |
| Harvested As Feed         | 4%           | 15%      | 0%           | 0%     | 4%        | 2%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 1%       | 35%          | 0%     | 0%        | 13%        | 8%       |        |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 1%         | 0%       |        |
| Ready To Straight Combine | 0%           | 4%       | 38%          | 1%     | 0%        | 18%        | 3%       |        |
| Combined                  | 57%          | 95%      | 27%          | 98%    | 99%       | 68%        | 89%      |        |
| Harvested As Feed         | 43%          | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 1%     | 1%        | 0%         | 0%       |        |
| South East                |              |          |              |        |           |            |          |        |
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 2%           | 1%     | 2%        | 0%         | 28%      | 5%     |
| In Swath                  | 0%           | 0%       | 2%           | 0%     | 5%        | 1%         | 2%       | 5%     |
| Ready To Straight Combine | 0%           | 0%       | 19%          | 12%    | 12%       | 2%         | 32%      | 18%    |
| Combined                  | 100%         | 92%      | 76%          | 86%    | 77%       | 86%        | 38%      | 72%    |
| Harvested As Feed         | 0%           | 8%       | 1%           | 1%     | 3%        | 7%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 1%        | 4%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 3%       | 79%          | 0%     | 0%        | 12%        | 1%       |        |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Ready To Straight Combine | 0%           | 0%       | 5%           | 0%     | 1%        | 21%        | 9%       |        |
| Combined                  | 52%          | 96%      | 16%          | 97%    | 96%       | 67%        | 90%      |        |
| Harvested As Feed         | 48%          | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 1%       | 0%           | 3%     | 3%        | 0%         | 0%       |        |
| South West                |              |          |              |        |           |            |          |        |
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 1%           | 0%     | 0%        | 0%         | 9%       | 1%     |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
| Ready To Straight Combine | 0%           | 0%       | 6%           | 5%     | 1%        | 1%         | 16%      | 5%     |
| Combined                  | 89%          | 82%      | 93%          | 95%    | 76%       | 94%        | 75%      | 94%    |
| Harvested As Feed         | 11%          | 18%      | 0%           | 0%     | 23%       | 5%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 0%       | 0%           | 0%     | 0%        | 25%        | 5%       |        |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Ready To Straight Combine | 0%           | 2%       | 20%          | 1%     | 0%        | 1%         | 3%       |        |
| Combined                  | 46%          | 98%      | 80%          | 99%    | 100%      | 74%        | 92%      |        |
| Harvested As Feed         | 54%          | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |

# Saskatchewan Harvest Progress -October 5 2026

\*Other - crop that will not be harvested due to weather, insect or disease damage

| East-Central              |              |          |              |        |           |            |          |        |
|---------------------------|--------------|----------|--------------|--------|-----------|------------|----------|--------|
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 2%           | 1%     | 12%       | 3%         | 22%      | 8%     |
| In Swath                  | 0%           | 0%       | 3%           | 0%     | 12%       | 4%         | 16%      | 10%    |
| Ready To Straight Combine | 0%           | 0%       | 9%           | 0%     | 16%       | 7%         | 16%      | 15%    |
| Combined                  | 93%          | 99%      | 86%          | 99%    | 59%       | 85%        | 46%      | 67%    |
| Harvested As Feed         | 7%           | 1%       | 0%           | 0%     | 1%        | 1%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 2%       | 58%          | 0%     | 0%        | 16%        | 15%      |        |
| In Swath                  | 0%           | 2%       | 0%           | 0%     | 0%        | 4%         | 0%       |        |
| Ready To Straight Combine | 1%           | 4%       | 3%           | 0%     | 1%        | 11%        | 0%       |        |
| Combined                  | 99%          | 92%      | 0%           | 100%   | 99%       | 69%        | 85%      |        |
| Harvested As Feed         | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 0%       | 39%          | 0%     | 0%        | 0%         | 0%       |        |
| West-Central              |              |          |              |        |           |            |          |        |
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 3%           | 4%     | 1%        | 0%         | 4%       | 3%     |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 3%        | 0%         | 0%       | 2%     |
| Ready To Straight Combine | 0%           | 0%       | 3%           | 4%     | 4%        | 3%         | 21%      | 8%     |
| Combined                  | 100%         | 96%      | 94%          | 92%    | 78%       | 96%        | 75%      | 87%    |
| Harvested As Feed         | 0%           | 4%       | 0%           | 0%     | 14%       | 1%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 0%       | 0%           | 0%     | 0%        | 4%         | 0%       |        |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 1%         | 0%       |        |
| Ready To Straight Combine | 0%           | 2%       | 8%           | 1%     | 0%        | 22%        | 4%       |        |
| Combined                  | 75%          | 98%      | 92%          | 99%    | 100%      | 73%        | 96%      |        |
| Harvested As Feed         | 25%          | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| North East                |              |          |              |        |           |            |          |        |
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 0%           | 0%     | 7%        | 0%         | 25%      | 1%     |
| In Swath                  | 0%           | 0%       | 2%           | 0%     | 8%        | 7%         | 4%       | 18%    |
| Ready To Straight Combine | 0%           | 0%       | 7%           | 0%     | 10%       | 4%         | 28%      | 13%    |
| Combined                  | 100%         | 100%     | 91%          | 100%   | 67%       | 89%        | 43%      | 68%    |
| Harvested As Feed         | 0%           | 0%       | 0%           | 0%     | 8%        | 0%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 0%       | 0%           | 12%    | 0%        | 0%         | 0%       |        |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Ready To Straight Combine | 0%           | 0%       | 98%          | 6%     | 2%        | 0%         | 0%       |        |
| Combined                  | 67%          | 100%     | 2%           | 82%    | 98%       | 100%       | 100%     |        |
| Harvested As Feed         | 33%          | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |

## Saskatchewan Harvest Progress -October 5 2026

\*Other - crop that will not be harvested due to weather, insect or disease damage

| North West                |              |          |              |        |           |            |          |        |
|---------------------------|--------------|----------|--------------|--------|-----------|------------|----------|--------|
|                           | Winter Wheat | Fall Rye | Spring Wheat | Durum  | Oats      | Barley     | Flax     | Canola |
| Standing                  | 0%           | 0%       | 0%           | 0%     | 7%        | 0%         | 25%      | 1%     |
| In Swath                  | 0%           | 0%       | 2%           | 0%     | 8%        | 7%         | 4%       | 18%    |
| Ready To Straight Combine | 0%           | 0%       | 7%           | 0%     | 10%       | 4%         | 28%      | 13%    |
| Combined                  | 100%         | 100%     | 91%          | 100%   | 67%       | 89%        | 43%      | 68%    |
| Harvested As Feed         | 0%           | 0%       | 0%           | 0%     | 8%        | 0%         | 0%       | 0%     |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       | 0%     |
|                           | Triticale    | Mustard  | Soybean      | Lentil | Field Pea | Canaryseed | Chickpea |        |
| Standing                  | 0%           | 0%       | 0%           | 18%    | 3%        | 0%         | 0%       |        |
| In Swath                  | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Ready To Straight Combine | 0%           | 0%       | 100%         | 0%     | 0%        | 0%         | 0%       |        |
| Combined                  | 0%           | 100%     | 0%           | 82%    | 97%       | 100%       | 100%     |        |
| Harvested As Feed         | 100%         | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |
| Other (Damage/Challenges) | 0%           | 0%       | 0%           | 0%     | 0%        | 0%         | 0%       |        |


| Saskatchewan Harvest Progress         |      |
|---------------------------------------|------|
| Up to October 5 2026                  |      |
| Provincial % Combined                 |      |
| Winter Wheat**                        | 100% |
| Fall Rye**                            | 100% |
| Spring Wheat                          | 88%  |
| Durum                                 | 92%  |
| Oats**                                | 77%  |
| Barley**                              | 92%  |
| Flax                                  | 51%  |
| Canola                                | 72%  |
| Triticale**                           | 100% |
| Mustard                               | 95%  |
| Soybean                               | 27%  |
| Lentil                                | 98%  |
| Field Pea                             | 99%  |
| Canaryseed                            | 68%  |
| Chickpea                              | 89%  |
| **includes per cent harvested as feed |      |

## Hard Red Spring Wheat Grades-October 5, 2026

| Region                         | 1 CW       | 2 CW       | 3 CW       | CW Feed   |
|--------------------------------|------------|------------|------------|-----------|
| South East                     | 18%        | 36%        | 36%        | 10%       |
| South West                     | 38%        | 35%        | 20%        | 7%        |
| East Central                   | 27%        | 52%        | 12%        | 9%        |
| West Central                   | 35%        | 48%        | 15%        | 2%        |
| North East                     | 24%        | 46%        | 24%        | 6%        |
| North West                     | 34%        | 45%        | 17%        | 4%        |
| <b>Provincial</b>              | <b>31%</b> | <b>44%</b> | <b>19%</b> | <b>6%</b> |
| 5-Year Average<br>(2021-2025)  | <b>61%</b> | <b>31%</b> | <b>6%</b>  | <b>2%</b> |
| 10-Year Average<br>(2016-2025) | <b>52%</b> | <b>31%</b> | <b>11%</b> | <b>6%</b> |

| Saskatchewan Estimated Crop Yields - October 5, 2026 |                           |                                 |                        |                        |                       |                          |                                    |                        |
|------------------------------------------------------|---------------------------|---------------------------------|------------------------|------------------------|-----------------------|--------------------------|------------------------------------|------------------------|
|                                                      | Winter Wheat<br>(bu/acre) | Durum<br>(bu/acre)              | Flax<br>(bu/acre)      | Fall Rye<br>(bu/acre)  | Oat<br>(bu/acre)      | Canola<br>(bu/acre)      | Hard Red Spring Wheat<br>(bu/acre) | Barley<br>(bu/acre)    |
| Southeast                                            | 42                        | 49                              | 24                     | 47                     | 88                    | 38                       | 48                                 | 72                     |
| Southwest                                            | 49                        | 44                              | 26                     | 40                     | 63                    | 39                       | 44                                 | 58                     |
| East-Central                                         | 48                        | 31                              | 28                     | 47                     | 82                    | 38                       | 51                                 | 76                     |
| West-Central                                         | 45                        | 47                              | 25                     | 58                     | 81                    | 41                       | 53                                 | 70                     |
| Northeast                                            | 55                        | 63                              | 26                     | 50                     | 107                   | 39                       | 58                                 | 79                     |
| Northwest                                            | 70                        | 50                              | 36                     | 60                     | 104                   | 46                       | 58                                 | 82                     |
| Provincial                                           | 48                        | 45                              | 26                     | 44                     | 94                    | 40                       | 53                                 | 72                     |
|                                                      | Soybean<br>(bu/acre)      | Other Spring Wheat<br>(bu/acre) | Triticale<br>(bu/acre) | Field Pea<br>(bu/acre) | Mustard<br>(lbs/acre) | Canaryseed<br>(lbs/acre) | Lentil<br>(lbs/acre)               | Chickpea<br>(lbs/acre) |
| Southeast                                            | 39                        | 51                              | 50                     | 34                     | 945                   | 1517                     | 1251                               | 1482                   |
| Southwest                                            | 30                        | 47                              | 32                     | 34                     | 918                   | 899                      | 1536                               | 1824                   |
| East Central                                         | 30                        | 55                              | 25                     | 48                     | 1870                  | 1000                     | 2237                               | No Response(s)         |
| West Central                                         | 30                        | 67                              | 40                     | 42                     | 1161                  | 1552                     | 1253                               | 2154                   |
| Northeast                                            | No Response(s)            | 61                              | No Response(s)         | 38                     | No Response(s)        | 1381                     | 2135                               | No Response(s)         |
| Northwest                                            | No Response(s)            | 67                              | 60                     | 36                     | 1500                  | 1250                     | 864                                | No Response(s)         |
| Provincial                                           | 34                        | 58                              | 37                     | 37                     | 1039                  | 1374                     | 1532                               | 1751                   |

# Crop Report Regions & Census Divisions



### **Southeastern Saskatchewan:**

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

The southeast region made good harvest progress this week with a number of producers finishing combining. Producers that have finished are starting their fall field work such as hauling bales, drying grain, harrowing and moving livestock.

Harvest in the southeast is 77 per cent complete. All winter cereal, triticale and lentil crops have been harvested.

| <b>Southeast Saskatchewan</b> |                                          |
|-------------------------------|------------------------------------------|
| <b>Census Division</b>        | <b>% Harvested<br/>(October 5, 2026)</b> |
| 1                             | 63%                                      |
| 2                             | 87%                                      |
| 5                             | 73%                                      |
| 6                             | 82%                                      |
| <b>Region average</b>         | <b>77%</b>                               |

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 97 per cent;
  - Canola: 72 per cent;
  - Flax: 38 per cent; and
  - Soybeans: 16 per cent.
- Spring cereals harvested:
  - Triticale: 100 per cent;
  - Barley: 93 per cent;
  - Durum: 87 per cent;
  - Oats: 81 per cent;
  - Spring wheat: 77 per cent; and
  - Canary seed: 67 per cent.
- Pulses harvested:
  - Lentils: 100 per cent;
  - Field peas: 99 per cent; and
  - Chickpeas: 90 per cent.

Crop yields in the southeast are near the provincial average for most crop types this year with the exception of pulse crops.

Cereal yield estimates are:

- 48 bushels per acre for hard red spring wheat;
- 49 bushels per acre for durum;
- 88 bushels per acre for oats; and

- 72 bushels per acre for barley.

Pulse crop yield estimates are:

- 34 bushels per acre for field peas;
- 1,251 pounds per acre for lentils; and
- 1,482 pounds per acre for chickpeas.

Oilseed crop yield estimates are:

- 38 bushels per acre for canola;
- 945 pounds per acre for mustard; and
- 24 bushels per acre for flax.

Hard red spring wheat grain quality in the southeast includes some of the lowest grades in the province this year.

Currently, average hard red spring wheat quality is:

- 18 per cent 1 Canada Western (CW);
- 36 per cent 2 CW;
- 36 per cent is 3 CW; and
- 10 per cent is graded as CW Feed.

There was limited rainfall last week which allowed producers to get a lot of combining and field work done. The only recorded rainfall was near Indian Head with two millimetres (mm) and the Langenburg area with one mm.

Due to the limited rainfall, topsoil moisture levels were reduced slightly from last week but remain mostly adequate.

Cropland topsoil moisture is:

- 10 per cent surplus;
- 87 per cent adequate; and
- 3 per cent short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 93 per cent adequate; and
- 4 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 92 per cent adequate; and
- 5 per cent short.

There was minimal crop damage last week, but wind blew some swaths around causing minor to moderate damage. Wildlife and migratory birds continue to feed on crops still in the field.

### Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Favourable weather this week helped advance harvest in the southwest, with many producers having already finished. As harvest wraps up, producers are beginning fall tasks like servicing equipment, harrowing fields, moving cattle off the pasture and marketing livestock.

Harvest is 92 per cent complete in the southwest. Nearly all winter cereal, field pea, lentil, triticale, barley, oat and mustard crops have been harvested.

| Southwest Saskatchewan |                                  |
|------------------------|----------------------------------|
| Census Division        | % Harvested<br>(October 5, 2026) |
| 3                      | 94%                              |
| 4                      | 94%                              |
| 7                      | 87%                              |
| 8                      | 93%                              |
| Region average         | 92%                              |

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 98 per cent;
  - Canola: 94 per cent;
  - Soybeans: 80 per cent; and
  - Flax: 75 per cent.
- Spring cereals harvested:
  - Triticale: 100 per cent;
  - Barley: 99 per cent;
  - Oats: 99 per cent;
  - Durum: 95 per cent;
  - Spring wheat: 93 per cent; and
  - Canary seed: 74 per cent.
- Pulses harvested:
  - Field peas: 100 per cent;
  - Lentils: 99 per cent; and
  - Chickpeas: 92 per cent.

While oilseed and pulse crop yield averages were comparable to the provincial average, dry season conditions and other agronomic challenges resulted in southwest cereal yields being some of the lowest across the province.

Cereal yield estimates are:

- 44 bushels per acre for hard red spring wheat;
- 44 bushels per acre for durum;
- 63 bushels per acre for oats; and
- 58 bushels per acre for barley.

Pulse crop yield estimates are:

- 34 bushels per acre for field peas;
- 1,536 pounds per acre for lentils; and
- 1,824 pounds per acre for chickpeas.

Oilseed crop yield estimates are:

- 39 bushels per acre for canola;
- 918 pounds per acre for mustard; and
- 26 bushels per acre for flax.

The southwest hard red spring wheat quality is some of the best in the province this year but significantly lower than historical averages.

Average hard red spring wheat quality for the southwest is:

- 38 per cent 1 Canada Western (CW);
- 35 per cent 2 CW;
- 20 per cent is 3 CW; and
- 7 per cent graded as CW Feed.

There was limited rainfall in the southwest region last week which allowed producers to get lots of combining and field work done. The only recorded rainfall amounts were near Gull Lake and Kyle areas with two millimetres (mm) each and the Shaunavon area with one mm.

With the lack of rainfall, topsoil moisture levels remain mostly adequate but some areas are becoming dry.

Cropland topsoil moisture is:

- 6 per cent surplus;
- 72 per cent adequate;
- 17 per cent short; and
- 5 per cent very short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 76 per cent adequate;
- 15 per cent short; and
- 8 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 69 per cent adequate;
- 21 per cent short; and
- 9 per cent very short.

Since most crops are off, minimal crop damage is being reported. Strong winds continue to blow some swaths around causing minor to moderate damage.

#### **East-Central Saskatchewan:**

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Dry weather this week in the east-central region helped advance harvest. However, humid mornings limited the number of hours farmers could operate in a day. In addition to harvest, producers are drying grain, harrowing and moving cattle.

Harvest is 74 per cent complete in the east-central region, with all winter cereals and lentil crops in the bin. Other spring cereals and pulse crops have mostly been harvested as well.

| <b>East-Central Saskatchewan</b> |                                          |
|----------------------------------|------------------------------------------|
| <b>Census Division</b>           | <b>% Harvested<br/>(October 5, 2026)</b> |
| 9                                | 64%                                      |
| 10                               | 73%                                      |
| 11                               | 82%                                      |
| <b>Region average</b>            | <b>74%</b>                               |

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 92 per cent;
  - Canola: 67 per cent;
  - Flax: 46 per cent; and
  - Soybeans: 38 per cent.
- Spring cereals harvested:
  - Triticale: 99 per cent;
  - Durum: 99 per cent;
  - Barley: 86 per cent;
  - Spring wheat: 86 per cent;
  - Canary seed: 69 per cent; and
  - Oats: 60 per cent.

- Pulses harvested:
  - Lentils: 100 per cent;
  - Field peas: 99 per cent; and
  - Chickpeas: 85 per cent.

Crop yields in the east-central region are variable but consistent with the provincial average for most crops.

Cereal yield estimates are:

- 51 bushels per acre for hard red spring wheat;
- 31 bushels per acre for durum;
- 82 bushels per acre for oats; and
- 76 bushels per acre for barley.

Pulse crop yield estimates are:

- 48 bushels per acre for field peas; and
- 2,237 pounds per acre for lentils.

Oilseed crop yield estimates are:

- 38 bushels per acre for canola;
- 1,870 pounds per acre for mustard; and
- 28 bushels per acre for flax.

Hard red spring wheat quality in the east-central is similar to the provincial average and below the historical averages.

Currently, average hard red spring wheat quality is:

- 27 per cent 1 Canada Western (CW);
- 52 per cent 2 CW;
- 12 per cent is 3 CW; and
- 9 per cent graded as CW Feed.

No rainfall was recorded in the east-central region last week.

Due to the lack of rainfall, topsoil moisture levels were reduced slightly from last week but remain mostly adequate.

Cropland topsoil moisture is:

- 9 per cent surplus;
- 87 per cent adequate; and
- 4 per cent short.

Hayland topsoil moisture is:

- 11 per cent surplus;
- 86 per cent adequate; and
- 3 per cent short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 85 per cent adequate; and
- 6 per cent short.

There is minimal crop damage this late in the growing season. Like other regions, strong winds blew swaths around and crops still in the field were mildly impacted by freezing temperatures.

#### **West-Central Saskatchewan:**

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Good harvest progress was made this week in the region as many producers are combining their last few fields, baling straw, spraying weeds and moving livestock.

Currently, 92 per cent of crops in the west-central region have been harvested with all winter cereals, triticale and field peas in the bin. Many other crops are very close to being completed.

| West-Central Saskatchewan |                                  |
|---------------------------|----------------------------------|
| Census Division           | % Harvested<br>(October 5, 2026) |
| 12                        | 90%                              |
| 13                        | 93%                              |
| <b>Region average</b>     | <b>92%</b>                       |

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 98 per cent;
  - Soybeans: 92 per cent;
  - Canola: 87 per cent; and
  - Flax: 75 per cent.
- Spring cereals harvested:
  - Triticale: 100 per cent;
  - Barley: 97 per cent;
  - Spring wheat: 94 per cent;
  - Durum: 92 per cent;
  - Oats: 92 per cent; and
  - Canary seed: 73 per cent.
- Pulses harvested:
  - Field peas: 100 per cent;
  - Lentils: 99 per cent; and
  - Chickpeas: 96 per cent.

Yields in the west-central region are variable but consistent with the provincial average for most crops.

Cereal yield estimates are:

- 53 bushels per acre for hard red spring wheat;
- 47 bushels per acre for durum;
- 81 bushels per acre for oats; and
- 70 bushels per acre for barley.

Pulse crop yield estimates are:

- 42 bushels per acre for field peas;
- 1,253 pounds per acre for lentils; and
- 2,154 pounds per acre for chickpeas.

Oilseed crop yield estimates are:

- 41 bushels per acre for canola;
- 1,161 pounds per acre for mustard; and
- 25 bushels per acre for flax.

Hard red spring wheat quality in the west-central area is better than the provincial average this year but lower than historical averages.

Currently, average hard red spring wheat quality is:

- 35 per cent 1 Canada Western (CW);
- 48 per cent 2 CW;
- 15 per cent is 3 CW; and
- 2 per cent is graded as CW Feed.

Only trace amounts of rainfall was recorded in the west-central region last week causing topsoil moisture levels to be reduced slightly. However, they remain mostly adequate.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 86 per cent adequate; and
- 13 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 85 per cent adequate;
- 14 per cent short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 85 per cent adequate;
- 14 per cent short.

There was minimal crop damage observed in the west-central region last week. Strong winds blew swaths around and crops still in the field were mildly impacted by freezing temperatures and waterfowl.

#### **Northeastern Saskatchewan:**

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Good harvest progress was made this week in the northeast, despite humid conditions making for short combining days. As producers finish harvest, they are working to harrow fields, spray weeds, apply fertilizer and move livestock.

Harvest is 74 per cent complete in the northeast with a number of crops at or near completion.

| <b>Northeast Saskatchewan</b> |                                          |
|-------------------------------|------------------------------------------|
| <b>Census Division</b>        | <b>% Harvested<br/>(October 5, 2026)</b> |
| 14                            | 78%                                      |
| 15                            | 71%                                      |
| <b>Region average</b>         | <b>74%</b>                               |

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 100 per cent;
  - Canola: 68 per cent; and
  - Flax: 43 per cent.
- Spring cereals harvested:
  - Triticale: 100 per cent;
  - Durum: 100 per cent;
  - Canary seed: 100 per cent;
  - Spring wheat: 91 per cent;
  - Barley: 89 per cent; and
  - Oats: 75 per cent.
- Pulses harvested:
  - Chickpeas: 100 per cent;
  - Field peas: 98 per cent; and
  - Lentils: 82 per cent.

Crop yields in the northeast are at or above the provincial average for all crop types this year.

Cereal yield estimates are:

- 58 bushels per acre for hard red spring wheat;
- 63 bushels per acre for durum;
- 107 bushels per acre for oats; and
- 79 bushels per acre for barley.

Pulse crop yield estimates are:

- 38 bushels per acre for field peas; and
- 2,135 pounds per acre for lentils.

Oilseed crop yield estimates are:

- 39 bushels per acre for canola; and
- 26 bushels per acre for flax.

Hard red spring wheat quality in the northeast is below the provincial average and below the historical averages.

Currently, average hard red spring wheat quality is:

- 24 per cent 1 Canada Western (CW);
- 46 per cent 2 CW;
- 24 per cent is 3 CW; and
- 6 per cent is graded as CW Feed.

There was limited rainfall in the northeast region last week which allowed producers to get lots of combining and field work done. The only recorded amounts were near Hudson Bay and Annaheim areas with three millimetres (mm) each and the Vonda area with one mm.

Despite the lack of rain, topsoil moisture conditions remain mostly unchanged from the last report.

Cropland topsoil moisture is:

- 6 per cent surplus;
- 92 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 96 per cent adequate;
- 3 per cent short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 94 per cent adequate;
- 5 per cent short.

There was minimal crop damage reported last week since many crops have been harvested. Strong winds continue to blow some swaths around and there was frost that may impact crops. Wildlife and waterfowl caused some minor damage.

#### **Northwestern Saskatchewan:**

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Dry conditions in the northwest allowed producers to make good harvest progress, with some finishing up combining. As producers finish harvest, they are working to harrow fields, spray weeds, apply fertilizer and move livestock.

Harvest is 80 per cent complete in the northwest, with many crops at or near completion.

| <b>Northwest Saskatchewan</b> |                                          |
|-------------------------------|------------------------------------------|
| <b>Census Division</b>        | <b>% Harvested<br/>(October 5, 2026)</b> |
| 16                            | 77%                                      |
| 17                            | 83%                                      |
| <b>Region average</b>         | <b>80%</b>                               |

- Winter cereals harvested:
  - Fall rye: 100 per cent; and
  - Winter wheat: 100 per cent.
- Oilseeds harvested:
  - Mustard: 100 per cent;
  - Canola: 68 per cent; and
  - Flax: 43 per cent.
- Spring cereals harvested:
  - Triticale: 100 per cent;
  - Durum: 100 per cent;
  - Canary seed: 100 per cent;
  - Barley: 89 per cent;
  - Spring wheat: 91 per cent; and
  - Oats: 75 per cent.
- Pulses harvested:
  - Chickpeas: 100 per cent;
  - Field peas: 97 per cent; and
  - Lentils: 82 per cent.

Yields for most crop types are above the provincial average and are some of the best yields reported this season.

Cereal yield estimates are:

- 58 bushels per acre for hard red spring wheat;
- 50 bushels per acre for durum;
- 104 bushels per acre for oats; and
- 82 bushels per acre for barley.

Pulse crop yield estimates are:

- 36 bushels per acre for field peas; and
- 864 pounds per acre for lentils.

Oilseed crop yield estimates are:

- 46 bushels per acre for canola;
- 1,500 pounds per acre for mustard; and
- 36 bushels per acre for flax.

Hard red spring wheat quality in the northwest area is slightly better than the provincial average this year but poorer than historical averages.

Currently, average hard red spring wheat quality is:

- 34 per cent 1 Canada Western (CW);
- 45 per cent 2 CW;
- 17 per cent is 3 CW; and
- 4 per cent is graded as CW Feed.

Aside from a few scattered showers, not much rain fell in the northwest last week. The North Battleford and Rabbit Lake areas received the most rain with five millimetres (mm) each, followed by the Speers and Maidstone areas with three mm each.

Due to the limited rainfall, topsoil moisture levels were reduced slightly from last week but remain mostly adequate.

Cropland topsoil moisture is:

- 3 per cent surplus;
- 88 per cent adequate; and
- 9 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 86 per cent adequate;
- 13 per cent short.


Pasture topsoil moisture is:

- 1 per cent surplus;
- 86 per cent adequate;
- 13 per cent short.

There was minimal crop damage reported last week. Strong winds continue to blow some swaths around causing minor to moderate damage and crops still in the field were mildly impacted by freezing temperatures. Wildlife and migratory birds continue to feed on unharvested crops.

# Weekly Rainfall

from September 29 to October 5, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from September 29 to October 5, 2026


| Census<br>Division | RM<br>No. | RM<br>Name     | Past<br>Week | Since<br>1-Apr | Census<br>Division | RM<br>No. | RM<br>Name       | Past<br>Week | Since<br>1-Apr | Census<br>Division | RM<br>No. | RM<br>Name       | Past<br>Week | Since<br>1-Apr |
|--------------------|-----------|----------------|--------------|----------------|--------------------|-----------|------------------|--------------|----------------|--------------------|-----------|------------------|--------------|----------------|
| 1                  | 3         | ENNISKILLEN    | 0            | 580            | 8                  | 138       | WEBB             | 0            | 347            | 14                 | 366       | KELVINGTON       | 0            | 452            |
| 1                  | 4         | COALFIELDS     | 0            | 619            | 8                  | 139       | GULL LAKE        | 2            | 296            | 14                 | 367       | PONASS LAKE      | N/A          | 416            |
| 1                  | 32        | RECIPROCITY    | 0            | 507            | 8                  | 168       | RIVERSIDE        | 0            | 290            | 14                 | 394       | HUDSON BAY       | 3            | 349            |
| 1                  | 34        | BROWNING       | N/A          | 418            | 8                  | 228       | LACADENA         | 2            | 311            | 14                 | 395       | PORCUPINE        | N/A          | 489            |
| 1                  | 94        | HAZELWOOD      | N/A          | 0              | 8                  | 229       | MIRY CREEK       | 0            | 261            | 14                 | 397       | BARRIER VALLEY   | N/A          | 300            |
| 1                  | 95        | GOLDEN WEST    | 0            | 345            | 8                  | 231       | HAPPYLAND        | 0            | 285            | 14                 | 428       | STAR CITY        | 0            | 350            |
| 1                  | 2A        | MOUNT PLEASANT | 0            | 431            | 8                  | 259       | SNIFE LAKE       | N/A          | 288            | 14                 | 456       | ARBORFIELD       | 0            | 435            |
| 2                  | 10        | HAPPY VALLEY   | 0            | 314            | 8                  | 138A      | WEBB             | 0            | 214            | 14                 | 457       | CONNAUGHT        | 0            | 105            |
| 2                  | 38        | LAURIER        | 0            | 388            | 8                  | 228A      | LACADENA         | N/A          | 64             | 14                 | 486       | MOOSE RANGE      | 0            | 375            |
| 2                  | 66        | GRIFFIN        | 0            | 409            | 8                  | 257A      | MONET            | 0            | 276            | 14                 | 487       | NIPAWIN          | 0            | 444            |
| 2                  | 67        | WEYBURN        | N/A          | 101            | 8                  | 259A      | SNIFE LAKE       | N/A          | 141            | 14                 | 488       | TORCH RIVER      | 0            | 445            |
| 2                  | 70        | KEY WEST       | N/A          | 12             | 9                  | 241       | CALDER           | 0            | 564            | 14                 | 394A      | HUDSON BAY       | 0            | 313            |
| 2                  | 100       | ELMSTHORPE     | 0            | 347            | 9                  | 243       | WALLACE          | 0            | 318            | 14                 | 397A      | BARRIER VALLEY   | 0            | 380            |
| 2                  | 100A      | ELMSTHORPE     | 0            | 378            | 9                  | 245       | GARRY            | 0            | 287            | 14                 | 488A      | TORCH RIVER      | 0            | 213            |
| 2                  | 38A       | LAURIER        | 0            | 335            | 9                  | 273       | SLIDING HILLS    | 0            | 444            | 14                 | 488B      | TORCH RIVER      | N/A          | 5              |
| 3                  | 73        | STONEHENGE     | 0            | 327            | 9                  | 274       | GOOD LAKE        | 0            | 341            | 15                 | 369       | ST. PETER        | 3            | 370            |
| 3                  | 74        | WOOD RIVER     | 0            | 324            | 9                  | 301       | ST. PHILIPS      | 0            | 261            | 15                 | 371       | BAYNE            | 0            | 417            |
| 3                  | 75        | PINTO CREEK    | 0            | 290            | 9                  | 305       | INVERMAY         | 0            | 488            | 15                 | 372       | GRANT            | 1            | 381            |
| 3                  | 76        | AUVERGNE       | 0            | 326            | 9                  | 331       | LIVINGSTON       | 0            | 445            | 15                 | 373       | ABERDEEN         | 0            | 394            |
| 3                  | 101       | TERRELL        | N/A          | 8              | 9                  | 241A      | CALDER           | 0            | 623            | 15                 | 399       | LAKE LENORE      | 0            | 358            |
| 3                  | 102       | LAKE JOHNSTON  | 0            | 296            | 9                  | 245A      | GARRY            | 0            | 302            | 15                 | 400       | THREE LAKES      | 0            | 544            |
| 3                  | 106       | WHISKA CREEK   | 0            | 294            | 10                 | 246       | ITUNA BON ACCORD | 0            | 272            | 15                 | 402       | FISH CREEK       | 0            | 259            |
| 3                  | 74A       | KEY WEST       | 0            | 291            | 10                 | 247       | KELLROSS         | 0            | 291            | 15                 | 429       | FLETT'S SPRINGS  | 0            | 389            |
| 4                  | 51        | RENO           | 0            | 190            | 10                 | 248       | TOUCHWOOD        | 0            | 322            | 15                 | 430       | INVERGORDON      | N/A          | 277            |
| 4                  | 79        | ARLINGTON      | 0            | 282            | 10                 | 277       | EMERALD          | 0            | 434            | 15                 | 459       | KINISTINO        | 0            | 442            |
| 4                  | 110       | PIAPOT         | 0            | 328            | 10                 | 279       | MOUNT HOPE       | 0            | 357            | 15                 | 461       | PRINCE ALBERT    | N/A          | 287            |
| 4                  | 77A       | WISE CREEK     | 1            | 235            | 10                 | 307       | ELFROS           | 0            | 576            | 15                 | 463       | DUCK LAKE        | 0            | 427            |
| 4                  | 78A       | GRASSY CREEK   | 0            | 175            | 10                 | 309       | PRAIRIE ROSE     | 0            | 500            | 15                 | 491       | BUCKLAND         | N/A          | 203            |
| 4                  | 79A       | ARLINGTON      | N/A          | 328            | 10                 | 336       | SASMAN           | 0            | 411            | 15                 | 520       | PADDOCKWOOD      | N/A          | 70             |
| 5                  | 122       | MARTIN         | 0            | 542            | 10                 | 339       | LEROY            | 0            | 351            | 15                 | 521       | LAKELAND         | N/A          | 70             |
| 5                  | 124       | KINGSLEY       | 0            | 441            | 10                 | 246A      | ITUNA BON ACCORD | 0            | 159            | 15                 | 371A      | BAYNE            | N/A          | 310            |
| 5                  | 151       | ROCANVILLE     | 0            | 401            | 10                 | 248A      | TOUCHWOOD        | 0            | 473            | 15                 | 371B      | BAYNE            | 0            | 371            |
| 5                  | 155       | WOLSELEY       | 0            | 255            | 10                 | 276A      | FOAM LAKE        | N/A          | 616            | 15                 | 399A      | LAKE LENORE      | N/A          | 16             |
| 5                  | 181       | LANGENBURG     | 1            | 630            | 10                 | 276B      | FOAM LAKE        | 0            | 683            | 15                 | 403A      | ROSTHERN         | 0            | 409            |
| 5                  | 183       | FERTILE BELT   | 0            | 441            | 10                 | 276C      | FOAM LAKE        | N/A          | 457            | 15                 | 403C      | ROSTHERN         | 0            | 402            |
| 5                  | 211       | CHURCHBRIDGE   | 0            | 434            | 10                 | 276D      | FOAM LAKE        | 0            | 459            | 15                 | 461A      | PRINCE ALBERT    | 0            | 350            |
| 5                  | 213       | SALT COATS     | 0            | 470            | 10                 | 277A      | EMERALD          | N/A          | 447            | 15                 | 461B      | PRINCE ALBERT    | N/A          | 2              |
| 5                  | 215       | STANLEY        | 0            | 328            | 10                 | 279A      | MOUNT HOPE       | N/A          | 158            | 16                 | 434       | BLAINE LAKE      | N/A          | 211            |
| 5                  | 125A      | CHESTERFIELD   | 0            | 362            | 11                 | 251       | BIG ARM          | N/A          | 232            | 16                 | 435       | REDBERRY         | 0            | 449            |
| 5                  | 154A      | ELCAPO         | 0            | 296            | 11                 | 280       | WREFOED          | N/A          | 83             | 16                 | 436       | DOUGLAS          | 3            | 257            |
| 5                  | 183A      | FERTILE BELT   | N/A          | 532            | 11                 | 283       | ROSEDALE         | 0            | 385            | 16                 | 437       | NORTH BATTLEFORD | 5            | 453            |
| 5                  | 211A      | CHURCHBRIDGE   | 0            | 460            | 11                 | 284       | RUDY             | 0            | 226            | 16                 | 466       | MEETING LAKE     | N/A          | 497            |
| 6                  | 127       | FRANCIS        | 0            | 443            | 11                 | 314       | DUNDURN          | 0            | 360            | 16                 | 467       | ROUND HILL       | N/A          | 457            |
| 6                  | 128       | LAJORD         | 0            | 205            | 11                 | 344       | CORMAN PARK      | N/A          | 256            | 16                 | 493       | SHELLBROOK       | 0            | 258            |
| 6                  | 130       | REDBURN        | 0            | 393            | 11                 | 282A      | McCRANEY         | 0            | 278            | 16                 | 494       | CANWOOD          | 0            | 186            |
| 6                  | 156       | INDIAN HEAD    | 2            | 431            | 12                 | 286       | MILDEN           | 0            | 350            | 16                 | 497       | MEDSTEAD         | 1            | 437            |
| 6                  | 160       | PENSE          | 0            | 296            | 12                 | 287       | ST. ANDREWS      | 0            | 272            | 16                 | 437A      | NORTH BATTLEFORD | 0            | 342            |
| 6                  | 186       | ABERNETHY      | 0            | 391            | 12                 | 288       | PLEASANT VALLEY  | 0            | 279            | 16                 | 467A      | ROUND HILL       | 6            | 476            |
| 6                  | 190       | DUFFERIN       | 0            | 350            | 12                 | 316       | HARRIS           | 0            | 242            | 17                 | 468       | MEOTA            | N/A          | 280            |
| 6                  | 216       | TULLYMET       | 0            | 28             | 12                 | 317       | MARRIOTT         | N/A          | 360            | 17                 | 470       | PAYNTON          | 0            | 79             |
| 6                  | 217       | LIPTON         | 0            | 485            | 12                 | 345       | VANS COY         | 0            | 176            | 17                 | 471       | ELDON            | 3            | 333            |
| 6                  | 219       | LONGLAKETON    | N/A          | 399            | 12                 | 346       | PERDUE           | 0            | 331            | 17                 | 498       | PARKDALE         | N/A          | 426            |
| 6                  | 221       | SARNIA         | 0            | 477            | 12                 | 347       | BIGGAR           | 0            | 391            | 17                 | 499       | MERVIN           | 0            | 337            |
| 6                  | 127B      | FRANCIS        | N/A          | 116            | 12                 | 376       | EAGLE CREEK      | 0            | 349            | 17                 | 502       | BRITANNIA        | 0            | 247            |
| 6                  | 159A      | SHERWOOD       | 0            | 285            | 12                 | 377       | GLENSIDE         | 0            | 263            | 17                 | 561       | LOON LAKE        | 0            | 222            |
| 6                  | 159B      | SHERWOOD       | 0            | 332            | 12                 | 285A      | FERTILE VALLEY   | 0            | 303            | 17                 | 588       | MEADOW LAKE      | 0            | 435            |
| 6                  | 160A      | PENSE          | 0            | 363            | 13                 | 290       | KINDERSLEY       | 0            | 277            | 17                 | 622       | BEAVER RIVER     | 0            | 345            |
| 6                  | 190A      | DUFFERIN       | 0            | 170            | 13                 | 292       | MILTON           | 0            | 485            | 17                 | 498A      | PARKDALE         | 1            | 345            |
| 6                  | 190B      | DUFFERIN       | N/A          | 408            | 13                 | 321       | PRAIRIEDALE      | 0            | 358            | 17                 | 501A      | FRENCHMAN BUTTE  | 0            | 286            |
| 6                  | 190C      | DUFFERIN       | 0            | 488            | 13                 | 350       | MARIPOSA         | 0            | 325            | 17                 | 501C      | FRENCHMAN BUTTE  | N/A          | 66             |
| 6                  | 216A      | TULLYMET       | 0            | 138            | 13                 | 351       | PROGRESS         | N/A          | 335            | 17                 | 561A      | LOON LAKE        | 0            | 190            |
| 6                  | 217A      | LIPTON         | N/A          | 2              | 13                 | 379       | REFORD           | N/A          | 197            |                    |           |                  |              |                |
| 6                  | 219A      | LONGLAKETON    | 0            | 472            | 13                 | 382       | EYE HILL         | 0            | 317            |                    |           |                  |              |                |
| 6                  | 219B      | LONGLAKETON    | N/A          | 60             | 13                 | 409       | BUFFALO          | 1            | 417            |                    |           |                  |              |                |
| 6                  | 220A      | McKILLOP       | 0            | 332            | 13                 | 440       | HILLSDALE        | 0            | 307            |                    |           |                  |              |                |
| 6                  | 220B      | McKILLOP       | 0            | 181            | 13                 | 442       | MANITOU LAKE     | 0            | 291            |                    |           |                  |              |                |
| 7                  | 132       | HILLSBOROUGH   | N/A          | 455            | 13                 | 292A      | MILTON           | 0            | 251            |                    |           |                  |              |                |
| 7                  | 136       | COULEE         | N/A          | 241            | 13                 | 320A      | OAKDALE          | 0            | 289            |                    |           |                  |              |                |
| 7                  | 161       | MOOSE JAW      | 0            | 269            | 13                 | 321A      | PRAIRIEDALE      | N/A          | 35             |                    |           |                  |              |                |
| 7                  | 162       | CARON          | 0            | 352            | 13                 | 409A      | BUFFALO          | 0            | 336            |                    |           |                  |              |                |
| 7                  | 165       | MORSE          | N/A          | 378            |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 193       | EYEBROW        | 0            | 453            |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 223       | HURON          | N/A          | 387            |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 132A      | HILLSBOROUGH   | 0            | 254            |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 136A      | COULEE         | N/A          | 0              |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 161A      | MOOSE JAW      | N/A          | 38             |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 162A      | CARON          | 0            | 312            |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 222A      | CRAIK          | 0            | 296            |                    |           |                  |              |                |                    |           |                  |              |                |
| 7                  | 223A      | HURON          | 0            | 345            |                    |           |                  |              |                |                    |           |                  |              |                |

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.  
N/A indicates that rainfall was not reported for the week


# Cumulative Rainfall

from April 1 to October 5, 2026



# Cropland Topsoil Moisture Conditions


from September 29 to October 5, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Hay Topsoil Moisture Conditions


from September 29 to October 5, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Pasture Topsoil Moisture Conditions


from September 29 to October 5, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Minimum Temperature

from September 29 to October 5, 2026



# Maximum Temperature

from September 29 to October 5, 2026

