

Crop Report

For the Period October 6 to October 12, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 28, October 15, 2026

Producers continue to harvest remaining crop and complete fall fieldwork; however, rain and snow over the weekend slowed these activities in many areas of the province. Producers remain hopeful that favourable conditions will allow them to return to the field before winter.

Provincially, harvest is 93 per cent complete. The southwest and west-central regions are the most advanced at 98 and 97 per cent complete, followed by the east-central and northwest regions at 91 per cent. The northeast and southeast regions are 89 per cent complete.

Many areas of the province received rain and snow, with precipitation amounts varying by region. The highest precipitation was reported in the Coalfields area at 28 millimetres (mm), followed by Mount Pleasant and Enniskillen with 24 mm and the Indian Head area with 22 mm. The precipitation was beneficial for producers who had completed harvest, improving soil moisture conditions ahead of spring seeding.

Cropland topsoil moisture is:

- 5 per cent surplus;
- 88 per cent adequate;
- 6 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 87 per cent adequate;
- 9 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 2 per cent surplus;
- 81 per cent adequate;
- 15 per cent short; and
- 2 per cent very short.

One year ago

Producers made solid progress on harvest, including completing field work prior to rain and snowfall over the weekend that halted operations. Harvest was 98 per cent completed provincially, with the west-central and northeast regions leading at 99 per cent, while the southeast and northwest regions were 98 per cent complete and the southwest and east-central regions were 97 per cent complete. Producers hoped to return to the field before winter to finish the remaining harvest and field operations.

Follow the 2026 Crop Report on X
@SKAgriculture

Provincial Harvest Progress	
Per cent Harvested for All Crops for the Period up to October 12, 2026	
Region	Harvest Completed
Southeast	89%
Southwest	98%
East-central	91%
West-central	97%
Northeast	89%
Northwest	91%
Provincial	93%

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



Crop Report

For the Period October 6 to October 12, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 28, October 15, 2026

Harvest operations are nearing completion across the province, with only a small number of acres remaining in the field.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 98 per cent;
 - Canola: 89 per cent;
 - Soybeans: 53 per cent; and
 - Flax: 73 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 97 per cent;
 - Durum: 97 per cent;
 - Oats: 91 per cent;
 - Spring wheat: 96 per cent; and
 - Canary seed: 88 per cent.
- Pulses harvested:
 - Lentils: 99 per cent;
 - Field peas: 99 per cent; and
 - Chickpeas: 98 per cent.

Current crop yields remain consistent with the previous report, with average provincial yields remaining at or above historical averages for most crop types. However, yield variability persists due to differences in rainfall distribution and the range of agronomic challenges experienced throughout the growing season.

Cereal yield estimates are:

- 53 bushels per acre for hard red spring wheat;
- 48 bushels per acre for winter wheat;
- 41 bushels per acre for fall rye;
- 47 bushels per acre for triticale;
- 46 bushels per acre for durum;
- 97 bushels per acre for oats;

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period October 6 to October 12, 2026

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 28, October 15, 2026

- 71 bushels per acre for barley; and
- 1,412 pounds per acre for canary seed.

Pulse crop yield estimates are:

- 37 bushels per acre for field peas;
- 1,440 pounds per acre for lentils; and
- 1,715 pounds per acre for chickpeas.

Oilseed crop yield estimates are:

- 40 bushels per acre for canola;
- 32 bushels per acre for soybeans;
- 26 bushels per acre for flax; and
- 1,080 pounds per acre for mustard.

Minor levels of environmental damage from wind, frost and waterfowl were reported in the remaining unharvested crops. Flooding and wildlife also caused some damage to crop left in the field and in open grain bags; however, damage remains limited and is not considered significant.

With harvest nearly complete, producers are turning their attention to post-harvest activities such as weed control, fertilizer application, harrowing fields and servicing equipment. Livestock producers continue to move cattle from pasture, haul bales and market livestock in preparation for winter.

The Crop Report will not be published for the October 20 to 26, 2026 reporting period. The final Crop Report of 2026 will be issued on November 5, 2026.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan 

Harvest Progress

from April 1 to October 12, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Harvest Progress - October 12, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	1%	1%	3%	1%	11%	2%
In Swath	0%	0%	0%	0%	2%	1%	3%	3%
Ready To Straight Combine	0%	0%	3%	2%	4%	1%	13%	6%
Combined	96%	85%	96%	97%	87%	94%	73%	89%
Harvested As Feed	4%	15%	0%	0%	4%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	1%	18%	0%	0%	5%	1%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	1%	29%	0%	0%	7%	1%	
Combined	57%	98%	53%	99%	99%	88%	98%	
Harvested As Feed	43%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	1%	1%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	1%	0%	0%	0%	17%	4%
In Swath	0%	0%	0%	0%	1%	0%	2%	1%
Ready To Straight Combine	0%	0%	11%	4%	4%	0%	17%	6%
Combined	100%	92%	87%	93%	91%	94%	64%	89%
Harvested As Feed	0%	8%	1%	2%	2%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	1%	2%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	3%	45%	0%	0%	6%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	15%	0%	0%	9%	2%	
Combined	52%	96%	40%	97%	97%	85%	98%	
Harvested As Feed	48%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	1%	0%	3%	3%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	1%	6%	0%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	1%	1%	0%	0%	6%	1%
Combined	89%	82%	99%	99%	77%	94%	88%	99%
Harvested As Feed	11%	18%	0%	0%	23%	5%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	2%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	1%	5%	0%	0%	0%	1%	
Combined	46%	99%	95%	100%	100%	100%	97%	
Harvested As Feed	54%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - October 12, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	2%	1%	3%	2%
In Swath	0%	0%	1%	0%	7%	2%	3%	3%
Ready To Straight Combine	0%	0%	2%	0%	5%	1%	5%	8%
Combined	93%	99%	97%	100%	84%	95%	89%	87%
Harvested As Feed	7%	1%	0%	0%	2%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	1%	50%	0%	0%	9%	0%	
In Swath	0%	1%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	1%	0%	0%	0%	0%	0%	
Combined	100%	97%	11%	100%	100%	87%	100%	
Harvested As Feed	0%	0%	0%	0%	0%	4%	0%	
Other (Damage/Challenges)	0%	0%	39%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	1%	4%	0%	0%	0%	2%
In Swath	0%	0%	0%	0%	1%	0%	0%	1%
Ready To Straight Combine	0%	0%	1%	0%	2%	1%	3%	2%
Combined	100%	96%	98%	96%	83%	98%	97%	95%
Harvested As Feed	0%	4%	0%	0%	14%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	1%	0%	
Ready To Straight Combine	0%	0%	0%	0%	0%	4%	0%	
Combined	75%	100%	100%	100%	100%	95%	100%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	1%	0%	6%	3%	11%	2%
In Swath	0%	0%	0%	0%	1%	0%	2%	4%
Ready To Straight Combine	0%	0%	2%	0%	2%	1%	30%	10%
Combined	100%	100%	97%	100%	85%	92%	57%	84%
Harvested As Feed	0%	0%	0%	0%	6%	4%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	2%	93%	0%	0%	0%	0%	
Combined	67%	98%	7%	100%	100%	100%	100%	
Harvested As Feed	33%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - October 12, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	0%	0%	0%
In Swath	0%	0%	0%	0%	4%	3%	2%	7%
Ready To Straight Combine	0%	0%	2%	0%	3%	1%	55%	7%
Combined	100%	100%	98%	100%	85%	96%	43%	86%
Harvested As Feed	0%	0%	0%	0%	8%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	17%	0%	0%	0%	
Combined	0%	100%	100%	83%	100%	100%	100%	
Harvested As Feed	100%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	


Saskatchewan Harvest Progress	
Up to October 12, 2026	
Provincial % Combined	
Winter Wheat**	97%
Fall Rye**	97%
Spring Wheat	91%
Durum	97%
Oats**	73%
Barley**	89%
Flax	100%
Canola	98%
Triticale**	53%
Mustard	99%
Soybean	99%
Lentil	88%
Field Pea	98%
Canaryseed	0%
Chickpea	0%
**includes per cent harvested as feed	

Saskatchewan Estimated Crop Yields - October 12, 2026								
	Winter Wheat (bu/acre)	Durum (bu/acre)	Flax (bu/acre)	Fall Rye (bu/acre)	Oat (bu/acre)	Canola (bu/acre)	Hard Red Spring Wheat (bu/acre)	Barley (bu/acre)
Southeast	42	47	23	46	96	38	53	74
Southwest	48	44	27	33	70	40	41	52
East-Central	49	31	25	44	85	38	54	74
West-Central	40	50	30	40	74	41	55	70
Northeast	52	63	25	52	110	40	59	81
Northwest	70	50	39	60	108	42	51	79
Provincial	48	46	26	41	97	40	53	71
	Soybean (bu/acre)	Other Spring Wheat (bu/acre)	Triticale (bu/acre)	Field Pea (bu/acre)	Mustard (lbs/acre)	Canaryseed (lbs/acre)	Lentil (lbs/acre)	Chickpea (lbs/acre)
Southeast	33	51	50	35	917	1517	1258	1439
Southwest	30	50	36	34	933	773	1430	1814
East Central	No Response(s)	57	25	50	1872	1050	2247	No Response(s)
West Central	15	67	45	42	1314	1782	1278	2275
Northeast	25	65	45	40	No Response(s)	1390	1681	No Response(s)
Northwest	No Response(s)	62	60	34	1500	1250	478	No Response(s)
Provincial	32	60	47	37	1080	1412	1440	1715

* 'Other Spring Wheat' includes all wheat classes other than Hard Red Spring Wheat

** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Harvest is mostly complete in the southeast, with producers shifting their attention to post-harvest fieldwork, including harrowing, spraying for weeds and servicing equipment. Livestock producers continue to haul bales and market livestock.

Weekend precipitation, including rain and snow, brought field activities to a standstill and was welcomed by producers who had finished harvesting.

Southeast Saskatchewan	
Census Division	% Harvested (October 12, 2026)
1	73%
2	97%
5	87%
6	96%
Region average	89%

Many areas in the southeast received notable precipitation during the reporting period, improving soil moisture and benefiting pastures. The Coalfields area received 28 millimetres (mm) of precipitation, the highest amount recorded in the province. The Mount Pleasant and Enniskillen area reported the second-highest total with 24 mm, followed by the Indian Head area with 22 mm.

Cropland topsoil moisture is:

- 13 per cent surplus; and
- 87 per cent adequate.

Hayland topsoil moisture is:

- 7 per cent surplus;
- 92 per cent adequate; and
- 1 per cent short.

Pasture topsoil moisture is:

- 3 per cent surplus;
- 95 per cent adequate; and
- 2 per cent short.

Harvest is 89 per cent complete, with only a small number of of spring cereal and oilseed crop acres remaining in the field.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 96 per cent;
 - Canola: 89 per cent;

- Soybeans: 40 per cent; and
- Flax: 64 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 94 per cent;
 - Oats: 93 per cent;
 - Spring wheat: 88 per cent; and
 - Canary seed: 88 per cent.
- Pulses harvested:
 - Lentils: 97 per cent;
 - Field peas: 97 per cent; and
 - Chickpeas: 98 per cent.

Crop yields in the southeast are near the provincial average for most crop types this year, except for pulse crops, which are generally below the provincial average.

Cereal crop yield estimates are:

- Hard red spring wheat: 53 bushels per acre;
- Durum: 47 bushels per acre;
- Oats: 96 bushels per acre; and
- Barley: 74 bushels per acre.

Pulse crop yield estimates are:

- Field peas: 35 bushels per acre;
- Lentils: 1,258 pounds per acre; and
- Chickpeas: 1,439 pounds per acre.

Oilseed crop yield estimates are:

- Canola: 38 bushels per acre;
- Flax: 23 bushels per acre; and
- Mustard: 917 pounds per acre.

With most crops harvested, little damage was reported. Frost, snowfall, wind and wildlife caused varying damage to crops still in the field.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Favourable weather conditions for most of the week allowed producers to make substantial progress on harvest and other field activities before weekend precipitation interrupted operations. Harvest is now 98 per cent complete in the southwest, with producers hoping to complete the remaining acres in the coming days. Livestock producers continue to move cattle from pasture, haul bales and prepare for winter feeding.

Southwest Saskatchewan	
Census Division	% Harvested (October 12, 2026)
3	97%
4	99%
7	96%
8	100%
Region average	98%

Rainfall was variable across the southwest during the reporting period, with some areas receiving significant precipitation while others saw little moisture. The highest total was reported in the Pinto Creek, Auvergne and Coulee areas at 10 millimetres (mm), followed closely by Piapot, Hillsborough and Moose Jaw reporting 9 mm respectively. The precipitation slightly improved soil moisture reserves, although additional moisture will be needed to restore conditions for the next growing season.

Cropland topsoil moisture is:

- 89 per cent adequate;
- 9 per cent short; and
- 2 per cent very short.

Hayland topsoil moisture is:

- 79 per cent adequate;
- 17 per cent short; and
- 4 per cent very short.

Pasture topsoil moisture is:

- 70 per cent adequate;
- 25 per cent short; and
- 5 per cent very short.

The crops yet to be harvested are primarily oilseed crops, chickpeas and canary seed. Producers are working to complete harvest as conditions permit.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.

- Oilseeds harvested:
 - Mustard: 99 per cent;
 - Canola: 99 per cent;
 - Soybeans: 95 per cent; and
 - Flax: 88 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 99 per cent;
 - Durum: 99 per cent;
 - Oats: 100 per cent;
 - Spring wheat: 99 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Oilseed and pulse crops were supported by timely rainfall and yields were generally comparable to provincial averages. Prolonged dry conditions and other agronomic challenges limited cereal crop yield potential, resulting in some of the lowest cereal yields reported in the province.

Cereal crop yield estimates are:

- Hard red spring wheat: 41 bushels per acre;
- Durum: 44 bushels per acre;
- Oats: 70 bushels per acre; and
- Barley: 52 bushels per acre.

Pulse crop yield estimates are:

- Field peas: 34 bushels per acre;
- Lentils: 1,430 pounds per acre; and
- Chickpeas: 1,814 pounds per acre.

Oilseed crop yield estimates are:

- Canola: 40 bushels per acre;
- Flax: 27 bushels per acre; and
- Mustard: 933 pounds per acre.

Minimal crop damage was reported last week. Flooding and wind were the only notable sources of damage for crops remaining in the field.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Cool and wet conditions prevailed this week as harvest operations continued across the region. Rain and snow interrupted fieldwork in many areas, leaving some crops still unharvested. Producers remain hopeful that conditions will improve to allow harvest to be completed.

Other field activities included fertilizer application, weed control and harrowing, while livestock producers continued moving cattle and hauling bales.

East-Central Saskatchewan	
Census Division	% Harvested
	(October 12, 2026)
9	80%
10	91%
11	97%
Region average	91%

Most areas in the east-central region received moderate precipitation during the reporting period. The Calder and Ituna Bon Accord areas recorded the highest rainfall at 5 millimetres (mm), followed by the Rudy and Dundurn areas, which each received 3 mm. This precipitation improved soil moisture reserves which will support conditions entering into the next growing season.

Cropland topsoil moisture is:

- 10 per cent surplus;
- 88 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 10 per cent surplus;
- 86 per cent adequate;
- 3 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 86 per cent adequate;
- 4 per cent short; and
- 1 per cent very short.

Harvest is 91 per cent complete in the east-central region, with only a small amount of spring cereal and oilseed crops remaining to be combined. Producers are working to complete the remaining harvest operations as weather and field conditions permit.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.

- Oilseeds harvested:
 - Mustard: 97 per cent;
 - Canola: 87 per cent;
 - Soybeans: 11 per cent; and
 - Flax: 89 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 99 per cent;
 - Durum: 96 per cent;
 - Oats: 86 per cent;
 - Spring wheat: 98 per cent; and
 - Canary seed: 92 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Crop yields in the east-central region were variable but generally aligned with provincial averages for most crop types. Strong yields were reported for several pulse and specialty crops, while cereal and oilseed yields were largely consistent with provincial averages.

Cereal crop yield estimates are:

- Hard red spring wheat: 54 bushels per acre;
- Durum: 31 bushels per acre;
- Oats: 85 bushels per acre; and
- Barley: 74 bushels per acre.

Pulse crop yield estimates are:

- Field peas: 50 bushels per acre; and
- Lentils: 2,247 pounds per acre.

Oilseed crop yield estimates are:

- Canola: 38 bushels per acre;
- Flax: 25 bushels per acre; and
- Mustard: 1,872 pounds per acre.

Overall, yields in the east-central region reflect a generally productive growing season, with most crop types performing at or near provincial averages despite localized differences in moisture conditions and other agronomic challenges encountered throughout the year.

Reports of crop damage remained minimal last week due to the advanced stage of harvest. Remaining crops have been impacted by freezing temperatures, snow and strong winds, while wildlife and migratory birds continue to feed on standing crops. Overall, damage levels were generally minor.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

With harvest 97 per cent complete, the west-central region is nearing the end of the harvest season. Producers are now primarily engaged in post-harvest operations such as harrowing fields, spraying weeds and hauling bales. These activities continue as producers prepare both their fields and livestock operations for winter.

West-Central Saskatchewan	
Census Division	% Harvested (October 12, 2026)
12	97%
13	97%
Region average	97%

Precipitation was moderate throughout much of the west-central region during the reporting period. The Manitou Lake area received the most rainfall at 5 millimetres (mm), followed by the St. Andrews, Fertile Valley, and Glenside areas with 3 mm. The precipitation provided some localized benefit.

Cropland topsoil moisture is:

- 90 per cent adequate; and
- 10 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 87 per cent adequate; and
- 12 per cent short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 86 per cent adequate; and
- 13 per cent short.

Harvest operations progressed steadily as conditions allowed, leaving only a limited number of oilseed and cereal crops unharvested. Producers are working to complete harvest before winter conditions settle in.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 95 per cent;
 - Soybeans: 100 per cent; and
 - Flax: 97 per cent.

- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 99 per cent;
 - Durum: 96 per cent;
 - Oats: 97 per cent;
 - Spring wheat: 98 per cent; and
 - Canary seed: 95 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Yields in the west-central region were variable but generally consistent with provincial averages for most crop types. Strong performance was reported for several pulse and oilseed crops, while cereal yields were generally aligned with provincial averages despite localized moisture challenges experienced during the growing season.

Cereal crop yield estimates are:

- Hard red spring wheat: 55 bushels per acre;
- Durum: 50 bushels per acre;
- Oats: 74 bushels per acre; and
- Barley: 70 bushels per acre.

Pulse crop yield estimates are:

- Field peas: 42 bushels per acre;
- Lentils: 1,278 pounds per acre; and
- Chickpeas: 2,275 pounds per acre.

Oilseed crop yield estimates are:

- Canola: 41 per acre;
- Flax: 30 bushels per acre; and
- Mustard: 1,314 pounds per acre.

Reports of crop damage were minimal last week as harvest is nearly complete across the region. The few crops still left to be harvested experienced some damage from frost, snowfall, wind and wildlife; however, impacts were generally minor.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Favourable conditions for most of the week allowed producers to complete substantial fieldwork before small amounts of precipitation on the weekend interrupted operations. The precipitation was generally viewed as beneficial, providing more moisture for dugouts and helping to incorporate fall fertilizer applications. Producers continue to focus on post-harvest fieldwork and livestock preparations as the season draws to a close.

Northeast Saskatchewan	
Census Division	% Harvested
	(October 12, 2026)
14	92%
15	86%
Region average	89%

Widespread precipitation occurred throughout much of the northeast during the reporting period. The Rosthern area recorded the highest rainfall at 18 millimetres (mm), followed by Moose Ridge with 12 mm. Both the Touch River and Duck Lake areas received 8 mm. As a result, topsoil moisture conditions improved from last week and remain among the strongest in Saskatchewan.

Cropland topsoil moisture is:

- 2 per cent surplus;
- 96 per cent adequate; and
- 2 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 96 per cent adequate; and
- 3 per cent short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 95 per cent adequate; and
- 4 per cent short.

Harvest operations are 89 per cent complete in the northeast region. Only a limited number of crops remain to be harvested, with most producers now shifting their focus to post-harvest activities.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.

- Oilseeds harvested:
 - Mustard: 98 per cent;
 - Canola: 84 per cent;
 - Soybeans: 7 per cent; and
 - Flax: 57 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 96 per cent;
 - Durum: 100 per cent;
 - Oats: 91 per cent;
 - Spring wheat: 97 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Crop yields in the northeast were at or above the provincial average for all major crop types this year. Favourable growing conditions and timely moisture throughout much of the season supported strong yield performance, particularly for cereal crops.

Cereal crop yield estimates are:

- Hard red spring wheat: 59 bushels per acre;
- Durum: 63 bushels per acre;
- Oats: 110 bushels per acre; and
- Barley: 81 bushels per acre.

Pulse crop yield estimates are:

- Field peas: 40 bushels per acre; and
- Lentils: 1,681 pounds per acre.

Oilseed crop yield estimates are:

- Canola: 40 bushels per acre; and
- Flax: 25 bushels per acre.

Overall, the northeast reported some of the strongest yields in the province, with all major crop types performing at or above provincial averages. Higher cereal yields, combined with strong pulse and oilseed production, contributed to a productive growing season across the region despite localized weather and agronomic challenges.

Reports of crop damage remained minimal last week as harvest operations are nearly complete. The few crops still awaiting harvest experienced damage from frost, snowfall, wind, and wildlife; however, impacts were generally minor.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Harvest is 91 per cent complete in the northwest region, with only a small number of crops remaining in the field. Following harvest, producers have shifted their attention to fertilizer application, harrowing and other post-harvest fieldwork. Livestock producers continue to move cattle from pasture and prepare for winter feeding operations.

Northwest Saskatchewan	
Census Division	% Harvested (October 12, 2026)
16	90%
17	93%
Region average	91%

The northwest region received scattered precipitation during the reporting period. The greatest accumulation was 12 millimetres (mm) near Sherbrooke and the Loon Lake area, followed by 7 mm around the Meadow Lake area. As a result, soil moisture levels increased slightly and remain in reasonable condition heading into the winter months.

Cropland topsoil moisture is:

- 93 per cent adequate; and
- 7 per cent short.

Hayland topsoil moisture is:

- 88 per cent adequate; and
- 12 per cent short.

Pasture topsoil moisture is:

- 88 per cent adequate; and
- 12 per cent short.

Harvest is nearing completion in the northwest region, with only small amounts of barley, canola and flax still left to harvest. Producers continue to monitor weather as they work to complete the remaining acres.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 86 per cent;
 - Soybeans: 100 per cent; and
 - Flax: 43 per cent.

- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 96 per cent;
 - Durum: 100 per cent;
 - Oats: 93 per cent;
 - Spring wheat: 98 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 83 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Yields in the northwest region are at or above the provincial average for most crop types and are among the highest reported in the province this season. Favourable growing conditions, strong soil moisture reserves and timely precipitation throughout much of the year contributed to excellent yield performance across the region.

Cereal crop yield estimates are:

- Hard red spring wheat: 51 bushels per acre;
- Durum: 50 bushels per acre;
- Oats: 108 bushels per acre; and
- Barley: 79 bushels per acre.

Pulse crop yield estimates are:

- Field peas: 34 bushels per acre; and
- Lentils: 478 pounds per acre.

Oilseed crop yield estimates are:


- Canola: 42 bushels per acre; and
- Flax: 39 bushels per acre.

Overall, crop production in the northwest exceeded expectations in many areas, with yields for most crop types ranking among the strongest reported this season. Despite localized weather challenges, crop conditions remained favourable throughout much of the growing season, supporting above-average yields across the region.

Minimal crop damage was reported last week. The limited acreage still left to harvest experienced minor damage from freezing temperatures, strong winds and wildlife feeding.

Weekly Rainfall

from October 6 to October 12, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from October 6 to October 12, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	24	604	8	138	WEBB	10	357	14	366	KELVINGTON	2	454
1	4	COALFIELDS	28	647	8	139	GULL LAKE	N/A	296	14	367	PONASS LAKE	N/A	416
1	32	RECIPROCITY	12	519	8	168	RIVERSIDE	0	290	14	394	HUDSON BAY	4	353
1	34	BROWNING	N/A	418	8	228	LACADENA	N/A	311	14	395	PORCUPINE	5	494
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	N/A	261	14	397	BARRIER VALLEY	2	302
1	95	GOLDEN WEST	15	360	8	231	HAPPYLAND	N/A	285	14	428	STAR CITY	3	353
1	2A	MOUNT PLEASANT	24	455	8	259	SNIPER LAKE	N/A	288	14	456	ARBORFIELD	7	442
2	10	HAPPY VALLEY	18	332	8	138A	WEBB	0	214	14	457	CONNAUGHT	0	105
2	38	LAURIER	0	388	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	12	387
2	66	GRIFFIN	0	409	8	257A	MONET	0	276	14	487	NIPAWIN	15	459
2	67	WEYBURN	N/A	101	8	259A	SNIPER LAKE	N/A	141	14	488	TORCH RIVER	8	453
2	70	KEY WEST	N/A	12	9	241	CALDER	3	567	14	394A	HUDSON BAY	1	314
2	100	ELMSTHORPE	0	347	9	243	WALLACE	0	318	14	397A	BARRIER VALLEY	7	388
2	100A	ELMSTHORPE	5	383	9	245	GARRY	0	287	14	488A	TORCH RIVER	N/A	213
2	38A	LAURIER	14	349	9	273	SLIDING HILLS	2	446	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	N/A	327	9	274	GOOD LAKE	2	343	15	369	ST. PETER	0	370
3	74	WOOD RIVER	N/A	324	9	301	ST. PHILIPS	N/A	261	15	371	BAYNE	2	419
3	75	PINTO CREEK	10	300	9	305	INVERMAY	0	488	15	372	GRANT	2	383
3	76	AUVERGNE	10	336	9	331	LIVINGSTON	N/A	445	15	373	ABERDEEN	0	394
3	101	TERRELL	N/A	8	9	241A	CALDER	5	628	15	399	LAKE LENORE	5	363
3	102	LAKE JOHNSTON	8	304	9	245A	GARRY	3	305	15	400	THREE LAKES	5	549
3	106	WHISKA CREEK	5	299	10	246	ITUNA BON ACCORD	2	274	15	402	FISH CREEK	N/A	259
3	74A	KEY WEST	N/A	291	10	247	KELLROSS	0	291	15	429	FLETT'S SPRINGS	3	392
4	51	RENO	0	190	10	248	TOUCHWOOD	2	324	15	430	INVERGORDON	4	281
4	79	ARLINGTON	0	282	10	277	EMERALD	0	434	15	459	KINISTINO	0	442
4	110	PIAPOT	9	337	10	279	MOUNT HOPE	1	358	15	461	PRINCE ALBERT	N/A	287
4	77A	WISE CREEK	1	236	10	307	ELFROS	0	576	15	463	DUCK LAKE	8	435
4	78A	GRASSY CREEK	0	175	10	309	PRAIRIE ROSE	2	502	15	491	BUCKLAND	2	205
4	79A	ARLINGTON	0	328	10	336	SASMAN	3	414	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	21	563	10	339	LEROY	0	351	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	18	459	10	246A	ITUNA BON ACCORD	3	162	15	371A	BAYNE	0	310
5	151	ROCANVILLE	12	413	10	248A	TOUCHWOOD	1	474	15	371B	BAYNE	0	371
5	155	WOLSELEY	12	267	10	276A	FOAM LAKE	0	616	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	8	638	10	276B	FOAM LAKE	0	683	15	403A	ROSTERN	18	427
5	183	FERTILE BELT	9	450	10	276C	FOAM LAKE	5	462	15	403C	ROSTERN	4	406
5	211	CHURCHBRIDGE	3	437	10	276D	FOAM LAKE	3	461	15	461A	PRINCE ALBERT	4	354
5	213	SALT COATS	3	473	10	277A	EMERALD	N/A	447	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	0	328	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	211
5	125A	CHESTERFIELD	11	373	11	251	BIG ARM	N/A	232	16	435	REDBERRY	N/A	449
5	154A	ELCAPO	0	296	11	280	WREDFORD	N/A	83	16	436	DOUGLAS	0	257
5	183A	FERTILE BELT	10	542	11	283	ROSEDALE	0	385	16	437	NORTH BATTLEFORD	N/A	453
5	211A	CHURCHBRIDGE	3	463	11	284	RUDY	3	229	16	466	MEETING LAKE	5	502
6	127	FRANCIS	0	443	11	314	DUNDURN	3	363	16	467	ROUND HILL	N/A	460
6	128	LAJORD	0	205	11	344	CORMAN PARK	N/A	256	16	493	SHELLBROOK	12	270
6	130	REDBURN	8	401	11	282A	McCRANEY	N/A	278	16	494	CANWOOD	6	192
6	156	INDIAN HEAD	22	453	12	286	MILDEN	0	350	16	497	MEDSTEAD	N/A	437
6	160	PENSE	0	296	12	287	ST. ANDREWS	3	275	16	437A	NORTH BATTLEFORD	N/A	342
6	186	ABERNETHY	2	393	12	288	PLEASANT VALLEY	N/A	279	16	467A	ROUND HILL	N/A	476
6	190	DUFFERIN	0	350	12	316	HARRIS	N/A	242	17	468	MEOTA	0	280
6	216	TULLYMET	N/A	28	12	317	MARRIOTT	1	361	17	470	PAYNTON	0	79
6	217	LIPTON	3	488	12	345	VANSCOY	0	176	17	471	ELDON	4	337
6	219	LONGLAKETON	N/A	399	12	346	PERDUE	0	331	17	498	PARKDALE	2	428
6	221	SARNIA	5	483	12	347	BIGGAR	0	391	17	499	MERVIN	2	339
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	0	349	17	502	BRITANNIA	4	251
6	159A	SHERWOOD	2	287	12	377	GLENSIDE	3	342	17	561	LOON LAKE	12	234
6	159B	SHERWOOD	8	340	12	285A	FERTILE VALLEY	3	306	17	588	MEADOW LAKE	7	442
6	160A	PENSE	N/A	363	13	290	KINDERSLEY	N/A	277	17	622	BEAVER RIVER	N/A	345
6	190A	DUFFERIN	8	178	13	292	MILTON	0	485	17	498A	PARKDALE	5	350
6	190B	DUFFERIN	3	411	13	321	PRAIRIEDALE	0	358	17	501A	FRENCHMAN BUTTE	6	292
6	190C	DUFFERIN	3	491	13	350	MARIPOSA	0	325	17	501C	FRENCHMAN BUTTE	N/A	66
6	216A	TULLYMET	N/A	138	13	351	PROGRESS	N/A	335	17	561A	LOON LAKE	2	192
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	197					
6	219A	LONGLAKETON	9	481	13	382	EYE HILL	0	317					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	0	417					
6	220A	McKILLOP	N/A	332	13	440	HILLSDALE	1	307					
6	220B	McKILLOP	3	184	13	442	MANITOU LAKE	5	296					
7	132	HILLSBOROUGH	9	464	13	292A	MILTON	N/A	251					
7	136	COULEE	N/A	241	13	320A	OAKDALE	0	289					
7	161	MOOSE JAW	9	278	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	0	352	13	409A	BUFFALO	1	337					
7	165	MORSE	N/A	378										
7	193	EYEBROW	N/A	453										
7	223	HURON	N/A	387										
7	132A	HILLSBOROUGH	0	254										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	0	312										
7	222A	CRAIK	0	296										
7	223A	HURON	0	345										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to October 12, 2026



Cropland Topsoil Moisture Conditions


from October 6 to October 12, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from October 6 to October 12, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from October 6 to October 12, 2026




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from October 6 to October 12, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Projection: UTM Zone 13 Datum: NAD83



Data Sources: - Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada. - Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada - IDW interpolation (power 3.5, fixed radius 300 km)	
Geomatics Services, Ministry of Agriculture	October 14, 2026

Minimum Temperature

from October 6 to October 12, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.