

Crop Report

For the Period October 13 to October 19, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 25 October 22, 2026

Favourable weather allowed producers to make good harvest progress. Provincially, harvest is 97 per cent complete, with only a small number of acres of later-seeded crops remaining in the field.

Harvest is 99 per cent complete in the southwest and west-central regions; the northern regions are 97 per cent complete. The east-central and southeast regions are 96 per cent and 95 per cent complete.

Precipitation was limited across most of Saskatchewan during the reporting period, ranging from trace amounts in many areas to 12 millimeters (mm) in the Foam Lake area and 9 mm in the Arborfield area. With the growing season ending, the precipitation resulted in little change to provincial topsoil moisture conditions.

Cropland topsoil moisture is:

- 4 per cent surplus;
- 84 per cent adequate;
- 11 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 3 per cent surplus;
- 82 per cent adequate;
- 14 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 1 per cent surplus;
- 74 per cent adequate;
- 22 per cent short; and
- 3 per cent very short.

Harvest entered the final stretch, with only a small number acres left to be combined. Producers continue to take advantage of available harvest opportunities to bring in the remaining crops and wrap up harvest activities for the season.

One year ago

Harvest was virtually complete across Saskatchewan, with only a few acres of later-seeded crops remaining in the field. Producers experienced occasional harvest delays due to rainfall, frost and humid conditions. Provincially, 99 per cent of crops had been harvested and fall field work and winter preparations were underway.

Follow the 2026 Crop Report on X
@SKAgriculture

Provincial Harvest Progress

**Per cent Harvested for All Crops
for the Period up to October 19, 2026**

Region	Harvest Completed
Southeast	95%
Southwest	99%
East-central	96%
West-central	99%
Northeast	97%
Northwest	97%
Provincial	97%

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period October 13 to October 19, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 25 October 22, 2026

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 96 per cent;
 - Soybeans: 74 per cent; and
 - Flax: 88 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 99 per cent;
 - Durum: 99 per cent;
 - Oats: 98 per cent;
 - Spring wheat: 99 per cent; and
 - Canary seed: 92 per cent.
- Pulses harvested:
 - Lentils: 99 per cent;
 - Field peas: 99 per cent; and
 - Chickpeas: 100 per cent.

Strong winds and frost were the primary causes of crop damage.

Livestock producers report generally adequate winter feed supplies across the province. Increased precipitation during the growing season supported forage production and contributed to the availability of feed supplies heading into the winter months.

Current winter feed supplies are rated as:

- Hay: 20 per cent surplus, 79 per cent adequate and 1 per cent short.
- Greenfeed: 15 per cent surplus, 84 per cent adequate and 1 per cent short.
- Silage: 11 per cent surplus and 89 per cent adequate.
- Straw: 20 per cent surplus, 79 per cent adequate and 1 per cent short.
- Feed grain: 23 per cent surplus and 77 per cent adequate.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



**Agriculture and
Agri-Food Canada**

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period October 13 to October 19, 2026

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 25 October 22, 2026

As harvest winds down, producers are shifting their attention to fall field work and winter preparations. Activities include herbicide and fertilizer applications, harrowing fields and servicing equipment. Livestock producers are busy hauling bales, moving cattle home for the winter and marketing livestock.

With fall field work continuing, producers are reminded to keep safety top of mind. Motorists are also reminded to use extra caution and watch for slow-moving farm machinery on roads and highways as producers continue moving equipment between fields and farmyards.

Harvest is a very busy and stressful time. We would like to remind producers that the Farm Stress Line is available to provide support toll free at 1-800-667-4442.

The Crop Report will not be published for the October 20 to 26, 2026 reporting period. The final Crop Report of 2026 will be issued on November 5, 2026.

For further information, contact Davidson Ugheoke, MSc, AAg,
Crops Extension Specialist, Extension Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3721, Email: cropreport@gov.sk.ca.
Also available on saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Harvest Progress

from April 1 to October 19, 2026

Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Harvest Progress - October 19, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	0%	7%	0%
In Swath	0%	0%	0%	0%	1%	1%	1%	1%
Ready To Straight Combine	0%	0%	1%	1%	1%	0%	4%	3%
Combined	96%	85%	99%	99%	94%	97%	88%	96%
Harvested As Feed	4%	15%	0%	0%	4%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	8%	0%	0%	1%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	18%	0%	0%	8%	0%	
Combined	57%	100%	74%	99%	99%	91%	100%	
Harvested As Feed	43%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	1%	1%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	0%	11%	2%
In Swath	0%	0%	0%	0%	0%	0%	1%	0%
Ready To Straight Combine	0%	0%	5%	2%	1%	0%	4%	3%
Combined	100%	92%	94%	96%	95%	94%	84%	95%
Harvested As Feed	0%	8%	1%	1%	2%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	1%	2%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	17%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	21%	0%	0%	14%	0%	
Combined	52%	99%	62%	97%	97%	86%	100%	
Harvested As Feed	48%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	1%	0%	3%	3%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	0%	6%	0%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	1%	1%	0%	0%	1%	1%
Combined	89%	82%	99%	99%	77%	94%	93%	99%
Harvested As Feed	11%	18%	0%	0%	23%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	2%	0%	0%	0%	0%	
Combined	46%	100%	98%	100%	100%	100%	100%	
Harvested As Feed	54%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - October 19, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	1%	0%	0%	0%
In Swath	0%	0%	0%	0%	2%	1%	0%	1%
Ready To Straight Combine	0%	0%	1%	0%	2%	1%	3%	4%
Combined	93%	99%	99%	100%	92%	97%	97%	95%
Harvested As Feed	7%	1%	0%	0%	3%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	2%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	1%	31%	0%	0%	0%	0%	
Combined	100%	97%	30%	100%	100%	94%	100%	
Harvested As Feed	0%	0%	0%	0%	0%	6%	0%	
Other (Damage/Challenges)	0%	0%	39%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	0%	0%	0%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	1%	0%	1%	0%	0%	0%
Combined	100%	96%	99%	100%	85%	99%	100%	100%
Harvested As Feed	0%	4%	0%	0%	14%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	1%	0%	
Ready To Straight Combine	0%	0%	0%	0%	0%	0%	0%	
Combined	75%	100%	100%	100%	100%	99%	100%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	1%	0%	11%	1%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	0%	0%	1%	0%	1%	0%	5%	3%
Combined	100%	100%	99%	100%	92%	96%	84%	96%
Harvested As Feed	0%	0%	0%	0%	6%	4%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	13%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	93%	0%	0%	0%	0%	
Combined	67%	100%	7%	100%	100%	87%	100%	
Harvested As Feed	33%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress - October 19, 2026

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	0%	0%	0%	0%	0%
In Swath	0%	0%	0%	0%	0%	2%	1%	2%
Ready To Straight Combine	0%	0%	0%	0%	1%	0%	22%	1%
Combined	100%	100%	100%	100%	91%	98%	77%	97%
Harvested As Feed	0%	0%	0%	0%	8%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	0%	0%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	16%	0%	0%	0%	
Combined	0%	100%	100%	84%	100%	100%	100%	
Harvested As Feed	100%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

Saskatchewan Harvest Progress	
Up to October 19, 2026	
Provincial % Combined	
Winter Wheat**	100%
Fall Rye**	100%
Spring Wheat	99%
Durum	99%
Oats**	98%
Barley**	99%
Flax	88%
Canola	96%
Triticale**	100%
Mustard	100%
Soybean	74%
Lentil	99%
Field Pea	99%
Canaryseed	92%
Chickpea	100%
**includes per cent harvested as feed	

Winter Feed Supplies-As of October 19, 2026

Winter Feed Supplies-Hay			
Region	Surplus	Adequate	Shortage
South East	14%	84%	2%
South West	23%	77%	0%
East Central	17%	80%	3%
West Central	18%	82%	0%
North East	27%	73%	0%
North West	21%	78%	2%
Provincial Average	20%	79%	1%


Winter Feed Supplies-Straw			
Region	Surplus	Adequate	Shortage
South East	19%	80%	1%
South West	15%	85%	0%
East Central	19%	76%	5%
West Central	10%	90%	0%
North East	26%	73%	1%
North West	31%	69%	0%
Provincial Average	20%	79%	1%

Winter Feed Supplies-Greenfeed			
Region	Surplus	Adequate	Shortage
South East	15%	85%	0%
South West	13%	86%	1%
East Central	17%	78%	5%
West Central	9%	91%	0%
North East	16%	84%	0%
North West	19%	81%	0%
Provincial Average	15%	84%	1%

Winter Feed Supplies-Feed Grain			
Region	Surplus	Adequate	Shortage
South East	18%	82%	0%
South West	6%	93%	1%
East Central	30%	69%	1%
West Central	10%	90%	0%
North East	36%	64%	0%
North West	34%	66%	0%
Provincial Average	23%	77%	0%

Winter Feed Supplies-Silage			
Region	Surplus	Adequate	Shortage
South East	12%	88%	0%
South West	5%	95%	0%
East Central	3%	96%	1%
West Central	9%	91%	0%
North East	21%	79%	0%
North West	14%	86%	0%
Provincial Average	11%	89%	0%

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Favourable conditions during the reporting period allowed harvest to progress toward completion across the southeast region. Regionally, 95 per cent of crops have been harvested, with only small acres of later-seeded crops remaining in the field. As harvest wraps up, producers are focusing on fall field work, equipment maintenance and preparations for the winter season.

Minimal precipitation was received during the reporting period, with most areas reporting trace amounts. The Langenburg and Lipton areas received 8 millimetres (mm) and 6 mm, respectively. Consequently, regional topsoil moisture conditions showed little change as producers approach the end of the growing season.

Southeast Saskatchewan	
Census Division	% Harvested (October 19, 2026)
1	86%
2	98%
5	95%
6	99%
Region average	95%

Cropland topsoil moisture is:

- 9 per cent surplus;
- 90 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 6 per cent surplus;
- 91 per cent adequate; and
- 3 per cent short.

Pasture topsoil moisture is:

- 2 per cent surplus;
- 94 per cent adequate; and
- 4 per cent short.

Harvest operations have entered the final stretch across the south-east region, with only small acres remaining in the field. Producers continue to take advantage of available harvest opportunities to bring in the remaining crops and wrap up harvest for the season.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 99 per cent;
 - Canola: 95 per cent;

- Soybeans: 62 per cent; and
- Flax: 84 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 97 per cent;
 - Oats: 97 per cent;
 - Spring wheat: 95 per cent; and
 - Canary seed: 86 per cent.
- Pulses harvested:
 - Lentils: 97 per cent;
 - Field peas: 97 per cent; and
 - Chickpeas: 100 per cent.

Livestock producers are reporting generally adequate winter feed supplies across the southeast region. Increased precipitation during the growing season supported forage production and helped replenish feed supplies as producers prepared for the winter months.

Current winter feed supplies are rated as follows:

- Hay: 14 per cent surplus, 84 per cent adequate and 2 per cent short.
- Greenfeed: 15 per cent surplus and 85 per cent adequate.
- Silage: 12 per cent surplus and 88 per cent adequate.
- Straw: 19 per cent surplus, 80 per cent adequate and 1 per cent short.
- Feed grain: 18 per cent surplus and 82 per cent adequate.

Wind and frost were the main causes of crop damage during the reporting period, with overall damage rated as minor.

With harvest nearing completion across the province, producers are turning their attention to fall field work and winter preparations. Fall activities include applying herbicides and fertilizer, harrowing fields and servicing equipment. Livestock producers continue hauling bales, bringing cattle home for the winter and marketing livestock.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Favourable weather conditions prevailed across the southwest region during the reporting period, supporting continued progress. Regionally, 99 per cent of crops have now been harvested, with only limited acres of later-seeded crops remaining in the field.

Dry weather continued across much of the southwest region during the reporting period, with no rainfall reported in most areas. These conditions provided little opportunity for moisture reserves to improve, leaving topsoil moisture levels slightly declining as the growing season comes to a close.

Southwest Saskatchewan	
Census Division	% Harvested (October 19, 2026)
3	98%
4	100%
7	98%
8	100%
Region average	99%

Cropland topsoil moisture is:

- 1 per cent surplus;
- 75 per cent adequate;
- 22 per cent short; and
- 2 per cent very short.

Hayland topsoil moisture is:

- 70 per cent adequate;
- 26 per cent short; and
- 4 per cent very short.

Pasture topsoil moisture is:

- 60 per cent adequate;
- 34 per cent short; and
- 6 per cent very short.

Harvest is nearing completion across the south-west region, with only small acreages of crops remaining in the field. Producers continue to capitalize on available harvest opportunities to bring in the remaining crops and complete harvest operations for the season.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 99 per cent;

- Soybeans: 98 per cent; and
- Flax: 93 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 100 per cent;
 - Oats: 100 per cent;
 - Spring wheat: 99 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Winter feed supplies are generally reported as adequate across the southwest region. Increased precipitation throughout the growing season supported forage growth and contributed to improved feed availability heading into winter.

Current winter feed supplies are rated as follows:

- Hay: 23 per cent surplus and 77 per cent adequate.
- Greenfeed: 13 per cent surplus, 86 per cent adequate and 1 per cent short.
- Silage: 5 per cent surplus and 95 per cent adequate.
- Straw: 15 per cent surplus and 85 per cent adequate.
- Feed grain: 6 per cent surplus, 93 per cent adequate and 1 per cent short.

The primary causes of crop damage during the reporting period were wind and frost, with damage generally rated as minor.

As harvest nears completion across the province, producers are turning their attention to fall field work and preparations for winter. Activities include applying herbicides and fertilizer, harrowing fields and servicing equipment. Livestock producers are also busy hauling bales, bringing cattle home for the winter and marketing livestock.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Favourable conditions continued across much of the region, helping producers bring harvest closer to completion. Regionally, 96 per cent of crops have been harvested, with only small acres of later-seeded crops remaining.

This region reported some rainfall, with the Foam Lake area recording 12 millimetres (mm) and the Calder areas recording 7 mm. The precipitation helped maintain regional topsoil moisture at favorable levels as the growing season nears its end.

East-Central Saskatchewan	
Census Division	% Harvested (October 19, 2026)
9	92%
10	97%
11	99%
Region average	96%

Cropland topsoil moisture is:

- 9 per cent surplus;
- 80 per cent adequate;
- 10 per cent short; and
- 1 per cent very short.

Hayland topsoil moisture is:

- 9 per cent surplus;
- 79 per cent adequate;
- 11 per cent short; and
- 1 per cent very short.

Pasture topsoil moisture is:

- 9 per cent surplus;
- 77 per cent adequate;
- 13 per cent short; and
- 1 per cent very short.

Harvest operations are approaching completion across the east-central region, with only a limited amount of acreage left to be harvested. Where conditions allow, producers continue to make progress on the remaining crops as they work to conclude harvest activities for the season.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.

- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 99 per cent;
 - Soybeans: 98 per cent; and
 - Flax: 93 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 99 per cent;
 - Oats: 100 per cent;
 - Spring wheat: 99 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Livestock producers across the east-central region are generally reporting adequate winter feed supplies. Improved moisture conditions during the growing season supported forage production, helping producers secure feed supplies for winter.

Current winter feed supplies are rated as follows:

- Hay: 17 per cent surplus, 80 per cent adequate and 3 per cent short.
- Greenfeed: 13 per cent surplus, 86 per cent adequate and 1 per cent short.
- Silage: 3 per cent surplus, 96 per cent adequate and 1 per cent short.
- Straw: 19 per cent surplus, 76 per cent adequate and 5 per cent short.
- Feed grain: 30 per cent surplus, 69 per cent adequate and 1 per cent short.

Crop damage during the reporting period was mainly attributed to wind and frost, with severity reported as minor.

With harvest nearing completion across the province, producers are turning their attention to fall field work and winter preparations. Fall activities include applying herbicides and fertilizer, harrowing fields and servicing equipment. Livestock producers continue hauling bales, bringing cattle home for the winter and marketing livestock.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Favourable weather allowed producers to make steady progress across the west-central region during the reporting period. Regionally, 99 per cent of crops have now been harvested, leaving only small pockets of later-seeded crops in the field.

West-Central Saskatchewan	
Census Division	% Harvested (October 19, 2026)
12	99%
13	100%
Region average	99%

The west-central region experiences predominantly dry conditions during the reporting period, with some areas receiving scattered amounts or no rainfall. With little precipitation to replenish moisture reserves, topsoil moisture conditions experienced minimal change as the growing season draws to a close.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 76 per cent adequate; and
- 23 per cent short.

Hayland topsoil moisture is:

- 76 per cent adequate; and
- 24 per cent short.

Pasture topsoil moisture is:

- 75 per cent adequate; and
- 25 per cent short.

The harvest season is coming to a close across the west central region, with only small acres remaining in the field. Producers continue to take advantage of suitable conditions to bring in the crop before shifting their attention to fall field work and preparations for winter.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 100 per cent;
 - Soybeans: 100 per cent; and
 - Flax: 100 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 100 per cent;

- Oats: 99 per cent;
- Spring wheat: 99 per cent; and
- Canary seed: 99 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Across the west-central region, livestock producers are reporting generally adequate feed supplies for the upcoming winter. Increased precipitation during the growing season benefited forage production and contributed to stronger feed availability as winter approaches.

Current winter feed supplies are rated as follows:

- Hay: 18 per cent surplus and 82 per cent adequate.
- Greenfeed: 9 per cent surplus and 91 per cent adequate.
- Silage: 9 per cent surplus and 91 per cent adequate.
- Straw: 10 per cent surplus and 90 per cent adequate.
- Feed grain: 10 per cent surplus and 90 per cent adequate.

Wind and frost accounted for most crop damage during the reporting period, although damage was rated as minor overall.

With most harvest operations wrapping up across the province, attention has shifted to completing fall field work and preparing for winter. Producers are applying herbicides and fertilizer, harrowing fields and servicing equipment. Livestock producers are also hauling bales, moving cattle to wintering areas and marketing livestock.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Generally favourable weather conditions supported strong harvest progress across the north-east region during the reporting period. With 97 per cent of crops now harvested, the season is nearing completion as only small acres of later-seeded crops remain in the field.

Scattered precipitation was recorded across the northeastern region during the reporting period.

Arborfield received 9 millimetres (mm), while the Kelvington, Star City and Moose Range areas each reported 8 mm. Consequently, topsoil moisture conditions remained relatively unchanged as the growing season approached its conclusion.

Northeast Saskatchewan	
Census Division	% Harvested (October 19, 2026)
14	96%
15	98%
Region average	97%

Cropland topsoil moisture is:

- 7 per cent surplus;
- 92 per cent adequate; and
- 1 per cent short.

Hayland topsoil moisture is:

- 1 per cent surplus;
- 97 per cent adequate; and
- 2 per cent short.

Pasture topsoil moisture is:

- 97 per cent adequate; and
- 3 per cent short.

Harvest has reached its final stages across the region, with only limited acres remaining to be harvested. Producers are taking advantage of available opportunities to complete the remaining harvest and wrap up seasonal field operations.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 96 per cent;
 - Soybeans: 7 per cent; and
 - Flax: 84 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 100 per cent;
 - Oats: 98 per cent;
 - Spring wheat: 99 per cent; and
 - Canary seed: 87 per cent.
- Pulses harvested:
 - Lentils: 100 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Livestock producers throughout the northeast region are reporting generally adequate winter feed supplies. Precipitation received during the growing season supported forage production and contributed positively to the availability of feed heading into winter.

Current winter feed supplies are rated as follows:

- Hay: 27 per cent surplus and 73 per cent adequate.
- Greenfeed: 16 per cent surplus and 84 per cent adequate.
- Silage: 21 per cent surplus and 79 per cent adequate.
- Straw: 26 per cent surplus, 73 per cent adequate and 1 per cent short.
- Feed grain: 36 per cent surplus and 64 per cent adequate.

Minor crop damage was reported during the reporting period, primarily due to wind and frost.

Harvest activities are drawing to a close across the region, allowing producers to focus on remaining fall field work and preparations for the winter months. Activities include fall herbicide applications, fertilizer applications, harrowing and servicing equipment. Livestock producers remain busy hauling and organizing bales, moving cattle home for the winter and marketing livestock.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Favourable conditions throughout much of the reporting period supported continued harvest progress across the northwest region. Regionally, harvest is now 97 per cent complete, with only limited acres of later-seeded crops still standing.

Northwest Saskatchewan	
Census Division	% Harvested (October 19, 2026)
16	96%
17	98%
Region average	97%

Across most of the northwest region, little to no precipitation was reported during the reporting period. The Parkdale area received 4 millimetres (mm), while the North Battleford area received 3 mm. The limited precipitation resulted in minimal changes to topsoil moisture conditions as the growing season comes to a close.

Cropland topsoil moisture is:

- 1 per cent surplus;
- 87 per cent adequate; and
- 12 per cent short.

Hayland topsoil moisture is:

- 80 per cent adequate; and
- 20 per cent short.

Pasture topsoil moisture is:

- 80 per cent adequate; and
- 20 per cent short.

Harvest operations are nearing completion across the northwest region, with only small acreages of crops remaining in the field. Producers continue to make use of favourable harvest windows to bring in the remaining crops and conclude harvest activities for the growing season.

- Winter cereals harvested:
 - Fall rye: 100 per cent; and
 - Winter wheat: 100 per cent.
- Oilseeds harvested:
 - Mustard: 100 per cent;
 - Canola: 97 per cent;
 - Soybeans: 100 per cent; and
 - Flax: 77 per cent.
- Spring cereals harvested:
 - Triticale: 100 per cent;
 - Barley: 100 per cent;
 - Durum: 100 per cent;
 - Oats: 99 per cent;
 - Spring wheat: 100 per cent; and
 - Canary seed: 100 per cent.
- Pulses harvested:
 - Lentils: 84 per cent;
 - Field peas: 100 per cent; and
 - Chickpeas: 100 per cent.

Winter feed supplies are generally adequate across the northwest region, supported by increased precipitation and improved forage production during the growing season. These conditions supported adequate feed availability heading into the winter months.

Current winter feed supplies are rated as follows:


- Hay: 21 per cent surplus, 77 per cent adequate and 2 per cent short.
- Greenfeed: 19 per cent surplus and 81 per cent adequate.
- Silage: 14 per cent surplus and 86 per cent adequate.
- Straw: 31 per cent surplus and 69 per cent adequate.
- Feed grain: 34 per cent surplus and 66 per cent adequate.

Producers reported minor crop damage during the reporting period, largely caused by wind and frost.

As harvest nears completion across the province, producers continue to transition toward fall field work and winter preparations. Activities include herbicide and fertilizer application, harrowing fields, and completing equipment maintenance. Livestock producers are also focused on hauling bales, moving cattle home for the winter and marketing livestock.

Weekly Rainfall

from October 13 to October 19, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from October 13 to October 19, 2026

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	3	ENNISKILLEN	0	604	8	138	WEBB	0	357	14	366	KELVINGTON	8	462
1	4	COALFIELDS	0	647	8	139	GULL LAKE	0	304	14	367	PONASS LAKE	N/A	416
1	32	RECIPROCITY	0	519	8	168	RIVERSIDE	0	290	14	394	HUDSON BAY	5	358
1	34	BROWNING	N/A	418	8	228	LACADENA	0	321	14	395	PORCUPINE	N/A	494
1	94	HAZELWOOD	N/A	0	8	229	MIRY CREEK	0	261	14	397	BARRIER VALLEY	N/A	302
1	95	GOLDEN WEST	N/A	360	8	231	HAPPYLAND	0	287	14	428	STAR CITY	8	361
1	2A	MOUNT PLEASANT	0	455	8	259	SNIPER LAKE	N/A	288	14	456	ARBORFIELD	9	451
2	10	HAPPY VALLEY	0	332	8	138A	WEBB	0	214	14	457	CONNAUGHT	0	105
2	38	LAURIER	0	388	8	228A	LACADENA	N/A	64	14	486	MOOSE RANGE	8	395
2	66	GRIFFIN	0	409	8	257A	MONET	0	276	14	487	NIPAWIN	0	459
2	67	WEYBURN	N/A	101	8	259A	SNIPER LAKE	N/A	141	14	488	TORCH RIVER	0	453
2	70	KEY WEST	N/A	12	9	241	CALDER	N/A	567	14	394A	HUDSON BAY	6	319
2	100	ELMSTHORPE	0	347	9	243	WALLACE	0	318	14	397A	BARRIER VALLEY	N/A	388
2	100A	ELMSTHORPE	2	385	9	245	GARRY	4	291	14	488A	TORCH RIVER	0	213
2	38A	LAURIER	N/A	349	9	273	SLIDING HILLS	3	449	14	488B	TORCH RIVER	N/A	5
3	73	STONEHENGE	0	327	9	274	GOOD LAKE	0	343	15	369	ST. PETER	7	377
3	74	WOOD RIVER	N/A	324	9	301	ST. PHILIPS	N/A	261	15	371	BAYNE	2	421
3	75	PINTO CREEK	0	300	9	305	INVERMAY	5	493	15	372	GRANT	0	383
3	76	AUVERGNE	0	336	9	331	LIVINGSTON	4	449	15	373	ABERDEEN	0	394
3	101	TERRELL	N/A	8	9	241A	CALDER	7	635	15	399	LAKE LENORE	N/A	363
3	102	LAKE JOHNSTON	N/A	304	9	245A	GARRY	N/A	305	15	400	THREE LAKES	0	549
3	106	WHISKA CREEK	0	299	10	246	ITUNA BON ACCORD	0	274	15	402	FISH CREEK	N/A	259
3	74A	KEY WEST	0	291	10	247	KELLROSS	0	291	15	429	FLETT'S SPRINGS	4	396
4	51	RENO	0	190	10	248	TOUCHWOOD	2	326	15	430	INVERGORDON	4	285
4	79	ARLINGTON	0	282	10	277	EMERALD	4	438	15	459	KINISTINO	N/A	442
4	110	PIAPOT	0	337	10	279	MOUNT HOPE	1	358	15	461	PRINCE ALBERT	N/A	287
4	77A	WISE CREEK	0	236	10	307	ELFROS	4	580	15	463	DUCK LAKE	N/A	435
4	78A	GRASSY CREEK	N/A	175	10	309	PRAIRIE ROSE	0	502	15	491	BUCKLAND	0	205
4	79A	ARLINGTON	0	328	10	336	SASMAN	5	419	15	520	PADDOCKWOOD	N/A	70
5	122	MARTIN	0	563	10	339	LEROY	2	353	15	521	LAKELAND	N/A	70
5	124	KINGSLEY	1	460	10	246A	ITUNA BON ACCORD	0	162	15	371A	BAYNE	0	310
5	151	ROCANVILLE	0	413	10	248A	TOUCHWOOD	5	479	15	371B	BAYNE	0	371
5	155	WOLSELEY	N/A	267	10	276A	FOAM LAKE	0	616	15	399A	LAKE LENORE	N/A	16
5	181	LANGENBURG	8	646	10	276B	FOAM LAKE	12	695	15	403A	ROSTERN	4	431
5	183	FERTILE BELT	N/A	450	10	276C	FOAM LAKE	10	472	15	403C	ROSTERN	0	406
5	211	CHURCHBRIDGE	0	437	10	276D	FOAM LAKE	10	471	15	461A	PRINCE ALBERT	2	356
5	213	SALT COATS	N/A	473	10	277A	EMERALD	4	451	15	461B	PRINCE ALBERT	N/A	2
5	215	STANLEY	N/A	328	10	279A	MOUNT HOPE	N/A	158	16	434	BLAINE LAKE	N/A	211
5	125A	CHESTERFIELD	3	376	11	251	BIG ARM	N/A	232	16	435	REDBERRY	0	452
5	154A	ELCAPO	0	296	11	280	WREDFORD	N/A	83	16	436	DOUGLAS	0	257
5	183A	FERTILE BELT	2	544	11	283	ROSEDALE	0	385	16	437	NORTH BATTLEFORD	3	456
5	211A	CHURCHBRIDGE	0	463	11	284	RUDY	0	229	16	466	MEETING LAKE	1	503
6	127	FRANCIS	0	443	11	314	DUNDURN	0	363	16	467	ROUND HILL	1	461
6	128	LAJORD	0	205	11	344	CORMAN PARK	N/A	256	16	493	SHELLBROOK	0	270
6	130	REDBURN	N/A	401	11	282A	McCRANEY	N/A	278	16	494	CANWOOD	N/A	192
6	156	INDIAN HEAD	0	453	12	286	MILDEN	0	350	16	497	MEDSTEAD	N/A	440
6	160	PENSE	0	296	12	287	ST. ANDREWS	N/A	275	16	437A	NORTH BATTLEFORD	N/A	342
6	186	ABERNETHY	1	393	12	288	PLEASANT VALLEY	N/A	279	16	467A	ROUND HILL	0	478
6	190	DUFFERIN	N/A	350	12	316	HARRIS	0	242	17	468	MEOTA	0	280
6	216	TULLYMET	N/A	28	12	317	MARRIOTT	0	361	17	470	PAYNTON	0	79
6	217	LIPTON	6	494	12	345	VANSCOY	0	176	17	471	ELDON	2	339
6	219	LONGLAKETON	0	399	12	346	PERDUE	0	331	17	498	PARKDALE	1	429
6	221	SARNIA	1	483	12	347	BIGGAR	0	391	17	499	MERVIN	0	339
6	127B	FRANCIS	N/A	116	12	376	EAGLE CREEK	0	349	17	502	BRITANNIA	1	252
6	159A	SHERWOOD	0	287	12	377	GLENSIDE	0	395	17	561	LOON LAKE	0	234
6	159B	SHERWOOD	0	340	12	285A	FERTILE VALLEY	0	306	17	588	MEADOW LAKE	2	444
6	160A	PENSE	N/A	367	13	290	KINDERSLEY	0	277	17	622	BEAVER RIVER	0	361
6	190A	DUFFERIN	1	179	13	292	MILTON	0	485	17	498A	PARKDALE	4	354
6	190B	DUFFERIN	N/A	411	13	321	PRAIRIEDALE	N/A	358	17	501A	FRENCHMAN BUTTE	1	293
6	190C	DUFFERIN	0	491	13	350	MARIPOSA	0	325	17	501C	FRENCHMAN BUTTE	N/A	66
6	216A	TULLYMET	N/A	138	13	351	PROGRESS	0	335	17	561A	LOON LAKE	0	192
6	217A	LIPTON	N/A	2	13	379	REFORD	N/A	197					
6	219A	LONGLAKETON	0	481	13	382	EYE HILL	0	317					
6	219B	LONGLAKETON	N/A	60	13	409	BUFFALO	4	421					
6	220A	McKILLOP	0	332	13	440	HILLSDALE	0	307					
6	220B	McKILLOP	0	184	13	442	MANITOU LAKE	N/A	296					
7	132	HILLSBOROUGH	0	464	13	292A	MILTON	0	251					
7	136	COULEE	0	241	13	320A	OAKDALE	0	289					
7	161	MOOSE JAW	0	278	13	321A	PRAIRIEDALE	N/A	35					
7	162	CARON	0	352	13	409A	BUFFALO	0	337					
7	165	MORSE	0	385										
7	193	EYEBROW	N/A	453										
7	223	HURON	N/A	387										
7	132A	HILLSBOROUGH	0	254										
7	136A	COULEE	N/A	0										
7	161A	MOOSE JAW	N/A	38										
7	162A	CARON	0	312										
7	222A	CRAIK	0	296										
7	223A	HURON	0	345										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


Cumulative Rainfall

from April 1 to October 19, 2026



Cropland Topsoil Moisture Conditions


from October 13 to October 19, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay Topsoil Moisture Conditions


from October 13 to October 19, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Pasture Topsoil Moisture Conditions


from October 13 to October 19, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


Maximum Temperature

from October 13 to October 19, 2026



Minimum Temperature

from October 13 to October 19, 2026



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.