

# Crop Report

For the Period August 17 to August 23, 2021

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 17, August 26, 2021

Rainy, cool weather throughout the province delayed combining progress this week. Harvest progressed to 29 per cent complete, up from 20 per cent last week and well over the five-year average of 12 per cent. An additional 21 per cent of the crop is now swathed or ready to straight-cut, ahead of the five-year average of 16 per cent. Producers would have rather had rain during critical stages of the growing season, but were happy to receive significant amounts of it this week.

Ninety-three per cent of the winter wheat, 78 per cent of the fall rye, 76 per cent of the lentils, 81 per cent of the field peas, 42 per cent of the barley, 31 per cent of the durum, 23 per cent of the oats, 25 per cent of the spring wheat and six per cent of the canola has been combined. An additional 30 per cent of canola has been swathed or is ready to straight-cut.

Harvest progress is most advanced in the southern regions. Producers in the southwest region have 43 per cent combined, the southeast region 30 per cent, the west-central 27 per cent, the east-central 22 per cent, the northeast 25 per cent and the northwest 15 per cent.

Harvest Progress in SK Per cent Combined All Crops	
5-year avg. (2016-2020)	12
Aug 24/20	15
Aug 26/19	6
Aug 20/18	16
Aug 21/17	14
Aug 22/16	9
10-year avg. (2011-2020)	10

Several large weather systems moved through the province last week, resulting in significant amounts of precipitation along with hail in some areas. The Grenfell area received the most rainfall with 97 mm, the Moose Jaw area 77 mm, the Vanguard area 60 mm, the Jedburgh area 55 mm, the Harris area 50 mm and the Nether Hill area 46 mm. The rain will result in downgrading of crops still in the field; however, it will benefit pastures and hopefully allow them to regrow for next year.

## One year ago

Fifteen per cent of the 2020 crop had been combined and 16 per cent was swathed or ready to straight-cut. Harvest is making good progress despite scattered rain showers across the province. Areas west of Turtleford received 83 mm

Follow the 2021 Crop Report on  
Twitter @SKAgriculture

Saskatchewan Harvest August 23, 2021 Per cent combined	
Winter wheat	93
Fall rye*	91
Spring wheat	25
Durum	31
Oats**	31
Barley***	42
Canaryseed	17
Flax	1
Canola	6
Mustard	38
Soybeans	30
Lentils	76
Peas	81
Chickpeas	21
*includes 18 per cent 'other'	
**includes 11 per cent 'other'	
***includes seven per cent 'other'	

For further information, contact Matthew Struthers, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3714, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

**Saskatchewan**

The cool weather and large amounts of rainfall across much of the province has helped with the hot and dry conditions, however, much more rain is needed to break out of the current drought. Cropland topsoil moisture is rated as one per cent surplus, 32 per cent adequate, 37 per cent short and 30 per cent very short. Hay and pasture land topsoil moisture is rated as 23 per cent adequate, 34 per cent short and 42 per cent very short. Provincially, pasture conditions are rated as one per cent good, 15 per cent fair, 46 per cent poor and 38 per cent very poor.

The majority of crop damage this week was due to wind, heavy rainfall and hail. Even with the rainfall, crop and pasture land is under extreme stress from the drought. Around the Hodgeville area, a tornado touched down and resulted in considerable damage to one farm yard, damaging equipment, buildings and grain bins.

Producers are busy getting equipment and bins ready for harvest and waiting for crops to dry enough to combine.

Saskatchewan Harvest by Crop District October 23, 2021					
Crop District	Per cent combined	Crop District	Per cent combined	Crop District	Per cent combined
1A	87	4A	97	7A	95
1B	65	4B	95	7B	95
2A	83	5A	47	8A	93
2B	80	5B	74	8B	92
3ASE	68	6A	75	9AE	98
3ASW	71	6B	88	9AW	91
3AN	87			9B	87
3BS	90				
3BN	91				

With harvest underway in Saskatchewan, we want to remind producers to exercise caution while working out in the field. Be aware, take breaks and remain safe.

In response to the drought, the province announced an AgriRecovery response to provide a per head payment to help maintain female breeding livestock. Details and information on how to apply are being finalized and will be shared as soon as possible. Note that producers don't have to be enrolled in any existing programs to qualify for funding. As details are finalized, producers can check [Saskatchewan Crop Insurance Corporation \(SCIC\)](#) for updates, or contact their local office or call toll-free at 1-888-935-0000.

Producers are also reminded that in response to the feed shortage this year, SCIC doubled the Low Yield Appraisal threshold values for customers who salvage their cereal or pulse crops as feed, without negatively impacting future individual coverage. Customers are asked to contact their local SCIC office before they graze, bale or silage any damaged crops to discuss their options.

Additionally, the Government of Saskatchewan made changes to temporarily increase the maximum funding a livestock producer can receive from the Farm and Ranch Water Infrastructure Program (FRWIP) for dugouts, wells and pipelines for agricultural use. Producers can contact the Ministry of Agriculture's Agriculture Knowledge Centre at 1-866-457-2377 for information.

The federal and provincial governments have also increased the 2021 AgriStability interim benefit payment percentage from 50 per cent to 75 per cent for Saskatchewan producers. The interim benefit provides the opportunity for producers enrolled in AgriStability to access a portion of their benefit early, to help support losses and cover costs. To apply for an interim benefit, producers can contact their local SCIC office, call the AgriStability Call Centre toll-free at 1-886-270-8450, or by email [agristability@scic.ca](mailto:agristability@scic.ca).

The Farm Stress Line is available for support 24-hours-a-day, seven-days-a-week, toll-free at 1-800-667-4442. Calls are answered by Mobile Crisis Services Regina, a non-profit, community-based agency and there is no call display.

#### **Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Cool, rainy weather across much of the southeast hindered harvest progress over the past week. Thirty per cent of the crop is now combined, up from 22 per cent last week and well ahead of the five-year average of 19 per cent. An additional 21 per cent of the crop is swathed or ready to straight-cut, with the five-year average (2016-2020) being 20 per cent.

Ninety-three per cent of the winter wheat, 88 per cent of the field peas, 72 per cent of the lentils, 40 per cent of the barley, 31 per cent of the spring wheat, 37 per cent of the durum and seven per cent of the canola is now combined. An additional 33 per cent of the canola has been swathed or is ready to straight-cut.

Much of the southeast region received good amounts of rain this week with most of the region receiving about an inch of rain. The Grenfell area received the highest amount of rain with 97 mm, the Odessa area received 78 mm, the Wilcox area 70 mm, the Redvers, Tantallon and Weyburn areas 65 mm and the Limerick area 30 mm. Even though the rain has delayed harvest it is a welcomed sight to producers.

Several days of cool rainy weather has allowed for the regions topsoil moisture rating to rise significantly. Cropland topsoil moisture is rated as five per cent surplus, 51 per cent adequate, 35 per cent short and nine per cent very short. Hay and pasture land is rated as 32 per cent adequate, 46 per cent short and 22 per cent very short.

Pasture conditions in the region are rated as three per cent good, 33 per cent fair, 36 per cent poor and 28 per cent very poor.

The majority of crop damage this week was due to season long drought conditions, strong wind and hail, as well as insects such as grasshoppers and flea beetles. The concerns around fire risk in the region due to the hot, dry conditions has been alleviated for the time being due to recent rainfall.

Producers are waiting for the crop to dry enough to allow for harvesting activities to resume. They are also assessing the damage from the large storm systems and those who got hail might have some fields written off.

### **Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Rainy weather has hindered harvest progress over the past week. Forty-three per cent of the crop is now combined, up from 34 per cent last week and almost double the five-year average of 23 per cent. An additional 16 per cent of the crop is swathed or ready to straight-cut, which is on par with the five-year average (2016-2020) of 16 per cent.

Seventy-five per cent of the fall rye, 81 per cent of the field peas, 74 per cent of the lentils, 38 per cent of the barley, 51 per cent of the mustard, 21 per cent of the oats, 34 per cent of the durum, 38 per cent of the spring wheat and 15 per cent of the canola is now combined. An additional 11 per cent of the canola has been swathed or is ready to straight-cut.

The southwest region received significant amounts of rainfall this past week, ranging from 65 mm in the Consul area to 12 mm in others. The Vangaurd area reported 60 mm, the Mossbank area 53 mm, the Hazenmore area 44 mm and the Gull Lake area 14 mm. This region has been extremely dry all season long and the rain will surely help the pastures recover.

With a week with significant rainfall and cool weather, the topsoil moisture conditions in the region have improved slightly. Cropland topsoil moisture is rated as 15 per cent adequate, 40 per cent short and 45 per cent very short. Hay and pasture land topsoil moisture is rated as nine per cent adequate, 29 per cent short and 62 per cent very short.

Producers are hoping that the rain will stop for now and resume when harvest is wrapped up so it can help alleviate dry conditions for the pastures next spring.

The majority of crop damage this week was due to lack of moisture, wind and grasshoppers. There were reports of localized hail, as well as a tornado that touched down in the region and damaged yards, bins, machinery and crops.

Pasture conditions in the region are rated as 15 per cent fair, 39 per cent poor and 46 per cent very poor. There are concerns about availability of feed throughout the winter for many livestock producers in the region.

Producers are busy moving bales, storing grain and will be combining crops when the fields dry up.

#### **East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Twenty-two per cent of the crop is now combined, up from 13 per cent last week and ahead of the five-year average (2016-2020) of six per cent. An additional 27 per cent of the crop is swathed or ready to straight-cut, with the five-year average (2016-2020) being 16 per cent.

Ninety-one per cent of the winter wheat, 90 per cent of the fall rye, 89 per cent of the lentils, 69 per cent of the field peas, 45 per cent of the barley, 18 per cent of the durum, 26 per cent of the spring wheat and four per cent of the canola is now in the bin combined. An additional 32 per cent of the canola has been swathed or is ready to straight-cut.

The east-central region received good rainfall this week with many areas receiving over an inch of rain over just a couple of days. The Saltcoats areas received 76 mm, the Esterhazy area 70 mm, the Jedburgh and Goodeve areas 55 mm and the Elfros area 37 mm. Rain has halted harvest and concerns about grain downgrading are high.

Topsoil moisture conditions across the region saw a significant increase due to several storms that rolled through. Cropland topsoil moisture is rated as 48 per cent adequate, 33 per cent short and 19 per cent very short. Hay and pasture land topsoil moisture is rated as 38 per cent adequate, 32 per cent short and 30 per cent very short.

The majority of crop damage this week was due to dry conditions, heat and wind. Localized hail accompanied the storms that went through the region resulting in a range of damage. Crop quality is expected to be affected now that moisture has been received.

Pasture conditions in the region are rated as two per cent good, 21 per cent fair, 47 per cent poor and 30 per cent very poor.

Producers are busy hauling bales and moving cattle closer to home while they wait for their fields and crops to dry up and resume harvesting.

**West-Central Saskatchewan:**

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Twenty-seven per cent of the crop is now combined, up from 18 per cent last week and ahead of the five-year average (2016-2020) of eight per cent. An additional 17 per cent of the crop is swathed or ready to straight-cut, in line with the five-year average (2016-2020) of 18 per cent.

Seventy-nine per cent of the field peas, 73 per cent of the lentils, 21 per cent of the oats, 27 per cent of the barley, 21 per cent of the spring wheat, 13 per cent of the durum and six per cent of the canola has been combined. An additional 25 per cent of the canola has been swathed or is ready to straight-cut.

The west-central region received significant amounts of rainfall ranging from 82 mm in the Cando area to 10 mm in other areas. The Biggar area received 81 mm, the Harris area 50 mm, the Nether Hill area 46 mm, the Sonningdale area 33 mm and the Dinsmore area 25 mm. The rain is very appreciated and producers are hoping it will help the soil moisture recover for next year.

Topsoil moisture ratings increased in the region. Cropland topsoil moisture is rated as 24 per cent adequate, 41 per cent short and 35 per cent very short. Hay and pasture land topsoil moisture is rated as 20 per cent adequate, 40 per cent short and 40 per cent very short.

The majority of crop damage this week was due to dry conditions, wind and hail. There were reports of a tornado in the region but no confirmations of damage have been made.

Pasture conditions in the region are rated as 12 per cent fair, 42 per cent poor and 46 per cent very poor.

Producers are busy hauling bails, moving cattle closer to home, hauling water and waiting to resume swathing and combining.

**Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Twenty-five per cent of the crop in the northeast region has been harvested which is ahead of the five-year average (2016-2020) for this time of year of three per cent. An additional 33 per cent of crop has been swathed or is ready to straight-cut the five-year average (2016-2020) is 12 per cent. Some rain was received in the region this week, which will benefit pastures but will cause downgrading for much of the annual crop that is still standing.

Sixty per cent of the lentils, 91 per cent of the field peas, 59 per cent of the barley, 35 per cent of the oats and 22 per cent of the spring wheat is now in the bin. An additional 22 per cent of the canola has been swathed.

The north-east received the least amount of rain but still received enough to stall harvest and improve moisture conditions slightly. Areas east of Humboldt received the most with 30 mm. The Porcupine Plain area received 14 mm, the Kinistino area 10 mm and the Spruce Home area five mm.

There was an improvement in topsoil moisture conditions in the northeast region this week. Cropland topsoil moisture is rated as 13 per cent adequate, 48 per cent short and 39 per cent very short. Hay and pasture land topsoil moisture is rated as 14 per cent adequate, 41 per cent short and 45 per cent very short.

There were some reports of crop damage this past week caused by wind, lack of moisture and hail. Pasture conditions in the region are rated as one per cent fair, 71 per cent poor and 28 per cent very poor. Many producers in the region are moving cattle onto harvested fields to allow stubble grazing since so many pastures can no longer support grazing.

Producers are busy getting equipment ready, swathing, combining and moving cattle.

#### **Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Harvest progress has doubled in the northwest region this week with 15 per cent of the crop now combined, well ahead of the five-year average of two per cent. An additional 29 per cent of the crop is swathed or ready to be straight cut, with the five-year average being nine per cent.

Eighty-two per cent of the field peas, 29 per cent of the barley, 49 per cent of the lentils and 15 per cent of the spring wheat have been combined. An additional 36 per cent of the canola has been swathed.

Areas around Mayfair received the most rainfall this week, reporting 60 mm. The Speers area received 38 mm, the Turtleford area 22 mm, the Pierceland area 16 mm and the Barthel and Meadow Lake areas nine mm. The rain is welcome but there are concerns about crop downgrading.

Moisture conditions increased significantly due to rainfall across the region. Cropland topsoil moisture is rated as 27 per cent adequate, 23 per cent short and 50 per cent very short. Hay and pasture land topsoil moisture is rated as 19 per cent adequate, 27 per cent short and 54 per cent very short.

Pasture conditions in the region are rated as nine per cent fair, 44 per cent poor and 47 very poor.

The majority of crop damage this week was due to wind, dry conditions, hail and geese. Standing or swathed crops might see a downgrade due to rain.

Producers are busy hauling grain, getting bins ready, moving cattle to fields to stubble graze and waiting for conditions to improve and combining to resume.




# Saskatchewan Harvest Progress - August 23, 2021

\*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	2	1	4	93	
southwest	0	0	1	99	
east central	0	0	9	91	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	N/A	N/A	N/A	N/A	
provincial	1	0	6	93	
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	0	1	1	77	21
southwest	0	0	0	75	25
east central	0	0	10	90	0
west central	0	0	4	84	12
northeast	0	0	0	94	6
northwest	0	0	0	70	30
provincial	0	1	5	78	16
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	45	4	21	30	
southwest	34	8	20	38	
east central	40	5	29	26	
west central	44	3	32	21	
northeast	29	4	45	22	
northwest	66	3	16	15	
provincial	42	4	29	25	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	50	2	12	36	
southwest	43	1	20	36	
east central	52	2	28	18	
west central	56	0	31	13	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	46	1	20	33	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	32	5	13	40	10
southwest	28	2	16	38	16
east central	35	6	12	45	2
west central	40	5	18	27	10
northeast	15	4	22	59	0
northwest	44	9	10	29	8
provincial	31	5	15	42	7
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	33	4	9	39	15
southwest	34	10	2	21	33
east central	56	8	12	18	6
west central	21	12	7	21	39
northeast	33	1	31	35	0
northwest	68	6	10	4	12
provincial	45	6	15	23	11
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	95	0	1	4	
southwest	65	0	5	30	
east central	72	0	25	3	
west central	37	0	30	33	
northeast	94	0	3	3	
northwest	N/A	N/A	N/A	N/A	
provincial	71	0	12	17	


<b>Flax</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	95	5	0	0	
southwest	94	0	3	4	
east central	89	3	7	1	
west central	82	0	17	1	
northeast	88	3	2	7	
northwest	100	0	0	0	
<b>provincial</b>	<b>92</b>	<b>3</b>	<b>4</b>	<b>1</b>	
<b>Canola</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	59	25	9	7	
southwest	65	3	17	15	
east central	64	21	11	4	
west central	69	17	8	6	
northeast	67	22	8	3	
northwest	54	36	7	3	
<b>provincial</b>	<b>64</b>	<b>21</b>	<b>9</b>	<b>6</b>	
<b>Mustard</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	20	0	40	40	
southwest	31	0	19	50	
east central	92	8	0	0	
west central	82	0	8	10	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>48</b>	<b>0</b>	<b>14</b>	<b>38</b>	
<b>Soybeans</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	64	0	2	34	
southwest	50	0	2	48	
east central	74	0	3	23	
west central	32	0	54	14	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>61</b>	<b>0</b>	<b>9</b>	<b>30</b>	
<b>Field Peas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	1	1	4	94	
southwest	11	0	8	81	
east central	16	4	11	69	
west central	12	0	9	79	
northeast	4	0	5	91	
northwest	6	0	12	82	
<b>provincial</b>	<b>11</b>	<b>1</b>	<b>7</b>	<b>81</b>	
<b>Lentils</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	11	0	7	82	
southwest	15	1	10	74	
east central	4	2	5	89	
west central	20	0	7	73	
northeast	19	0	21	60	
northwest	20	0	31	49	
<b>provincial</b>	<b>14</b>	<b>1</b>	<b>9</b>	<b>76</b>	
<b>Chickpeas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	66	0	0	34	
southwest	74	0	10	16	
east central	73	0	18	9	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>71</b>	<b>0</b>	<b>8</b>	<b>21</b>	

# Crop Districts and Rural Municipalities in Saskatchewan



# Weekly Rainfall

from August 17 to August 23, 2021



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period from August 17 to 23, 2021


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr		
1A	2	Mount Pleasant	37	197	4A	51	Reno	65	199.5	7A	287	St. Andrews	26	68		
	3	Enniskillen	27	267		79 A	Arlington	27	150		288	Pleasant Valley	26	105		
	32	Reciprocity	N/A	172		79 B	Arlington	28.6	135		290	Kindersley	46.1	119.1		
	61	Antler	65	340		109	Carmichael	14	78.6		292	Milton	33	174		
	64	Brock	27	267		110	Piapot	N/A	69		317	Marriott	50	136		
1B	65	Tecumseh	27	234	4B	139	Gull Lake	14	81	320 A	Oakdale	19	130			
	95	Golden West	N/A	56		229	Miry Creek	15.8	96		320 B	Oakdale	27	107		
	122	Martin	48	264		231	Happyland	12	105		321	Prairiedale	13	161		
	123	Silverwood	37	252		5A	181	Langenburg	N/A		132	7B	347	Biggar	81	185
	124	Kingsley	20	206		183 A	Fertile Belt	70	262		350	Mariposa	32	67		
	125 A	Chester	51	275		183 B	Fertile Belt	68	89		351	Progress	45	190		
	125 B	Chester	33	256		211	Churchbridge	42	243		377	Glenside	45.5	123		
	151	Rocanville	65	272		213	Saltcoats	76	241		378	Rosemount	82	236		
	154 A	Elcapo	47	244		217	Lipton	52	281		382	Eye Hill	45	185.5		
	154 B	Elcapo	N/A	38		241	Calder	65	243		409 A	Buffalo	N/A	111		
	155	Wolseley	97	314		243	Wallace	71	257	409 B	Buffalo	25	151			
	2A	67	Weyburn	54		222.2	245 A	Garry	55		179	410	Round Valley	2.5	100.3	
	68	Brokenshell	66	308.5		245 B	Garry	55	208		8A	394	Hudson Bay	8	154	
	97	Wellington	65	305		246 A	Ituna Bon Accord	54	242		395	Porcupine	14	194		
	100	Elmsthorpe	59.8	252.8		246 B	Ituna Bon Accord	49.1	186.6		397	Barrier Valley	9.4	132.4		
2B	127 A	Francis	78	364		247	Kellross	37	227.1		428	Star City	N/A	96		
	127 B	Francis	65	194		248	Touchwood	44	179		456	Arborkfield	6	163		
	129	Bratt's Lake	70	314		5B	273	Sliding Hills	48		259.5	457	Connaught	9	92.7	
	131	Baildon	46	232		277	Emerald	46	230		486	Moose Range	N/A	138		
	156 A	Indian Head	70.7	258.9		301	St.Philips	32	160.6		487	Nipawin	N/A	88		
	156 B	Indian Head	56	366		305	Invermay	37	210	8B	369	St. Peter	19	133		
	159	Sherwood	N/A	239		307	Elfros	35	197		370 A	Humboldt	30	135		
	160	Pense	77	219		308 A	Big Quill	37	151		370 B	Humboldt	N/A	61		
	161 A	Moose Jaw	68	282		308 B	Big Quill	43	95		371	Bayne	18	133		
	161 B	Moose Jaw	75	408		331	Livingston	43	219.8		372	Grant	3.2	111.7		
	162 A	Caron	58.7	250.3		334	Preeceville	N/A	87		400	Three Lakes	16	113		
	162 B	Caron	47	220		336	Sasman	37	181		429	Flett's Springs	6	97		
	191	Marquis	N/A	144		337	Lakeview	33	138		430	Invergordon	2	131		
	3ASE	38 A	Laurier	N/A		155.4	366	Kelvington	60		220.5	459	Kinistino	10	140	
	38 B	Laurier	57	257		367	Ponass Lake	20	158		460	Birch Hills	7.3	60.5		
3ASW	10	Happy Valley	62	376	6A	190 A	Dufferin	50	232	9AE	461	Prince Albert	7.5	116		
	43	Old Post	25	195		190 B	Dufferin	52	181		488	Torch River	N/A	97		
	73 A	Stonehenge	33	158		190 C	Dufferin	68	294		491	Buckland	5	132		
	73 B	Stonehenge	30	134.5		190 D	Dufferin	60	84		520	Paddockwood	11	241		
	74	Wood River	30	217.5		219 A	Longlaketon	53	214		521	Lakeland	11	216		
3AN	102	Lake Johnston	53	286.7		219 B	Longlaketon	N/A	247.2	9AW	405	Great Bend	N/A	44		
	103	Sutton	31	117		220	McKillop	51	255		435	Redberry	32	151		
	132 A	Hillsborough	50	232.5		221	Sarnia	39.2	100.4		436	Douglas	38	106		
	132 B	Hillsborough	70	412		222	Craik	46	180		437	North Battleford	43	112.4		
	193	Eyebrow	29	160		251	Big Arm	37.5	95.5		463	Duck Lake	5	142		
3BS	75	Pinto Creek	44	156		252	Arm River	57	169		466	Meeting Lake	60	160		
	77	Wise Creek	33	144		279	Mount Hope	51	209		467 A	Round Hill	45	148		
	78	Grassy Creek	25.5	145.5		282	McCraney	29	121.8		467 B	Round Hill	58	160		
	106	Whiska Creek	60	146		339	Leroy	25	178.6		493	Shellbrook	N/A	100		
	107	Lac Pelletier	N/A	100		340	Wolverine	N/A	114.3		496	Spiritwood	19	175		
3BN	108	Bone Creek	41	151		341	Viscount	21	98	9B	497	Medstead	N/A	71		
	138	Webb	21	134.5		343	Blucher	38	155		440	Hillsdale	N/A	132.5		
	165	Morse	52.5	161.8		6B	223 A	Huron	34		131	442	Manitou Lake	8.3	151.9	
	168 A	Riverside	38	109		223 B	Huron	49	170.5		498	Parkdale	25	135.5		
	168 B	Riverside	8	93.5		223 C	Huron	63.5	91.4		499	Mervin	22	175.9		
	226	Victory	N/A	73		284 A	Rudy	13	107	501 A	Frenchman Butte	27	173.2			
	228	Lacadena	24	95		284 B	Rudy	26	64		501 B	Frenchman Butte	18	164		
	257	Monet	N/A	84.5		285	Fertile Valley	24.5	102.5		501 C	Frenchman Butte	N/A	122		
						286	Milden	25	95		502	Britannia	N/A	58.5		
						314	Dundurn	31	127		561	Loon Lake	9	148		
						344	Corman Park	20	54		588	Meadow Lake	9	164		
						376	Eagle Creek	33	122		622	Beaver River	16	117.5		
						403	Rosthern	37	146							

**Municipality No: A, B, C and D - more than one reporter**

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

# Cumulative Rainfall


from April 1 to August 23, 2021



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Cropland Topsoil Moisture Conditions


August 23, 2021



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Hay and Pasture Topsoil Moisture Conditions

## August 23, 2021




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Minimum Temperature


from August 17 to August 23, 2021



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Maximum Temperature

from August 17 to August 23, 2021



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.