Crop Report

For the Period September 21 to 27, 2021

Published by the Ministry of Agriculture ISSN 0701 7085 Report number 22, September 30, 2021 Please be advised that next week's Crop Report, September 28 to October 4, 2021 will be the final report for the 2021 growing season.

Little to no precipitation was received this past week allowing producers another week of good conditions to help wrap up the 2021 harvest. Producers in the southern regions are mostly finished their harvest and have shifted their focus to other fall field work. There are challenges with harvesting crops like canola and flax due to regrowth across all regions of the province.

Ninety-five per cent of the crop has been combined, which is up from 89 per cent last week, and remains well ahead of the five-year (2016-2020) average for this time of year of 70 per cent. An additional three per cent of the crop is swathed or ready to straight-cut.

Harvest is most advanced in the southwest region, where 98 per cent of the crop is now combined. The southeast and west

Saskatchewan Harvest **September 27, 2021** Per cent combined Winter wheat 100 100 Fall rye* 98 Spring wheat 100 Durum Oats* 100 100 Barlev* Canaryseed 92 Flax 75 Canola 92 99 Mustard Soybeans 89 Lentils 100 Peas 100 99 Chickpeas *includes 10 per cent

'other'

central regions have 95 per cent combined. The east-central and northeast regions have 94 per cent combined and the northwest 93 per cent.

Cereals, lentils and field peas across the province are nearly done being harvested. Plus, 99 per cent of the chickpeas, 92 per cent of the canola, 89 per cent of the soybeans and 75 per cent of the flax have now been combined. An additional six per cent

of the canola is swathed or ready to straight-cut.

One year ago

While most of the province saw minimal amounts of rain, the Lipton area received around an inch of precipitation. Eighty-nine per cent of the crop had been combined. A lot of the crop was having to be dried and while in parts of the northern regions grain must be put into aeration bins or dryers before storage.

Follow the 2021 Crop Report on Twitter @SKAgriculture

| Harvest Progress in SK Per cent Combined All Crops | | | | | | | | |
|--|----|--|--|--|--|--|--|--|
| 5-year avg. (2016-2020) | 70 | | | | | | | |
| Sept 28/20 | 89 | | | | | | | |
| Sept 30/19 | 47 | | | | | | | |
| Sept 24/18 | 68 | | | | | | | |
| Sept 25/17 | 78 | | | | | | | |
| Sept 26/16 | 70 | | | | | | | |
| 10-year avg. (2011-2020) | 75 | | | | | | | |

The lack of precipitation continued to negatively impact top soil moisture. The Arborfield and Luseland areas received two mm while the remainder of the province saw trace amounts or nothing at all.

For further information, contact Matthew Struthers, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.







Producers are hoping their stubble and crop residues are enough to trap good amounts of snow over the winter to help restore some of their depleted soil moisture.

Moisture conditions continue to decline with wind and warm days drying the topsoil. Cropland topsoil moisture is rated as 17 per cent adequate, 50 per cent short and 33 per cent very short. Hay and pasture land topsoil moisture is rated as 10 per cent adequate, 46 per cent short and 44 per cent very short. While many areas of the province reported land as short or very short for topsoil moisture, the west central region is estimating 95 per cent of the cropland and 95 per cent of the hay and pasture land as short or very short. Producers are hoping for substantial rainfall prior to freeze-up to ensure adequate moisture levels for next year.

The majority of crop damage this week was due to wind, waterfowl and wildlife. Wind has continued to blow swaths around and shell out crops. There continues to be symptoms reported in the crops caused by lack of moisture and frost as well. At this point of the season frost will be helpful for producers who are struggling with regrowth in their fields as it will kill off green growth and reduce the need for herbicide applications.

Producers are busy combining, hauling grain, hauling bales, moving cattle and starting other fall field work such as post-harvest weed control and harrowing. Winter cereals are not able to be planted in many areas of the province due to the extreme lack of soil moisture. Fall fertilizer applications are also not possible in many regions due to the dry conditions. We would like to remind producers that Saskatchewan Crop Insurance Corporation (SCIC) provides compensation for damage caused by wildlife through the Wildlife Damage Compensation Program; you do not need to be an existing Crop Insurance customer to file a claim. If you do experience wildlife damage, please report it immediately by visiting the SCIC website or calling 1-888-935-0000.

With harvest underway in Saskatchewan, we want to remind producers to exercise caution and remain safe.

| Saskatchewan Harvest by Crop District September 27, 2021 | | | | | | | | | |
|--|----------|----------|----------|----------|----------|--|--|--|--|
| Crop | Per cent | Crop | Per cent | Crop | Per cent | | | | |
| District | combined | District | combined | District | combined | | | | |
| 1A | 94 | 4A | 97 | 7A | 99 | | | | |
| 1B | 93 | 4B | 96 | 7B | 96 | | | | |
| 2A | 96 | 5A | 91 | 8A | 93 | | | | |
| 2B | 97 | 5B | 93 | 8B | 94 | | | | |
| 3ASE | 100 | 6A | 98 | 9AE | 94 | | | | |
| 3ASW | 89 | 6B | 90 | 9AW | 92 | | | | |
| 3AN | 98 | | | 9B | 94 | | | | |
| 3BS | 91 | | | <u> </u> | | | | | |
| 3BN | 91 | | | | | | | | |

Southeastern Saskatchewan:

- Crop District 1 Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE Radville, Minton and Lake Alma areas

Producers in the region continued to make great progress this past week with 95 per cent of the crop now combined. This is up from 92 per cent last week and remaining well ahead of the five-year (2016-2020) average for this time of year of 79 per cent. An additional two per cent of the crop is swathed or ready to straight-cut. Most of the crops still out in the field are canola, flax and soybeans that have experienced regrowth. Producers are starting to do additional fall field work, such as post-harvest spraying in fields where there are actively growing weeds.

There was no precipitation reported for the region this past week. While the dry conditions allowed for harvest to continue without delay, many producers in the region are hoping for rain soon to alleviate the stress and worry created by the drought.

Despite the region reporting very dry conditions, it has one of the higher ratings of soil moisture in province. Cropland topsoil moisture is rated as 25 per cent adequate, 56 per cent short and 19 per cent very short. Hay and pasture land topsoil moisture is rated as twelve per cent adequate, 42 per cent short and 46 per cent very short. Reporters are noting that the ground is dry and hard. Significant rainfall is needed prior to freeze up and snowfall over the winter to ensure adequate moisture for next year's growing season. Some areas of the region are too dry to allow seeding of winter cereals or application of fall fertilizers.

The majority of crop damage this week was due to strong winds and wildlife. Wind has continued to blow around swaths and damaging seed heads, resulting in lost seed.

Producers are busy wrapping up harvest, starting fall field work such as weed control and harrowing, hauling bales, cleaning corrals and moving cattle.

Southwestern Saskatchewan:

- Crop District 3ASW Coronach, Assiniboia and Ogema areas
- Crop District 3AN Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 Consul, Maple Creek and Leader areas

Harvest has practically wrapped up in the region and producers are starting to switch gears and conduct other fall field work. Ninety-eight per cent of the crop is now combined, up from 94 per cent last week and remaining well ahead of the five-year (2016-2020) average of 85 per cent. Producers plan to finish combining the later maturing flax, soybeans and low spots over the next week or so. Many producers are now focusing on other fall work such as post-harvest weed control, rock picking, harrowing and moving cattle.

The southwest received virtually no rain this past week with only a few areas reporting trace amounts. Soil moisture and dugout water levels are very low and producers are

becoming more concerned each day it doesn't rain. There are rising concerns about water availability over the winter since dugouts have been tapped out or their quality is too poor.

Topsoil moisture conditions remained around the same level this week as in the previous week. Cropland topsoil moisture is rated as twelve per cent adequate, 51 per cent short and 37 per cent very short. Hay and pasture land topsoil moisture is rated as five per cent adequate, 51 per cent short and 44 per cent very short.

The majority of crop damage this week was due to wind and lack of moisture throughout the growing season. The ground is still dry and cracked. Substantial amounts of precipitation will be needed over the fall and winter months to replenish the subsoil and topsoil moisture conditions for next year. There were reports of heavy to light frost across the region but so much crop has been harvested or is too mature to have been harmed.

Producers are busy wrapping up harvest, harrowing, hauling bales, cleaning corrals and moving cattle to where they can be fed and watered.

East-Central Saskatchewan:

- Crop District 5 Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A Lumsden, Craik, Watrous and Clavet areas

Ninety-four per cent of the crop is now combined, up from 84 per cent last week and remaining well ahead of the five-year (2016-2020) average of 62 per cent. An additional 14 per cent of the crop is swathed or ready to straight-cut. Producers are noting that regrowth in flax and canola has become an issue and is preventing straight cutting until it can be dried down.

No precipitation was reported for the region this week. Soil moisture is very low resulting in very little fall field work being done. There are several reports of fall seeded cereals not germinating due to the overly dry conditions.

Moisture conditions declined sharply this past week. Cropland topsoil moisture is rated as 19 per cent adequate, 49 per cent short and 32 per cent very short. Hay and pasture land topsoil moisture is rated as 14 per cent adequate, 49 per cent short and 37 per cent very short. More rain is needed in the region to rejuvenate moisture levels in the subsoil and topsoil.

The majority of crop damage this week was due to wind, waterfowl, frost and lack of moisture. Some of the crop is coming off tough and being placed into aeration bins or grain dryers.

Producers are busy combining, harrowing, hauling grain, bales and applying post-harvest herbicides.

West-Central Saskatchewan:

- Crop District 6B Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A Rosetown, Kindersley, Eston and Major areas
- Crop District 7B Kerrobert, Macklin, Wilkie and Biggar areas

Great progress continued to be made this week and currently 95 per cent of the crop is combined. This is up from 89 per cent last week and remaining well ahead of the five-year (2016-2020) average of 68 per cent. An additional four per cent of the crop is swathed or ready to straight-cut.

There was very little rain received in the west-central region this past week; the Luseland area reported two mm while others in the region show no rain at all. Producers are hoping for a large rainfall now that harvest is pretty well wrapped up.

Minimal rain and windy conditions have reduced topsoil moisture conditions in the region and the situation is becoming very desperate for some producers. Cropland topsoil moisture is rated as six per cent adequate, 39 per cent short and 55 per cent very short. Hay and pasture land topsoil moisture is rated as five per cent adequate, 35 per cent short and 60 per cent very short.

The majority of crop damage this week was due to windy conditions and waterfowl. Wind has continued to blow swaths around. There were minor to heavy frosts reported in the region but it is unlikely it will cause any issues, it will more than likely help stop further regrowth and allow harvest to quicken.

Producers are busy combining, harrowing and hauling grain and bales.

Northeastern Saskatchewan:

- Crop District 8 Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE Prince Albert, Choiceland and Paddockwood areas

Slow and steady harvest progress was made in the region this past week with 94 per cent of the crop now combined, up from 90 per cent last week. This remains well ahead of the five-year (2016-2020) average of 57 per cent. An additional five per cent of the crop is swathed or ready to straight-cut. While relatively dry conditions favored harvest progress, some crops such as canola, flax and faba beans are still not ready for harvest due to regrowth.

Most of the region received trace amounts of rain this past week. The Arborfield area received the highest amount of rain in the region with two mm. Producers in the region, especially cattle producers, hope that a significant amount of rain is received very soon.

Topsoil moisture conditions have reduced in the region due to relatively dry and windy conditions. Cropland topsoil moisture is rated as 26 per cent adequate, 53 per cent short and 21 per cent very short. Hay and pasture land topsoil moisture is rated as twelve per cent adequate, 58 per cent short and 30 per cent very short.

The majority of crop damage this week was due to wind blowing around swaths, waterfowl and wildlife. Frost was reported in the region but it was not severe enough to be a killing frost.

Producers are busy combining, harrowing, spraying weeds, baling and hauling bales.

Northwestern Saskatchewan:

- Crop District 9AW Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Harvest continued to progress in the region this past week. Ninety-three per cent of the crop is now combined, up from 77 per cent last week and ahead of the five-year (2016-2020) average of 48 per cent. An additional four per cent of the crop is swathed or ready to straight-cut. While much of the crop is still needed to be aerated and dried, more of the seed is coming off dry or nearly dry in the region this week.

There was very little rainfall in the northwest region this past week with areas reporting only trace amounts. Producers are noting issues with herbicide and fertilizer applications and with soil sampling due to the hard, dry soil. Significant amounts of rain are needed to help bring the region's soils to their normal levels of moisture.

There was a reduction in topsoil moisture conditions in the northwest region this week due to minimal precipitation and windy conditions. Cropland topsoil moisture is rated as twelve per cent adequate, 47 per cent short and 41 per cent very short. Hay and pasture land topsoil moisture is rated as eight per cent adequate, 41 per cent short and 51 per cent very short.

The majority of crop damage this week was due to wind, lack of moisture, wildlife and frost. Wind has been blowing swaths around but has also helped to dry some of the crop in the field.

Producers are busy combining, drying grain and moving bales.


Saskatchewan Harvest Progress - September 27, 2021

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage


| or snage | | | | | 0/ 1 |
|--------------|------------|------------|--------------------------------|------------|----------------------------|
| Winter Wheat | % Standing | % in swath | % ready to straight combine | % combined | % other (greenfeed/silage) |
| southeast | 0 | 0 | 0 | 99 | 1 |
| southwest | 0 | 0 | 0 | 99 | 1 |
| east central | 0 | 0 | 0 | 100 | 0 |
| west central | 0 | 0 | 0 | 98 | 2 |
| northeast | 0 | 0 | 0 | 100 | 0 |
| northwest | N/A | N/A | N/A | N/A | N/A |
| provincial | 0 | 0 | 0 | 99 | 1 |
| Fall Rye | % Standing | % in swath | % ready to straight combine | % combined | % other (greenfeed/silage) |
| southeast | 0 | 0 | 0 | 79 | 21 |
| southwest | 0 | 0 | 0 | 75 | 25 |
| east central | 0 | 0 | 0 | 90 | 10 |
| west central | 0 | 0 | 0 | 88 | 12 |
| northeast | 0 | 0 | 0 | 94 | 6 |
| northwest | 0 | 0 | 0 | 70 | 30 |
| provincial | 0 | 0 | 0 | 83 | 17 |
| | U | U | % ready to | 03 | - 17 |
| Spring Wheat | % Standing | % in swath | straight combine | % combined | |
| southeast | 0 | 0 | 1 | 99 | |
| southwest | 0 | 0 | 1 | 99 | |
| east central | 1 | 0 | 1 | 98 | |
| west central | 0 | 0 | 4 | 96 | |
| northeast | 0 | 0 | 1 | 99 | |
| northwest | 0 | 0 | 2 | 98 | |
| provincial | 1 | 0 | 1 | 98 | |
| Durum | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 0 | 0 | 0 | 100 | |
| southwest | 0 | 0 | 0 | 100 | |
| east central | 0 | 0 | 0 | 100 | |
| west central | 0 | 0 | 0 | 100 | |
| northeast | N/A | N/A | N/A | N/A | |
| northwest | N/A | N/A | N/A | N/A | |
| provincial | 0 | 0 | 0 | 100 | |
| Barley | % Standing | % in swath | % ready to straight combine | % combined | % other (greenfeed/silage) |
| southeast | 0 | 0 | 0 | 88 | 12 |
| southwest | 0 | 0 | 0 | 78 | 22 |
| east central | 0 | 0 | 0 | 95 | 5 |
| west central | 0 | 0 | 0 | 82 | 18 |
| northeast | 0 | 0 | 0 | 99 | 1 |
| northwest | 0 | 0 | 0 | 85 | 15 |
| provincial | 0 | 0 | 0 | 89 | 11 |
| Oats | % Standing | % in swath | % ready to | % combined | % other (greenfeed/silage) |
| southeast | 0 | 0 | straight combine | 80 | (greenieed/silage) |
| southwest | 0 | 0 | 0 | 50 | 50 |
| east central | 0 | 0 | 0 | 70 | 30 |
| west central | 0 | 0 | 0 | 47 | 53 |
| northeast | 0 | 0 | 0 | 98 | 2 |
| northwest | 0 | 0 | 0 | 79 | 21 |
| provincial | 0 | 0 | 0 | 80 | 20 |
| Provincial | | - | % ready to | | 20 |
| Canaryseed | % Standing | % in swath | straight combine | % combined | |
| southeast | 0 | 0 | 1 | 99 | |
| southwest | 0 | 0 | 1 | 99 | |
| east central | 11 | 0 | 18 | 71 | |
| west central | 0 | 0 | 1 | 99 | |
| northeast | 10 | 0 | 6 | 84 | |
| northwest | N/A | N/A | N/A | N/A | |
| provincial | 4 | 0 | 4 | 92 | |

| Flax | % Standing | % in swath | % ready to straight combine | % combined | |
|--------------|------------|------------|---|------------|--|
| southeast | 15 | 1 | 3 | 81 | |
| southwest | 14 | 0 | 17 | 69 | |
| east central | 15 | 0 | 11 | 74 | |
| west central | 2 | 1 | 2 | 95 | |
| northeast | 10 | 3 | 25 | 62 | |
| northwest | 29 | 5 | 6 | 60 | |
| provincial | 12 | 2 | 11 | 75 | |
| Canola | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 0 | 1 | 4 | 95 | |
| southwest | 0 | 0 | 4 | 96 | |
| east central | 2 | 2 | 4 | 92 | |
| west central | 1 | 2 | 3 | 94 | |
| northeast | 1 | 7 | 6 | 86 | |
| northwest | 1 | 3 | 3 | 93 | |
| provincial | 1 | 3 | 4 | 92 | |
| Mustard | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 0 | 0 | 1 | 99 | |
| southwest | 0 | 0 | 1 | 99 | |
| east central | 0 | 0 | 2 | 98 | |
| west central | 0 | 0 | 1 | 99 | |
| northeast | N/A | N/A | N/A | N/A | |
| northwest | N/A | N/A | N/A | N/A | |
| provincial | 0 | 0 | 1 | 99 | |
| Soybeans | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 5 | 0 | 6 | 89 | |
| southwest | 2 | 0 | 16 | 82 | |
| east central | 6 | 0 | 4 | 90 | |
| west central | 4 | 0 | 5 | 91 | |
| northeast | N/A | N/A | N/A | N/A | |
| northwest | N/A | N/A | N/A | N/A | |
| provincial | 4 | 0 | 7 | 89 | |
| Field Peas | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 0 | 0 | 0 | 100 | |
| southwest | 0 | 0 | 0 | 100 | |
| east central | 0 | 0 | 0 | 100 | |
| west central | 0 | 0 | 0 | 100 | |
| northeast | 0 | 0 | 0 | 100 | |
| northwest | 0 | 0 | 0 | 100 | |
| provincial | 0 | 0 | 0 | 100 | |
| Lentils | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 0 | 0 | 0 | 100 | |
| southwest | 0 | 0 | 0 | 100 | |
| east central | 0 | 0 | 0 | 100 | |
| west central | 0 | 0 | 0 | 100 | |
| northeast | 0 | 0 | 0 | 100 | |
| northwest | 0 | 0 | 0 | 100 | |
| provincial | 0 | 0 | 0 0000000000000000000000000000000000000 | 100 | |
| Chickpeas | % Standing | % in swath | % ready to straight combine | % combined | |
| southeast | 0 | 0 | 1 | 99 | |
| southwest | 0 | 0 | 1 | 99 | |
| east central | 0 | 0 | 1 | 99 | |
| west central | N/A | N/A | N/A | N/A | |
| northeast | N/A | N/A | N/A | N/A | |
| northwest | N/A | N/A | N/A | N/A | |
| provincial | 0 | 0 | 1 | 99 | |

Crop Districts and Rural Municipalities in Saskatchewan







Data Source:


Crop Districts - Saskatchewan Ministry of Agriculture

Ν

Geomatics Services, Ministry of Agriculture October 30, 2020

Weekly Rainfall

from September 21 to September 27, 2021



Weekly Rainfall Summary

1 inch = 25 mm


for the period from September 21 to 27, 2021

| Crop Dist. | R.M. No. | Name | Past Week | Since 1-Apr | Crop Dist. | R.M. No. | Name | Past Week | Since 1-Apr | Crop Dist. | R.M. No. | Name | Past Week | Since 1-Apr |
|---------------|-------------|--------------------|--------------|----------------|---------------|-------------------|---------------------------------------|--------------|----------------|---------------|--------------|----------------------|--------------|----------------|
| 1A | 2 | Mount Pleasant | N/A | 203 | 4A | 51 | Reno | 0.3 | 167.3 | 7A | 287 | St. Andrews | NIL | 69 |
| | 3 | Enniskillen | NIL | 272 | | | Arlington | NIL | 171 | | 288 | Pleasant Valley | NIL | 108 |
| | 32 | Reciprocity | N/A | 173 | | 79 B | Arlington | NIL | 156.4 | | 290 | Kindersley | NIL | 138.9 |
| | 61 | Antler | NIL | 340 | | 109 | Carmichael | NIL | 93.6 | | 292 | Milton | NIL | 194 |
| | 64 | Brock | NIL | 277 | | 110 | Piapot | NIL | 69 | | 317 | Marriott | NIL | 145 |
| | 65 | Tecumseh | N/A | 234 | | 111 | Maple Creek | NIL | 90 | | 320 A | Oakdale | NIL | 181 |
| 1B | 95 | Golden West | N/A | 56 | 4B | 139 | Gull Lake | NIL | 81 | | 320 B | Oakdale | NIL | 129 |
| | 122 | Martin | NIL | 289 | | 229 | Miry Creek | NIL | 103 | | 321 | Prairiedale | NIL | 170 |
| | 123 | Silverwood | NIL | 286 | | 231 | Happyland | NIL | 105 | 7B | 347 | Biggar | NIL | 195 |
| | 124 | Kingsley | NIL | 237 | 5A | 181 | Langenburg | NIL | 132 | | 350 | Mariposa | NIL | 83 |
| | | Chester | NIL | 295 | | | Fertile Belt | NIL | 303 | | 351 | Progress | NIL | 204 |
| | | Chester | NIL | 273 | | | Fertile Belt | NIL | 135 | | 377 | Glenside | NIL | 154 |
| | 151 | Rocanville | NIL | 301 | | 211 | Churchbridge | NIL | 286 | | 378 | Rosemount | NIL | 242 |
| | | Elcapo | NIL | 249 | | 213 | Saltcoats | NIL | 314 | | 382 | Eye Hill | NIL | 256.5 |
| | | Elcapo | N/A | 38 | | 217 | Lipton | NIL | 341 | | 409 A | Buffalo | NIL | 114 |
| | 155 | Wolseley | NIL | 314 | | 241 | Calder | NIL | 295 | | 409 B | Buffalo | NIL | 178 |
| 2A | 67 | Weyburn | NIL | 233.2 | | 243 | Wallace | NIL | 257 | | 410 | Round Valley | NIL | 102.3 |
| | 68 | Brokenshell | NIL | 341.5 | | 245 A | Garry | NIL | 196 | 8A | 394 | Hudson Bay | NIL | 185 |
| | 97 | Wellington | N/A | 308 | | 245 B | Garry | NIL | 248 254 | | 395 | Porcupine | NIL | 194 |
| 0.0 | 100 | Elmsthorpe | NIL NIL | 275.8 370 | | 246 A | Ituna Bon Accord | NIL NIL | 254 | | 397 | Barrier Valley | 0.2 | 162.8 117 |
| 2B | | Francis | | | | 246 B | Ituna Bon Accord | | | | 428 | Star City | 2 | |
| | | Francis | NIL NIL | 194 328 | | 247 | Kellross | NIL NIL | 257.1 200 | | 456 | Arborfield | 0.5 | 192 93.2 |
| | 129 | Bratt's Lake | NIL | 331 | - FD | 248 | Touchwood | NIL | 361.5 | | 457 | Connaught | NIL | 170 |
| | 131 | Baildon | NIL | 275.4 | 5B | 273 | Sliding Hills | NIL | | | 486 | Moose Range | NIL | 88 |
| | | Indian Head | NIL | 388 | | 275 277 | Insinger | NIL | 160.2 263 | OD. | 487 | Nipawin St. Peter | NIL | 231 |
| | | Indian Head | NIL | 242 | | | Emerald | NIL | 160.6 | 8B | 369 | | NIL | 224 |
| | 159 160 | Sherwood Pense | NIL | 294 | | 301 305 | St.Philips | NIL | 248 | | 370 A | Humboldt | NIL | 61 |
| | | Moose Jaw | NIL | 259 | | 307 | Invermay Elfros | NIL | 220 | | 370 B 371 | Humboldt | NIL | 218 |
| | | | NIL | 408 | | | Big Quill | NIL | 178 | | 371 | Bayne Grant | NIL | 175.1 |
| | | Moose Jaw Caron | NIL | 280.8 | | 308 A 308 B | Big Quill | NIL | 95 | | 400 | Three Lakes | NIL | 193 |
| | | Caron | NIL | 262 | | 300 B | Livingston | NIL | 249.3 | | 429 | Flett's Springs | NIL | 182 |
| | 191 | Marquis | N/A | 144 | | 334 | Preeceville | NIL | 87 | | 430 | Invergordon | NIL | 229 |
| 3ASE | | Laurier | NIL | 185.4 | | 336 | Sasman | NIL | 206 | | 459 | Kinistino | NIL | 230 |
| 0/ (OL | | Laurier | NIL | 284 | | 337 | Lakeview | NIL | 138 | | 460 | Birch Hills | NIL | 134.3 |
| 3ASW | 10 | Happy Valley | NIL | 284 | | 366 | Kelvington | NIL | 249.5 | 9AE | 461 | Prince Albert | NIL | 166 |
| 371011 | 43 | Old Post | NIL | 201 | | 367 | Ponass Lake | NIL | 231 | 3712 | 488 | Torch River | NIL | 158 |
| | | Stonehenge | NIL | 195 | 6A | 190 A | Dufferin | NIL | 271 | | 491 | Buckland | NIL | 167 |
| | | • | N/A | 219.5 | 0, 1 | 190 B | Dufferin | NIL | 181 | | 520 | Paddockwood | NIL | 241 |
| | 74 | Wood River | NIL | 266.5 | | 190 C | Dufferin | NIL | 332 | | 521 | Lakeland | NIL | 216 |
| 3AN | 102 | Lake Johnston | NIL | 319.7 | | 190 D | Dufferin | NIL | 84 | 9AW | 405 | Great Bend | NIL | 44 |
| | 103 | Sutton | NIL | 117 | | 219 A | Longlaketon | NIL | 236 | | 435 | Redberry | NIL | 170 |
| | | Hillsborough | NIL | 258.5 | | | Longlaketon | NIL | 247.2 | | 436 | Douglas | NIL | 107 |
| | 132 B | Hillsborough | NIL | 484 | | 220 | McKillop | NIL | 275 | | 437 | North Battleford | NIL | 162.4 |
| | 193 | Eyebrow | NIL | 190 | | 221 | Sarnia | NIL | 137.6 | | 463 | Duck Lake | NIL | 212 |
| 3BS | 75 | Pinto Creek | NIL | 173 | | 222 | Craik | NIL | 238 | | 466 | Meeting Lake | NIL | 171 |
| | 77 | Wise Creek | NIL | 154 | | 251 | Big Arm | NIL | 148 | | 467 A | Round Hill | NIL | 174 |
| | 78 | Grassy Creek | NIL | 150.5 | | 252 | Arm River | NIL | 195 | | 467 B | Round Hill | NIL | 180 |
| | 106 | Whiska Creek | NIL | 154 | | 279 | Mount Hope | NIL | 232 | | 493 | Shellbrook | NIL | 100 |
| | 107 | Lac Pelletier | NIL | 114 | | 282 | McCraney | NIL | 171.8 | | 496 | Spiritwood | NIL | 211 |
| | 108 | Bone Creek | NIL | 166 | | 339 | Leroy | NIL | 202.2 | | 497 | Medstead | NIL | 76 |
| 3BN | 138 | Webb | NIL | 148 | | 340 | Wolverine | NIL | 114.3 | 9B | 440 | Hillsdale | NIL | 150.5 |
| | 165 | Morse | NIL | 168.3 | | 341 | Viscount | NIL | 149 | | 442 | Manitou Lake | NIL | 166.2 |
| | 168 A | Riverside | NIL | 115 | | 343 | Blucher | NIL | 187 | | 498 | Parkdale | NIL | 144.5 |
| | 168 B | Riverside | NIL | 93.5 | 6B | 223 A | Huron | NIL | 164 | | 499 | Mervin | NIL | 189.9 |
| | 226 | Victory | NIL | 73 | | 223 B | | NIL | 197.5 | | 501 A | Frenchman Butte | NIL | 192.2 |
| | 228 | Lacadena | NIL | 111 | | | Huron | NIL | 91.4 | | 501 B | Frenchman Butte | NIL | 174 |
| | 257 | Monet | NIL | 84.5 | | 284 A | | NIL | 107 | | 501 C | Frenchman Butte | NIL | 133 |
| | | | | | | 284 B | Rudy | NIL | 82 | | 502 | Britannia | NIL | 65.5 |
| | | | | | | 285 | Fertile Valley | NIL | 150 | | 561 | Loon Lake | NIL | 173 |
| | | | | | | 286 | Milden | NIL | 103 | | 588 | Meadow Lake | NIL | 192 |
| | | | | | | | | B 112 | | | | | F 117 | 10- |
| | | | | | | 314 | Dundurn | NIL | 157 | | 622 | Beaver River | NIL | 135 |
| | | | | | | 314 344 | Dundurn Corman Park | NIL | 68 | | | | NIL | 135 |
| | | | | | | 314 344 376 | Dundurn Corman Park Eagle Creek | NIL NIL | 68 139 | | | | NIL | 135 |
| | | | | | | 314 344 | Dundurn Corman Park | NIL | 68 | | | | NIL | 135 |

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to September 27, 2021




Cropland Topsoil Moisture Conditions

September 27, 2021




Hay and Pasture Topsoil Moisture Conditions

September 27, 2021



Minimum Temperature

from September 21 to September 27, 2021



Maximum Temperature

from September 21 to September 27, 2021

