

Crop Report

For the Period May 30 to June 5, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 05, June 8, 2023

Many producers in the province have finished seeding, with others very close to done. Ninety-six per cent of the crop is in the ground, up from 89 per cent last week and just slightly behind the five-year average (2018-2022) of 97 per cent. Rain was welcomed by many to improve moisture conditions, but also caused delays for those trying to finish seeding. There were many reports of rain in the form of heavy storms, which resulted in localized flooding in some areas. There have also been reports of heavy winds and hail causing damage to crops and property in some areas.

Producers in the west-central region have virtually completed seeding with 99 per cent of their crop now seeded. Seeding is at 98 per cent completion in the northeast and northwest regions of the province, 96 per cent in the southwest and 94 per cent in the east-central and southeast regions.

Rainfall was received throughout the province last week. While it was welcomed by producers in the drier areas of the province, it also caused flooding and delays for many. Much of the rain was localized, with some areas receiving trace amounts and many receiving more. There was 64 mm of precipitation in the Glenavon area, 53 mm in Mossbank, 45 mm in Rhein, 34 mm in Garrick and 11 mm in Mayfair.

Moisture conditions are overall improved in the province this week. Cropland topsoil moisture is rated as seven per cent surplus, 78 per cent adequate, 14 per cent short and one per cent very short. Hay and pasture land topsoil moisture is rated as five per cent surplus, 75 per cent adequate, 17 per cent short and three per cent very short.

Heat and moisture in much of the province have supported crop development. Warm temperatures with high nighttime lows have progressed some crops ahead of normal. Thirty-one per cent of the fall cereal crops are reported as being in the jointing stage, 26 per cent are in the shot blade stage and 12 per cent are in the heading stage, while 46 per cent of the spring cereals are emerging and 40 per cent are tillering.

One year ago

Seeding is almost finished across the Saskatchewan grain belt with 91 per cent of the 2022 crop now in the ground. Producers have reported that parts of their fields were not able to be seeded due to low areas being flooded.

Follow the 2023 Crop Report on Twitter @SKAgriculture

Seeding Progress in SK

Per cent seeded Historical all Crops

June 5, 2023	96
June 6, 2022	91
June 7, 2021	99
June 8, 2020	98
June 10, 2019	99
June 4, 2018	96
5 year avg. (2018-2022)	97
10 year avg. (2013-2022)	94

For further information, contact Sara Tetland, MSc, PAg,
Provincial Specialist, Cereal Crops, Crops and Irrigation Branch,
Toll Free: 1-866-457-2377 or 306-787-4664, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period May 30 to June 5, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 05, June 8, 2023

Forty-two per cent of the canola is emerging and 42 per cent is in the seedling stage, along with 34 per cent of flax being in the seedling stage. Forty-nine per cent of pulse crops are emerging and 43 per cent are in the vegetative stage.

There were various causes of crop damage this past week. Scattered, but widespread storms caused flooding, hail and wind damage throughout multiple areas of the province. Heat and drought are also causing stress in the crops. There were reports of insect damage caused by grasshoppers and flea beetles, as well as gophers.

Producers have been busy finishing up seed, spraying, checking crops, picking rocks and moving cattle to pasture. Producers are encouraged to take all safety precautions in all the work they do. The Farm Stress Line can help by providing support for producers toll-free at 1-800-667-4442.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

For further information, contact Sara Tetland, MSc, PAg,
Provincial Specialist, Cereal Crops, Crops and Irrigation Branch,
Toll Free: 1-866-457-2377 or 306-787-4664, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan 

Crop Staging Tables - June 8, 2023

Fall Cereals								
	Tillering	Jointed	Shot blade	Heading	Dough	Ripe		
June 5 Prov. Avg.	31	31	26	12	0	0		
Southeast	58	10	17	15	0	0		
Southwest	17	33	27	23	0	0		
East central	33	47	16	4	0	0		
West central	13	31	38	18	0	0		
Northeast	17	50	33	0	0	0		
Northwest	24	56	20	0	0	0		
Spring Cereals								
	Pre-Emerging	Emerging	Tillering	Jointed	Shotblade	Heading	Dough	Ripe
June 5 Prov. Avg.	10	46	40	4	0	0	0	
Southeast	18	55	27	0	0	0	0	0
Southwest	6	47	42	5	0	0	0	0
East central	17	51	31	1	0	0	0	0
West central	6	41	47	6	0	0	0	0
Northeast	3	38	54	4	1	0	0	0
Northwest	6	37	53	4	0	0	0	0
Flax								
	Pre-Emerging	Emerging	Seedling	Stem Ext.	Flowering	Boll	Ripe	
June 5 Prov. Avg.	23	43	34	0	0	0	0	
Southeast	35	26	39	0	0	0	0	
Southwest	17	44	39	0	0	0	0	
East central	30	59	10	1	0	0	0	
West central	9	55	36	0	0	0	0	
Northeast	13	31	56	0	0	0	0	
Northwest	9	33	53	5	0	0	0	
Canola and Mustard								
	Pre-Emerging	Emerging	Seedling	Rosette	Flowering	Podding	Ripe	
June 5 Prov. Avg.	14	42	42	2	0	0	0	
Southeast	19	46	32	3	0	0	0	
Southwest	6	59	40	1	0	0	0	
East central	23	46	31	0	0	0	0	
West central	6	36	54	4	0	0	0	
Northeast	7	30	61	2	0	0	0	
Northwest	15	34	49	2	0	0	0	
Pulse Crops								
	Pre-Emerging	Emerging	Vegetative	Flowering	Podding	Ripe		
June 5 Prov. Avg.	8	49	43	0	0	0		
Southeast	13	53	34	0	0	0		
Southwest	5	59	36	0	0	0		
East central	7	46	47	0	0	0		
West central	5	35	60	0	0	0		
Northeast	2	30	68	0	0	0		
Northwest	14	34	52	0	0	0		

Southeast Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Even with rain delays in the region, producers were able to make good progress seeding. Ninety-four per cent of the crop has now been seeded, up from 80 per cent last week but still behind the five-year average (2018-2022) of 97 per cent. Localized heavy rains in the region have resulted in some low laying areas being drowned out or preventing seeding in these areas of the field. Warm weather and good moisture has helped crops progress and many producers are saying their crops look good.

Southeastern Saskatchewan	
Crop District	Per cent seeded (June 5, 2023)
1A	90
1B	98
2A	92
2B	92
3ASE	98
Region average	94

Rain was reported in much of the region this week. The Marquis area received 62 mm of rain, the Avonlea area 40 mm, the Grenfell area 24 mm and the Frobisher area 20 mm. This maintained overall good moisture conditions in the region. Cropland is rated as seven per cent surplus, 89 per cent adequate and four per cent short. Hay and pasture land topsoil moisture is rated as two per cent surplus, 89 per cent adequate and nine per cent short.

Ten per cent of the fall cereal crops are in the jointing stage and 26 per cent are in the shot blade stage, while 27 per cent of the spring cereals are tillering. Forty-six per cent of canola and mustard is emerging and 32 per cent is in the seedling stage. Thirty-nine per cent of flax in the seedling stage. Fifty-nine per cent of the pulse crops are emerging and 43 per cent are in the vegetative stage.

Most of the crop damage this week was due to localized heavy rain resulting in flooding, as well as grasshoppers. Producers are busy finishing up seeding, spraying and moving cattle to pasture.

Southwest Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Seeding progress is at 96 per cent in the southwest, up from 90 per cent last week and behind the five-year average (2018-2022) of 99 per cent. While storms have brought rain into the region, many producers, particularly in the northern areas of the region are hoping for more to support crop and pasture development.

Rain was seen throughout the region this week, which was welcomed by most producers. The Rockglen area received 33 mm this week, the Eyebrow area 32 mm, the Cabri area 25 mm, the Maple Creek area 15 mm, the Leader area eight mm and the Vanguard area five mm.

Precipitation this week helped maintain or improve moisture conditions in parts of the region. Cropland topsoil moisture is rated as one per cent surplus, 79 per cent adequate and 20 per cent short. Hay and pasture land topsoil moisture is rated as 75 per cent adequate, 23 per cent short and two per cent very short.

Southwestern Saskatchewan	
Crop District	Per cent seeded (June 5, 2023)
3ASW	91
3AN	94
3BS	98
3BN	97
4A	95
4B	99
Region average	96

Thirty-three per cent of the fall cereal crops are in the jointing stage and 23 per cent are heading, while 42 per cent of the spring cereals are tillering.

Fifty-nine per cent of canola and mustard is emerging and 40 per cent is in the seedling stage, 39 per cent of flax is also in the seedling stage. Fifty-nine per cent of the pulse crops are emerging and 36 per cent is in the vegetative stage.

The majority of crop damage this week was due to dry conditions, localized flooding and hail, as well as flea beetle and grasshopper damage. Producers have been busy wrapping up seeding, spraying and checking their crops.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Ninety-four per cent of the crop is now in the ground, up from 81 per cent last week and slightly behind the five-year average (2018-2022) of 99 per cent. Producers are progressing in seeding as weather conditions allow, but the rain this week has delayed many from completing operations.

East-central Saskatchewan	
Crop District	Per cent seeded (June 5, 2023)
5A	94
5B	94
6A	93
Region average	94

Most of the region received rain this week. There are many reports of flooding in the region. Still, many producers were happy to see the rain as it helped improve moisture conditions in the drier parts of the region. The Wynard area received 47 mm of rain, the Saltcoats area 45 mm, the Craven and Stalwart areas 40 mm and the Lipton area 36 mm.

Cropland topsoil moisture is rated as 19 per cent surplus, 71 per cent adequate and 10 per cent short. Hay and pasture land is rated as 19 per cent surplus, 64 per cent adequate, 11 per cent short and six per cent very short.

Recent rain falls and high temperatures have helped support crop emergence and development. Sixteen per cent of the fall cereal crops are in the shot blade stage, while 31 per cent of the spring cereals are tillering. Forty-six per cent of canola and mustard is emerging and 31 per cent is in the seedling stage, along with 10 per cent of flax in the seedling stage. Forty-six per cent of the pulse crops are emerging and 47 per cent are in the vegetative stage.

The majority of crop damage this week was due to localized flooding, wind, flea beetles and grasshoppers. Producers are busy spraying, picking rocks and moving cattle to pasture.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Most seeding operations have wrapped up in the region now that 99 per cent of the crop has been seeded, up from 94 per cent last week and on par with the five-year average. While most producers reported that there is enough moisture to support germination of crops, more is needed soon to ensure continued development.

West-central Saskatchewan	
Crop District	Per cent seeded (June 5, 2023)
6B	98
7A	99
7B	99
Region average	99

Rain was reported throughout the region this past week. Much of it came in the form of heavy storms. This resulted in some flooding of low spots. The Dinsmore area received 54 mm of rain, the Wilkie area 38 mm, the Rosetown area 22 mm, the Hague area 10 mm and the Kerrobert area two mm.

Moisture conditions have slightly improved in the region. Cropland topsoil moisture is rated as two per cent surplus, 67 per cent adequate, 27 per cent short and four per cent very short. Hay and pasture land topsoil moisture is rated as 55 per cent adequate, 39 per cent short and six per cent very short.

Thirty-eight per cent of the fall cereal crops are in the shot blade stage and 18 per cent are heading, while 47 per cent of the spring cereals are tillering. Thirty-six per cent of canola and mustard is emerging and 54 per cent is in the seedling stage, along with 36 per cent of flax in the seedling stage. Thirty-five per cent of the pulse crops are emerging and 60 per cent is in the vegetative stage.

Crop damage this week was reported due to dry conditions, heat, wind, localized flooding, flea beetles, grasshoppers and gophers. Producers are busy doing in-crop spraying, moving cattle to pasture and picking rocks.

Northeast Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Most producers in the region are finished seeding or will be wrapping up shortly. Ninety-eight per cent of the 2023 crop is now seeded, which is up from 89 per cent last week and near the five-year average (2018-2022) of 99 per cent. Heavy downpours in parts of the northeast have resulted in accumulation of water in the fields. Rain was welcome for many though, due to dry conditions and high temperatures.

Most areas in the northeast received rain this past week. The Lake Lenore region received 44 mm of rain, the Garrick area 34 mm, the Arborfield area 30 mm and the Star City area 23 mm and the Porcupine Plain area nine mm.

Northeastern Saskatchewan	
Crop District	Per cent seeded (June 5, 2023)
8A	97
8B	98
9AE	98
Region average	98

Cropland topsoil moisture is being rated as 11 per cent surplus, 82 per cent adequate and seven per cent short. Hay and pasture land is rated as one per cent surplus, 88 per cent adequate, 10 per cent short and one per cent very short.

Warm weather and adequate moisture have helped crops progress, with many producers stating that crops are ahead in development for this time of year. Thirty-eight per cent of the spring cereals are emerging and 54 per cent are tillering. Thirty per cent of canola and mustard is emerging and 61 per cent is in the seedling stage, while 56 per cent of flax is in the seedling stage. Thirty per cent of the pulse crops are emerging and 68 per cent are in the vegetative stage.

The majority of crop damage this week was due to strong winds, localized flooding, hail, dry conditions, heat and flea beetles. Producers are busy in-crop spraying, although the high temperatures and rain has been delaying some.

Northwest Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

The majority of producers in the region have completed seeding for the season, although rains have prevented some from completely finishing. While rain caused some localized flooding, it was a welcome site for many. Seeding is now at 98 per cent, up slightly from 97 per cent last week and near the five-year average (2018-2022) of 99 per cent.

Northwestern Saskatchewan	
Crop District	Per cent seeded (June 5, 2023)
9AW	98
9B	97
Region average	98

Much of the northwest region received rain this past week, but most of it was in the form of spotty rain showers. The Lloydminster area received the highest amount of rain this week with a reported 153 mm. The Meadow Lake area received 39 mm of rain, the Medstead area 38 mm and the Hafford area 14 mm.



Moisture conditions have improved in the region this past week, although more land is being rated as surplus for moisture. Cropland topsoil moisture is rated as three per cent surplus, 79 per cent adequate, 16 per cent short and two per cent very short. Hay and pasture land topsoil moisture is rated as 75 per cent adequate, 19 per cent short and six per cent very short.

Warm weather and recent rainfalls have helped support crop growth. Thirty-seven per cent of the spring cereals are emerging and 53 per cent are tillering. Thirty-four per cent of canola and mustard is emerging and 49 per cent is in the seedling stage, while 53 per cent

of flax is in the seedling stage. Thirty-four per cent of the pulse crops are emerging and 52 per cent are in the vegetative stage.

Producers are reporting damage caused by flooding, hail, very dry conditions and flea beetles. Producers in the northwest are continuing in-crop spraying.

Crop Districts and Rural Municipalities in Saskatchewan




Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Projection: UTM Zone 13 Datum: NAD83

Geomatics Services, Ministry of Agriculture October 17, 2019

Weekly Rainfall

from May 30 to June 5, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(in millimeters)

for the period from May 30 to June 5, 2023

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	7	108	4A	51	Reno	28.8	69.8	7A	259	Snipe Lake	22.5	73.5
	3	Enniskillen	20	128		79 A	Arlington	40	100		287	St. Andrews	N/A	55
	4	Coalfields	6	110		79 B	Arlington	34	84.5		288	Pleasant Valley	22	72
	6	Cambria	N/A	trace		109	Carmichael	N/A	N/A		290	Kindersley	8	19.5
	32	Reciprocity	27	110		110	Piapot	15	60		292	Milton	N/A	83
	34	Browning	N/A	N/A	4B	139	Gull Lake	26	83		292 B	Milton	N/A	39
	61	Antler	N/A	N/A		229	Miry Creek	17.9	53.4		317 A	Marriott	57	121
	64	Brock	N/A	N/A		231	Happyland	8	43		317 B	Marriott	18.2	53.7
	65	Tecumseh	2	52	5A	181	Langenburg	9	41.6		319	Winslow	N/A	15
1B	95	Golden West	N/A	NA		183 A	Fertile Belt	38	94		320 A	Oakdale	7	32.5
	122	Martin	N/A	121		185	McLeod	N/A	40		320 B	Oakdale	2	21
	123	Silverwood	3	65		211	Churchbridge	42	89		321	Prairiedale	N/A	53.5
	124	Kingsley	15	73		213	Saltcoats	45	78	7B	347	Biggar	13	61
	125 A	Chester	N/A	N/A		215	Stanley	60	137		350	Mariposa	2	12
	125 B	Chester	64	113		216 A	Tullymet	15	29.4		351	Progress	N/A	29
	151	Rocanville	16	80		216 B	Tullymet	22.5	42.5		377	Glenside	13	56
	154 A	Elcapo	20	80		217	Lipton	36	111		378	Rosemount	8	51
	154 B	Elcapo	N/A	N/A		241	Calder	70	106		382	Eye Hill	32.5	65
	155	Wolseley	24	108		243	Wallace	1	36		409 A	Buffalo	48	87
2A	67	Weyburn	18	123		245 A	Garry	55	115		409 B	Buffalo	38	77.5
	68	Brokenshell	56	99		245 B	Garry	42	90		410	Round Valley	N/A	TR
	96	Fillmore	N/A	N/A		246 A	Ituna Bon Accord	26	184	8A	394	Hudson Bay	32	95
	97	Wellington	N/A	N/A		246 B	Ituna Bon Accord	6.2	44.2		395	Porcupine	9	110
	100	Elmsthorpe	40	150		247	Kellross	trace	86		397 A	Barrier Valley	55.6	107.4
2B	127 A	Francis	57.4	143.9		248	Touchwood	35	62		397 B	Barrier Valley	31	35
	127 B	Francis	N/A	N/A	5B	273	Sliding Hills	45	94		427	Tisdale	N/A	N/A
	129	Bratt's Lake	40	139		275	Insinger	N/A	36		428	Star City	23	104
	131	Baldon	25	106		276	Foam Lake	57	104.5		456	Arborfield	30	121
	156 A	Indian Head	N/A	N/A		277	Emerald	48	85		457 A	Connaught	N/A	N/A
	156 B	Indian Head	29	85		277 B	Emerald	4	16		457 B	Connaught	12.5	85
	159 A	Sherwood	42	126		301	St.Philips	21	73.2		486	Moose Range	N/A	69.5
	159 B	Sherwood	45.3	78.4		305	Invermay	N/A	N/A		487	Nipawin	N/A	59
	160	Pense	NIL	32		307	Elfros	24	53	8B	369	St. Peter	44	100
	161 A	Moose Jaw	28	104		308 A	Big Quill	47	85		370 A	Humboldt	23	75
	162 A	Caron	3	106.9		308 B	Big Quill	N/A	N/A		370 B	Humboldt	N/A	N/A
	162 B	Caron	62	115.5		331	Livingston	14	71		371 A	Bayne	12	86
	191	Marquis	N/A	N/A		334	Preeceville	N/A	18		371 B	Bayne	21	72
3ASE	38 A	Laurier	32.2	126.7		336	Sasman	N/A	N/A		372	Grant	11.6	36.8
	38 B	Laurier	33	97		337	Lakeview	N/A	N/A		400	Three Lakes	N/A	76
3ASW	10	Happy Valley	37	95		366	Kelvington	20	59		429	Flett's Springs	22	63
	40	Bengough	N/A	N/A		367	Ponass Lake	43	97		430	Invergordon	20	69
	43	Old Post	33	112.5	6A	190 A	Dufferin	15	44		459	Kinistino	15	74
	73 A	Stonehenge	25	66		190 B	Dufferin	9	68.5		460	Birch Hills	22.2	56.7
	73 B	Stonehenge	N/A	9		190 C	Dufferin	11	50	9AE	461	Prince Albert	30	63.5
	74	Wood River	20	74		190 D	Dufferin	12	29		461 B	Prince Albert	12	51.5
3AN	102	Lake Johnston	53	133		219 A	Longlaketon	36	76		488	Torch River	34	99
	103	Sutton	N/A	N/A		219 B	Longlaketon	40	245		491 A	Buckland	N/A	45
	132 A	Hillsborough	N/A	N/A		220	McKillip	N/A	N/A		491 B	Buckland	N/A	N/A
	132 B	Hillsborough	30	145		221	Sarnia	26.5	83.3		520	Paddockwood	N/A	53
	193	Eyebrow	32	63		222	Craik	15	127		521	Lakeland	N/A	54
3BS	75	Pinto Creek	15	78		251	Big Arm	40	57.5	9AW	405	Great Bend	N/A	73
	77	Wise Creek	N/A	N/A		252	Arm River	N/A	N/A		406	Mayfield	N/A	4
	78	Grassy Creek	20	56		279	Mount Hope	25.8	84.4		435	Redberry	14	98
	106 A	Whiska Creek	N/A	N/A		279 B	Mount Hope	N/A	15		436	Douglas	NIL	35
	106 B	Whiska Creek	5	100		282	McCraney	9	69		437 A	North Battleford	N/A	14
	107	Lac Pelletier	N/A	N/A		310	Usborne	13.8	47.1		437 B	North Battleford	21	78.3
	108	Bone Creek	3	77		339	Leroy	69.8	159		463	Duck Lake	23	72
3BN	138	Webb	2	89		340	Wolverine	N/A	N/A		466	Meeting Lake	11	48
	165	Morse	37.5	104.3		341	Viscount	N/A	N/A		467 A	Round Hill	N/A	41
	168 A	Riverside	5	48		343	Blucher	20	52.5		467 B	Round Hill	10	45
	168 B	Riverside	25	49.5	6B	223 A	Huron	26	76		493	Shellbrook	55	101
	226	Victory	N/A	N/A		223 B	Huron	N/A	N/A		496	Spiritwood	N/A	N/A
	228	Lacadena	47	82		223 C	Huron	N/A	N/A		497	Medstead	38	59
	257	Monet	N/A	8		284 A	Rudy	8	44.5	9B	440	Hillsdale	49	60
						284 B	Rudy	N/A	N/A		442	Manitou Lake	49.5	53.9
						285	Fertile Valley	11	62		498	Parkdale	36.5	53.5
						286	Milden	54	76		499 A	Mervin	19	38
						314	Dundurn	6	33		499 B	Mervin	N/A	37.8
						316 A	Harris	58	128		501 A	Frenchman Butte	11	21
						344	Corman Park	NIL	52		501 B	Frenchman Butte	N/A	N/A
						376	Eagle Creek	20	83		501 C	Frenchman Butte	N/A	11
						403 A	Rosthern	10	75		502	Britannia	153	162
						403 B	Rosthern	13	86.2		561	Loon Lake	16	43
											588 B	Meadow Lake	39	61
											622	Beaver River	51	57.5

Municipality No: A, B, C and D - more than one reporter


These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

from April 1 to June 5, 2023

Rainfall (mm)

0.0 - 25.0	100.1 - 125.0	200.1 - 225.0	300.1 - 325.0	400.1 - 425.0
25.1 - 50.0	125.1 - 150.0	225.1 - 250.0	325.1 - 350.0	425.1 - 450.0
50.1 - 75.0	150.1 - 175.0	250.1 - 275.0	350.1 - 375.0	450.1 - 475.0
75.1 - 100.0	175.1 - 200.0	275.1 - 300.0	375.1 - 400.0	475.1 +




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Cropland Topsoil Moisture Conditions

June 5, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

June 7, 2023

Hay and Pasture Topsoil Moisture Conditions

June 5, 2023




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Minimum Temperature

from May 30 to June 5, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture


June 7, 2023

Maximum Temperature

from May 30 to June 5, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:
Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
IDW interpolation (power 3.5, fixed radius 300 km)
Geomatics Services, Ministry of Agriculture

June 7, 2023