

# Crop Report

For the Period June 20 to June 26, 2023

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 08, June 29, 2023

The majority of the province has continued to be dry, however some areas received heavy rain showers this past week with some isolated flash floods. Some of these areas also received hail; the size and amount of hail varied between storms and damage varied. While moisture was needed, a slow, soaking rain would have allowed crops and soils to absorb the moisture at an acceptable rate.

Pastures also needed the rain after a couple weeks of high day time temperatures and very little precipitation. Producers are watching their pasture grass and water situation very closely. The rain and humidity caused a slight delay to the haying season for some, but initial reports indicate hay quality to be in the good to excellent range.

Crop development has quickened across the province after another week of hot, dry weather with only isolated precipitation. Provincially, 30 per cent of the fall cereals, 22 per cent of the spring cereals, 22 per cent of the oilseed crops and 19 per cent of the pulse crops are ahead of normal development for this time of year. A general rain and mild temperatures are needed to avoid continued rapid maturation. Crops in the west central region, where conditions remain very dry are the most advanced while the east central region has most crops rated as normal. Crop condition varies widely across the province ranging from poor to excellent condition.

Producers note a wide range of precipitation across their rural municipalities, ranging from five mm to 75 mm in the most severe downpours. Some of the weekly precipitation recorded amounts ranged from three mm in the Netherhill area to 50 mm in the Bienfait and Wadena areas. Those who haven't received significant rain this season are hoping they receive moisture soon as crops begin to deteriorate from the dry, hot growing conditions.

The isolated rain did little to maintain or improve the provincial topsoil moisture ratings, while they may have had an effect at the regional level. The topsoil moisture rating for cropland is one per cent surplus, 53 per cent adequate, 34 per cent short and twelve per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 41 per cent adequate, 37 per cent short and 21 per cent very short.

## One year ago

Rainfall on the eastern side of the province caused a delay in many producers haying progress. Crops were in good to fair condition, and many on the western side of province hoped for rain to help with crop conditions. Producers were busy with in-crop spraying and preparing for haying.

Follow the 2023 Crop Report on  
Twitter @SKAgriculture

Provincial			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	30	64	6
Spring Cereals	22	69	9
Oilseeds	22	65	13
Pulse Crops	19	72	9

For further information, contact Matthew Struthers, AAg,  
Provincial Cereal Specialist, Crops and irrigation Branch,  
Toll Free: 1-866-457-2377 or 306-694-3592, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

**Saskatchewan**

# Crop Report

**For the Period June 20 to June 26, 2023**

Published by the Ministry of Agriculture  
ISSN 0701 7085

Report number 08, June 29, 2023

Haying operations are just starting in the province. Livestock producers who haven't had adequate rainfall are reporting their hay crop is less than average for yield but the quality is rated good to excellent. Hay quality is currently rated as 20 per cent excellent, 63 per cent good, 13 per cent fair and four per cent poor.

The majority of crop damage this past week was from heat, dry winds, drought, grasshoppers, gophers, flooding and hail. Gophers have become a serious problem in many municipalities across the province, with some producers stating that they have lost large portions of their fields to the rodents. Those who have been negatively impacted by flooding and hail are still assessing whether their crops will bounce back.

Producers are busy trying to control disease in their fields by spraying their first round of fungicide on crops such as lentils and spring wheat and continuing with herbicide and insecticide applications to manage weeds and insects.

For many producers, this is still a stressful time of year and they are reminded to take all safety precautions in all the work they do. The Farm Stress Line can help by providing support for producers toll free at 1-800-667-4442.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

For further information, contact Matthew Struthers, AAg,  
Provincial Cereal Specialist, Crops and irrigation Branch,  
Toll Free: 1-866-457-2377 or 306-694-3592, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



**Agriculture and  
Agri-Food Canada**

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

**Saskatchewan** 

### **Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Growing conditions are becoming highly variable in the region, with some producers seeing their crop impacted by the heat and dry soil conditions, while others have good growing conditions and adequate moisture. Crops on lighter, sandier soils are the worst hit by the heat and lack of widespread rain. Overall, the crop in the region looks good, but without general rain, producers are worried about how quickly things could deteriorate in the upcoming July heat.

Southeast			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	27	69	4
Spring Cereals	14	73	13
Oilseeds	14	66	20
Pulse Crops	10	70	20

Regionally, 69 per cent of the fall cereals, 73 per cent of the spring cereals, 66 per cent of the oilseed crops and 70 per cent of the pulse crops are at their normal stages of development for this time of year. Crop conditions range from fair to excellent in the region, with 66 per cent of the lentils and 63 per cent of the spring wheat and canola being in good condition currently.

There were localized, heavy rains over the past week, with some of the highest amounts of weekly rainfall being recorded for the province. The Bienfait area received 51 mm while areas such as Whitewood and Weyburn received nearly 30 mm. Producers appreciated the moisture, but the excess moisture has caused severe flooding in some areas.

Cropland topsoil moisture is rated as two per cent surplus, 75 per cent adequate, 20 per cent short and three per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 58 per cent adequate, 39 per cent short and two per cent very short.

Haying was delayed a day or two due to rainy, humid conditions.. Ten per cent of the hay crop is cut with three per cent baled or put into silage. Hay quality is rated as 28 per cent excellent and 72 per cent good.

The majority of crop damage this week was due to flooding, hail, gophers and insect pests such as cutworms and grasshoppers. Some producers have already sprayed fields multiple times hoping get the grasshoppers under control and reduce the impact on their crops. Producers have noted that gopher populations are once again high and they have caused significant damage in some fields.

### **Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Growing conditions in the southwest continue to degrade as the region did not receive widespread rain. Crops are beginning to rapidly develop in the driest areas and in some fields, seeds did not germinate. Areas that have received precipitation in the past month appear to be holding on, but soil moisture reserves in areas that have received precipitation aren't enough to maintain them without a big, replenishing rain.

In the southwest, 63 per cent of the fall cereals, 82 per cent of the spring cereals, 84 per cent of the oilseed crops and 72 per cent of the pulse crops are at their normal stages of development for this time of year. In the driest area of the region, producers are noting that some durum fields are heading out at only ten inches tall, this is a sign that the crop is under severe stress.

Southwest			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	32	63	5
Spring Cereals	11	82	7
Oilseeds	9	84	7
Pulse Crops	21	72	7

Crop conditions range from very poor to good in the region, with 27 per cent of the spring wheat, 19 per cent of the durum, 23 per cent of the canola and 23 per cent of the lentils being in good condition at this time.

There were some isolated rainstorms this past week, with the Consul area reporting 23 mm and commenting that the rain fall ranged from 23 to 50 mm across the general area. Producers noted that their sloughs and dugouts have retained most of their water while their crops appear to be suffering from drought and heat stress. A multi-day soaking rain is desperately needed in the region to help relieve crops from the heat and replenish the soil moisture.

Moisture conditions are declining in the southwest region due to limited rainfall, relentless wind, and warm temperatures. Cropland topsoil moisture is rated as 33 per cent adequate, 33 per cent short and 34 per cent very short. Hay and pasture land topsoil moisture is rated as 25 per cent adequate, 25 per cent short and 50 per cent very short.

Haying is well underway in the region. Thirteen per cent of the hay crop is cut and waiting to be baled or silaged, 18 per cent of the crop has already been baled or silaged with 69 per cent still standing. Hay quality is rated as 17 per cent excellent, 67 per cent good, 8 per cent fair and 8 per cent poor.

The majority of crop damage this week was from wind, drought, grasshoppers and gophers. Producers are doing their best to control the insect pests and gophers that are eating up large portions of their fields, but spraying has been hampered for some due to windy conditions. Some are also spraying fungicide on crops that are now dealing with disease occurrence.

#### **East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Crops are progressing nicely in the region with canola bolting and flowering, while spring wheat is starting to push heads out. Soil moisture has been largely adequate for the region

since the beginning of the season. After a few weeks of hot, windy days and localized rains, producers are nervous crop quality will degrade. Crops on sandier hill tops where the soil cannot retain moisture as well are struggling the most.

Seventy-nine per cent of the fall cereals, 64 per cent of the spring cereals, 59 per cent of the oilseed crops and 77 per cent of the pulse crops are at their normal stages of development for this time of year. Crop conditions range from fair to excellent in the region with a small portion of crops rated as being in poor condition. Forty-eight per cent of the canola, 57 per of the spring wheat and 62 per cent of the lentils are currently rated as being in good condition.

There were several rainstorms across the eastern half of the region over the past week with many areas experiencing hail and flash flooding. The Wadena area reported 50 mm, the Langenburg area 31 mm, the Kelliher area 25 mm and the Humboldt area 20 mm. Most of Crop District 6A missed out on rain and producers in this crop district are worried their crops will not withstand the hot July days without a soaking rain.

East-Central			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	21	79	0
Spring Cereals	23	64	13
Oilseeds	23	59	18
Pulse Crops	19	77	4

Regionally, cropland topsoil moisture is rated as four per cent surplus, 60 per cent adequate, 35 per cent short and one per cent very short. Hay and pasture land topsoil moisture is rated as four per cent surplus, 46 per cent adequate, 42 per cent short and nine per cent very short.

Haying is underway in the region with 13 per cent of the hay crop cut and waiting to be baled, seven per cent is currently baled or silage, while 80 per cent is still waiting to be cut. Hay quality is rated as 21 per cent excellent, 54 per cent good, 17 per cent fair and eight per cent poor.

The majority of crop damage this week was from flooding, hail, grasshoppers and gophers. Grasshoppers are very severe in the western half of the region and some producers have elected to continue spraying to control them rather than switch to fungicide applications to control disease.

#### **West-Central Saskatchewan:**

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Growing conditions vary across the region, but the large majority of crops are suffering from drought and heat stress which is likely to hurt their potential yields. Without substantial moisture soon, many producers are expecting below average crop yields. Crops are beginning to mature rapidly and some cereal crops are starting to yellow and brown off due to the stressful growing conditions.

Where moisture has been less of an issue, crops appear to be at normal stages of development. In drier areas however, crops are either significantly advanced, or behind due to poor growing conditions. Regionally, 47 per cent of the fall cereals, 63 per cent of the spring cereals, 59 per cent of the oilseed crops and 71 per cent of the pulse crops are at their normal stages of development for this time of year. Some wheat crops have been noted to have started to head out while still quite short, canola has also been reported to have started flowering. Crop conditions range from poor to good in the region, with 53 per cent of the spring wheat, 52 per of the canola and 47 per cent of the lentils being in good condition currently.

There were only small showers in the region over the past week, with very little significant precipitation received. The Saskatoon area received 15 mm, the Cando area seven mm and the Netherhill area three mm. After weeks of absent or isolated rain showers, topsoil moisture conditions continue to decline. Cropland topsoil moisture is rated as 51 per cent adequate, 38 per cent short and eleven per cent very short. Hay and pasture land topsoil moisture is rated as 37 per cent adequate, 45 per cent short and 18 per cent very short.

<b>West-Central</b>			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	24	47	29
Spring Cereals	28	63	9
Oilseeds	25	59	16
Pulse Crops	20	71	9

Haying operations have started in the region with 15 per cent of the crop cut and waiting to be baled or silaged and another twelve per cent that has been baled or silaged so far. Seventy-three per cent of the hay crop is still standing. Producers are hoping for a soaking rain after they are done to ensure for good regrowth and a possible second cut. Hay quality is rated as 18 per cent excellent, 65 per cent good and 17 per cent fair.

The majority of crop damage this week was from heat, wind and dry soil conditions. Grasshoppers are causing severe damage in the region and producers are actively spraying to keep them under control. They are busy getting prepared for haying season, scouting fields and assessing crop damage. Some have also begun fungicide applications.

### **Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Crops are beginning to show signs of stress after another hot, dry week in much of the region. There were small, spotty showers that dotted the region but the rainfall was not significant enough to help struggling crops. The stress of the heat and dry conditions, coupled with the earlier than normal seeding dates has allowed crops in the region to be ahead of their normal development stages for this time of year.

<b>Northeast</b>			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	88	3	9
Spring Cereals	39	59	2
Oilseeds	33	63	4
Pulse Crops	38	61	1

Regionally, three per cent of the fall cereals, 59 per cent of the spring cereals, 63 per cent of the oilseed crops and 61 per cent of the pulse crops are at their normal stages of development for this time of year. Almost 40 per cent of all crops in the region are ahead in their development.

Crop conditions range from poor to excellent in the region, with 66 per cent of the spring wheat, 63 per cent of the canola and 60 per cent of the peas rated as being in good condition at this time.

Rainfall for the region ranged from trace amounts to 17 mm in the Prince Albert area. Over Sunday night a large storm passed through the western half of the region bringing with it large volumes of rain and hail, some producers estimate the rainfall to be upwards of three inches and in some cases the hail resulted in complete crop loss.

Crop land topsoil moisture is rated as 51 per cent adequate, 47 per cent short and two per cent very short. Hay and pasture land topsoil moisture is rated as 39 per cent adequate, 58 per cent short and four per cent very short. While the region started off with adequate moisture, conditions are continuing to decline due to lack of rain and warm temperatures.

Ten per cent of the hay crop is now cut and is waiting for producers to bale or silage it. As of Monday, seven per cent of the hay crop had been baled or put up for silage. Hay quality is rated as 18 per cent excellent and 82 per cent good.

The majority of crop damage this week was from localized storms that resulted in flooding and hail, insect pests and wind. Producers are busy spraying for weeds, insects and disease. Livestock producers are prepping haying equipment and will be getting into their fields shortly.

#### **Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

The northwest continues to struggle through dry conditions as they come through another hot and relatively rain-free week. Very spotty and isolated rain showers passed through the region, leaving producers anxious about how much longer their crops can go on without significant moisture.

Northwest			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	27	73	0
Spring Cereals	36	62	2
Oilseeds	33	63	4
Pulse Crops	26	71	3

Crops are starting to mature rapidly in response to their growing conditions and this could possibly limit their yield potential and quality. Sixty-two per cent of the spring cereals, 63 per cent of the oilseed crops and 71 per cent of the pulse crops are at their normal stages of development for this time of year. The remaining crops are rated as being ahead of normal development. This trend will continue to get worse if the hot, dry conditions continue. Crop conditions range from fair to good in the region, with 57 per cent of the spring wheat, 52 per cent of the canola and 45 per cent of the peas being in good condition at this time.

There was some heavy precipitation and hail in the North Battleford area. In areas with most severe hail, Canola was affected the worst, followed by cereal crops such as wheat and barley. With the hailstorm came 50 mm of rain which also resulted in flooding and further crop damage, rainfall across the region ranged from two mm up to 50 mm.

Cropland topsoil moisture rated as one per cent surplus, 53 per cent adequate, 36 per cent short and ten per cent very short. Hay and pasture land topsoil moisture is rated as seven per cent surplus, 45 per cent adequate, 32 per cent short and 17 per cent very short.

Haying has been slow in the region with only eight per cent of the crop cut and the rest still standing. Hay quality is rated as eleven per cent excellent, 33 per cent good, 44 per cent fair and eleven per cent poor.

The majority of crop damage this week was from flooding, severe hail and wind. Insect pests are causing some issues across the region and producers have been busy spraying to keep them under control.



## Crop Development Tables - June 26, 2023

Provincial			
	% Ahead	% Normal	% Behind
Fall Cereals	30	64	6
Spring Cereals	22	69	9
Oilseeds	22	65	13
Pulse Crops	19	72	9

Southeast			
	% Ahead	% Normal	% Behind
Fall Cereals	27	69	4
Spring Cereals	14	73	13
Oilseeds	14	66	20
Pulse Crops	10	70	20

Southwest			
	% Ahead	% Normal	% Behind
Fall Cereals	32	63	5
Spring Cereals	11	82	7
Oilseeds	9	84	7
Pulse Crops	21	72	7

East-Central			
	% Ahead	% Normal	% Behind
Fall Cereals	21	79	0
Spring Cereals	23	64	13
Oilseeds	23	59	18
Pulse Crops	19	77	4

West-Central			
	% Ahead	% Normal	% Behind
Fall Cereals	24	47	29
Spring Cereals	28	63	9
Oilseeds	25	59	16
Pulse Crops	20	71	9

Northeast			
	% Ahead	% Normal	% Behind
Fall Cereals	88	3	9
Spring Cereals	39	59	2
Oilseeds	33	63	4
Pulse Crops	38	61	1


Northwest			
	% Ahead	% Normal	% Behind
Fall Cereals	27	73	0
Spring Cereals	36	62	2
Oilseeds	33	63	4
Pulse Crops	26	71	3

## Crop Conditions - June 26, 2023

Provincial							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	17	13	14	6	19	13	21
% good	47	43	56	36	53	50	45
% fair	30	27	21	27	23	24	20
% poor	5	17	5	12	3	7	14
% very poor	1	0	4	19	2	6	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	13	15	5	16	13	10	6
% good	59	51	26	78	47	40	58
% fair	22	26	54	6	24	26	20
% poor	6	7	14	0	13	15	13
% very poor	0	0	1	0	3	10	3
Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	5	23	19	17	23	20	30
% good	71	75	63	71	65	73	65
% fair	18	2	15	11	12	7	5
% poor	6	0	3	1	0	0	0
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	26	24	38	17	27	17	17
% good	62	63	54	79	62	66	53
% fair	11	11	8	4	11	13	14
% poor	1	2	0	0	0	3	8
% very poor	0	0	0	0	0	1	8
Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	5	3	3	2	0
% good	22	16	27	19	22	20	0
% fair	71	36	19	32	37	21	50
% poor	4	48	9	17	15	20	50
% very poor	4	0	40	29	23	36	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	3	0	0	4	5	0
% good	29	23	16	0	16	23	59
% fair	53	50	64	0	32	30	24
% poor	18	23	18	0	37	23	17
% very poor	0	1	2	0	11	19	0
East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	42	30	24	10	23	21	100
% good	36	54	57	82	51	58	0
% fair	21	16	15	6	24	18	0
% poor	1	0	4	2	2	3	0
% very poor	0	0	0	0	0	0	0


East-central (continued)							
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	21	24	29	0	23	26	0
% good	74	48	71	68	60	62	0
% fair	4	23	0	32	16	11	0
% poor	0	5	0	0	1	2	0
% very poor	0	0	0	0	0	0	0
West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	6	1	5	5	1
% good	19	14	53	37	66	45	69
% fair	60	65	31	49	21	35	17
% poor	22	21	9	11	8	13	13
% very poor	0	0	1	2	0	1	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	2	4	2	0	2	7	0
% good	76	52	50	0	57	47	100
% fair	16	32	42	0	30	34	0
% poor	6	12	6	0	11	12	0
% very poor	0	0	0	0	0	0	0
Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	15	0	25	13	9
% good	60	50	66	0	57	63	56
% fair	40	50	18	0	18	23	35
% poor	0	0	1	0	0	1	0
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	13	15	0	0	24	4	0
% good	56	63	0	0	60	67	0
% fair	29	20	0	0	14	20	0
% poor	2	2	0	0	2	9	0
% very poor	0	0	0	0	0	0	0
Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	5	6	8	0	12	11	0
% good	53	58	57	0	48	37	0
% fair	38	36	30	0	39	46	0
% poor	4	0	5	0	1	6	0
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	9	7	0	0	9	25	0
% good	71	52	0	0	45	35	0
% fair	20	34	0	0	42	38	0
% poor	0	6	0	0	4	2	0
% very poor	0	1	0	0	0	0	0

# Crop Districts and Rural Municipalities in Saskatchewan



# Weekly Rainfall

from June 20 to June 26, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Weekly Rainfall Summary

(in millimeters)

for the period from June 20 to June 26, 2023


Crop Dist.	R.M. No.	Name	Past Week	last wee 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	22	138	4A	51	Reno	23	94	7A	259	Snipe Lake	N/A	74
	3	Enniskillen	22	150		79 A	Arlington	4	114		287	St. Andrews	N/A	55
	4	Coalfields	51	161		79 B	Arlington	N/A	143		288	Pleasant Valley	N/A	100
	6	Cambria	N/A	N/A		109	Carmichael	N/A	N/A		290	Kindersley	3	55
	32	Reciprocity	5	147		110	Piapot	N/A	70		292	Milton	N/A	122
	34	Browning	N/A	N/A	4B	139	Gull Lake	4	92		292 B	Milton	5	71
	61	Antler	N/A	N/A		229	Miry Creek	N/A	69.4		317 A	Marriott	8	174
	64	Brock	N/A	N/A		231	Happyland	N/A	53		317 B	Marriott	N/A	93
	65	Tecumseh	N/A	52	5A	181	Langenburg	13	67		319	Winslow	N/A	15
1B	95	Golden West	N/A	NA		183 A	Fertile Belt	12	123		320 A	Oakdale	N/A	85
	122	Martin	N/A	146		185	McLeod	N/A	40		320 B	Oakdale	N/A	21
	123	Silverwood	29	96		211	Churchbridge	31	160		321	Prairiedale	N/A	86
	124	Kingsley	3	91		213	Saltcoats	5	87	7B	347	Biggar	4	112
	125 A	Chester	N/A	N/A		215	Stanley	10	157		350	Mariposa	N/A	60
	125 B	Chester	N/A	124		216 A	Tullymet	N/A	148		351	Progress	N/A	55
	151	Rocanville	4	93		216 B	Tullymet	15	58		377	Glenside	2	92
	154 A	Elcapo	N/A	117		217	Lipton	7	178		378	Rosemount	7	102
	154 B	Elcapo	N/A	N/A		241	Calder	5	156		382	Eye Hill	N/A	65
	155	Wolseley	N/A	139		243	Wallace	15	51		409 A	Buffalo	14	124
2A	67	Weyburn	N/A	143		245 A	Garry	13	130		409 B	Buffalo	5	134
	68	Brokenshell	N/A	104		245 B	Garry	N/A	97		410	Round Valley	N/A	20
	96	Fillmore	N/A	N/A		246 A	Ituna Bon Accord	2	227	8A	394	Hudson Bay	11	117
	97	Wellington	N/A	N/A		246 B	Ituna Bon Accord	2	88		395	Porcupine	N/A	110
	100	Elmsthorpe	N/A	170		247	Kellross	25	201		397 A	Barrier Valley	1	123.4
2B	127 A	Francis	7	171		248	Touchwood	N/A	82		397 B	Barrier Valley	N/A	54
	127 B	Francis	N/A	N/A	5B	273	Sliding Hills	10	104		427	Tisdale	N/A	N/A
	129	Bratt's Lake	3	170		275	Insinger	8	117		428	Star City	15	127
	131	Baldon	N/A	134		276	Foam Lake	N/A	137.5		456	Arborfield	3	139
	156 A	Indian Head	N/A	N/A		277	Emerald	N/A	115		457 A	Connaught	N/A	N/A
	156 B	Indian Head	14	137		277 B	Emerald	14	58		457 B	Connaught	N/A	85
	159 A	Sherwood	N/A	162		301	St.Philips	9	84.2		486	Moose Range	N/A	92
	159 C	Sherwood	1	107		305	Invermay	N/A	N/A		487	Nipawin	N/A	59
	160	Pense	4	63		307	Elfros	30	106	8B	369	St. Peter	1	116
	161 A	Moose Jaw	N/A	122		308 A	Big Quill	26	145		370 A	Humboldt	5	110
	162 A	Caron	N/A	143		308 B	Big Quill	N/A	N/A		370 B	Humboldt	N/A	N/A
	162 B	Caron	N/A	159		331	Livingston	1	118		371 A	Bayne	17	128
	191	Marquis	N/A	N/A		334	Preeceville	N/A	18		371 B	Bayne	N/A	109
3ASE	38 A	Laurier	22	155.7		336	Sasman	N/A	N/A		372	Grant	1	54
	38 B	Laurier	8	132		337	Lakeview	50	67		400	Three Lakes	5	81
3ASW	10	Happy Valley	N/A	95		366	Kelvington	6	75		429	Flett's Springs	1	71
	40	Bengough	N/A	N/A		367	Ponass Lake	18	130		430	Invergordon	12	96
	43	Old Post	N/A	161	6A	190 A	Dufferin	N/A	73		459	Kinistino	15	111
	73 A	Stonehenge	N/A	83		190 B	Dufferin	N/A	106.5		460	Birch Hills	N/A	73.7
	73 B	Stonehenge	N/A	9		190 C	Dufferin	N/A	92	9AE	461	Prince Albert	15	78.5
	74	Wood River	N/A	91		190 D	Dufferin	N/A	72		461 B	Prince Albert	3	77.5
3AN	102	Lake Johnston	N/A	147		219 A	Longlaketon	N/A	102		488	Torch River	9	108
	103	Sutton	N/A	N/A		219 B	Longlaketon	N/A	245		491 A	Buckland	N/A	45
	132 A	Hillsborough	N/A	15		220	McKillop	N/A	N/A		491 B	Buckland	N/A	N/A
	132 B	Hillsborough	N/A	172		221	Sarnia	N/A	112		520	Paddockwood	N/A	53
	193	Eyeblow	4	134		222	Craik	N/A	191		521	Lakeland	N/A	54
3BS	75	Pinto Creek	N/A	88		251	Big Arm	N/A	57.5	9AW	405	Great Bend	N/A	73
	77	Wise Creek	N/A	N/A		252	Arm River	N/A	N/A		406	Mayfield	N/A	4
	78	Grassy Creek	N/A	60		279	Mount Hope	1	109.4		435	Redberry	N/A	118
	106 A	Whiska Creek	N/A	N/A		279 B	Mount Hope	N/A	15		436	Douglas	6	52
	106 B	Whiska Creek	N/A	134		282	McCraney	N/A	95		437 A	North Battleford	50	96
	107	Lac Pelletier	N/A	N/A		310	Usborne	N/A	47.1		437 B	North Battleford	13	124
	108	Bone Creek	N/A	99		339	Leroy	20	185		463	Duck Lake	N/A	127
3BN	138	Webb	N/A	96		340	Wolverine	N/A	N/A		466	Meeting Lake	1	74
	165	Morse	N/A	134		341	Viscount	N/A	N/A		467 A	Round Hill	N/A	71
	168 A	Riverside	N/A	58		343	Blucher	2	75.5		467 B	Round Hill	2	69
	168 B	Riverside	N/A	49.5	6B	223 A	Huron	N/A	86		493	Shellbrook	N/A	164
	226	Victory	N/A	N/A		223 B	Huron	N/A	N/A		496	Spiritwood	N/A	N/A
	228	Lacadena	N/A	102		223 C	Huron	N/A	N/A		497	Medstead	N/A	84
	257	Monet	N/A	8		284 A	Rudy	N/A	61	9B	440	Hillsdale	23	130
						284 B	Rudy	N/A	N/A		442	Manitou Lake	6	76
						285	Fertile Valley	6	84		498	Parkdale	30	132
						286	Milden	N/A	103		499 A	Mervin	14	78
						314	Dundurn	4	66		499 B	Mervin	9	78
						316 A	Harris	15	171		501 A	Frenchman Butte	4	47
						344	Corman Park	4	68		501 B	Frenchman Butte	N/A	N/A
						376	Eagle Creek	5	110		501 C	Frenchman Butte	N/A	136
						403 A	Rosthern	N/A	97		502	Britannia	2	189
						403 B	Rosthern	6	114.2		561	Loon Lake	7	77
											588 B	Meadow Lake	19	127
											622	Beaver River	N/A	105.5

**Municipality No: A, B, C and D - more than one reporter**

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


# Cumulative Rainfall

from April 1 to June 26, 2023




# Cropland Topsoil Moisture Conditions

June 26, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

**Saskatchewan**



Projection: UTM Zone 13 Datum: NAD83



Data Source:  
Moisture - Ministry of Agriculture, Crop Report Database  
IDW interpolation (power 2.5, fixed radius 300 km)


Geomatics Services, Ministry of Agriculture

June 28, 2023



# Hay and Pasture Topsoil Moisture Conditions


## June 26, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Minimum Temperature


from June 20 to June 26, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Maximum Temperature

## from June 20 to June 26, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.