

Crop Report

For the Period July 4 to July 10, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 10, July 13, 2023

Crops continued to progress this week with the warm temperatures across the province. Canola is beginning to pod and wheat is beginning to flower in many areas. Dry conditions are impacting parts of the province and many producers are hoping for rain immediately.

Very little rain was received this week. The most rain was in the Dinsmore area, with 14 mm. A large decrease in soil moisture accompanied the warm weather this past week. Crop land topsoil moisture is currently 21 per cent adequate, 55 per cent short and 24 per cent very short. Hay and pastureland topsoil moisture is currently 17 per cent adequate, 55 per cent short and 28 per cent very short.

Crops are either ahead or at normal stages of development for this time of year. Fall cereals are 31 per cent ahead and 66 per cent at normal stages of development. Spring cereals are 33 per cent ahead and 60 per cent at normal stages of development. Oilseeds are also 33 per cent ahead and 58 per cent at normal stages of development. Pulse crops are 28 per cent ahead and 67 per cent at normal stages of development.

Crops are generally in good to fair condition. Provincially, winter wheat and soybean crops are in the best condition, with 60 per cent of winter wheat in good condition and 67 per cent of soybean in good condition. Mustard and canary seed are the crops in the poorest condition. Thirty-five per cent of mustard and 21 per cent of canary seed is in very poor condition.

Producers have made swift and steady progress with haying this week. Fifty-one per cent of the first cut of hay has been baled or silaged, while 26 per cent is cut and 23 per cent is still standing. The quality of hay ranges from excellent to fair, with 59 per cent in good quality.

One year ago

Rain received in the southwest region provided some relief to struggling crops however not enough. Crops around the province were progressing at normal rates and were at normal stages of development. Rain and humid conditions slowed haying progress however haying had begun in many regions of the province.

Follow the 2023 Crop Report on
Twitter @SKAgriculture

Provincial			
	Per cent Ahead	Per cent Normal	Per cent Behind
Fall Cereals	31	66	3
Spring Cereals	33	60	7
Oilseeds	33	58	9
Pulse Crops	28	67	5

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period July 4 to July 10, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 10, July 13, 2023

Crop damage this week comes from heat and moisture stress and grasshoppers. Producers are reminded to keep in mind economic thresholds when scouting for grasshoppers and to reach out to their [local regional office](#) if they have any questions.

Many producers are haying and monitoring their pastures now. With the heat, water quality is at the top of mind for many. If producers are concerned about the quality of their water source for livestock, they can bring in samples to their local regional office for testing.

The growing season is stressful time of year and producers are reminded to take all safety precautions in all the work they do. The Farm Stress Line is there to help by providing support for producers toll free at 1-800-667-4442.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan The logo for the province of Saskatchewan, featuring the word "Saskatchewan" in a green serif font, followed by a stylized yellow and green flag.

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Warm, dry conditions helped crop development and haying progress quickly in the southeast this past week. Many producers hope for rain soon to maintain crop conditions.

Many areas of the southeast reported only trace amounts of rain and the most rainfall reported was five mm in the Avonlea area. Soil moisture has diminished. Cropland in the southeast is 21 per cent adequate for soil moisture, 65 per cent short and 14 per cent very short. Hay and pasture land is 17 per cent adequate for soil moisture, 62 per cent short and 22 per cent very short.

Southeast			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	28	72	0
Spring Cereals	13	73	14
Oilseeds	11	70	19
Pulse Crops	18	71	11

The majority of crops are at normal stages of development for this time of year. Fall cereals are the most advanced, with 28 per cent of this year's crop ahead of normal stages of development. Oilseeds are the most behind, with 19 per cent of the crop behind normal stages of development. Crop conditions in the southeast are generally good, partially due to the excess moisture received this spring. Peas and lentils are in the best condition in the region, with 20 per cent of peas in excellent condition and 49 per cent in good condition. Fifteen per cent of lentils are in excellent condition and 59 per cent are in good condition. Currently, winter wheat, fall rye, spring wheat and durum are in the poorest condition with 10 to 14 per cent of the crop in poor condition.

Producers have made great haying progress this week. Fifty per cent of the first cut of hay has been baled or silaged, while 23 per cent is cut and 27 per cent is still standing. The first cut of hay is good quality hay.

Crop damage this week is primarily due to heat stress and dry conditions, while grasshoppers remain the primary insect pest. Producers are scouting their fields for pests while many are working cattle and haying.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Warm and dry conditions persisted in the southwest this past week and crops are progressing quickly. Producers in the southwest are hoping for rain soon.

Many regions of the southwest reported only trace amounts of rain this week. The most rain reported was four mm received in the Leader area leading to further topsoil moisture degradation. Cropland topsoil moisture is currently 10 per cent adequate, 42 per cent short, and 48 per cent very short. Hay and pasture land are similar; five per cent of topsoil has adequate moisture, 46 per cent is short, and 49 per cent is very short.

Crops are either in normal stages of development for this time of year or are more advanced. Fall cereals are the most advanced, with 39 per cent ahead in development. Crop conditions in the southwest are spread between good to very poor condition. Winter wheat is in the best condition, with 84 per cent of the crop in good condition. Canary seed is in the poorest condition, with 77 per cent of the crop in very poor condition.

Southwest			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	39	61	0
Spring Cereals	25	72	3
Oilseeds	34	63	3
Pulse Crops	25	73	3

Producers are nearing the completion of their first cut of hay with only 14 per cent still standing. Eighteen per cent has been cut, and 68 per cent has been baled or silaged for the year. The quality of the hay ranged from excellent to fair, with the majority being either good or fair quality.

Crop damage this week is due to heat stress and dry conditions and grasshoppers continue to be a problem. Producers are busy working cattle and haying.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

The excess moisture in the spring has helped the crops stay in good condition in the east-central region. Although the rain slowed seeding earlier in the season, many producers are hoping it will return to prevent crop conditions from regressing.

Only trace amounts of rain was received in the east-central region this week with seven mm of rain was recorded in the Foam Lake area. Topsoil moisture levels have diminished. One per cent of cropland topsoil moisture has a surplus of moisture, 27 per cent is adequate, 60 per cent is short and 13 per cent is very short. Similarly, one per cent of hay and pasture land has a surplus of topsoil moisture, 25 per cent is adequate, 60 per cent is short, while 14 per cent is very short.

East-Central			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	23	77	0
Spring Cereals	34	57	9
Oilseeds	35	53	11
Pulse Crops	28	68	4

Crops are either in normal stages of development or are advanced. Oilseeds are the most advanced crop, with 35 per cent ahead of normal stages of development. Crops are generally in good to fair condition in the region. Oats and peas are in the best condition, both with nine per cent rated as being in excellent condition. Canola and Barley are in the poorest condition, with seven and six per cent are respectively in poor condition.

Producers have made good progress with haying this past week. Forty-seven per cent of the first cut of hay has been baled or silaged, while 29 per cent is cut and 24 per cent is still standing. Hay is of good quality.

Crop damage this week is due to dry conditions, with reports of grasshoppers and cereal army worm being present. Producers are busy this week with spraying and haying.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Producers in the west-central region have made substantial progress with haying this past week. The warm and dry conditions persisted and allowed producers an uninterrupted opportunity to nearly complete the first cut of hay. They are hoping for further rain within the region.

Trace amounts of rain were recorded within the west-central region this week with the most being received in the Dinsmore area at 14 mm. Soil moisture levels further diminished this week with the hot and dry conditions. Cropland topsoil is currently 17 per cent adequate, 56 per cent short and 27 per cent very short. Hay and pasture land topsoil moisture is currently 11 per cent adequate, 55 per cent short, and 35 per cent very short.

West-Central			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	27	55	18
Spring Cereals	42	47	11
Oilseeds	41	48	11
Pulse Crops	37	53	9

The majority of crops in the west-central region are within the normal stages of development for this time of year. Crop conditions in the west-central region are spread between good to poor condition. Lentils and chickpeas are in the best condition at 40 and 50 per cent, respectively, of the crops are in good condition. Spring wheat and canola are in the poorest condition in the region, with 10 per cent of spring wheat and eight per cent of mustard in very poor condition.

Producers are nearing the completion of haying in the west-central region. Eight per cent of the first cut of hay is still standing, while 26 per cent is cut and 66 per cent has been baled or silaged. Hay quality is either fair or good.

Crop damage this week is due to hot and dry conditions with grasshoppers remaining a concern. Producers are currently haying and scouting their fields. With the heat, many are concerned about water quality.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Warm conditions this past week allowed crops to advance in the northeast region. Producers are concerned about soil moisture and are hoping for rain soon to prevent crop quality from diminishing.

Trace amounts of rain was received in the northeast region this week. Eight mm was received was recorded in the Lake Lenore region. Soil moisture in the northeast diminished this week and both cropland and hay and pasture are short in topsoil moisture. Twenty-one per cent of cropland has adequate topsoil moisture, 68 per cent is short and 11 per cent is very short. Fourteen per cent of hay and pasture land had adequate moisture, 70 per cent is short and 17 per cent is very short.

The majority of crops in the northeast are ahead of normal stages of development, with the most advanced being fall cereals at 70 per cent. Oilseeds are the least advanced and 54 per cent of the crop is within normal stages of development for this time of year. Crops are generally in good to fair condition in the region.

Northeast			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	70	30	0
Spring Cereals	59	41	0
Oilseeds	44	54	2
Pulse Crops	54	46	0

The first cut of hay is nearing completion for many producers. Regionally, 17 per cent of the crop is still standing, 32 per cent is cut and 51 per cent has been baled or silaged. The hay is of good quality.

Crop damage this week is primarily due to hot and dry conditions. Producers are busy with haying operations.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Storms that moved through the northwest a few weeks ago have kept soil moisture high compared to the rest of the province. Producers in the northwest are hoping for some additional rains to help maintain moisture levels and prevent the crops from regressing.

The most rain recorded was four mm in the Medstead region. Topsoil moisture diminished this week compared to last week. In cropland, 50 per cent of topsoil has adequate moisture, 37 per cent is short and 13 per cent is very short. In hay and pasture land, 36 per cent has adequate topsoil moisture, 47 per cent is short and 18 per cent is very short.

Northwest			
	Per cent ahead	Per cent normal	Per cent behind
Fall Cereals	0	100	0
Spring Cereals	38	59	3
Oilseeds	36	60	4
Pulse Crops	35	64	1

Crops in the northwest are mainly at normal stages of development for this time of year. Crop conditions range between excellent to fair. Fall rye is in the best condition, with 93 per cent of the crop in good condition and seven per cent in excellent condition. Barley crops are in the worst condition, with 10 per cent of the crop in poor condition.

Producers were delayed in haying progress last week but are now over halfway through the first cut of hay for the year. Currently, 46 per cent of the first cut of hay is still standing,

35 per cent has been cut and 19 per cent has been baled or silaged. Hay is generally rated good to fair quality.

Crop damage this week is due to grasshoppers and hot conditions. Many producers are hoping for rain soon. Producers are busy haying, scouting crops and spraying for grasshoppers.

Crop Development Tables - July 10, 2023

Provincial			
	% Ahead	% Normal	% Behind
Fall Cereals	31	66	3
Spring Cereals	33	60	7
Oilseeds	33	58	9
Pulse Crops	28	67	5

Southeast			
	% Ahead	% Normal	% Behind
Fall Cereals	28	72	0
Spring Cereals	13	73	14
Oilseeds	11	70	19
Pulse Crops	18	71	11

East-Central			
	% Ahead	% Normal	% Behind
Fall Cereals	23	77	0
Spring Cereals	34	57	9
Oilseeds	35	53	11
Pulse Crops	28	68	4

Southwest			
	% Ahead	% Normal	% Behind
Fall Cereals	39	61	0
Spring Cereals	25	72	3
Oilseeds	34	63	3
Pulse Crops	25	73	3

Northeast			
	% Ahead	% Normal	% Behind
Fall Cereals	70	30	0
Spring Cereals	59	41	0
Oilseeds	44	54	2
Pulse Crops	54	46	0

Northwest			
	% Ahead	% Normal	% Behind
Fall Cereals	0	100	0
Spring Cereals	38	59	3
Oilseeds	36	60	4
Pulse Crops	35	64	1



West-Central			
	% Ahead	% Normal	% Behind
Fall Cereals	27	55	18
Spring Cereals	42	47	11
Oilseeds	41	48	11
Pulse Crops	37	53	9

Crop Conditions - July 10, 2023

Provincial							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	3	3	5	3	6	5	9
% good	60	47	45	23	52	42	39
% fair	26	23	34	40	32	35	25
% poor	9	20	11	16	7	9	6
% very poor	2	7	5	18	3	9	21
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	4	5	1	0	8	6	0
% good	41	43	23	67	42	38	51
% fair	39	36	27	32	30	36	33
% poor	12	10	14	1	14	15	14
% very poor	4	6	35	0	6	5	2
Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	2	3	5	5	5	7	6
% good	52	57	47	40	64	58	57
% fair	30	28	38	43	26	26	34
% poor	14	12	10	12	5	9	3
% very poor	2	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	5	5	0	0	20	15	0
% good	55	48	80	68	49	59	55
% fair	34	39	20	31	22	25	45
% poor	6	8	0	1	7	1	0
% very poor	0	0	0	0	2	0	0
Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	2	2	5	5	0
% good	84	13	28	14	17	11	5
% fair	0	23	28	40	28	31	14
% poor	6	38	11	17	21	11	4
% very poor	10	26	31	27	29	42	77
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	2	0	N/A	3	4	0
% good	22	29	15	N/A	30	24	49
% fair	47	28	23	N/A	24	36	29
% poor	21	14	14	N/A	28	25	19
% very poor	10	27	48	N/A	15	11	3
East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	7	8	3	0	9	5	0
% good	73	73	57	58	65	56	89
% fair	19	18	35	38	22	33	9
% poor	1	1	5	4	2	6	2
% very poor	0	0	0	0	2	0	0

East-central (continued)							
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	7	6	0	0	9	1	0
% good	53	49	52	75	58	54	70
% fair	36	36	47	24	29	40	25
% poor	4	7	1	1	3	4	5
% very poor	0	2	0	0	1	1	0
West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	4	6	2	6	31
% good	15	4	35	24	26	26	18
% fair	60	64	31	37	42	40	32
% poor	25	32	20	28	24	19	18
% very poor	0	0	10	5	6	9	1
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	7	4	5	0	4	4	0
% good	33	32	15	0	33	40	50
% fair	33	36	44	100	41	43	50
% poor	21	20	35	0	17	13	0
% very poor	6	8	1	0	5	0	0
Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	0	N/A	0	0	0
% good	0	52	53	N/A	54	53	50
% fair	100	1	39	N/A	41	41	48
% poor	0	47	7	N/A	5	5	2
% very poor	0	0	1	N/A	0	1	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	0	N/A	N/A	2	0	N/A
% good	31	51	N/A	N/A	54	35	N/A
% fair	61	43	N/A	N/A	42	63	N/A
% poor	5	6	N/A	N/A	2	2	N/A
% very poor	3	0	N/A	N/A	0	0	N/A
Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	N/A	7	18	N/A	12	13	N/A
% good	N/A	93	44	N/A	43	42	N/A
% fair	N/A	0	33	N/A	38	35	N/A
% poor	N/A	0	5	N/A	7	10	N/A
% very poor	N/A	0	0	N/A	0	0	N/A
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	18	N/A	N/A	10	0	N/A
% good	85	46	N/A	N/A	40	68	N/A
% fair	15	31	N/A	N/A	46	32	N/A
% poor	0	5	N/A	N/A	4	0	N/A
% very poor	0	0	N/A	N/A	0	0	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Projection: UTM Zone 13 Datum: NAD83




Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatics Services, Ministry of Agriculture October 17, 2019

Weekly Rainfall

from July 4 to July 10, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary


(in millimeters)

for the period from July 4 to July 10, 2023

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	138	4A	51	Reno	N/A	101	7A	259	Snipe Lake	N/A	87
	3	Enniskillen	N/A	150		79 A	Arlington	2	116		287	St. Andrews	N/A	55
	4	Coalfields	N/A	161		79 B	Arlington	N/A	149		288	Pleasant Valley	N/A	100
	6	Cambria	N/A	N/A		109	Carmichael	N/A	N/A		290	Kindersley	1	60
	32	Reciprocity	N/A	147		110	Plapot	N/A	73		292	Milton	4	132
	34	Browning	N/A	N/A	4B	139	Gull Lake	N/A	92		292 B	Milton	N/A	74
	61	Antler	N/A	N/A		229	Miry Creek	N/A	69.4		317 A	Marriott	N/A	174
	64	Brock	N/A	N/A		231	Happyland	4	57		317 B	Marriott	10	103
	65	Tecumseh	N/A	52	5A	181	Langenburg	N/A	91		319	Winslow	N/A	15
1B	95	Golden West	1	1		183 A	Fertile Belt	N/A	128		320 A	Oakdale	2	91
	122	Martin	N/A	146		185	McLeod	N/A	40		320 B	Oakdale	N/A	26
	123	Silverwood	N/A	96		211	Churchbridge	N/A	168		321	Prairiedale	N/A	97
	124	Kingsley	N/A	94		213	Saltcoats	N/A	103	7B	347	Biggar	N/A	119
	125 A	Chester	N/A	N/A		215	Stanley	N/A	177		350	Mariposa	N/A	61
	125 B	Chester	N/A	124		216 A	Tullymet	N/A	148		351	Progress	N/A	68
	151	Rocanville	N/A	103		216 B	Tullymet	N/A	59		377	Glenside	N/A	98
	154 A	Elcapo	N/A	117		217	Lipton	1	179		378	Rosemount	N/A	105
	154 B	Elcapo	N/A	N/A		241	Calder	N/A	163		382	Eye Hill	N/A	85
	155	Wolseley	N/A	139		243	Wallace	N/A	63	409 A	409 A	Buffalo	N/A	158
2A	67	Weyburn	N/A	143		245 A	Garry	N/A	151	409 B	409 B	Buffalo	N/A	145
	68	Brokenshell	N/A	104		245 B	Garry	N/A	102		410	Round Valley	N/A	25
	96	Fillmore	N/A	N/A		246 A	Ituna Bon Accord	N/A	236	8A	394	Hudson Bay	N/A	128
	97	Wellington	N/A	N/A		246 B	Ituna Bon Accord	N/A	117		395	Porcupine	N/A	110
	100	Elmsthorpe	5	175		247	Kellross	N/A	201		397 A	Barrier Valley	2	136.4
2B	127 A	Francis	N/A	213		248	Touchwood	N/A	101		397 B	Barrier Valley	N/A	54
	127 B	Francis	N/A	N/A	5B	273	Sliding Hills	N/A	104		427	Tisdale	N/A	N/A
	129	Bratt's Lake	2	172		275	Insinger	N/A	134		428	Star City	N/A	133
	131	Baldon	N/A	134		276	Foam Lake	N/A	149.5		456	Arborfield	N/A	149
	156 A	Indian Head	N/A	N/A		277	Emerald	7	138		457 A	Connaught	N/A	N/A
	156 B	Indian Head	N/A	137		277 B	Emerald	N/A	66	457 B	457 B	Connaught	N/A	85
	159 A	Sherwood	N/A	162		301	St.Philips	2	86.2		486	Moose Range	N/A	106
	159 C	Sherwood	2	114		305	Invermay	N/A	N/A	8B	487	Nipawin	N/A	59
	160	Pense	N/A	63		307	Elfros	N/A	121		369	St. Peter	8	124
	161 A	Moose Jaw	N/A	125		308 A	Big Quill	N/A	155		370 A	Humboldt	N/A	127
	162 A	Caron	N/A	144		308 B	Big Quill	N/A	N/A		370 B	Humboldt	N/A	N/A
	162 B	Caron	N/A	159		331	Livingston	N/A	120		371 A	Bayne	N/A	167
	191	Marquis	N/A	N/A		334	Preeceville	N/A	18		371 B	Bayne	N/A	125
3ASE	38 A	Laurier	2	158.7		336	Sasman	N/A	N/A		372			


Cumulative Rainfall

from April 1 to July 10, 2023



Cropland Topsoil Moisture Conditions

July 10, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000
0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

July 12, 2023

Hay and Pasture Topsoil Moisture Conditions


July 10, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from July 4 to July 10, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from July 4 to July 10, 2023

