

Crop Report

For the Period August 15 to August 21, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 16, August 24, 2023

Producers continued to make progress harvesting their crops this week. Scattered rain helped with moisture levels as systems moved through the province. Saskatchewan is now 21 per cent completed harvest, ahead of the five-year average of 14 per cent and the 10-year average of 11 per cent.

The southwest continues to lead the province in harvest progress, with 38 per cent of the crop harvested. This is followed by the west-central, which has 27 per cent harvested so far. The northwest has received moisture these past few weeks and as a result only four per cent completed harvest.

Harvest progress advanced in all crops this week. Fall cereals continue to lead the crops being harvested; 89 per cent of fall rye and 74 per cent of winter wheat crops are harvested. Field peas and lentils continue to lead the spring-seeded crops in harvest progress; 66 per cent of field peas and 60 per cent of lentils are harvested. Barley leads the spring seeded cereals, with 30 per cent of the crop harvested. With 27 per cent of crop in the bin, mustard leads oilseed harvest progress, ahead of canola and flax.

All crop districts received rain as scattered moisture moved through the province again this week. The most rain reported was 59 mm in the Barthel area. The Cabri area in the southwest also received significant moisture, with 52 mm reported. The scattered showers resulted in an increase in topsoil moisture across the province. Thirty-two per cent of crop land has adequate moisture, 41 per cent is short and 27 per cent is very short. In hay and pastures, 24 per cent have adequate moisture, 42 per cent are short and 34 per cent are very short.

Pasture conditions in the province have improved with the recent moisture. Twelve per cent of pastures are in good condition, 29 per cent are fair, 40 per cent are poor and 19 per cent are very poor. Nine per cent of forage acres did not get cut or baled this year due to drought conditions.

One year ago

Harvest was at the five-year average of 16 per cent this week. Some scattered rain was seen throughout the province this week, however it did not delay harvest long. Soils and pastures were losing topsoil moisture levels quickly.

Follow the 2023 Crop Report on
Twitter @SKAgriculture

Harvest Progress in SK Per cent Combined	
All Crops	
Aug 21/23	21
Aug 22/22	16
Aug 23/21	29
Aug 24/20	15
Aug 26/19	6
Aug 20/18	16
5 year avg. (2018-2022)	14
10 year avg. (2013-2022)	11

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 15 to August 21, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 16, August 24, 2023

Crop damage this past week was due to wind, localized flooding, drought, grasshoppers and gophers. Producers are also noting aster yellows in crops this week. Producers are busy combining, desiccating crops to encourage dry-down and monitoring moisture levels. Many are also busy hauling water for their animals and moving livestock.

Harvest is a very busy and stressful time for producers, and they are reminded to take safety precautions in all the work they do. This includes having fire mitigation resources at the ready and taking precautions when working around powerlines. The Farm Stress Line is available to provide support to producers toll free at 1-800-667-4442. The public is reminded to use extra caution when encountering machinery on the roads, and to give extra time and space.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

Saskatchewan Harvest August 21, 2023	
% combined	
Winter wheat	64
Fall rye*	89
Spring wheat	13
Durum	26
Oats**	12
Barley***	30
Canaryseed	17
Flax	2
Canola	4
Mustard	34
Soybeans	3
Lentils**	60
Peas***	66
Chickpeas	19
*includes 8 per cent of 'other'	
** includes 4 per cent of 'other'	
*** includes 2 per cent of 'other'	

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Saskatchewan Harvest Progress - August 21, 2023

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	32.1	2.6	15.2	50.1	0.0
Southwest	45.9	0.0	0.0	54.1	0.0
East central	6.7	0.0	21.8	64.8	6.6
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	0.0	0.1	99.9	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	16.9	0.5	7.4	73.8	1.3
Fall Rye	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	11.8	4.5	5.8	77.9	0.0
Southwest	10.9	0.0	0.0	56.8	32.3
East central	0.0	0.0	10.2	89.8	0.0
West central	1.8	0.0	0.0	89.0	9.2
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	0.0	6.0	0.0	94.0	0.0
Provincial	5.5	1.5	4.1	81.1	7.8
Spring Wheat	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	70.1	1.2	11.8	16.9	0.0
Southwest	48.8	0.0	30.3	20.8	0.0
East central	75.7	0.9	17.0	6.4	0.0
West central	50.9	1.6	25.8	21.6	0.2
Northeast	76.2	1.2	17.3	5.3	0.0
Northwest	89.3	0.0	7.5	3.2	0.0
Provincial	67.6	1.0	18.5	12.8	0.1
Durum	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	65.3	0.0	13.0	21.7	0.0
Southwest	38.6	0.0	30.3	30.5	0.5
East central	93.9	0.0	3.5	2.6	0.0
West central	46.5	1.9	30.8	20.8	0.0
Northeast	58.2	0.0	0.0	0.0	41.8
Northwest	NA	NA	NA	NA	NA
Provincial	48.5	0.2	24.9	25.9	0.5
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
Southeast	39.5	2.0	9.3	45.9	3.4
Southwest	42.4	0.0	8.0	45.6	4.0
East central	58.5	3.1	16.9	21.4	0.1
West central	38.0	1.3	19.3	32.5	3.1
Northeast	57.1	2.6	19.5	20.9	0.0
Northwest	71.7	14.1	7.5	6.7	0.0
Provincial	52.1	3.1	14.7	28.5	1.6
Oats	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	47.9	4.5	7.0	30.5	10.0
Southwest	49.1	2.9	19.2	22.2	6.6
East central	91.9	1.5	3.6	0.7	2.2
West central	63.6	4.2	7.7	7.5	17.1
Northeast	84.2	1.0	9.9	4.8	0.1
Northwest	93.4	2.5	1.6	0.8	1.8
Provincial	78.8	2.3	6.8	8.0	4.2

Canaryseed	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	81.3	0.0	18.7	0.0	0.0
Southwest	44.3	0.0	21.7	34.0	0.0
East central	100.0	0.0	0.0	0.0	0.0
West central	49.3	0.0	17.5	33.2	0.0
Northeast	100.0	0.0	0.0	0.0	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	68.9	0.0	14.6	16.5	0.0
Flax	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	89.6	0.0	5.6	4.8	0.0
Southwest	98.1	0.0	0.3	1.6	0.0
East central	98.8	0.0	1.2	0.0	0.0
West central	89.8	0.0	10.1	0.1	0.0
Northeast	100.0	0.0	0.0	0.0	0.0
Northwest	85.2	14.8	0.0	0.0	0.0
Provincial	93.9	0.5	3.6	2.1	0.0
Canola	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	84.4	10.2	2.9	2.5	0.0
Southwest	68.9	0.0	17.4	13.4	0.3
East central	88.7	6.6	1.9	2.7	0.0
West central	68.8	14.8	10.9	5.5	0.0
Northeast	85.3	12.6	0.9	0.4	0.8
Northwest	80.2	17.8	2.0	0.0	0.0
Provincial	80.7	9.9	5.4	3.8	0.2
Mustard	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	62.1	0.0	4.4	33.5	0.0
Southwest	30.9	2.7	29.0	37.5	0.0
East central	98.8	0.0	0.0	1.6	0.0
West central	47.0	0.0	18.2	34.8	0.0
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
Provincial	59.7	0.7	12.9	26.9	0.0
Soybeans	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	95.4	0.0	1.8	2.8	0.0
Southwest	NA	NA	NA	NA	NA
East central	100.0	0.0	0.0	0.0	0.0
West central	NA	NA	NA	NA	NA
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
Provincial	97.7	0.0	0.9	1.4	0.0
Field Peas	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	31.1	0.7	7.7	60.5	0.0
Southwest	6.3	0.0	10.7	76.1	7.0
East central	19.0	1.3	20.5	59.2	0.0
West central	17.0	1.0	12.4	69.7	0.0
Northeast	21.2	1.7	32.3	44.8	0.1
Northwest	32.4	0.0	26.2	41.4	0.0
Provincial	18.4	0.7	14.6	64.3	1.9
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
Southeast	40.0	2.1	21.1	36.7	0.0
Southwest	21.5	0.0	16.3	53.3	9.0
East central	29.8	0.0	17.4	52.8	0.0

West central	7.6	0.2	13.2	76.6	2.4
Northeast	14.6	2.6	34.3	32.6	15.9
Northwest	13.7	0.0	16.3	70.0	0.0
Provincial	22.7	0.5	16.7	55.4	4.7
Chickpeas	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	81.3	0.0	18.7	0.0	0.0
Southwest	70.6	0.0	8.1	21.3	0.0
East central	82.8	0.0	10.7	6.4	0.0
West central	0.0	0.0	50.0	50.0	0.0
Northeast	47.2	0.0	0.0	0.0	52.8
Northwest	NA	NA	NA	NA	NA
Provincial	73.5	0.0	7.7	18.5	0.2

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Producers in the southeast are now 20 per cent complete harvest and are waiting for moisture conditions to improve after rain moved into the region. The southeast is ahead of the 5-year average of 18 per cent.

The southeast is busy taking off their fall cereals and now have 50 per cent of winter wheat and 78 per cent of fall rye in the bin. Barley is also being combined, with 49 per cent of barley in the bin for the year. Field peas and lentils are leading the progress in pulses, with 61 per cent of peas and 37 per cent of lentils harvested. Mustard is ahead of the other oilseeds, with 34 per cent in the bin.

Scattered showers moved through the region this week, with Frobisher receiving 15 mm. Soil moisture continues to improve in the region, with 36 per cent of cropland having adequate moisture, 33 per cent short, and 31 per cent very short. Hay and pasture soil moisture is still limited, with 16 per cent being adequate, 44 per cent short, and 40 per cent very short.

The majority of pasture in the southeast is rated as being in poor condition (54 per cent), while some are holding on and are fair condition (24 per cent). The majority of forage acres were able to be cut or baled this year; four per cent remains unharvested due to drought.

Crop damage this past week is due to grasshoppers, gophers and drought. Producers are busy repairing machinery, desiccating crops and monitoring moisture levels. Producers are also hauling water and moving animals to other pastures.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Producers in the southwest continue to make swift progress of harvest and are leading the province with 38 per cent complete. This is ahead of the five-year average of 32 per cent.

Producers in the region are nearing the completion of the fall cereal harvest, with 89 per cent of fall rye and 54 per cent of winter wheat harvested. The region also has 50 per cent of barley off for the year. The region has 38 per cent of the mustard crop in the bin and is leading the province in canola harvest progress with 13 per cent complete. Field peas are 76 per cent harvested and 53 per cent of lentils are harvested.

Parts of the southwest received significant moisture this past week, with the Cabri area receiving 52 mm. This rain led to an increase in topsoil moisture, with 11 per cent of crop land having adequate moisture, 48 per cent is short and 41 per cent is very short. Eleven per cent of hay and pastures have adequate moisture, 39 per cent is short and 50 per cent is very short.

Pastures in the southwest had little reprieve this summer and are in poor (41 per cent) to very poor (38 per cent) condition. The drought conditions forced producers to leave 19 per cent of forage acres unharvested for the year.

Crop damage this past week is due to grasshoppers and drought stress. Producers are busy monitoring moisture content in soon to be harvested fields, combining when appropriate and desiccating crops. Producers are also hauling water and working livestock.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Producers were able to get into the fields this week and make great harvest progress. The east-central is now 12 per cent harvested, ahead of the 5-year average of 9 per cent. Producers now wait for the crops to dry up again after receiving moisture this week.

Harvest of fall cereals is nearing completion for the region, 90 per cent of fall rye and 72 per cent of winter wheat are now harvested for the year. In spring cereals, producers have made the most progress with their barley crops, with 21 per cent now in the bin. Field peas (59 per cent) and lentils (53 per cent) are the most harvested pulse crops. Producers have three per cent of the region's canola in the bin for the year, ahead of other oilseeds.

Pockets of rain moved through the region this week, with Kenaston receiving 46 mm. The region's topsoil moisture continued to improve this week, and producers are reporting 44 per cent of crop land has adequate moisture, while 43 per cent is short and 13 per cent is very short. Hay and pasture land is similar, with 37 per cent having adequate moisture, 43 per cent short and 19 per cent very short.

Pasture conditions are generally fair (39 per cent) to poor (41 per cent). The majority of forage acres were cut or baled this year, with only two per cent left unharvested due to drought conditions.

Crop damage this past week is due to wind, grasshoppers and drought stress. Producers are busy monitoring grain moisture, fixing machinery and combining when able. Producers are also hauling water and feed for livestock.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

The west-central region has made fantastic progress this week with harvest. The region is now 27 per cent complete harvest, ahead of the five-year average of 15 per cent.

Producers are nearing the completion of fall cereal harvest, with 100 per cent of winter wheat and 98 per cent of fall rye harvested. Producers have turned their focus to getting spring seeded crops into the bin, including barley (36 per cent) and spring wheat (22 per

cent). Field peas (70 per cent) and lentils (80 per cent) are also being harvested when ready. Mustard is the primary oilseed being harvested right now, with 35 per cent in the bin.

Scattered showers moved through the region this week, however very few areas got their fill of rain. Outlook recorded the most moisture, with 20 mm being reported. Topsoil moisture in the region continues to be limited. Thirteen per cent of cropland has adequate moisture, 49 per cent is short and 38 per cent is very short. Hay and pastureland have limited moisture. Producers are reporting six per cent of these acres having adequate moisture, 36 per cent short and 58 per cent very short.

Pastures had little moisture or reprieve from the heat this summer. Pasture conditions are poor (41 per cent) to very poor (31 per cent). Fifteen per cent of forage acres went uncut or baled this year due to drought conditions.

Crop damage this past week is due to drought conditions, grasshoppers and some hail. Producers are busy desiccating, combining and swathing. Producers are also hauling water and feed for livestock.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Producers in the northeast have made progress with harvest this week, and are now eight per cent complete harvest, this is ahead of the five-year average of seven per cent.

Producers have focused on getting their fall cereals off and have completed harvesting fall rye (100 per cent) and winter wheat (100 per cent). Producers have turned their focus to barley and have 21 per cent of that crop in the bin for the year. Field peas (45 per cent) and lentils (33 per cent) are the main pulses being harvested. Little progress has been made in oilseeds this week.

Scattered showers moved through the region this week. The Humboldt area recorded the most rainfall, with 33 mm being reported. The area has the best soil moisture in the province currently. Three per cent of cropland has a surplus of topsoil moisture, 69 per cent has adequate moisture, 25 per cent is short while three per cent is very short. Hay and pastureland are similar; one per cent has a surplus of moisture, 58 per cent is adequate, 39 per cent is short, and two per cent is very short.

Pastures in the region are in good (34 per cent) to fair (56 per cent) condition. Eleven per cent of forage acres went uncut or baled for the year due to weather related conditions.

Crop damage this past week is due to localized flooding and grasshoppers. Producers are busy monitoring moisture levels in standing crops, desiccating and combining. Producers are also working and moving livestock.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

The northwest has now completed five per cent of harvest, ahead of the five-year average of four per cent. Producers in the northwest are monitoring the moisture in their crops in the hopes of getting into the combines again soon.



Fall rye is the most harvested crop, with 94 per cent of the crop in the bin for the year. Producers are also harvesting barley, with seven per cent in the bin for the year. Field peas are 45 per cent complete, and lentils are 70 per cent harvested as well. Very few oilseeds have been harvested yet.

Rain continued to move into the region in scattered showers this week, with the Barthel region receiving 59 mm. Topsoil moisture continues to increase with the rain. Forty-three per cent of cropland has adequate moisture, 42 per cent is short, and 15 per cent is very short. Thirty-eight per cent of hay and pastures have adequate topsoil moisture, 44 per cent is short, and 18 per cent is very short.

Pastures are in fair (33 per cent) to poor (40 per cent) condition. The majority of forage acres were cut or baled this year, with only two per cent of acres going unharvested due to drought.

Crop damage this past week is due to excess moisture and grasshoppers. Producers are busy desiccating crops and monitoring crop maturity. Producers are also noting geese beginning to fly south for the winter.

Crop Districts and Rural Municipalities in Saskatchewan




Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Projection: UTM Zone 13 Datum: NAD83

Geomatics Services, Ministry of Agriculture October 17, 2019

Weekly Rainfall

from August 15 to August 21, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(in millimeters)

the period from August 15th to August 21st, 2023



Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	
1A	2	Mount Pleasant	14	175	4A	51	Reno	11	134	7A	259	Snipe Lake	N/A	112	
	3	Enniskillen	15	210		79 A	Arlington	5	156		287	St. Andrews	1	92	
	4	Coalfields	N/A	206		79 B	Arlington	12	168		288	Pleasant Valley	6	125	
	6	Cambria	N/A	N/A		109	Carmichael	N/A	N/A		290	Kindersley	3	77	
	32	Reciprocity	N/A	170		110	Piapot	N/A	83		292	Milton	12	198	
	34	Browning	N/A	N/A		4B	139	Gull Lake	37		147	292 B	Milton	N/A	102
	61	Antler	N/A	5			229	Miry Creek	6		116.4	317 A	Marriott	20	217
	64	Brock	N/A	N/A		231	Happyland	14	88		317 B	Marriott	5	120	
	65	Tecumseh	N/A	52		5A	181	Langenburg	N/A		161	319	Winslow	N/A	15
	95	Golden West	N/A	24			183 A	Fertile Belt	5		217	320 A	Oakdale	6	115
1B	122	Martin	N/A	173	185	McLeod	N/A	40	7B	320 B	Oakdale	7	100		
	123	Silverwood	3	144	211	Churchbridge	N/A	233		321	Prairiedale	13	182		
	124	Kingsley	1	136	213	Saltcoats	5	152		347	Biggar	8	157		
	125 A	Chester	N/A	N/A	215	Stanley	N/A	229		350	Mariposa	2	97		
	125 B	Chester	3	187	216 A	Tullymet	N/A	155		351	Progress	N/A	109		
	151	Rocanville	4	148	216 B	Tullymet	N/A	94		377	Glenside	9	130		
	154 A	Elcapo	N/A	132	217	Lipton	9	266		378	Rosemount	10	153		
	154 B	Elcapo	N/A	N/A	241	Calder	5	182		382	Eye Hill	5	130		
	155	Wolseley	2	189	243	Wallace	23	155		409 A	Buffalo	16	217		
	2A	67	Weyburn	5	150	245 A	Garry	N/A		195	409 B	Buffalo	10	197	
68		Brokenshell	3	120	245 B	Garry	3	151	410	Round Valley	N/A	69			
96		Fillmore	N/A	N/A	246 A	Ituna Bon Accord	3	263	8A	394	Hudson Bay	29	234		
97		Wellington	N/A	N/A	246 B	Ituna Bon Accord	6	190		395	Porcupine	24	195		
100		Elmsthorpe	2	196	247	Kellross	20	221	397 A	Barrier Valley	21	230.4			
2B		127 A	Francis	1	275	248	Touchwood	7	163	397 B	Barrier Valley	N/A	56		
		127 B	Francis	N/A	N/A	5B	273	Sliding Hills	N/A	124	427	Tisdale	N/A	N/A	
		129	Bratt's Lake	N/A	196		275	Insinger	4	138	428	Star City	28	182	
		131	Baldon	N/A	168	276	Foam Lake	N/A	186.5	456	Arborfield	19	272		
		156 A	Indian Head	N/A	N/A	277	Emerald	6	180	457 A	Connaught	N/A	N/A		
	156 B	Indian Head	N/A	218	277 B	Emerald	44	116	457 B	Connaught	21	144			
	159 A	Sherwood	N/A	203	301	St.Philips	18	108.2	486	Moose Range	23	171			
	159 C	Sherwood	N/A	148	305	Invermay	N/A	N/A	487	Nipawin	N/A	74			
	160	Pense	5	151	307	Elfros	8	178	8B	369	St. Peter	18	182		
	161 A	Moose Jaw	3	184	308 A	Big Quill	1	203		370 A	Humboldt	17	214		
162 A	Caron	N/A	184	308 B	Big Quill	N/A	N/A	370 B	Humboldt	N/A	N/A				
162 B	Caron	8	213	331	Livingston	3	195	371 A	Bayne	29	257				
191	Marquis	N/A	N/A	334	Preeceville	N/A	18	371 B	Bayne	13	207				
3ASE	38 A	Laurier	5	187.7	336	Sasman	N/A	N/A	372	Grant	16	128			
	38 B	Laurier	6	170	337	Lakeview	7	144	400	Three Lakes	33	180			
3ASW	10	Happy Valley	4	136	366	Kelvington	39	189	429	Flett's Springs	17	136			
	40	Bengough	N/A	N/A	367	Ponass Lake	18	191	430	Invergordon	25	202			
3AN	43	Old Post	6	225	6A	190 A	Dufferin	N/A	86	459	Kinistino	20	215		
	73 A	Stonehenge	N/A	121		190 B	Dufferin	N/A	132.5	460	Birch Hills	24	140.7		
	73 B	Stonehenge	N/A	9		190 C	Dufferin	7	139	9AE	461	Prince Albert	13	205.5	
	74	Wood River	N/A	127		190 D	Dufferin	9	123		461 B	Prince Albert	12	163.5	
	102	Lake Johnston	N/A	165		219 A	Longlaketon	N/A	120	488	Torch River	31	209		
	103	Sutton	N/A	N/A		219 B	Longlaketon	N/A	281	491 A	Buckland	N/A	85		
	132 A	Hillsborough	N/A	16		220	McKillop	N/A	N/A	491 B	Buckland	N/A	N/A		
	132 B	Hillsborough	8	236		221	Sarnia	2	139	520	Paddockwood	18	189		
	193	Eyebrow	17	233		222	Craik	2	228	521	Lakeland	18	190		
	3BS	75	Pinto Creek	N/A		101	251	Big Arm	20	166	9AW	405	Great Bend	18	91
77		Wise Creek	N/A	N/A	252	Arm River	N/A	N/A	406	Mayfield		N/A	4		
78	Grassy Creek	9	98	279	Mount Hope	N/A	183.4	435	Redberry	9	196				
106 A	Whiska Creek	N/A	N/A	279 B	Mount Hope	N/A	15	436	Douglas	8	81				
106 B	Whiska Creek	1	164	282	McCraney	46	175	437 A	North Battleford	N/A	106				
107	Lac Pelletier	N/A	N/A	310	Usborne	11	74.1	437 B	North Battleford	10	196				
3BN	108	Bone Creek	7	115	339	Leroy	30	280	463	Duck Lake	18	275			
	138	Webb	15	135	340	Wolverine	N/A	N/A	466	Meeting Lake	N/A	130			
	165	Morse	N/A	152	341	Viscount	N/A	N/A	467 A	Round Hill	10	164			
	168 A	Riverside	52	128	343	Blucher	9	163.5	467 B	Round Hill	N/A	109			
	168 B	Riverside	30	116.5	6B	223 A	Huron	N/A	111	493	Shellbrook	18	253		
	226	Victory	N/A	N/A		223 B	Huron	N/A	N/A	496	Spiritwood	N/A	N/A		
	228	Lacadena	6	150		223 C	Huron	N/A	N/A	497	Medstead	N/A	116		
	257	Monet	N/A	8		284 A	Rudy	20	106	9B	440	Hillsdale	10	192	
						284 B	Rudy	b	N/A		442	Manitou Lake	N/A	99	
						285	Fertile Valley	16	135	498	Parkdale	21	238		
				286		Milden	N/A	132	499 A	Mervin	N/A	139			
				314		Dundurn	14	122	499 B	Mervin	21	170			
				316 A		Harris	N/A	191	501 A	Frenchman Butte	39	168			
				344		Corman Park	8	105	501 B	Frenchman Butte	N/A	N/A			
				346	Perdue	6	34	501 C	Frenchman Butte	21	209				
				376	Eagle Creek	N/A	143	502	Britannia	20	257				
				403 A	Rosthern	8	199	561	Loon Lake	59	238				
				403 B	Rosthern	N/A	114.2	588 B	Meadow Lake	N/A	206				
								622	Beaver River	55	213.5				

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall


from April 1 to August 21, 2023




Data Source:
 Rainfall - Ministry of Agriculture, Crop Report Database
 The following is compiled and quality controlled by Agriculture and Agri-Food Canada: Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 IDW interpolation (power 2.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture August 23, 2023

Cropland Topsoil Moisture Conditions

August 21, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture


August 23, 2023

Hay and Pasture Topsoil Moisture Conditions

August 21, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

August 23, 2023

Minimum Temperature

from August 15 to August 21, 2023




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


	<p>1:3,500,000</p> <p>Kilometers</p> <p>Projection: UTM Zone 13 Datum: NAD83</p>	<p>Data Sources: Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada. Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada IDW interpolation (power 3.5, fixed radius 300 km) Geomatics Services, Ministry of Agriculture</p> <p>August 23, 2023</p>
--	--	--

Maximum Temperature

from August 15 to August 21, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture August 23, 2023