

Crop Report

For the Period August 22 to August 28, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 17, August 31, 2023

Producers are in the full swing of harvest with thirty-three per cent of the crop off, up from 21 per cent last week and ahead of the five-year average of 23 per cent and the 10-year average of 20 per cent.

The southwest has crossed the half-way point this week and is now 60 per cent complete harvest. The west-central is close to the half-way point, with 39 per cent of crop off for the year. With some moisture moving into the area this week, the northwest had to pause combining for a few days and is now eight per cent complete.

All crop types are starting to reach maturity in the province, allowing producers to make progress in all crops this week. Fall cereals are nearing completion, with 96 per cent of fall rye and 89 per cent of winter wheat in the bin for the year. Lentils and field peas are leading the way in spring seeded crops, with 80 per cent of each crop harvested. Mustard made significant progress this week, with 55 per cent of the crop harvested, ahead of other oilseeds including canola (10 per cent) and flax (seven per cent). Producers are currently focusing on getting their spring cereals harvested and have 48 per cent of durum, 46 per cent of barley, 26 per cent of spring wheat and 19 per cent of oats harvested. Sixty per cent of triticale is harvested, with 56 per cent being used for feed.

The east side of the province generally received moisture this week, with the Bankend area receiving 50 mm and the Tisdale area receiving 34 mm. Cropland topsoil moisture ratings are improving as recent rains seep into the ground. Currently, cropland is 32 per cent adequate for moisture, 43 per cent short and 24 per cent very short. Hay and pasture land is 22 per cent adequate for moisture, 49 per cent short and 29 per cent very short.

Crop damage this week includes environmental damage such as hail, wind, drought and localized flooding. Damage from grasshoppers and gophers continues to persist. Geese have returned to the northern fields and are causing damage to crops. Producers are busy combining, desiccating and marketing grain. Others are marketing cattle, hauling water and feed. Some producers have started to move cattle home for the winter. If producers have questions about feed, they are encouraged to call their [local regional specialist](#).

One year ago

Harvest was progressing throughout the province and was at 23 per cent complete. Dry conditions in the western side of the province allowed harvest to progress quickly. Producers were busy desiccating, swathing, combining, and hauling grain. Many producers were evaluating their need for more finding more feed for the winter.

Follow the 2023 Crop Report on
Twitter @SKAgriculture

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period August 22 to August 28, 2023

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 17, August 31, 2023

Harvest is a very busy and stressful time for producers. They are reminded to take safety precautions in all the work they do. This includes having fire mitigation resources at the ready and taking precautions when working around powerlines. The Farm Stress Line is available to provide support to producers toll free at 1-800-667-4442. The public is reminded to take extra caution, time and space when encountering machinery on the roads.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan 

Saskatchewan Harvest Progress - August 28, 2023

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	3.4	4.8	11.9	79.8	0.1
Southwest	5.2	0.0	0.0	94.8	0.0
East central	0.6	0.0	3.3	96.4	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	2.2	2.3	6.8	88.7	0.1
Fall Rye	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	1.5	3.0	2.9	92.5	0.2
Southwest	0.0	0.0	0.0	72.7	27.3
East central	0.0	0.0	4.2	95.8	0.0
West central	0.0	0.0	0.0	88.5	11.5
Northeast	2.4	0.0	0.4	97.2	0.0
Northwest	0.0	0.0	6.6	93.4	0.0
Provincial	0.7	0.7	2.4	88.7	7.5
Spring Wheat	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	35.9	3.2	22.8	38.0	0.0
Southwest	19.0	8.4	24.5	48.1	0.0
East central	54.5	5.3	27.2	13.1	0.0
West central	27.2	4.4	31.2	37.0	0.2
Northeast	43.6	3.4	38.1	14.9	0.0
Northwest	69.3	3.9	21.1	5.7	0.0
Provincial	41.6	4.6	27.8	25.9	0.0
Durum	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	44.5	0.8	13.4	33.7	7.6
Southwest	11.8	1.2	31.0	55.6	0.5
East central	75.8	0.0	13.7	10.5	0.0
West central	33.4	0.7	30.6	34.2	1.1
Northeast	52.4	0.0	2.9	2.9	41.8
Northwest	NA	NA	NA	NA	NA
Provincial	24.7	1.0	26.1	46.0	2.2
Barley	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	23.0	3.3	21.9	48.5	3.3
Southwest	10.6	3.6	9.2	62.0	14.5
East central	32.6	6.7	21.3	39.1	0.3
West central	20.5	2.2	20.2	51.6	5.5
Northeast	28.5	2.5	32.5	36.4	0.0
Northwest	56.1	14.2	20.1	9.6	0.0
Provincial	27.5	4.9	21.5	42.5	3.6
Oats	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	38.3	5.1	13.3	31.4	12.0
Southwest	28.6	5.7	5.9	24.6	35.3
East central	75.6	1.9	15.6	3.6	3.2
West central	36.3	5.6	12.1	25.5	20.5
Northeast	57.3	2.3	31.7	8.7	0.0
Northwest	80.1	6.7	5.4	0.0	7.8
Provincial	60.2	3.7	17.4	11.4	7.5

Canaryseed	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	63.8	1.4	26.6	8.2	0.0
Southwest	49.6	0.0	22.5	27.9	0.0
East central	100.0	0.0	0.0	0.0	0.0
West central	46.7	0.0	14.6	38.7	0.0
Northeast	76.5	0.0	11.7	11.7	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	62.3	0.4	17.6	19.7	0.0
Flax	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	87.4	0.7	4.0	3.3	4.6
Southwest	77.0	0.0	13.4	9.6	0.0
East central	96.7	0.0	1.4	1.9	0.0
West central	88.1	1.1	4.9	5.9	0.0
Northeast	98.2	1.8	0.0	0.0	0.0
Northwest	77.7	13.4	6.7	2.2	0.0
Provincial	86.4	0.9	6.2	5.0	1.6
Canola	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	62.8	12.6	14.3	10.3	0.0
Southwest	51.7	0.0	14.8	33.0	0.4
East central	62.6	26.2	7.2	3.9	0.0
West central	40.5	19.3	24.8	15.4	0.0
Northeast	74.5	23.5	0.8	1.2	0.0
Northwest	55.9	36.7	5.5	1.9	0.0
Provincial	58.5	20.1	11.4	10.0	0.1
Mustard	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	44.2	2.9	4.4	48.5	0.0
Southwest	17.9	1.9	15.4	64.8	0.0
East central	96.9	2.1	0.0	1.0	0.0
West central	55.9	1.0	10.9	32.2	0.0
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
Provincial	29.7	2.0	12.8	55.0	0.0
Soybeans	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	79.6	0.9	1.4	18.1	0.0
Southwest	NA	NA	NA	NA	NA
East central	100.0	0.0	0.0	0.0	0.0
West central	NA	NA	NA	NA	NA
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
Provincial	89.8	0.5	0.7	9.1	0.0
Field Peas	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	11.8	1.0	5.2	82.0	0.0
Southwest	2.7	0.0	9.0	88.3	0.0
East central	9.3	0.8	8.0	81.9	0.0
West central	11.7	0.1	7.0	81.3	0.0
Northeast	17.3	1.6	22.8	58.2	0.0
Northwest	17.1	1.4	25.3	56.2	0.0
Provincial	9.6	0.6	9.6	80.2	0.0
Lentils	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	9.9	1.4	10.7	78.0	0.0
Southwest	7.6	0.0	7.7	84.7	0.0
East central	11.2	0.0	12.3	76.5	0.0

West central	13.8	0.0	11.7	73.8	0.6
Northeast	0.0	0.0	0.0	0.0	100.0
Northwest	2.0	2.0	11.0	85.0	0.0
Provincial	9.7	0.3	9.6	80.2	0.2
Chickpeas	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	81.4	3.2	4.9	10.5	0.0
Southwest	70.6	0.0	8.1	21.3	0.0
East central	80.6	0.0	10.8	8.6	0.0
West central	0.0	0.0	50.0	50.0	0.0
Northeast	47.2	0.0	0.0	0.0	52.8
Northwest	NA	NA	NA	NA	NA
Provincial	56.0	0.6	14.8	18.1	10.6

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

With the rain staying out of the southeast for a few days, producers in the region were able to make great progress with harvest. Harvest in the southeast is now 35 per cent complete, ahead of the five-year average of 31 per cent.

Producers in the region have made significant progress in their fall cereals. Winter wheat is now 80 per cent complete and fall rye is 93 per cent complete. Field peas and lentils are also nearing completion, with 82 per cent of field peas and 78 per cent of lentils harvested for the year. Regarding spring seeded cereals; 38 per cent of spring wheat, 41 per cent of durum, 51 per cent of barley and 33 per cent of oats are harvested in the region. Mustard leads oilseed progress, with 49 per cent of the crop in the bin. Ten per cent of canola has been harvested so far.

A few scattered showers made it through the region. The Tantallon area received the most moisture with 27 mm reported. Soil moisture in the region diminished a little this week; 28 per cent of crop land has adequate moisture, 39 per cent is short and 33 per cent is very short. Sixteen per cent of hay and pasture land has adequate moisture, 53 per cent is short and 32 per cent is very short.

Crop damage this past week is mostly due to drought and grasshoppers with some reports of wind damage. Producers are busy with harvest and are working cattle. With the crops coming off quickly, many producers are hoping late season rains will come and replenish soil moisture.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

The southwest region continues to lead harvest progress this week with 60 per cent of this year's crop harvested. The area is ahead of the five-year average of 46 per cent.

Producers have wrapped up their fall cereal harvest this past week and now have 95 per cent of winter wheat and all of fall rye harvested for year. Twenty-seven per cent of fall rye was harvested for feed. Field peas and lentils continue to lead pulse harvest progress, with 88 per cent of peas and 85 per cent of lentils harvested. Mustard continues to lead oilseed progress, with 65 per cent of this year's crop in the bin. Thirty-three per cent of canola has been harvested so far. Currently, producers are focusing on harvesting spring seeded cereals. Forty-eight per cent of spring wheat, 56 per cent of durum, 77 per cent of barley and 60 per cent of oats have been harvested for the year.

A few scattered showers moved through the region this week; however, little moisture relief was provided. The Cabri area received 28 mm this week. Overall, topsoil moisture declined this week, with 61 per cent of crop land short in topsoil moisture and 39 per cent

very short. Fifty-three per cent of hay and pastures are short in moisture and 47 per cent are very short.

Crop damage this week is primarily due to drought stress as well as grasshopper and gopher pressure. Producers are busy combining, desiccating and hauling water and feed for their livestock. Many producers are hoping for long, slow rains once the rest of the crop is off.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

After some rain delays, conditions have improved and harvest is once again in full swing. Crops in the region are now 19 per cent harvested, ahead of the five-year average of 15 per cent.

Producers have made great progress in their fall cereals this week and have 96 per cent of winter wheat and fall rye in the bin for the year. Field peas are 82 per cent harvested and lentils are 77 per cent harvested for the year. Mustard leads oilseed progress with 32 per cent of the crop in the bin, ahead of canola at four per cent and flax at two per cent. Producers are mainly focusing on spring seeded cereals right now, 39 per cent of barley, 13 per cent of spring wheat, 11 per cent of durum and six per cent of oats are harvested for the year.

Scattered showers moved through the region this week. The Bankend area received the most rain, with 50 mm recorded. This moisture helped replenish soil moisture and 54 per cent of crop land now has adequate moisture, 33 per cent is short and 13 per cent is very short. In pastures and hay land, 37 per cent have adequate soil moisture, 50 per cent is short and 13 per cent is very short.

Crop damage this past week is primarily due to drought stress and grasshopper damage, with localized flooding and wind damage reported. Producers are busy desiccating and combining mature crops, while others are hauling feed and water for livestock.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

As the dry conditions persist in the west-central region, producers have been able to progress through harvest with minimal interruption. Harvest is now 39 per cent complete, ahead of the five-year average of 25 per cent.

Producers in the region have completed their fall cereal harvest. Twelve per cent of fall rye was harvested for greenfeed and/or silage. Field peas and lentils lead pulse harvest at 81 per cent and 74 per cent. Mustard is at 32 per cent and canola is at complete 15 per cent. Spring cereals have been the focus of harvest this week, with 37 per cent of spring wheat, 35 per cent of durum, 46 per cent of oats and 57 per cent of barley have been harvested.

A few scattered showers moved through the region this week, the Hanley area reporting the most rain received at 25 mm. A slight reprieve was seen in topsoil moisture this week. Eighteen per cent of crop land has adequate moisture, 51 per cent is short and 31 per cent is very short. Nine per cent of hay and pastures have adequate moisture, 37 per cent is short and 53 per cent is very short.

Crop damage this past week is due to drought stress and grasshoppers. Producers are busy desiccating and harvesting, working livestock and hauling water and feed. Producers are hoping for slow, soaking rains once the crops are off to improve soil moisture for the next growing season.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

The northeast region now has 13 per cent of this year's harvest completed, slightly ahead of the five-year average of 12 per cent. Producers have been able to make the most of a few days without moisture in the region.

With the fall cereals harvested for the year, producers are making headway in their field peas at 58 per cent harvested and lentils are virtually complete. Spring cereals are the primary focus of harvest in the region right now, with 44 per cent of durum, 36 per cent of barley, 15 per cent of spring wheat and nine per cent of oats harvested. Minimal harvest progress has been made in oilseed crops.

A few scattered showers moved through the northeast this week, with the Tisdale area reporting 34 mm. An increase in topsoil moisture was reported this week, with three per cent of crop land having a surplus of topsoil moisture, 77 per cent is adequate, 19 per cent is short and two per cent is very short. Five per cent of hay and pastures have a surplus of moisture, 67 per cent is adequate, 27 per cent is short and one per cent is very short.

Crop damage this past week is mostly due to wind and drought damage, with some localized flooding. Producers are busy desiccating and combining crops, while working livestock and hauling bales.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas


Harvest is eight per cent complete in the region, which is just below the five-year average of nine per cent. Producers are wrapping up desiccating as harvest is entering full swing.

Producers have shifted their focus from fall rye, which is 94 per cent harvested, to their spring seeded crops this week. Field peas are 56 per cent harvested for the year and 85 per cent of lentils are in the bin for the year. Spring cereals are just starting to go through the combine and are being led by barley with 10 per cent of the crop harvested. Two per cent of flax and canola have been harvested for the year.

This week, the most rain received was in the Turtleford area at 21 mm. Soil moisture remains relatively unchanged this week, with 45 per cent of crop land having adequate moisture, 49 per cent is short and seven per cent is very short. Thirty-six per cent of hay and pastures have adequate soil moisture, 52 per cent is short and 12 per cent is very short.


Crop damage this week is due to localized flooding, wind damage and geese in the fields. Producers are busy swathing canola, combining and hauling water and feed for livestock.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from August 22 to August 28, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

for the period from August 22nd to August 28th, 2023


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	3	178	4A	51	Reno	N/A	134	7A	259	Snipe Lake	13	125
	3	Enniskillen	8	218		79 A	Arlington	22	178		287	St. Andrews	N/A	92
	4	Coalfields	2	208		79 B	Arlington	10	178		288	Pleasant Valley	11	136
	6	Cambria	N/A	N/A		109	Carmichael	N/A	N/A		290	Kindersley	N/A	77
	32	Reciprocity	N/A	170		110	Piapot	N/A	83		292	Milton	N/A	198
	34	Browning	N/A	N/A	4B	139	Gull Lake	N/A	147		292 B	Milton	N/A	102
	61	Antler	N/A	5		229	Miry Creek	28	144.4		317 A	Marriott	18	235
	64	Brock	N/A	N/A		231	Happyland	N/A	88		317 B	Marriott	N/A	120
	65	Tecumseh	N/A	52	5A	181	Langenburg	30	191		319	Winslow	N/A	15
1B	95	Golden West	3	27		183 A	Fertile Belt	18	235		320 A	Oakdale	11	126
	122	Martin	10	183		185	McLeod	N/A	40		320 B	Oakdale	N/A	100
	123	Silverwood	24	168		211	Churchbridge	10	243		321	Prairie Dale	1	183
	124	Kingsley	20	156		213	Saltcoats	10	162	7B	347	Biggar	5	162
	125 A	Chester	N/A	N/A		215	Stanley	12	241		350	Mariposa	N/A	97
	125 B	Chester	20	207		216 A	Tullymet	N/A	155		351	Progress	14	123
	151	Rocanville	27	175		216 B	Tullymet	N/A	94		377	Glenside	7	137
	154 A	Elcapo	N/A	132		217	Lipton	15	281		378	Rosemount	N/A	153
	154 B	Elcapo	N/A	N/A		241	Calder	11	193		382	Eye Hill	N/A	130
	155	Wolseley	10	199		243	Wallace	N/A	155		409 A	Buffalo	N/A	217
2A	67	Weyburn	N/A	150		245 A	Garry	14	209		409 B	Buffalo	8	205
	68	Brokenshell	N/A	120		245 B	Garry	10	161		410	Round Valley	8	77
	96	Fillmore	N/A	N/A		246 A	Ituna Bon Accord	N/A	263	8A	394	Hudson Bay	21	255
	97	Wellington	N/A	N/A		246 B	Ituna Bon Accord	N/A	190		395	Porcupine	N/A	195
	100	Elmsthorpe	12	208		247	Kellross	N/A	221		397 A	Barrier Valley	34	264.4
2B	127 A	Francis	11	286		248	Touchwood	27	190		397 B	Barrier Valley	N/A	56
	127 B	Francis	N/A	N/A	5B	273	Sliding Hills	N/A	124		427	Tisdale	N/A	N/A
	129	Bratt's Lake	7	203		275	Insinger	19	157		428	Star City	24	206
	131	Baldon	5	173		276	Foam Lake	35	221.5		456	Arborfield	17	289
	156 A	Indian Head	N/A	N/A		277	Emerald	50	230		457 A	Connaught	N/A	N/A
	156 B	Indian Head	16	234		277 B	Emerald	N/A	116		457 B	Connaught	15	159
	159 A	Sherwood	3	206		301	St. Philips	23	131.2		486	Moose Range	N/A	171
	159 C	Sherwood	5	153		305	Invermay	N/A	N/A	8B	487	Nipawin	N/A	74
	160	Pense	N/A	151		307	Elfros	37	215		369	St. Peter	12	194
	161 A	Moose Jaw	6	190		308 A	Big Quill	41	244		370 A	Humboldt	10	224
	162 A	Caron	7	191		308 B	Big Quill	N/A	N/A		370 B	Humboldt	N/A	N/A
	162 B	Caron	5	218		331	Livingston	29	224		371 A	Bayne	18	275
	191	Marquis	N/A	N/A		334	Preeceville	N/A	18		371 B	Bayne	17	224
3ASE	38 A	Laurier	N/A	187.7		336	Sasman	N/A	N/A		372	Grant	14	142
	38 B	Laurier	2	172		337	Lakeview	N/A	144		400	Three Lakes	19	199
3ASW	10	Happy Valley	3	139		366	Kelvington	N/A	189		429	Flett's Springs	14	150
	40	Bengough	N/A	N/A		367	Ponass Lake	20	211		430	Invergordon	17	219
	43	Old Post	N/A	225	6A	190 A	Dufferin	12	98		459	Kinistino	20	235
	73 A	Stonehenge	17	138		190 B	Dufferin	10	142.5		460	Birch Hills	7	147.7
	73 B	Stonehenge	N/A	9		190 C	Dufferin	N/A	139	9AE	461	Prince Albert	12	217.5
	74	Wood River	10	137		190 D	Dufferin	N/A	123		461 B	Prince Albert	11	174.5
3AN	102	Lake Johnston	N/A	165		219 A	Longlaketon	17	137		488	Torch River	17	226
	103	Sutton	N/A	N/A		219 B	Longlaketon	N/A	281		491 A	Buckland	N/A	85
	132 A	Hillsborough	N/A	16		220	McKillop	N/A	N/A		491 B	Buckland	N/A	N/A
	132 B	Hillsborough	4	240		221	Sarnia	23	162		520	Paddockwood	26	215
	193	Eyebrow	N/A	233		222	Craik	43	271		521	Lakeland	26	216
3BS	75	Pinto Creek	2	103		251	Big Arm	33	199	9AW	405	Great Bend	12	103
	77	Wise Creek	N/A	N/A		252	Arm River	N/A	N/A		406	Mayfield	N/A	4
	78	Grassy Creek	10	108		279	Mount Hope	N/A	183.4		435	Redberry	7	203
	106 A	Whiska Creek	N/A	N/A		279 B	Mount Hope	N/A	15		436	Douglas	4	85
	106 B	Whiska Creek	9	173		282	McCraney	2	177		437 A	North Battleford	N/A	106
	107	Lac Pelletier	N/A	N/A		310	Usborne	N/A	74.1		437 B	North Battleford	13	209
	108	Bone Creek	8	123		339	Leroy	1	281		463	Duck Lake	15	290
3BN	138	Webb	2	137		340	Wolverine	N/A	N/A		466	Meeting Lake	10	140
	165	Morse	5	157		341	Viscount	N/A	N/A		467 A	Round Hill	8	172
	168 A	Riverside	N/A	128		343	Blucher	N/A	163.5		467 B	Round Hill	8	117
	168 B	Riverside	N/A	116.5	6B	223 A	Huron	43	154		493	Shellbrook	6	259
	226	Victory	N/A	N/A		223 B	Huron	N/A	N/A		496	Spiritwood	N/A	N/A
	228	Lacadena	18	168		223 C	Huron	N/A	N/A		497	Medstead	N/A	116
	257	Monet	N/A	8		284 A	Rudy	2	108	9B	440	Hillsdale	7	199
						284 B	Rudy	N/A	N/A		442	Manitou Lake	N/A	99
						285	Fertile Valley	17	152		498	Parkdale	21	259
						286	Milden	25	157		499 A	Mervin	21	160
						314	Dundurn	25	147		499 B	Mervin	8	178
						316 A	Harris	N/A	191		501 A	Frenchman Butte	6	174
						344	Corman Park	12	117		501 B	Frenchman Butte	N/A	N/A
						346	Perdue	14	48		501 C	Frenchman Butte	N/A	209
						376	Eagle Creek	7	150		502	Britannia	N/A	257
						403 A	Rosthern	6	205		561	Loon Lake	15	253
						403 B	Rosthern	20	134.2		588 B	Meadow Lake	N/A	206
											622	Beaver River	N/A	213.5

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to August 28, 2023



Cropland Topsoil Moisture Conditions

August 28, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000
0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83




Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

August 30, 2023

Hay and Pasture Topsoil Moisture Conditions


August 28, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from August 22 to August 28, 2023



Maximum Temperature

from August 22 to August 28, 2023

