

Crop Report

For the Period September 12 to 18, 2023

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 21, 2023

Producers have made the most of another dry week in Saskatchewan with harvest now 82 per cent completed. This is ahead of the five-year average of 64 per cent and the 10-year average of 62 per cent. Producers are hoping for timely rains once harvest is complete.

Harvest in the southwest is essentially complete with 97 per cent of the crop off. Only a few flax acres remain in the region. The west-central region continues to make great progress with 92 per cent of this year's crop harvested. The southeast has 79 per cent, followed by the northeast and northwest at 75 per cent and finally, the east-central region has 66 per cent harvested.

Producers mainly focused on harvesting oilseed crops this week and made substantial progress. Canola is now 65 per cent complete across the province, up by 23 per cent over last week. Mustard is 97 per cent complete, soybeans are 47 per cent and flax is 39 per cent. Oat harvest has also progressed rapidly, with 79 per cent of the crop harvested, an increase of 21 per cent from last week. Durum is 94 per cent complete, barley is 92 per cent and spring wheat is 88 per cent. Chickpea harvest progressed, with 87 per cent of the crop off. Harvest of fall cereals, canary seed, peas and lentils is complete for the year.

Minimal rain was seen this week, with the Stoughton area receiving the most rain at 10 mm. The lack of significant rain led to topsoil moisture once again decreasing. Twenty-five per cent of cropland has adequate topsoil moisture, 49 per cent is short and 26 per cent is very short. Twenty per cent of hay and pastures have adequate moisture, 49 per cent is short and 31 per cent is very short.

Pasture conditions remain relatively unchanged. Twelve per cent of pastures are in good condition across the province, while 31 per cent are fair, 35 per cent are in poor condition and 22 per cent are in very poor condition. Producers will need multiple significant rain events to improve soil moisture for pasture quality to improve.

Crop damage continues to be caused by drought conditions and grasshoppers. This week crops were also damaged by light frosts, wind and wildlife.

One year ago

Some cool, damp weather moved through the province this week and slowed harvest progress. The province had 73 per cent of harvest complete for the year. The warm and dry weather from previous weeks was taking a toll on topsoil moisture; 40 per cent of cropland was short and 42 per cent of hayland and pasture was also short.

Follow the 2023 Crop Report on
Twitter @SKAgriculture

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 12 to 18, 2023

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 20, September 21, 2023

Producers are currently busy with harvest, spraying post-harvest weed applications, working their fields and hauling grain. Many are also hauling bales, preparing feed for winter and marketing cattle.

Harvest is a very busy and stressful time for producers. They are reminded to take safety precautions in all the work they do. This includes having fire mitigation resources at the ready and taking precautions when working around powerlines. The Farm Stress Line is available to provide support to producers toll free at 1-800-667-4442. The public is reminded to take extra caution, time and space when encountering machinery on the roads.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

For further information, contact Mackenzie Hladun, MSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



Saskatchewan Harvest Progress - September 18, 2023

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	0.0	0.0	1.0	99.0	0.0
Southwest	0.0	0.0	0.0	100.0	0.0
East central	0.0	0.0	0.0	100.0	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	0.0	0.0	0.0	100.0	0.0
Fall Rye	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	0.0	0.0	1.0	99.0	0.0
Southwest	0.0	0.0	0.0	86.5	13.5
East central	0.0	0.0	0.0	100.0	0.0
West central	0.0	0.0	0.0	93.7	6.3
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	0.0	0.0	0.0	100.0	0.0
Provincial	0.0	0.0	0.0	96.0	4.0
Spring Wheat	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	3.6	1.4	5.6	89.4	0.0
Southwest	0.0	0.0	1.4	98.4	0.2
East central	3.3	6.1	12.8	77.8	0.0
West central	0.1	0.3	4.3	95.2	0.2
Northeast	0.6	0.2	6.1	93.1	0.0
Northwest	5.4	2.4	8.9	83.3	0.0
Provincial	2.2	2.2	7.3	88.2	0.1
Durum	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	4.5	0.5	4.4	79.1	11.4
Southwest	0.0	0.0	1.3	98.5	0.2
East central	0.0	4.7	8.2	84.0	3.1
West central	18.0	0.0	0.0	98.2	0.0
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	1.1	0.3	2.1	93.5	2.9
Barley	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	2.8	1.4	3.2	88.2	4.5
Southwest	0.0	0.0	0.9	90.8	8.3
East central	8.0	4.5	5.8	81.6	0.0
West central	2.2	0.0	1.1	91.7	5.0
Northeast	0.2	0.5	2.4	96.8	0.0
Northwest	6.9	4.2	4.2	84.8	0.0
Provincial	3.5	1.8	3.1	88.9	2.7
Oats	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other (greenfeed/silage)
Southeast	2.8	3.0	2.4	84.8	7.0
Southwest	0.0	0.0	0.0	87.5	12.5
East central	13.1	20.3	7.1	55.6	3.9
West central	1.4	5.3	2.4	84.9	6.0
Northeast	3.0	1.0	10.4	85.5	0.1
Northwest	5.0	7.6	7.6	75.1	4.7
Provincial	6.0	8.4	6.6	74.9	4.1

Canaryseed	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	36.3	0.9	10.2	52.6	0.0
Southwest	1.1	0.0	5.4	93.6	0.0
East central	0.0	0.0	80.9	19.1	0.0
West central	5.8	0.2	0.2	93.9	0.0
Northeast	24.6	4.7	9.2	61.5	0.0
Northwest	NA	NA	NA	NA	NA
Provincial	11.5	0.6	15.2	72.8	0.0
Flax	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	38.5	8.5	11.5	41.5	0.0
Southwest	35.3	4.7	18.6	41.4	0.0
East central	44.5	7.5	19.8	28.2	0.0
West central	13.9	2.6	23.0	60.6	0.0
Northeast	59.0	12.3	10.8	17.9	0.0
Northwest	80.0	20.0	0.0	0.0	0.0
Provincial	37.6	7.0	16.1	39.3	0.0
Canola	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	18.2	9.0	10.9	61.9	0.0
Southwest	0.0	0.0	3.8	96.2	0.0
East central	9.9	23.6	19.0	47.5	0.0
West central	1.5	3.8	11.2	83.5	0.0
Northeast	15.0	10.8	19.6	54.6	0.0
Northwest	7.8	14.2	14.2	63.8	0.0
Provincial	9.3	11.8	14.0	64.9	0.0
Mustard	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	1.7	1.7	19.8	76.9	0.0
Southwest	0.0	0.0	0.0	100.0	0.0
East central	0.0	0.0	0.0	100.0	0.0
West central	8.5	0.0	2.2	89.3	0.0
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
Provincial	1.1	0.1	1.5	97.3	0.0
Soybeans	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	47.4	0.2	4.8	47.5	0.0
Southwest	NA	NA	NA	NA	NA
East central	66.0	0.0	0.0	34.0	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
Provincial	47.8	0.2	4.6	47.4	0.0
Field Peas	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	0.4	0.4	1.0	98.3	0.0
Southwest	0.0	0.0	0.0	100.0	0.0
East central	0.5	0.0	0.0	99.5	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	0.0	0.0	0.6	99.4	0.0
Provincial	0.2	0.1	0.2	99.5	0.0
Lentils	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	1.2	0.6	1.6	96.6	0.0
Southwest	0.0	0.0	0.0	99.6	0.4
East central	0.0	0.1	0.0	99.9	0.0

West central	0.0	0.0	0.0	99.6	0.3
Northeast	0.0	0.0	0.0	0.0	100.0
Northwest	0.0	0.0	0.0	100.0	0.0
Provincial	0.2	0.1	0.4	98.9	0.3
Chickpeas	% Standing	% In Swath	% Ready To Straight Combine	% Combined	% Other
Southeast	5.1	1.3	6.5	87.1	0.0
Southwest	6.2	0.0	0.0	93.8	0.0
East central	99.6	0.0	0.0	0.0	0.4
West central	NA	NA	NA	NA	NA
Northeast	0.0	26.4	23.6	23.6	26.4
Northwest	NA	NA	NA	NA	NA
Provincial	10.3	0.6	2.1	86.7	0.3

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

With limited rain, producers in the southeast were able to stay in the fields this week and harvest is now 79 per cent complete. This is ahead of the five-year average of 74 per cent.

Spring seeded cereals are nearing completion in the region, with durum being virtually complete, barley is 93 per cent, oats 92 per cent and spring wheat 89 per cent complete. Oilseeds are now the main focus for producers, with 77 per cent of mustard in the bin followed by 62 per cent of canola, 48 per cent of soybeans and 42 per cent of flax. Chickpeas are 87 per cent harvested and canary seed is 53 per cent complete. Harvest of fall cereals, peas and lentils is complete.

Minimal rain was received in the southeast this week, with the most, 10 mm, received in the Stoughton area. Topsoil moisture is becoming limited, with 30 per cent of cropland having adequate moisture, 43 per cent is short and 27 per cent is very short. Twenty-nine per cent of hay and pastures have adequate topsoil moisture, 43 per cent are short and 28 per cent are very short.

Pastures are showing the effect of a dry summer in the southeast. Nine per cent of pastures are in good condition, 29 per cent are in fair condition, 40 per cent are poor and 22 per cent are very poor.

Crop damage this past week is due to drought and grasshopper damage. Producers are busy combining, applying post-harvest herbicides and working harvested fields. Many producers are hauling bales, feed and water for animals.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

With only a few acres left standing, the southwest is beginning to wind down their harvest operations. The southwest is now 97 per cent complete, ahead of the five-year average of 86 per cent.

Both fall and spring cereals are completely harvested in the southwest, as well as mustard, peas and lentils. Flax is the least harvested crop, with 41 per cent in the bin. Canaryseed and chickpeas are both 94 per cent harvested for the year. Canola is very near completion, with 96 per cent of the crop harvested for the year.

Very little rain was seen in the southwest this week. Two mm was the most reported, received in the Vanguard region. Topsoil moisture is very limited in the region; 50 per cent of cropland and hay and pastures is short and 50 per cent is very short.

Pastures have taken the brunt of the heat and dry conditions this year. Eighteen per cent of pastures in the southwest are in fair condition, 40 per cent are in poor condition and 42 per cent are in very poor condition.

Crop damage this past week continues to be due to drought and grasshoppers. Many producers are working their fields for the fall and preparing for winter. Producers are also hauling feed, bales and water for animals and some are marketing cattle. Producers across the region are hoping for wet snow this fall, an abundance of snow this winter and significant amounts of rain before the next crop. Without it, many fear what next summer has in store for their operations.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Due to a lack of rainfall, producers were able to combine with minimal interruptions. The region is now 66 per cent completed harvest, ahead of the five-year average of 56 per cent.

Producers are finishing up their spring seeded cereals and are now focusing on their canola harvest. Durum is 87 per cent complete, barley is 82 per cent, spring wheat is 78 per cent, oats are 60 per cent and canary seed is 19 per cent. Mustard harvest is complete for the year, canola is 48 per cent complete and soybeans are 34 per cent harvested. Peas and lentils are completely harvested and little progress has been made in chickpeas.

The Goodeve area received the most rain in the region this week, recording seven mm. Topsoil is mostly short in the region, with 33 per cent of cropland having adequate moisture, 60 per cent is short and seven per cent is very short. Twenty-one per cent of hay and pastures have adequate moisture, 66 per cent are short and 12 per cent are very short.

Pastures are in relatively good condition in the region, with three per cent of pastures in excellent condition, 10 per cent are in good condition, 51 per cent are fair, 34 per cent are poor and two per cent are very poor.

Minimal crop damage was reported this week in the region. Producers are busy combining while the nice weather lasts and are beginning their fall field work. Producers are also preparing winter feed supplies and marketing cattle.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

The end of harvest is quickly approaching for many producers in the west-central region, with 92 per cent of harvest completed. This is ahead of the five-year average of 72 per cent.

Producers have now completed harvest of peas, lentils, mustard, soybeans and fall cereals. Spring cereals are virtually complete with spring wheat being 95 per cent harvested, durum is 98 per cent, barley is 97 per cent, canary seed is 94 per cent and oats are 91 per cent complete. Producers are focusing on getting their last oilseed field combined, with 84 per cent of canola and 61 per cent of flax harvested for the year.

Minimal rain was received in the west-central region this week. The Smiley area received the most rainfall, recording five mm. Topsoil moisture is limited in the region, with six per cent of cropland having adequate topsoil moisture, 51 per cent is short and 43 per cent is very short. Three per cent of hay and pastures have adequate moisture, 27 per cent are short and 70 per cent are very short.

Pastures are showing the effects of the dry conditions during the growing season. Five per cent of pastures are in good condition, 17 per cent are fair, 42 per cent are poor and 36 per cent are in very poor condition.

Crop damage this week is due to wind, grasshoppers and drought. Many producers are finishing up their harvest operations and are working their fields for the fall and applying post-harvest herbicides. Many are also bringing cattle home for the winter, hauling bales and preparing winter feed sources. Producers are hoping for significant moisture after their harvest operations are complete to replenish soil moisture for next year's crop.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Producers in the northeast made the most of the dry weather and have now completed 75 per cent of their harvest. This is ahead of the five-year average of 52 per cent.

Producers in the region have made great progress harvesting all crop types this past week and are now focusing on getting their oilseeds in the bin for the year. Fifty-five per cent of canola is harvested so far, while 18 per cent of flax is in the bin. Barley is 97 per cent complete, spring wheat is 93 per cent, oats are 86 per cent and canary seed is 62 per cent. Chickpeas are 51 per cent harvested for the year. Fall cereals, durum, lentils and field peas are completed for the year.

The Tisdale area received the most rain this week, recording 6.8 mm. Topsoil moisture in the northeast is still adequate. Seventy-five per cent of cropland has adequate topsoil moisture and 25 per cent is short. Two per cent of hay and pastures have a surplus of topsoil moisture, 66 per cent have adequate moisture and 32 per cent is short.

Pastures are in fair condition in the region, with 45 per cent rated as good, 54 per cent as fair and two per cent as poor.

Crop damage this past week is due to light frosts, waterfowl and wind. Producers are busy combining and working their fields for the fall. Producers are also working cattle, hauling bales and preparing for the winter.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

A dry week meant rapid harvest progress in the northwest region. Producers in the northwest have been busy combining this week and are now 75 per cent harvested for the year. This is ahead of the five-year average of 45 per cent.


Producers are completing their spring seeded cereals this week and turning their attention to their oilseeds. Barley is 85 per cent complete, spring wheat is 83 per cent and oats are 80 per cent complete. Sixty-four per cent of canola is in the bin for the year, while producers are waiting for flax to dry-down and have not yet started combining. Fall cereals, field peas and lentils are harvested for the year.

The St. Walburg area received the most rain this week, recording just three mm. Topsoil moisture is beginning to be limited, with 37 per cent of cropland having adequate moisture, 55 per cent is short and eight per cent is very short. Thirty-five per cent of hay and pastures have adequate moisture, 52 per cent are short and 13 per cent are very short.

Pastures are experiencing the effects of a dry summer. Thirteen per cent of pastures are in good condition, 46 per cent are in fair condition, 19 per cent are in poor condition and three per cent are in very poor condition.


Crop damage this past week is due to light frosts, waterfowl and wind. Producers are busy combining and working their fields for the fall. Producers are also hauling feed and bales, marketing cattle and preparing for winter.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from September 12 to September 18, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

iod from September 12th to September 18th, 2023


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	2	198	4A	51	Reno	N/A	139	7A	259	Snipe Lake	N/A	125
	3	Enniskillen	5	258		79 A	Arlington	N/A	195		287	St. Andrews	N/A	112
	4	Coalfields	N/A	240		79 B	Arlington	N/A	200		288	Pleasant Valley	N/A	166
	6	Cambria	N/A	N/A		109	Carmichael	N/A	N/A		290	Kindersley	N/A	77
	32	Reciprocity	N/A	196		110	Piapot	N/A	83		292	Milton	N/A	203
	34	Browning	N/A	N/A	4B	139	Gull Lake	N/A	147		292 B	Milton	N/A	102
	61	Antler	N/A	5		229	Miry Creek	N/A	144.4		317 A	Marriott	N/A	235
	64	Brock	N/A	N/A		231	Happyland	N/A	88		317 B	Marriott	N/A	145
	65	Tecumseh	10	62	5A	181	Langenburg	N/A	211		319	Winslow	N/A	15
1B	95	Golden West	N/A	68		183 A	Fertile Belt	2	277		320 A	Oakdale	N/A	137
	122	Martin	N/A	213		185	McLeod	N/A	40		320 B	Oakdale	N/A	115
	123	Silverwood	N/A	197		211	Churchbridge	N/A	260		321	Prairiedale	5	199
	124	Kingsley	N/A	183		213	Saltcoats	N/A	191	7B	347	Biggar	N/A	192
	125 A	Chester	N/A	N/A		215	Stanley	N/A	246		350	Mariposa	N/A	104
	125 B	Chester	3	243		216 A	Tullymet	N/A	158		351	Progress	1	124
	151	Rocanville	N/A	192		216 B	Tullymet	N/A	94		377	Glenside	N/A	148
	154 A	Elcapo	1	171		217	Lipton	1	323		378	Rosemount	N/A	164
	154 B	Elcapo	N/A	N/A		241	Calder	N/A	204		382	Eye Hill	5	135
	155	Wolseley	2	242		243	Wallace	N/A	178		409 A	Buffalo	N/A	237
2A	67	Weyburn	N/A	154		245 A	Garry	N/A	225		409 B	Buffalo	N/A	211
	68	Brokenshell	N/A	141		245 B	Garry	7	197		410	Round Valley	N/A	87
	96	Fillmore	N/A	N/A		246 A	Ituna Bon Accord	N/A	293	8A	394	Hudson Bay	4	270
	97	Wellington	N/A	N/A		246 B	Ituna Bon Accord	N/A	202		395	Porcupine	N/A	197
	100	Elmsthorpe	3	225		247	Kellross	N/A	270		397 A	Barrier Valley	7	274.4
2B	127 A	Francis	3	305		248	Touchwood	1	210		397 B	Barrier Valley	2	60
	127 B	Francis	N/A	N/A	5B	273	Sliding Hills	N/A	129		427	Tisdale	N/A	N/A
	129	Bratt's Lake	5	214		275	Insinger	N/A	160		428	Star City	N/A	207
	131	Baldon	1	181		276	Foam Lake	N/A	231.5		456	Arborefield	6	300
	156 A	Indian Head	N/A	N/A		277	Emerald	2	252		457 A	Connaught	N/A	N/A
	156 B	Indian Head	8	246		277 B	Emerald	N/A	130		457 B	Connaught	N/A	159
	159 A	Sherwood	4	217		301	St.Philips	N/A	131.2		486	Moose Range	N/A	173
	159 C	Sherwood	4	158		305	Invermay	N/A	N/A	8B	487	Nipawin	N/A	74
	160	Pense	N/A	156		307	Elfros	4	239		369	St. Peter	N/A	224
	161 A	Moose Jaw	4	206		308 A	Big Quill	N/A	267		370 A	Humboldt	N/A	244
	162 A	Caron	5	206		308 B	Big Quill	N/A	N/A		370 B	Humboldt	N/A	N/A
	162 B	Caron	N/A	224		331	Livingston	1	244		371 A	Bayne	3	278
	191	Marquis	N/A	N/A		334	Preeceville	N/A	18		371 B	Bayne	N/A	245
3ASE	38 A	Laurier	2	192.7		336	Sasman	N/A	N/A		372	Grant	N/A	172
	38 B	Laurier	4	180		337	Lakeview	N/A	152		400	Three Lakes	5	247
3ASW	10	Happy Valley	1	143		366	Kelvington	N/A	199		429	Flett's Springs	2	157
	40	Bengough	N/A	N/A		367	Ponass Lake	N/A	211		430	Invergordon	5	232
	43	Old Post	N/A	228	6A	190 A	Dufferin	N/A	114		459	Kinistino	N/A	240
	73 A	Stonehenge	N/A	168		190 B	Dufferin	N/A	149.5		460	Birch Hills	3	151.7
	73 B	Stonehenge	N/A	9		190 C	Dufferin	N/A	154	9AE	461	Prince Albert	N/A	219.5
	74	Wood River	N/A	164		190 D	Dufferin	2	131		461 B	Prince Albert	N/A	174.5
3AN	102	Lake Johnston	N/A	185		219 A	Longlaketon	N/A	147		488	Torch River	N/A	230
	103	Sutton	N/A	N/A		219 B	Longlaketon	N/A	281		491 A	Buckland	N/A	85
	132 A	Hillsborough	N/A	16		220	McKillop	N/A	N/A		491 B	Buckland	N/A	N/A
	132 B	Hillsborough	N/A	258		221	Sarnia	2	169		520	Paddockwood	N/A	215
	193	Eyebrow	N/A	234		222	Craik	N/A	271		521	Lakeland	N/A	216
3BS	75	Pinto Creek	N/A	116		251	Big Arm	N/A	207	9AW	405	Great Bend	N/A	103
	77	Wise Creek	N/A	N/A		252	Arm River	N/A	N/A		406	Mayfield	N/A	4
	78	Grassy Creek	N/A	136		279	Mount Hope	N/A	185.4		435	Redberry	N/A	231
	106 A	Whiska Creek	N/A	N/A		279 B	Mount Hope	N/A	15		436	Douglas	N/A	118
	106 B	Whiska Creek	2	193		282	McCraney	N/A	180		437 A	North Battleford	N/A	106
	107	Lac Pelletier	N/A	N/A		310	Usborne	N/A	78.1		437 B	North Battleford	1	255
	108	Bone Creek	N/A	138		339	Leroy	1	312		463	Duck Lake	N/A	300
3BN	138	Webb	N/A	141	6B	340	Wolverine	N/A	N/A		466	Meeting Lake	N/A	158
	165	Morse	N/A	157		341	Viscount	N/A	N/A		467 A	Round Hill	N/A	198
	168 A	Riverside	N/A	128		343	Blucher	N/A	163.5		467 B	Round Hill	N/A	133
	168 B	Riverside	N/A	116.5		223 A	Huron	N/A	169		493	Shellbrook	N/A	262
	226	Victory	N/A	N/A		223 B	Huron	N/A	N/A		496	Spiritwood	N/A	N/A
	228	Lacadena	N/A	173		223 C	Huron	N/A	N/A		497	Medstead	N/A	135
	257	Monet	N/A	8		284 A	Rudy	N/A	108	9B	440	Hillsdale	N/A	199
						284 B	Rudy	N/A	N/A		442	Manitou Lake	N/A	99
						285	Fertile Valley	N/A	154		498	Parkdale	N/A	267
						286	Milden	N/A	157		499 A	Mervin	N/A	173
						314	Dundurn	N/A	158		499 B	Mervin	N/A	184
						316 A	Harris	N/A	201		501 A	Frenchman Butte	3	193
						344	Corman Park	N/A	131		501 B	Frenchman Butte	N/A	N/A
						346	Perdue	N/A	61		501 C	Frenchman Butte	N/A	209
						376	Eagle Creek	N/A	169		502	Britannia	N/A	260
						403 A	Rosthern	N/A	222		561	Loon Lake	N/A	268
						403 B	Rosthern	N/A	137.2		588 B	Meadow Lake	N/A	222
											622	Beaver River	N/A	215.5

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to September 18, 2023



Cropland Topsoil Moisture Conditions


September 18, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions


September 18, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from September 12 to September 18, 2023



Maximum Temperature

from September 12 to September 18, 2023

