

# Crop Report

For the Period September 19 to 25, 2023

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 21, September 28, 2023

Many producers have wrapped up harvest with 91 per cent of the provincial crop in the bin, ahead of the five and 10-year averages of 73 per cent.

The southwest and west-central regions completed harvest this week, with 98 and 97 per cent of crops off, respectively. The northwest is 90 per cent complete, followed by the southeast at 89 per cent and northeast at 88 per cent. The east-central region has made significant progress this past week, with 82 per cent of crops off.

Many crops are entirely harvested provincially with the remaining crops nearing completion. Oats are 93 per cent completed this week, followed by canary seed at 88 per cent. Later maturing crops, or fields seeded later, represent the remaining acres to be harvested, although great progress is being made. Canola is 80 per cent, flax is 63 per cent and soybeans are 64 per cent combined for the year.

A dry week across the province meant good harvest weather for producers. The most rainfall recorded was 15 mm in the Carnduff area. However, this also meant a decrease in topsoil moisture across the province. Twenty per cent of cropland has adequate moisture, 45 per cent is short and 35 per cent is very short. Sixteen per cent of pastures have adequate moisture, 44 per cent are short and 40 per cent are very short.

With the limited moisture this year, many livestock producers are experiencing moderate water shortages for their animals. Some producers in the southwest and west-central regions are experiencing water supply shortages. There are also concerns about livestock water quality. Producers are welcome to bring livestock water samples to a [regional office](#) and work with a specialist to determine how to address water quality concerns.

Crop damage this past week is due to grasshoppers and dry conditions, with some reports of wind damaging standing crops. With many producers wrapping up harvest this week, they are now working their fields and applying post-harvest herbicides. Livestock producers continue to haul water and feed for their animals while preparing for winter.

## One year ago

Many producers saw harvest wrap up for the year this week. Some cool and damp weather prevent others from making substantial progress in the eastern side of the province. Rainfall throughout the province was insufficient in replenishing topsoil moisture levels, and they were beginning to quickly deplete. Some producers were beginning to face water shortages.

Follow the 2023 Crop Report on  
Twitter @SKAgriculture

For further information, contact Mackenzie Hladun, MSc, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3592, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

Saskatchewan

# Crop Report

For the Period September 19 to 25, 2023

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 21, September 28, 2023

Producers are reminded to take safety precautions in all the work they do. The Farm Stress Line is available to provide support to producers toll free at 1-800-667-4442. The public is reminded to take extra caution, time and space when encountering machinery on the roads.

Follow the 2023 Crop Report on Twitter at @SKAgriculture.

For further information, contact Mackenzie Hladun, MSc, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3592, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan!*

# Crop Report

For the Period September 19 to 25, 2023

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 21, September 28, 2023

For further information, contact Mackenzie Hladun, MSc, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3592, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan!*

### Saskatchewan Harvest Progress - September 25, 2023

\*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

<b>Winter Wheat</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other (greenfeed/silage)</b>
Southeast	0.0	0.0	1.0	99.0	0.0
Southwest	0.0	0.0	0.0	100.0	0.0
East central	0.0	0.0	0.0	100.0	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	NA	NA	NA	NA	NA
<b>Provincial</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>100.0</b>	<b>0.0</b>
<b>Fall Rye</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other (greenfeed/silage)</b>
Southeast	0.0	0.0	0.0	100.0	0.0
Southwest	0.0	0.0	0.0	86.5	13.5
East central	0.0	0.0	0.0	100.0	0.0
West central	0.0	0.0	0.0	93.7	6.3
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	0.0	0.0	0.0	100.0	0.0
<b>Provincial</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>96.0</b>	<b>4.0</b>
<b>Spring Wheat</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other (greenfeed/silage)</b>
Southeast	0.6	0.7	2.5	96.3	0.0
Southwest	0.0	0.0	0.0	99.9	0.1
East central	1.3	0.6	4.2	93.9	0.0
West central	0.5	0.0	1.6	97.8	0.0
Northeast	0.1	0.0	1.9	98.0	0.0
Northwest	0.5	0.5	3.5	95.5	0.0
<b>Provincial</b>	<b>0.6</b>	<b>0.4</b>	<b>2.6</b>	<b>96.4</b>	<b>0.0</b>
<b>Durum</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other (greenfeed/silage)</b>
Southeast	1.9	0.4	1.8	95.9	0.0
Southwest	0.1	0.1	0.0	99.3	0.6
East central	0.0	0.0	0.0	100.0	0.0
West central	0.0	0.0	0.3	99.5	0.2
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	NA	NA	NA	NA	NA
<b>Provincial</b>	<b>0.5</b>	<b>0.1</b>	<b>0.4</b>	<b>98.6</b>	<b>0.4</b>
<b>Barley</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other (greenfeed/silage)</b>
Southeast	0.4	0.4	2.0	94.8	2.5
Southwest	0.0	0.0	0.0	88.0	12.0
East central	2.7	0.8	1.1	89.4	5.9
West central	0.2	0.2	7.0	95.7	3.2
Northeast	0.4	0.0	1.1	98.5	0.0
Northwest	0.0	1.4	0.7	97.9	0.0
<b>Provincial</b>	<b>0.9</b>	<b>0.4</b>	<b>0.9</b>	<b>93.5</b>	<b>4.2</b>
<b>Oats</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other (greenfeed/silage)</b>
Southeast	2.0	3.6	1.9	87.5	5.0
Southwest	0.0	0.0	0.0	87.5	12.5
East central	2.9	3.6	3.8	84.8	4.8
West central	0.3	0.8	0.3	94.3	5.3
Northeast	1.2	0.0	4.1	94.6	0.1
Northwest	0.0	5.8	2.2	78.7	13.3
<b>Provincial</b>	<b>1.9</b>	<b>2.5</b>	<b>2.9</b>	<b>86.7</b>	<b>6.1</b>

<b>Canaryseed</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	14.8	0.0	5.5	70.9	8.7
Southwest	0.0	0.0	0.4	99.6	0.0
East central	0.0	0.0	12.8	87.2	0.0
West central	3.5	0.0	4.8	91.8	0.0
Northeast	12.3	1.2	23.9	62.6	0.0
Northwest	NA	NA	NA	NA	NA
<b>Provincial</b>	<b>6.0</b>	<b>0.1</b>	<b>6.1</b>	<b>85.3</b>	<b>2.5</b>
<b>Flax</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	21.0	10.9	3.7	64.4	0.0
Southwest	23.2	0.0	14.0	62.9	0.0
East central	17.7	2.3	22.8	57.1	0.0
West central	9.2	2.8	6.2	81.8	0.0
Northeast	37.9	12.8	24.1	25.2	0.0
Northwest	0.0	0.0	36.7	63.3	0.0
<b>Provincial</b>	<b>19.7</b>	<b>5.1</b>	<b>12.1</b>	<b>63.1</b>	<b>0.0</b>
<b>Canola</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	9.8	3.1	8.5	78.5	0.0
Southwest	2.4	0.0	1.0	95.2	0.3
East central	7.3	9.2	18.0	65.6	0.0
West central	0.6	1.8	3.0	94.5	0.0
Northeast	6.5	4.9	11.2	77.4	0.0
Northwest	0.9	8.4	73.0	83.4	0.0
<b>Provincial</b>	<b>5.2</b>	<b>5.0</b>	<b>9.5</b>	<b>80.2</b>	<b>0.0</b>
<b>Mustard</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	0.0	0.0	0.0	95.3	4.7
Southwest	0.0	0.0	0.0	100.0	0.0
East central	0.0	0.0	0.0	100.0	0.0
West central	6.8	0.0	0.1	93.1	0.0
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
<b>Provincial</b>	<b>2.0</b>	<b>0.0</b>	<b>0.4</b>	<b>96.7</b>	<b>0.9</b>
<b>Soybeans</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	31.3	0.0	4.0	36.7	28.0
Southwest	NA	NA	NA	NA	NA
East central	57.9	0.0	0.0	42.1	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	NA	NA	NA	NA	NA
Northwest	NA	NA	NA	NA	NA
<b>Provincial</b>	<b>32.1</b>	<b>0.0</b>	<b>3.6</b>	<b>40.3</b>	<b>24.0</b>
<b>Field Peas</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	0.0	0.0	0.3	85.3	14.3
Southwest	0.0	0.0	0.0	100.0	0.0
East central	0.0	0.0	0.0	100.0	0.0
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	0.0	0.0	100.0	0.0
Northwest	0.0	0.0	0.0	100.0	0.0
<b>Provincial</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>97.0</b>	<b>3.0</b>
<b>Lentils</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	0.0	0.0	0.6	96.2	3.1
Southwest	0.0	0.0	0.0	99.6	0.4
East central	0.0	0.1	0.0	99.9	0.0

West central	0.0	0.0	0.0	99.6	0.3
Northeast	0.0	0.0	0.0	85.0	15.0
Northwest	0.0	0.0	0.0	100.0	0.0
<b>Provincial</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>99.1</b>	<b>0.8</b>
<b>Chickpeas</b>	<b>% Standing</b>	<b>% In Swath</b>	<b>% Ready To Straight Combine</b>	<b>% Combined</b>	<b>% Other</b>
Southeast	0.0	0.0	0.8	94.6	4.6
Southwest	0.0	0.0	0.0	100.0	0.0
East central	49.8	0.0	0.0	49.8	0.4
West central	0.0	0.0	0.0	100.0	0.0
Northeast	0.0	15.8	0.0	57.7	26.4
Northwest	NA	NA	NA	NA	NA
<b>Provincial</b>	<b>2.4</b>	<b>0.1</b>	<b>0.2</b>	<b>95.6</b>	<b>1.7</b>

**Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

The southeast is in the final stretch of their harvest operations with 89 per cent of the crop off, ahead of the five-year average of 78 per cent.

With most of the crops harvested, only a few acres of spring wheat, durum and barley are left standing. Chickpeas, lentils, field peas, mustard and fall seeded cereals are all completed in the region. Producers are currently working on flax at 94 per cent complete, oats at 93 per cent complete, canary seed at 80 per cent complete, , canola at 79 per cent complete and soybeans at 65 per cent complete.

Very little rain moved through the region this week, allowing for harvest to progress rapidly. The most rain received in the area was 15 mm in the Carnduff area. Topsoil moisture is becoming limited in the region. Twenty-five per cent of cropland has adequate soil moisture, 41 per cent is short and 34 per cent is very short. Similarly, 23 per cent of hay and pastures have adequate moisture, 43 per cent are short and 34 per cent are very short. Many producers in the area are experiencing water shortages for livestock and are concerned about the quality of water, as a result, these producers have turned to hauling water.

Crop damage this week was caused by grasshoppers and drought conditions. Producers are busy wrapping up harvest and working their fields for the fall. Producers are also hauling water and feed for their animals while preparing for winter.

**Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

The region is now 98 per cent completed harvest, ahead of the five-year average of 89 per cent. Producers in the area need rain and moisture before next year's crops are seeded.

Producers in the southwest are now focusing on preparing for winter as they wait for their last fields of canola at 95 per cent complete and flax at 68 per cent complete, to mature. Producers hope more rain and moisture come to replenish the soils for next year.

The most rain recorded this week was six mm in the Big Beaver area. This caused a decrease in topsoil moisture. Cropland is now 44 per cent short for moisture, 56 per cent is very short.

Forty per cent of hay and pastures are short in moisture and 60 per cent are very short. Producers are experiencing water shortages for their livestock and are concerned about the quality of water available for their animals.

With the crops off, producers are working their fields and marketing grain. Livestock producers are marketing cattle, hauling feed and water and preparing for winter.

**East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

A dry week in the east-central region has given producers a chance to combine their fields with minimal interruptions. The region is now 82 per cent complete harvest, an increase of 16 per cent over last week. The region is ahead of the five-year average of 64 per cent.

Fall cereals, durum, mustard, peas and lentils are completed for the year. Producers are working on the few remaining acres of spring wheat and barley at 94 per cent complete, oats at 89 per cent completed and canary seed at 87 per cent completed. Producers are waiting for their canola at 66 per cent complete, flax at 57 per cent complete and soybeans at 42 per cent complete to finish maturing.

Minimal rainfall was received in the region this week, with Esterhazy recording the most at two mm. Soil moisture in the region is starting to become short. In cropland, 29 per cent has adequate moisture, 53 per cent is short and 19 per cent is very short. Twenty per cent of hay and pastures have adequate moisture, 50 per cent are short and 30 per cent are very short. Livestock producers are anticipating water supply shortages for their animals this fall, with many of them also concerned about their water quality.

Crop damage this past week is due to wind damage and drought conditions, with grasshopper numbers in the region reported to be decreasing. Producers are busy combining and marketing grain. Producers are also hauling water and feed for their animals and preparing for fall and winter.

**West-Central Saskatchewan:**

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Harvest is essentially complete this week in the west central region, with many producers parking their combines and hoping for moisture to follow. The area is 97 per cent completed harvest, ahead of the five-year average of 75 per cent.

With pulses, fall cereals and spring cereals completed in the region, only a few standing acres remain. Producers are currently cleaning up their canola at 95 per cent complete, mustard at 93 per cent complete, canary seed at 92 per cent complete and flax at 82 per cent complete.

Only trace amounts of rain were reported this week in the region, causing another decrease in topsoil moisture levels. Cropland topsoil is now seven per cent adequate for moisture, 39 per cent short and 54 per cent very short. Two per cent of hay and pastures have adequate topsoil moisture, 27 per cent are short and 71 per cent are very short in moisture. Producers in the region are experiencing water supply shortages for their livestock and are hauling water. Producers are also concerned about the quality of water for their animals.

With the crop mostly off, producers are marketing grain, applying post-harvest herbicides and working their fields before they freeze. Producers are also moving cattle home, hauling water and feed and preparing for winter.

#### **Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

A dry week in the northeast has allowed producers to make great harvest progress. The region is now 88 per cent complete, ahead of the five-year average of 59 per cent.

With fall cereals, spring cereals and pulses harvested for the year, many producers are working on their later maturing crops to complete harvest. Oats are 95 per cent complete, canola is 77 per cent complete, canary seed is 63 per cent completed and flax is 25 per cent complete for the year.

The most rain recorded this week was just under three mm in the Vonda area. Despite the minimal moisture, topsoil moisture levels are still adequate. Forty-eight per cent of cropland has adequate moisture, 48 per cent is short and four per cent is very short. Hay and pasture land is rated as 38 per cent adequate, 55 per cent are short and seven per cent are very short. Although not experiencing shortage currently, producers in the region are anticipating shortages to start occurring if the rain doesn't return. Producers in the region are also concerned about water quality for their livestock.

Crop damage this week was due to light frosts, wind and waterfowl landing in the standing crops. Producers in the region are currently busy combining, applying post-harvest herbicides and marketing grain. Producers are also marketing cattle, moving cattle home and preparing for winter.

#### **Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas



Producers in the northwest have the end of harvest on the horizon, with 90 per cent of this year's crop in the bin. This is ahead of the five-year average of 57 per cent.

Fall cereals, pulses and spring cereals are harvested for the year. In the region, the remaining crops are oats at 92 per cent complete, canola at 83 per cent complete and flax at 63 per cent complete.

There were only trace amounts of rain reported in the region, meaning a decrease in topsoil moisture. Forty-two per cent of cropland has adequate topsoil moisture, 37 per cent is short and 21 per cent is very short. Hay and pasture land topsoil moisture is rated at 27 per cent adequate, 48 per cent is short and 25 per cent is very short. Producers in the region are currently experiencing water supply shortages for their livestock and are now hauling water. Producers in the region are also concerned with their water quality.

Crop damage this past week is due to some light frost, wind damage and wildlife in the fields. Producers are busy finishing harvest, applying post-harvest herbicides and working their fields before freeze-up. Producers are also marketing cattle, hauling water and feeding and moving cattle home for the winter.

# Crop Districts and Rural Municipalities in Saskatchewan




Data Source:  
Crop Districts - Saskatchewan Ministry of Agriculture

Projection: UTM Zone 13 Datum: NAD83

Geomatics Services, Ministry of Agriculture October 17, 2019

# Weekly Rainfall

from September 19 to September 25, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Weekly Rainfall Summary

(in millimeters)

the period from September 19th to September 25th, 2023


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr					
1A	2	Mount Pleasant	15	213	198	4A	51	Reno	6	145	139	7A	259	Snipe Lake	N/A	125	125		
	3	Enniskillen	5	263	258		79 A	Arlington	N/A	195	195		287	St. Andrews	N/A	112	112		
	4	Coatfields	10	250	240		79 B	Arlington	N/A	200	200		288	Pleasant Valley	N/A	166	166		
	6	Cambria	N/A	N/A	N/A		109	Carmichael	N/A	N/A	N/A		290	Kindersley	N/A	77	77		
	32	Reciprocity	N/A	196	196		110	Piapot	N/A	83	83		292	Milton	N/A	203	203		
	34	Browning	N/A	N/A	N/A		4B	139	Gull Lake	N/A	147		147	292 B	Milton	N/A	102	102	
	61	Antler	N/A	5	5			229	Miry Creek	N/A	144.4		144.4	317 A	Marriott	N/A	235	235	
	64	Brock	N/A	N/A	N/A			231	Happyland	N/A	88		88	317 B	Marriott	N/A	145	145	
	1B	65	Tecumseh	N/A	62		62	5A	181	Langenburg	2		213	211	319	Winslow	N/A	15	15
		95	Golden West	N/A	68		68		183 A	Fertile Belt	2		279	277	320 A	Oakdale	N/A	137	137
122		Martin	N/A	213	213	185	McLeod		N/A	40	40	320 B	Oakdale	N/A	115	115			
123		Silverwood	3	200	197	211	Churchbridge		1	261	260	321	Prairiedale	N/A	199	199			
124		Kingsley	1	184	183	213	Saltcoats		N/A	191	191	7B	347	Biggar	N/A	192	192		
125 A		Chester	N/A	N/A	N/A	215	Stanley		N/A	246	246		350	Mariposa	N/A	104	104		
125 B		Chester	N/A	243	243	216 A	Tullymet		N/A	158	158		351	Progress	N/A	124	124		
151		Rocanville	2	194	192	216 B	Tullymet		N/A	94	94		377	Glenside	N/A	148	148		
2A		154 A	Elcapo	N/A	171	171	217		Lipton	N/A	323	323	378	Rosemount	N/A	164	164		
		154 B	Elcapo	N/A	N/A	N/A	241		Calder	N/A	204	204	382	Eye Hill	N/A	135	135		
	155	Wolseley	N/A	242	242	243	Wallace	N/A	178	178	409 A	Buffalo	N/A	237	237				
	67	Weyburn	N/A	154	154	245 A	Garry	N/A	225	225	409 B	Buffalo	N/A	211	211				
	68	Brokenshell	2	143	141	245 B	Garry	N/A	197	197	8A	410	Round Valley	N/A	87	87			
	96	Fillmore	N/A	N/A	N/A	246 A	Ituna Bon Accord	1	294	293		394	Hudson Bay	2	272	270			
	97	Wellington	N/A	N/A	N/A	246 B	Ituna Bon Accord	1	203	202		395	Porcupine	N/A	197	197			
	100	Elmsthorpe	N/A	225	225	247	Kellross	N/A	270	270		397 A	Barrier Valley	1	275.4	274.4			
	2B	127 A	Francis	N/A	305	305	5B	248	Touchwood	N/A	210	210	397 B	Barrier Valley	N/A	60	60		
		127 B	Francis	N/A	N/A	N/A		273	Sliding Hills	N/A	129	129	427	Tisdale	N/A	N/A	N/A		
129		Bratt's Lake	N/A	214	214	275		Insinger	N/A	160	160	428	Star City	N/A	207	207			
131		Baldon	N/A	181	181	276		Foam Lake	N/A	231.5	231.5	456	Arborfield	2	302	300			
156 A		Indian Head	N/A	N/A	N/A	277		Emerald	N/A	252	252	457 A	Connaught	N/A	N/A	N/A			
156 B		Indian Head	N/A	246	246	277 B		Emerald	N/A	130	130	457 B	Connaught	N/A	159	159			
159 A		Sherwood	N/A	217	217	301		St.Philips	N/A	131.2	131.2	486	Moose Range	N/A	173	173			
159 C		Sherwood	N/A	158	158	305		Invermay	N/A	N/A	N/A	487	Nipawin	N/A	74	74			
160		Pense	N/A	156	156	307		Elfros	2	241	239	369	St. Peter	N/A	224	224			
3ASE		161 A	Moose Jaw	1	207	206		308 A	Big Quill	N/A	267	267	8B	370 A	Humboldt	N/A	244	244	
	162 A	Caron	N/A	206	206	308 B	Big Quill	N/A	N/A	N/A	370 B	Humboldt		N/A	N/A	N/A			
	162 B	Caron	N/A	224	224	331	Livingston	N/A	244	244	371 A	Bayne		N/A	278	278			
	191	Marquis	N/A	N/A	N/A	334	Preeceville	N/A	18	18	371 B	Bayne		N/A	245	245			
	3ASW	38 A	Laurier	7	199.7	192.7	336	Sasman	N/A	N/A	N/A	372	Grant	3	175	172			
		38 B	Laurier	2	182	180	337	Lakeview	N/A	152	152	400	Three Lakes	N/A	247	247			
		10	Happy Valley	6	149	143	366	Kelvington	N/A	199	199	429	Flett's Springs	N/A	157	157			
		40	Bengough	N/A	N/A	N/A	367	Ponass Lake	N/A	211	211	430	Invergordon	N/A	232	232			
		43	Old Post	N/A	228	228	6A	190 A	Dufferin	N/A	114	114	459	Kinistino	N/A	240	240		
		73 A	Stonehenge	5	173	168		190 B	Dufferin	N/A	149.5	149.5	460	Birch Hills	N/A	151.7	151.7		
73 B		Stonehenge	N/A	9	9	190 C		Dufferin	2	156	154	9AE	461	Prince Albert	N/A	219.5	219.5		
74		Wood River	N/A	164	164	190 D		Dufferin	N/A	131	131		461 B	Prince Albert	N/A	174.5	174.5		
102		Lake Johnston	N/A	185	185	219 A		Longlaketon	N/A	147	147		488	Torch River	N/A	230	230		
103		Sutton	N/A	N/A	N/A	219 B		Longlaketon	N/A	281	281		491 A	Buckland	N/A	85	85		
3AN	132 A	Hillsborough	3	19	16	220		McKillip	N/A	N/A	N/A	491 B	Buckland	N/A	N/A	N/A			
	132 B	Hillsborough	N/A	258	258	221		Sarnia	1	170	169	520	Paddockwood	N/A	215	215			
	193	Eyebrow	N/A	234	234	222		Craik	N/A	271	271	521	Lakeland	N/A	216	216			
	3BS	75	Pinto Creek	2	118	116		251	Big Arm	N/A	207	207	9AW	405	Great Bend	N/A	103	103	
		77	Wise Creek	N/A	N/A	N/A	252	Arm River	N/A	N/A	N/A	406		Mayfield	N/A	4	4		
		78	Grassy Creek	N/A	136	136	279	Mount Hope	N/A	185.4	185.4	435		Redberry	N/A	231	231		
		106 A	Whiska Creek	N/A	N/A	N/A	279 B	Mount Hope	N/A	15	15	436		Douglas	N/A	118	118		
		106 B	Whiska Creek	N/A	193	193	282	McCraney	N/A	180	180	437 A	North Battleford	N/A	106	106			
		107	Lac Pelletier	N/A	N/A	N/A	310	Usborne	N/A	78.1	78.1	437 B	North Battleford	N/A	255	255			
		108	Bone Creek	N/A	138	138	339	Leroy	1	313	312	463	Duck Lake	N/A	300	300			
138		Webb	N/A	141	141	340	Wolverine	N/A	N/A	N/A	466	Meeting Lake	N/A	158	158				
165		Morse	N/A	157	157	341	Viscount	N/A	N/A	N/A	467 A	Round Hill	N/A	198	198				
3BN		168 A	Riverside	N/A	128	128	343	Blucher	N/A	163.5	163.5	467 B	Round Hill	N/A	133	133			
	168 B	Riverside	N/A	116.5	116.5	6B	223 A	Huron	N/A	169	169	493	Shellbrook	N/A	262	262			
	226	Victory	N/A	N/A	N/A		223 B	Huron	N/A	N/A	N/A	496	Spiritwood	N/A	N/A	N/A			
	228	Lacadena	N/A	173	173		223 C	Huron	N/A	N/A	N/A	497	Medstead	N/A	135	135			
	257	Monet	N/A	8	8		284 A	Rudy	N/A	108	108	9B	440	Hillsdale	N/A	199	199		
							284 B	Rudy	N/A	N/A	N/A		442	Manitou Lake	N/A	99	99		
							285	Fertile Valley	N/A	154	154		498	Parkdale	N/A	267	267		
							286	Milden	N/A	157	157		499 A	Mervin	N/A	173	173		
							314	Dundurn	N/A	158	158		499 B	Mervin	N/A	184	184		
							316 A	Harris	N/A	201	201		501 A	Frenchman Butte	N/A	193	193		
					344		Corman Park	N/A	131	131	501 B		Frenchman Butte	N/A	N/A	N/A			
					346	Perdue	N/A	61	61	501 C	Frenchman Butte		N/A	209	209				
					376	Eagle Creek	N/A	169	169	502	Britannia		N/A	260	260				
					403 A	Rosthern	N/A	222	222	561	Loon Lake		N/A	268	268				
					403 B	Rosthern	N/A	137.2	137.2	588 B	Meadow Lake	N/A	222	222					
										622	Beaver River	N/A	215.5	215.5					

Municipality No: A, B, C and D - more than one reporter


These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

# Cumulative Rainfall

from April 1 to September 25, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Projection: UTM Zone 13 Datum: NAD83

Data Source:


Rainfall - Ministry of Agriculture, Crop Report Database  
 The following is compiled and quality controlled by Agriculture and Agri-Food Canada: Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 IDW interpolation (power 2.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture September 27, 2023

# Cropland Topsoil Moisture Conditions

September 25, 2023



## Moisture Conditions




Very Short

Short

Adequate

Surplus

NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Source:  
Moisture - Ministry of Agriculture, Crop Report Database  
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture


September 27, 2023

# Hay and Pasture Topsoil Moisture Conditions

## September 25, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Source:  
Moisture - Ministry of Agriculture, Crop Report Database  
IDW interpolation (power 2.5, fixed radius 300 km)


Geomatics Services, Ministry of Agriculture      September 27, 2023

# Minimum Temperature

from September 19 to September 25, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Projection: UTM Zone 13 Datum: NAD83




Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture September 27, 2023

# Maximum Temperature

from September 19 to September 25, 2023



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture September 27, 2023