

Community Respiratory Illness Surveillance Program (CRISP)

Situation Report: March 28, 2024 (Reporting Period March 10 – March 23, 2024)

Summary

- The number of positive tests for **COVID-19 decreased** this week compared to the week ending March 9. Test positivity for the most recent surveillance week was 5.1%, a decrease from 5.8% in the week ending March 9. In the most recent week, the proportions of laboratory-confirmed COVID-19 cases were highest among those 65 and older (43.5%).
- In the current season, 6,793 influenza positive laboratory tests were reported, largely influenza Type A (80.9%). Of the influenza A viruses subtyped, the majority were H1N1 (92.1%). The **test positivity for influenza increased this week** (17.7%) compared to the week ending March 9 (11.4%). The increase was due to influenza Type B, which is typical this time of year. In the most recent week, the proportions of laboratory-confirmed influenza cases were highest among those 20-64 years of age (48.0%).
- The number of **Respiratory Syncytial Virus (RSV) positive tests remained relatively stable** over the past three weeks. RSV test positivity was 5.3% in the most recent surveillance week. The proportion of RSV cases was highest in the under 5 years age group.
- COVID-19, Influenza, RSV, other respiratory viruses, and co-infected cases accounted for 22.7%, 26.0%, 14.4%, 33.1%, and 3.9%, respectively, of the viral respiratory illness hospitalizations in the province during this reporting period. The total number of hospital admissions for respiratory viruses decreased by 22.0% from 232 to 181, over the previous two weeks.
- Sentinel surveillance indicators of respiratory virus transmission in the community continue to fluctuate:
 - Weekly emergency department visits for respiratory-like illnesses (RLI) decreased from 19.5 per 1,000 in the week ending March 16 to 18.0 per 1,000 in the week ending March 23.
 - School absenteeism remained stable over the past three weeks from 10.0% in the week ending March 9, to 10.1% in the week ending March 23.
 - RLI calls to the HealthLine decreased from 97.8 per 1,000 calls for the week ending March 16, to 86.4 per 1,000 calls in the week ending March 23.
 - Two (2) out of three (3) samples tested at the sentinel provider sites were positive. The most commonly detected viruses were Rhinovirus and seasonal Coronavirus OC43.
 - The wastewater data from surveyed areas in the province indicate a declining pattern and predominantly low concentrations of COVID-19, except for Regina and Saskatoon, where levels are moderate.

COVID-19

- The number of positive tests for COVID-19 decreased from 96 tests in the week ending March 9 to 81 tests in the week ending March 23.
- In the most recent week, the proportions of laboratory-confirmed COVID-19 cases were highest among those 65 and older (43.5%), followed by individuals 20-64 years of age (36.2%).
- From March 10 to March 23, 2024, there were five (5) COVID-19 outbreaks reported in high-risk settings compared to four (4) in the previous two-week period.

- From January 28 to March 9, 2024, JN.1 and its sublineages (denoted as JN.1*) were the most commonly detected variants (91.6%), followed by EG.5* (3.8%), XBB.1.9.1* (1.4%) and BA.2.86* (1.4%). The proportion of JN.1* is 94.4% for the week ending March 9.
- COVID-19 hospitalizations decreased from 69 for the previous two weeks to 41 for the most recent two weeks, reflecting a 40.6% decrease. COVID-19 ICU admissions decreased from eight for the previous two weeks to 3 for the most recent two weeks.
- The proportion of staffed inpatient beds occupied by COVID-19 patients decreased to 2.7% for the current surveillance week.
- In the past two weeks, no COVID-19-associated death was reported.
- As of March 23, 2024, 18.2% of those aged six months and older have received a COVID-19 vaccine dose. Vaccination coverage is generally below 10% for ages six months to 64 years, except in Saskatoon (14.7%), Regina (14.4%), and North East (10.4%). For those 65 and older, Far North West (33.8%) and Far North Central (20.1%) have less than 40% coverage, while Regina (58.7%), Saskatoon (55.9%), and Central West (51.1%) exceed 50% coverage for this age group.

Influenza

- The number of positive tests for influenza have increased from 133 in the week ending March 9, 2024, to 218 in the current surveillance week.
- One influenza-associated death was reported in this reporting period.
- Influenza hospitalizations increased from 38 for the previous two weeks to 47 for the most recent two weeks. Influenza ICU admissions increased from four for the previous two weeks to 12 for the most recent two weeks.
- As of March 23, 2024, 24.8% of the Saskatchewan population received influenza vaccine this season. For those aged 65 years and older overall coverage was 59.3%; the highest was in Regina (64.2%) and lowest in Far North Central (41.0%). For those aged less than 65 years the overall coverage was 17.7%; the highest was in Saskatoon (21.5%) and lowest was in Far North West (10.4%).

RSV and Other Respiratory Viruses¹

- RSV outbreaks have increased. Three outbreaks were reported in high-risk settings over the past two weeks.
- RSV hospitalizations decreased from 37 to 26 in the most recent two weeks, reflecting a 29.7% decrease, while RSV ICU admissions remained stable at five. Hospitalizations for 'Other' respiratory viruses decreased from 73 to 60, with ICU admissions remaining stable at 11 over the last two weeks.
- Other respiratory viruses slightly increased to 186 positive lab detections in the current reporting two weeks compared to 178 detections in the previous two-week period. Test positivity in the most recent week increased to 24.0% from 21.2% in the previous week.
- Outbreaks due to 'other' viruses have remained stable. Two outbreaks were reported in high-risk settings over the past two weeks.

Notes:

¹ Other respiratory viruses: Parainfluenza viruses 1 – 4; Adenovirus; Human Metapneumovirus, seasonal Coronavirus and Enterovirus/Rhinovirus;

* Represents all sublineages of Omicron

Table 1: Viral indicators by surveillance period, February 25 – March 23, 2024

Report date	SARS-CoV-2 positive laboratory test	SARS-CoV-2 test positivity	COVID-19 outbreaks	Influenza positive laboratory test	Influenza test positivity	Influenza outbreaks	RSV positive laboratory test	RSV test positivity	RSV Outbreaks	'Other' ¹ positive laboratory test	'Other' ¹ sample positivity	'Other' ¹ outbreaks
Mar 17 – Mar 23	81	5.1%	1	218	17.7%	0	52	5.3%	3	90	24.0%	1
Mar 10 – Mar 16	80	4.7%	4	193	14.6%	1	64	5.8%	0	96	21.2%	1
Mar 3 – Mar 9	96	5.8%	2	133	11.4%	0	53	5.3%	0	78	20.4%	0
Feb 25 – Mar 2	130	8.0%	2	126	10.2%	0	69	6.5%	0	100	21.7%	2

Notes: ¹Parainfluenza viruses 1 – 4; Adenovirus; Human Metapneumovirus, seasonal Coronavirus and Enterovirus/Rhinovirus. See Technical Notes for details

[#]Starting with the week of Oct 22-28, the method for calculating test positivity for "Other" respiratory viruses has changed to more accurately reflect the number of positive results in laboratory samples tested for "other" respiratory viruses. For example, during the week of Oct 22-28, 64 of 347 samples tested for "Other" respiratory viruses were positive for one or more of these viruses, which results in a test positivity of 18.4%. Samples that tested positive for more than one of the "Other" viruses are counted only once.

Table 2: Lab-confirmed respiratory illness by age group, March 17 – March 23, 2024

Age group (Years)	COVID-19 case count	Influenza case count	RSV case count	'Other' virus case count ¹
0 – 4	8 (11.6%)	24 (11.7%)	27 (54.0%)	90
5 – 19	6 (8.7%)	62 (30.4%)	2 (4.0%)	
20 – 64	25 (36.2%)	98 (48.0%)	6 (12.0%)	
≥65	30 (43.5%)	20 (9.8%)	15 (30.0%)	
Total	69 (100%)	204 (100%)	50 (100%)	90 (100%)

Notes: ¹Parainfluenza viruses 1 – 4; Adenovirus; Human Metapneumovirus, seasonal Coronavirus and Enterovirus/Rhinovirus; age-specific data is unavailable for other respiratory pathogens. Individuals with co-infection of "Other" viruses are only counted once. Due to the rounding, total percentage may not add to 100%. See Technical Notes for further details.

Table 3: Sentinel* indicators by surveillance period, February 25 – March 23, 2024

Report date	School illness absenteeism ¹	RLI** ED visits per 1,000 ²	RLI** 811 calls per 1,000	SARS-CoV-2 Wastewater indicator ³	Sentinel provider test positivity ⁴	Most commonly detected virus: Sentinel providers ⁴
Mar 17 – Mar 23	10.1%	18.0	86.4	Low (n=7), Medium (n=2)	67% (n=2)	Rhinovirus, seasonal Coronavirus OC43
Mar 10 – Mar 16	10.9%	19.5	97.8	Low (n=7), Medium (n=2)	64% (n=7)	Influenza B
Mar 3 – Mar 9	10.0%	16.4	77.0	Low (n=3), Medium (n=4), Medium-high (n=2)	67% (n=6)	Influenza B
Feb 25 – Mar 2	11.1%	15.3	100.5	Low (n=5), Medium (n=3), Medium-high (n=1)	43% (n=3)	COVID

Notes: *Sentinel surveillance are sampling programs representative of the population; ¹School absenteeism is the proportion of scheduled children who were absent from the class due to illness. The type of illness is not specified. ²Respiratory-like illnesses (RLI) are based on reports from ten of thirteen reporting areas. ³Count of wastewater treatment facilities reporting low, moderate or high levels of viral load causing COVID-19 infection. See Technical Notes and appendix for details. ⁴Most commonly detected virus in Sentinel providers: COVID-19, Influenza A/B, RSV, Adenovirus, Metapneumovirus, Rhinovirus, Parainfluenza viruses 1-4, and seasonal Coronaviruses (229E, HKU1, NL63, and OC43).

Table 4: Outcome, health care capacity, and immunization coverage indicators by surveillance period, Saskatchewan, February 25 – March 23, 2024^{*}

Report date	Hospital admissions – COVID-19 ¹	ICU admissions – COVID-19	Hospital admissions – Influenza	ICU admissions – Influenza	Hospital admissions – RSV	ICU admissions – RSV	% of staffed inpatient beds occupied by COVID-19 patients ²	Deaths – COVID-19	Deaths – Influenza ³	Proportion of population with COVID-19 vaccine administered ⁴	Proportion of population immunized for Influenza vaccine ⁴
Mar 17 – Mar 23	21	3	28	8	10	1	2.7%	0	1	18.2%	24.8%
Mar 10 – Mar 16	20	0	19	4	16	4	3.0%	0	0	18.2%	24.8%
Mar 3 – Mar 9	30	2	19	2	19	1	3.6%	1	0	18.1%	24.8%
Feb 25 – Mar 2	39	6	19	2	18	2	4.3%	1	0	18.1%	24.7%

^{*}Additional information on hospital admission stratified by respiratory organism and age group is provided below in **Figure 3** and **4** respectively. Viral infection may not be the main reason for the admission.

Cases by respiratory organisms across the age groups

- From March 10 to March 23, there were 181 respiratory illness cases hospitalized with lab-positive COVID-19 (41), influenza (47), RSV (26), other respiratory illnesses (60), and co-infected cases (7). The COVID-19 lab positives were among the age groups of 0-19 (3), 20-59 (8) and ≥60 (30). The Influenza lab positives were among the age groups of 0-19 (8), 20-59 (21) and ≥60 (18). The RSV lab positives cases were among the age groups of 0-19 (13), 20-59 (5), and ≥60 (8). The other respiratory lab positives were in the age group of 0-19 (25), 20-59 (12), and ≥60 (23). The Co-infection lab positives were in the age groups of 0-19 (4), 20-59 (1), and ≥60 (2).
- From March 10 to March 23, there were 34 respiratory illness cases admitted to the ICU with lab-positive Covid-19 (3), influenza (12), RSV (5), other respiratory illnesses (11), and co-infected cases (3). The COVID-19 lab positives were among the age groups of 20-59 (3). The Influenza lab positives were among the age group of 0-19 (1), 20-59 (8), and ≥60 (3). The RSV lab positives cases were among the age groups of 0-19 (2) and 20-59 (3). The other respiratory lab positives were in the age groups of 0-19 (6), 20-59 (3), and ≥60 (2). The Co-infection lab positives were among age group of 0-19 (1), 20-59 (1), and ≥60 (1).


Notes: ¹ The delay in date tested result affects the total number of Influenza (A/B), RSV and other respiratory virus admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated. The counts for influenza, RSV, and other respiratory virus-associated hospital and ICU admissions refer to individuals with laboratory or point of care tests positive for influenza, RSV, and other respiratory viruses, respectively, occurring within four days before the admission date AND/OR at any point during the hospital stay. The counts for COVID-19 hospital and ICU admissions refer to individuals with laboratory tests positive for COVID-19 virus, occurring within 21 days before the admission date and/or at any point during the hospital stay or 7 days from the discharge. Episodes of care considers patients total movement within the health system related to their condition. It combines 2 or more admission from 2 or more different facilities if they are transfers (No break in care). Transfer: Admission to any other hospital within 24 hours of discharge from previous hospital. Co-infected cases: positive for influenza and RSV or, positive for influenza and other respiratory virus or positive for RSV and other respiratory viruses or, positive for COVID-19 and influenza or, positive for COVID-19 and RSV or, Positive for COVID-19 and other respiratory viruses. Other includes Parainfluenza 1-4, Adenovirus, Enterovirus, Human Metapneumovirus, Rhinovirus, Seasonal Coronavirus (O43, NL63, 229E, HKU1f.)

²7-day average of percentage of acute inpatient beds staffed and in operation that are occupied by COVID-positive patients as of 8AM census

³ Includes deaths entered into Panorama IOM among lab-confirmed cases. Deaths reported based on the actual date of death. Deaths reported in previous periods subject to change due death reporting data lags. Based on Panorama update, one death was added in week 46; and one death removed from each week from week 47-50.

⁴The fall immunization campaign for COVID-19 and influenza started on October 10, 2023. The first doses of COVID-19 and influenza vaccines arrived in SK the week of September 18. Coverage is based on doses administered on or after September 18, 2023.

Figure 1: Epidemic curve, respiratory illness by organism and test positivity, August 29, 2021 – March 23, 2024



Data sources: Panorama IOM extracted on March 25, 2024 (COVID-19 cases)


Respiratory Virus Detections Surveillance System (influenza and other respiratory) (RRPL extracted March 25, 2024)

As of September 4, 2022, COVID-19 cases include new and reinfections.

For the two weeks of March 10 to 23, 2024, there were:

- 143 COVID-19 cases (24 were 0 to 19 years; 43 were 20 to 59 years; and 76 were 60 years and older).
- 411 influenza lab detections
- 116 RSV detections
- 186 other viral lab detections (parainfluenza, adenovirus, human metapneumovirus, rhinovirus, coronavirus)

Figure 2: Percentage of SARS-CoV-2 variants, January 28 – March 09, 2024[†]




Data Source: Roy Romanow Provincial Laboratory, Saskatchewan Health Authority, as of March 26, 2024

[†] Surveillance weeks correspond to specimen collection date.

* Parent lineage reported also includes all sublineages derived from this parent lineage.

"Other" represents non-VOC variant groups and their sublineages. For the current period of January 28 to March 9, 2024, the Other category includes BA.1.1* (1 case), XCH.1* (1 case), XDA* (1 case), XDK* (1 case), and XDP* (2 cases).


Figure 3: The number of COVID-19, influenza, RSV, other respiratory viruses, and co-infected cases admitted to hospital and ICU by week of the admission, September 03, 2022 – March 23, 2024*



Data source: Digital Health Analytics, Saskatchewan Health Authority, Episode of Care methodology (Admission, Discharge, Transfer Database (ADT, RRPL, Panorama); data extracted on March 26, 2024* Viral infection may not be the main reason for the admission.

Note: The delay in date tested result affects the total number of COVID 19 admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated. Includes lab or point of care positive for influenza, RSV, other respiratory viruses, four days prior to date of admission AND/OR at any point during admission. Episode of Care considers patients total movement within the health system related to their condition. It combines 2 or more admissions from 2 or more different facilities, if they are transferred (no break in care). Transfer = admission to any other hospital within 24 hours of discharge from previous hospital admission. Co-infected cases = positive for Influenza and RSV, or Influenza and 'other', or RSV and 'other', or COVID-19 and Influenza, or, COVID-19 and RSV, or, COVID-19 and 'other'.


Figure 4: The number of COVID-19, influenza, RSV, other respiratory viruses, and co-infected cases admitted to hospital by age group, March 10 – March 23, 2024



Data source: Digital Health Analytics, Saskatchewan Health Authority, Episode of Care methodology (Admission, Discharge, Transfer Database (ADT, RRPL, Panorama); data extracted on March 26, 2024* Viral infection may not be the main reason for the admission.

Note: The delay in date tested result affects the total number of COVID 19 admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated. Includes lab or point of care positive for influenza, RSV, other respiratory viruses, four days prior to date of admission AND/OR at any point during admission. Episode of Care considers patients total movement within the health system related to their condition. It combines 2 or more admissions from 2 or more different facilities, if they are transferred (no break in care). Transfer = admission to any other hospital within 24 hours of discharge from previous hospital admission. Co-infected cases = positive for Influenza and RSV, or Influenza and 'other', or RSV and 'other', or COVID-19 and Influenza, or, COVID-19 and RSV, or COVID-19 and 'other'.

Figure 5: COVID-19 deaths by age group and week, September 4, 2021 – March 23, 2024*



Source: Panorama March 25, 2024

In the past two weeks, March 10 to March 23, 2024, no death was reported among COVID-19 cases.

*Total COVID-19 deaths from March 2020 to date; n=2,05

Table 5: Community Respiratory Infection Surveillance Program Indicators by zone, March 17 – March 23, 2024

Location	Test positivity – SARS-CoV-2 ¹ (positive lab tests)	Test positivity – Influenza (positive lab tests)	Test positivity – RSV (positive lab tests)	RLI* visits to EDs per 1,000 ²	RLI* 811 calls per 1,000 ³	School illness absenteeism ⁴	Wastewater indicator [†]	Proportion of population with COVID-19 vaccine administered ⁵		Proportion of population with Influenza vaccine administered ⁵	
								<65 Yrs	≥65 Yrs	<65 Yrs	≥65 Yrs
Far North West (Meadow Lake & area)	3.3% (1)	1.6% (1)	9.0% (6)	No data	–	7.6%	Low	4.7%	33.8%	10.4%	46.0%
Far North Central	0.0% (0)	0.0% (0)	80.0% (4)	No data	–	8.9%	No Data	3.1%	20.1%	12.7%	41.0%
Far North East (La Ronge & area)	0.0% (0)	14.7% (5)	6.7% (2)	No data	–	9.1%	Low	6.9%	44.5%	14.6%	53.4%
North West (Lloydminster & area/North Battleford)	4.7% (4)	23.8% (35)	2.6% (3)	26.0	72.8	10.3%	Low	5.9%	43.2%	11.2%	51.1%
North Central (Prince Albert & area)	0.0% (0)	31.9% (23)	6.5% (5)	8.6	–	11.7%	No Data	9.6%	49.4%	15.8%	57.9%
North East (Melfort & area)	0.0% (0)	22.2% (4)	15.2% (5)	85.4	94.0	12.6%	No Data	10.4%	47.5%	16.3%	55.9%
Saskatoon	3.7% (13)	12.8% (26)	5.8% (14)	11.7	73.6	10.3%	Medium	14.7%	55.9%	21.5%	62.5%
Central West (Kindersley & area)	0.0% (0)	5.9% (1)	4.2% (1)	47.2	–	6.3%	No Data	8.2%	51.1%	16.7%	61.4%
Central East (Yorkton/Melville & area)	6.1% (10)	15.6% (19)	3.7% (3)	25.9	–	9.1%	Low	8.4%	47.4%	14.6%	55.6%
Regina	7.4% (14)	14.6% (29)	6.7% (12)	17.6	91.7	9.0%	Medium	14.4%	58.7%	19.6%	64.2%
South West (Swift Current/Maple Creek & area)	3.9% (2)	18.0% (11)	6.6% (4)	22.9	89.7	8.5%	Low	9.2%	46.1%	16.3%	55.4%
South Central (Moose Jaw & area)	7.2% (5)	23.2% (19)	2.7% (3)	5.1	–	13.4%	Low	9.3%	50.0%	15.8%	58.8%
South East (Weyburn/Estevan & area)	10.0% (4)	17.6% (12)	0.0% (0)	57.0	111.6	12.0%	Low	7.2%	44.5%	14.8%	56.9%
Unknown/Out of Province	6.0% (28)	22.8% (33)	5.1% (2)	No data	–	11.4%	–	–	–	–	–
SASKATCHEWAN	5.1% (81)	17.7% (218)	5.8% (64)	18.0	86.4	10.1%	–	11.4%	51.4%	17.7%	59.3%

Notes: ¹By week of lab detection; effective Oct 30, 2022, includes cases who tested positive more than once >= 90 days apart; ²For COVID-19 test positivity, all tests reported were performed within the province. ³Respiratory-like illness; ⁴Based on reports from ten of thirteen reporting areas. ⁵811 data available at the six Integrated Service Areas geographical level; ⁶Unknown represents the number of students who were absent from the class due to illness with no known geography for the school. School absenteeism is the proportion of scheduled children who were absent from the class due to illness. The type of illness is not specified. [†]SK overall estimate is currently unavailable as this metric tends to overestimate and underestimate WW level due to varied patterns across regions, which is difficult to synchronize with the population size of each region.; ⁷The fall immunization campaign for COVID-19 and influenza started on October 10, 2023. The first doses of COVID-19 and influenza vaccines arrived in SK the week of September 18. Coverage is based on doses administered on or after September 18, 2023

Technical Notes


1. Laboratory surveillance: Conducted through epidemiological analyses and Laboratory surveillance: Conducted through epidemiological analyses and positivity rate monitoring (counts and proportion of positive specimens, week of specimen collection, age category, geographical area, etiological type where applicable) of selected respiratory specimens submitted to the provincial laboratory in SK. Whole genome sequencing is conducted to detect changes (emergence of sub-lineages, variant proportion, etc) of clinical and public health importance among circulating respiratory organisms.
2. Sentinel health providers: Comprise a geographical-based network in practices across the province (n = 13 zones) who submit one to two specimens weekly to the Virology Section of the Roy Romanow Provincial Laboratory (RRPL), Saskatchewan Health Authority, from patients presenting with respiratory-like symptoms. Specimens are tested for a wider complement of respiratory organisms to monitor respiratory illness activity in the community. Assessment of co-infection (infected by more than one respiratory virus organism concurrently) occurs through sentinel provider submissions.
3. Wastewater data: Provided by the Roy Romanow Provincial Laboratory Wastewater Testing Team. Viral load for each zone was used to determine risk levels (Low, Medium, Medium-High, and High) based on viral copies per unit volume and weekly change percentage. Locations sampled include Saskatoon, Regina, Moose Jaw, North Battleford, Swift Current, Yorkton, Weyburn, Estevan, Meadow Lake, Melville, Town of Battleford, La Ronge, Unity, Assiniboia, Maple Creek, Lumsden, Watrous, Île-à-la-Crosse, Birch Hills, Southey, and Pasqua First Nation.
4. Respiratory-Like Illness (RLI) cases in Emergency Departments (EDs) across different regions of Saskatchewan are recorded using two primary systems: the Sunrise Clinical Manager (SCM) and the local public health offices (LPHO).
The SCM ED data encompasses information from eight zones, namely Central East, North Central, North West, Regina, Saskatoon, South Central, South West, and South East (data received from both systems). On the other hand, the LPHO ED data covers three zones: North East, Central West, and South East (data received from both systems). It's important to note that the Far North West, Far North Central, and Far North East regions do not currently participate in RLI Surveillance for ED.
Digital Health Analytics (DHA) compiles and summarizes SCM data over a 7-day monitoring period, spanning from Sunday to Saturday. In contrast, the LPHO aggregates raw data received from ED's on the prescribed data collection form. The data is monitored for a minimum of 24 hours, on at least one day each week. The specific timing of this monitoring may vary depending on the ED's schedule.
5. HealthLine 811 callers with Respiratory Symptoms (RLI): This count of response protocols collected by HealthLine nurses specific to callers reporting respiratory-like symptoms. HealthLine data is collected for a seven-day week, Monday to Sunday. Data is transformed into the rate of callers with respiratory symptoms from each Integrated Service Area (ISA) per 1000 calls from that ISA concerning any type of symptom.
6. A confirmed outbreak: Defined as two or more lab confirmed respiratory virus cases in high-risk settings where transmission is evident or there is a high level of suspicion of transmission. Outbreaks are reported by the week they were reported to the local public health office and not necessarily in the week that the outbreak began. For this report outbreaks in high-risk settings comprise long term care facilities, personal care homes and group homes.
7. COVID hospitalized admissions is the number of C-19 positive cases that during the surveillance week were admitted as an inpatient to an acute care facility. This includes patients with C-19 related illness, incidental COVID infection, and patients under investigation. COVID ICU admissions is the number of C-19 positive cases that during the surveillance week were admitted to an ICU location in SK. This includes both infectious and non-infectious cases.
8. Influenza, RSV and other respiratory virus admissions: Delays in testing results affect the total number of Influenza, RSV and other respiratory virus admissions for a particular day. This lag in data has the greatest impact on the two days prior to when the report is updated. Counts include individuals who are laboratory positive for influenza, RSV, and other respiratory viruses, within four days prior to date of admission AND/OR at any point during the hospital stay. Episode of Care considers patients' total movement within the health system related to their condition. It combines 2 or more admissions from 2 or more different facilities, if they are transfers (i.e., no break in care). Transfer: Admission to any other hospital within 24 hours of discharge from previous hospital. Co-infected Cases = if positive for Influenza and RSV positive for Influenza and Other Respiratory viruses or, positive

for RSV and Other respiratory viruses or, positive for Covid-19 and Influenza or, positive for Covid-19 and RSV or, positive for Covid-19 and Other Respiratory viruses.


9. Variant of Concern (VOC): VOCs are SARS-CoV-2 viruses that have undergone genetic modification or mutation causing altered virus infectivity, replication and pathogenicity. As a result, it can alter host immune response. The Roy Romanow Provincial Laboratory (RRPL) tests for and monitors COVID-19 variants of concern (VOCs) in Saskatchewan. Confirmation of VOC lineages is done by conducting whole genome sequencing (WGS) at RRPL or the National Microbiology Laboratory. It takes one to two weeks to complete WGS from the date a sample is collected. Data sources for VOCs analysis include testing data from the RRPL, and epidemiological information from Panorama. Where geographical zone is missing in RRPL or Panorama data, the Saskatchewan postal code file is used to identify cases' geographical information.
Lineages BA.2.86, JN.1, XBB, XBB.1.5, XBB.1.9.1, EG.5, XBB.1.16 and XBB.2.3 are all classified under the WHO label of "Omicron". Lineages that are not explicitly indicated in the analysis are aggregated under their corresponding parent lineage. Percentages are shown when a lineage or variant group constitutes 5% or more of total specimens evaluated for a given surveillance week.
10. COVID-19 cases: Effective September 4, 2022, COVID-19 cases are based on lab detection and include cases who tested positive more than once 90 days, or further, apart. Prior to this, cases include, only, first time cases reported and entered into Panorama.
11. COVID-19 Deaths: Includes deaths entered into Panorama IOM among laboratory confirmed cases. Deaths are reported based on the actual date of death. Deaths in previous periods may be adjusted from previous reports due to data lag.
12. COVID-19 Immunizations: Up-to-date (UTD) COVID-19 vaccination is the proportion of people having completed a primary series and one booster for ages five and older divided by the eligible population found in the Saskatchewan Covered Population, 12-Nov-2022 Ministry of Health version (2022 Version 2). Though vaccinated children six months to four years of age may be technically UTD, this specific definition does not apply to them. In addition, UTD in last six months is calculated by the proportion of people having received one or more boosters within the previous six months.
13. Influenza immunizations: UTD Influenza vaccination is the proportion of people, six months and older, having one influenza dose this season divided by the eligible population found in the Saskatchewan Covered Population, 12-Nov-2022 Ministry of Health version (2022 Version 2). Vaccination for the current influenza season officially began October 11, 2022. Some doses were administered prior to the start date.
14. Staffed Inpatient beds: Weekly average COVID Occupancy is a 7-Day average percentage of acute inpatient beds staffed and in operation COVID positive patients occupy. The full calculation of this metric is: $\text{Average COVID occupancy} = \frac{\sum (8\text{am covid census})}{\sum (8\text{am beds staffed and in operation})} \times 100\%$. Where "bed staffed and in operation" = "Planned beds" + "Surge Beds" - "Closed" and $\sum (\dots)$ indicates summation over 7-day period from Sunday to Saturday. 8am COVID census is taken from the ADT patient registration, which is fed to the provincial data-mart and archived hourly. 8am planned bed, surge beds, and closed beds is compiled via data feeds from APF (Saskatoon & Regina) and the provincial bed edits interface (INH & IRH).
15. Rate of COVID-19 hospitalization (ICU or Death) were calculated by summing the daily number of hospitalizations (ICUs or Deaths) for the period by vaccine status (numerator) divided by the mid period population by respective vaccine status (denominator), multiplied by 100,000. This estimate is further divided by the number of days to obtain the daily rate. Denominator for individuals in the Booster in the past 6-months group are all Saskatchewan residents who have had their booster dose within the last 6 months. To eliminate bias of age all rates are adjusted by age. Direct standardization method is employed using the Saskatchewan population as the standard population. Age at first dose used in the rate calculation. Individuals with unknown age are excluded from age-specific analyses. Estimates of relative risk (i.e., rate ratios) is obtained by comparing vaccinated with 2 doses (Any Booster dose) and unvaccinated. Risk estimates may differ from other reports due to differing methodologies. Relative risk estimates methodology is described elsewhere. See [Namrata Bains. Standardization of Rates \(March 2009\)](#).

Appendix: Wastewater Surveillance for SARS-CoV-2 by cities, Saskatchewan


Meadow Lake




Île-à-la-Crosse




North Battleford




Battleford




Saskatoon




Yorkton




Melville



Regina




Swift Current




Quantitative Interpretation:

- Low: 0-20 copies per mL.
- Medium: 20-100 copies per mL and weekly change < 100%.
- Medium – High: 20-100 copies per mL and weekly change > 100%.
- High: > 100 copies per mL.


Maple Creek




Assiniboia




Moose Jaw




Lumsden




Estevan




Birch Hills




La Ronge



Southey†



Weyburn†



Quantitative Interpretation:

- Low: 0-20 copies per mL.
- Medium: 20-100 copies per mL and weekly change < 100%.
- Medium – High: 20-100 copies per mL and weekly change > 100%.
- High: > 100 copies per mL.

